Exhibit 1

| | | | | | Energy Effi | ciency Compliand | ce Baselines and | Benchmarks (MW | /h) ¹ | | | | |
|---------------------|------|------------|-----------------------|-------------------------------------|--|---|------------------------|--|------------------------------------|-------------------------|-------------------------|---|-------------------------|
| Electric Utility | Year | Sales | Weather Adjustment | Weather Adjusted Retail Sales | Mercantile Addbacks as Filed in Initial Benchmark | Fully Adjusted Sales as Filed in Initial Benchmark | Planning Baseline | Remove Mercantile Addbacks as Filed in Initial Benchmark | Approved Mercantile Addbacks | Fully Adjusted Sales | Compliance Baseline | % Target of Cumulative Annual Savings | Compliance Benchmark |
| | | (A) | (B) | (C)=(A)+(B) | (D) | (E) | (F)=(C) through (E) | (G) | (H) | (I)=(E) through (H) | (J) = Average of (I) | (K) | (L)=(J)*(K) |
| OE | 2008 | 25,278,976 | (61,319) | 25,217,657 | 78,458 | 25,296,115 | | (78,458) | 56,499 | 25,274,156 | | | |
| | 2009 | 22,856,647 | 212,710 | 23,069,357 | 134,860 | 23,204,217 | | (134,860) | 85,414 | 23,154,771 | | | |
| | 2010 | 24,155,370 | (547,063) | 23,608,307 | 182,948 | 23,791,255 | | (182,948) | 114,690 | 23,722,997 | | | |
| | 2011 | | | | | | 24,097,196 | | | | 24,050,641 | 1.50% | 360,760 |
| CEI | 2008 | 19,302,338 | (111,932) | 19,190,406 | 252,195 | 19,442,601 | | (252,195) | 239,135 | 19,429,541 | | | |
| | 2009 | 17,639,417 | 79,362 | 17,718,779 | 306,151 | 18,024,930 | | (306,151) | 277,574 | 17,996,353 | | | |
| | 2010 | 18,870,456 | (469,352) | 18,401,104 | 349,463 | 18,750,567 | | (349,463) | 303,629 | 18,704,733 | | | |
| | 2011 | | | | | | 18,739,366 | | | | 18,710,209 | 1.50% | 280,653 |
| TE | 2008 | 10,280,797 | (26,163) | 10,254,634 | 70,041 | 10,324,675 | | (70,041) | 33,629 | 10,288,263 | | | |
| | 2009 | 9,502,709 | 61,635 | 9,564,344 | 118,248 | 9,682,592 | | (118,248) | 43,731 | 9,608,075 | | | |
| | 2010 | 10,333,756 | (158,945) | 10,174,811 | 159,130 | 10,333,941 | | (159,130) | 55,732 | 10,230,543 | | | |
| | 2011 | | | | | | 10,113,736 | | | | 10,042,294 | 1.50% | 150,634 |
| Ohio | 2008 | 54,862,111 | (199,414) | 54,662,697 | 400,695 | 55,063,392 | | (400,695) | 329,263 | 54,991,960 | | | |
| | 2009 | 49,998,773 | 353,707 | 50,352,480 | 559,259 | 50,911,739 | | (559,259) | | 50,759,199 | | | |
| | 2010 | 53,359,582 | (1,175,360) | 52,184,222 | 691,541 | 52,875,763 | | (691,541) | 474,051 | 52,658,273 | | | |
| | 2011 | | | | | | 52,950,298 | | | | 52,803,144 | 1.50% | 792,047 |

Notes:

⁽A) and (B): The 2008 numbers are explained in further detail in Exhibit 1 to the Direct Testimony of Katherine M. Kettlewell, which was submitted in support of the Companies' EE&PDR Plans, Case Nos. 09-1947-EL-POR et al. (the "Kettlewell Testimony"). The weather-adjustment process is also explained in the Kettlewell Testimony.

⁽D) and (G): These data were updated to include those mercantile customer self-directed projects that were submitted for approval through April 1, 2012.

⁽H): Includes only the Approved Mercantile Projects as of April 1, 2012.

Exhibit 2

| | | | | | Peak De | mand Compliance | Baselines and B | enchmarks (MW) | 1 | | | | |
|---------------------|------|----------|-----------------------|-------------------------------------|--|---|------------------------|--|------------------------------------|-------------------------|-------------------------|---|---------------------------|
| Electric Utility | Year | Sales | Weather Adjustment | Weather Adjusted Retail Peaks | Mercantile Addbacks as Filed in Initial Benchmark | Fully Adjusted Peaks as Filed in Initial Benchmark | Planning Baseline | Remove Mercantile Addbacks as Filed in Initial Benchmark | Approved Mercantile Addbacks | Fully Adjusted Sales | Compliance Baseline | % Target of Cumulative Annual Savings | Compliance Benchmark 2 |
| | | (A) | (B) | (C)=(A)+(B) | (D) | (E) | (F)=(C) through (E) | (G) | (H) | (I)=(E) through (H) | (J) = Average of (I) | (K) | (L)=(J)*(K) |
| OE | 2008 | 4,996.6 | - | 4,996.6 | 10.7 | 5,007.3 | | (10.7) | 8.1 | 5,004.8 | | | |
| | 2009 | 4,682.1 | - | 4,682.1 | 16.7 | 4,698.8 | | (16.7) | 11.2 | 4,693.4 | | | |
| | 2010 | 5,134.7 | - | 5,134.7 | 22.6 | 5,157.4 | | (22.6) | 15.4 | 5,150.1 | | | |
| | 2011 | | | | | | 4,954.5 | | | | 4,949.4 | 2.50% | 123.7 |
| CEI | 2008 | 3,985.9 | - | 3,985.9 | 24.7 | 4,010.5 | | (24.7) | 22.4 | 4,008.3 | | | |
| CLI | 2009 | 3,789.8 | _ | 3,789.8 | 33.6 | 3,823.4 | | (33.6) | 28.5 | 3,818.3 | | | |
| | 2010 | 4,083.0 | _ | 4,083.0 | 40.1 | 4,123.0 | | (40.1) | 32.8 | 4,115.8 | | | |
| | 2011 | 1,00010 | | 1,00010 | .0.12 | 1,120.0 | 3,985.7 | (1012) | 32.0 | 1,723.0 | 3,980.8 | 2.50% | 99.5 |
| TE | 2008 | 1,898.8 | _ | 1,898.8 | 14.2 | 1,913.0 | | (14.2) | 7.0 | 1,905.7 | | | |
| | 2009 | 1,964.2 | - | 1,964.2 | 24.0 | 1,988.2 | | (24.0) | 10.8 | 1,975.0 | | | |
| | 2010 | 1,979.9 | - | 1,979.9 | 30.8 | 2,010.7 | | (30.8) | 12.5 | 1,992.5 | | | |
| | 2011 | | | | | | 1,970.7 | | | | 1,957.7 | 2.50% | 48.9 |
| Ohio | 2008 | 10,881.3 | _ | 10,881.3 | 49.6 | 10,930.9 | | (49.6) | 37.5 | 10,918.8 | | | |
| | 2009 | 10,436.1 | - | 10,436.1 | 74.3 | 10,510.4 | | (74.3) | 50.5 | 10,486.7 | | | |
| | 2010 | 11,197.6 | - | 11,197.6 | 93.5 | 11,291.2 | | (93.5) | 60.7 | 11,258.4 | | | |
| | 2011 | • | | | | | 10,910.8 | , , | | | 10,888.0 | 2.50% | 272.2 |

Notes:

(A) and (B): The 2008 numbers are explained in further detail in Exhibit 3 to the Kettlewell Testimony. The weather-adjustment process is also explained in the Kettlewell Testimony. Some data has been revised to reflect more current information.

(D) and (G): These data were updated to include those mercantile customer self-directed projects that were submitted for approval through April 1, 2012.

(H and (J): These data were updated to include only Mercantile Projects approved through April 1, 2012.