

FILE

2



Maryann Mackey
Senior Director, Regulatory Affairs

AT&T Ohio
45 Erieview Plaza
Suite 1500
Cleveland, OH 44114

July 27, 2007

Ms. Renee Jenkins
Public Utilities Commission of Ohio
Docketing Division
180 East Broad Street
Columbus, Ohio 43215

Re: Case No. 07-0259-TP-BLS
Case No. 90-5032-TP-TRF

RECEIVED-DOCKETING DIV
2007 JUL 27 AM 9:19
PUCO

Dear Ms. Jenkins:

This filing corrects the misalignment of the rows on one tariff sheet filed in this case on July 23, 2007. Part 4 Section 2 Sheet 1.2.1 was misaligned and has been revised to display the information correctly. Please replace the sheet originally filed on July 23rd with this revised sheet.

If you have any questions, please contact me at the number shown above.

Sincerely,


Maryann Mackey
(216) 822-0086

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business.
Technician SM Date Processed 7/27/07

PART 4 - Exchange Access Service
SECTION 2 - Exchange Lines and Usage

2nd Revised Sheet 1.2.1
Cancels 1st Revised Sheet 1.2.1

1. MONTHLY EXCHANGE SERVICES (cont'd)

A. Network Access Lines (cont'd)

1. Rates and Charges (cont'd)

		Maximum Monthly Rate		Monthly Rate	
		Network Access Line	Central Office Termination	Network Access Line	Central Office Termination
Description		Access Area			
Non-Residence					
- Rotary With Touch-Tone Competitive Exchanges					
2nd & 3rd Access Lines ^{NI}	B	-	-	\$17.20	\$6.00
4th + Access Lines ^{NI}	B	-	-	17.20	6.00
2nd & 3rd Access Lines ^{NI}	C	-	-	17.95	6.00
4th + Access Lines ^{NI}	C	-	-	17.95	6.00
2nd & 3rd Access Lines ^{NI}	D	-	-	20.45	6.00
4th + Access Lines ^{NI}	D	-	-	20.45	6.00
1st Access Line					
Akron	B	\$17.20	\$6.00	17.20	6.00
Akron	C	19.20	6.00	17.95	6.00
Akron	D	21.70	6.00	20.45	6.00
Alliance	D	21.70	6.00	20.45	6.00
Alton	D	21.70	6.00	20.45	6.00
Atwater	D	21.70	6.00	20.45	6.00
Barnesville	D	21.70	6.00	20.45	6.00
Beallsville	D	21.70	6.00	20.45	6.00
Beavercreek	D	21.70	6.00	20.45	6.00
Belfast	D	21.70	6.00	20.45	6.00
Bellaire	D	21.70	6.00	20.45	6.00
Bellbrook	D	21.70	6.00	20.45	6.00
Belpre	D	21.70	6.00	20.45	6.00
Berea	C	19.20	6.00	17.95	6.00
Bethesda	D	21.70	6.00	20.45	6.00

/1/ Denotes Tier 2 pricing flexibility.

Issued: July 23, 2007

Effective: July 23, 2007

In accordance with an Order issued by the Public Utilities Commission of Ohio, dated 6-27-07, Case No. 07-259-TP-BLS.

By Connie Browning, President, Cleveland, Ohio