//-0680-TR-CVF

Schíavoní, Schiavoní, Bush & Muldowney Co., L.P.A.

ATTORNEYS AT LAW 87 Westchester Drive, Youngstown, Ohio 44515 330-799-5940 • 330-799-5961 800-230-4008 TOLL FREE • FAX 330-799-5998

LOUIS J. SCHIAVONI JOSEPH J. BUSH III SHAWN MULDOWNEY **JOSEPH L. SCHIAVONI***

4

February 3, 2011

OFFICE LOCATIONS

AUSTINTOWN, OHIO ASHTABULA, OHIO

The Public Utilities Commission of Ohio 180 East Broad St. 11th Floor Columbus, OH 43215-3793

RE: John Norris YOUR CASE NO: 0H3281007714C

Dear Public Utilities Commission of Ohio:

Please set this case for an Administrative Hearing. I have enclosed, per your notice, the Notice of Preliminary Determination. We wish to contest the fine of \$600.00 in this matter.

Please set this matter for a hearing.

If you have any questions, please feel free to call.

Very truly yours,

r plyster

JB/jp

enc.

	2011 F	RECEIVED - BOCKETING BIN
	FEB	LD.
		-800
l I	PM	CKET
•	2:53	DNI N
	្ត្	19

2

This is to c					
accurate and	i complete	s reprod	uction	of a cas	e fil e
document del Technician	ivered in	the reg	ilar co	urse of bu	iginess.
Technician	FN .	Date	Froces	sed <u>ttb V</u>	7 2011



John Kasich, Governor Steven D. Lesser, Chairman



Commissioners

Valerie A. Lemmie Paul A. Centolella Cheryl Roberto

January 18, 2011

MR JOSEPH BUSH III NORRIS CRANE AND RIGGING LTD 87 WESTCHESTER DR YOUNGSTOWN, OH 44515 DIFEB-7 PH 2:53

RE: NOTICE OF PRELIMINARY DETERMINATION Case No. OH3281007714C Officer: WW

Dear MR BUSH III:

On September 16, 2010, a vehicle operated by NORRIS CRANE AND RIGGING LTD, and driven by JOHN W NORRIS, was inspected within the State of Ohio. As the result of discovery of the following apparent violations the Staff timely notified Respondent pursuant to Rule 4901:2-7-07, O.A.C., that it intended to make a civil monetary assessment against Respondent in the following amount:

Code	Violation
396.3A1BOS	BRAKES OUT OF SERVICE: The number of defective bra
393.48A	Inoperative or Defective Brakes on 1st axle left s
392.9A1	Failing to secure cargo as specified in 49 CFR 393
392.9A1	Failing to secure cargo as specified in 49 CFR 393
393.104A	Inadequate/damaged securement device/system on fro
393.47A	Inadequate brakes for safe stopping on right front

Total Forfeiture Assessed : \$600.00

A conference was conducted pursuant to Rule 4901:2-7-10(B), O.A.C., at which the Respondent had a full opportunity to present any reasons why the violations did not occur as alleged, mitigating circumstances regarding the amount of any forfeiture, and any other information relevant to the action proposed to be taken by Staff.

(continued)

EEO JAN 2 4 2011

180 East Broad Street Columbus, Ohio 43215-3793 (614) 466-3016 www.PUCO.ohio.gov





John Kasich, Governor Steven D. Lesser, Chairman



Commissioners

Valerie A. Lemmie Paul A. Centolella Cheryl Roberto

January 18, 2011 MR JOSEPH BUSH III NORRIS CRANE AND RIGGING LTD OH3281007714C

PAGE -2

As a result of the conference, Staff has made a Preliminary Determination that the Commission should make a civil monetary assessment against NORRIS CRANE AND RIGGING LTD in the following forfeiture:

Code	Violation
396.3A1BOS	BRAKES OUT OF SERVICE: The number of defective bra
393.48A	Inoperative or Defective Brakes on 1st axle left s
392.9A1	Failing to secure cargo as specified in 49 CFR 393
392.9A1	Failing to secure cargo as specified in 49 CFR 393
393.104A	Inadequate/damaged securement device/system on fro
393.47A	Inadequate brakes for safe stopping on right front

Total Forfeiture Agreed : \$600.00

Please include a certified check or money order for the total forfeiture Agreed, made payable to "Treasurer State of Ohio," and mail to: PUCO FISCAL, 180 E. Broad St, 4th floor, Cols. OH 43215-3793. FOR PROPER CREDIT, BE SURE TO PUT THE CASE NUMBER ON THE FACE OF THE CHECK.

Please consult the enclosed additional information concerning this Notice of Preliminary Determination.

Robert E. Marvin, Director Transportation Department Public Utilities Commission of Ohio

180 East Broad Street Columbus, Ohio 43215-3793 (614) 466-3016 www.PUCO.ohio.gov