BEFORE

THE PUBLIC UTILITIES COMMISSION OF OHIO

In the Matter of the Application of Duke Energy Ohio, Inc., for an Increase in Gas Rates.) Case No. 12-1685-GA-AIR				
In the Matter of the Application of Duke Energy Ohio, Inc., for Tariff Approval.) Case No. 12-1686-GA-ATA				
In the Matter of the Application of Duke Energy Ohio, Inc., for Approval of an Alternative Rate Plan for Gas Distribution Service.) Case No. 12-1687-GA-ALT)				
In the Matter of the Application of Duke Energy Ohio, Inc., for Approval to Change Accounting Methods.) Case No. 12-1688-GA-AAM				
SUPPLEMENTAL DIR	ECT TESTIMONY OF				
GARY J. H	EBBELER				
ON BEH	ALF OF				
DUKE ENERGY OHIO, INC.					
Management policies, practice Operating income Rate Base	s, and organization				
Allocations					
Rate of return					
Rates and tariffs					
X Other: Infrastructure Investme	nt				

TABLE OF CONTENTS

		PAGE
I.	INTRODUCTION AND PURPOSE	1
II.	OBJECTIONS SPONSORED BY WITNESS	2
III.	CONCLUSION	13

I. INTRODUCTION AND PURPOSE

- 1 Q. PLEASE STATE YOUR NAME AND BUSINESS ADDRESS.
- 2 A. My name is Gary J. Hebbeler, and my business address is 139 East Fourth Street,
- 3 Cincinnati, Ohio 45202.
- 4 O. BY WHOM ARE YOU EMPLOYED AND IN WHAT CAPACITY?
- 5 A. I am employed by the Duke Energy Business Services LLC (DEBS) as General
- 6 Manager, Gas Field and Systems Operations, for Duke Energy Ohio, Inc., (Duke
- 7 Energy Ohio or Company) and Duke Energy Kentucky, Inc. (Duke Energy
- 8 Kentucky). DEBS provides various administrative and other services to Duke
- 9 Energy Ohio and other affiliated companies of Duke Energy Corporation (Duke
- 10 Energy).
- 11 Q. ARE YOU THE SAME GARY J. HEBBELER WHO FILED DIRECT
- 12 TESTIMONY IN THESE PROCEEDINGS?
- 13 A. Yes.
- 14 Q. WHAT IS THE PURPOSE OF YOUR SUPPLEMENTAL DIRECT
- 15 **TESTIMONY?**
- 16 A. My Supplemental Direct Testimony will describe and support the Company's
- objections to certain findings and recommendation contained in the Report by the
- 18 Staff of the Public Utilities Commission of Ohio (Staff) issued in these
- proceedings on January 4, 2013 (Staff Report). Specifically, I will support Duke
- 20 Energy Ohio's objections 10, 18, and 19 that are related to the recovery of costs
- for the additional camera work, the Accelerated Main Replacement Program
- 22 (AMRP) and the proposed Accelerated Service Replacement Program (ASRP).

II. OBJECTIONS SPONSORED BY WITNESS

Q. PLEASE EXPLAIN THE COMPANY'S OBJECTION NO. 10.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

A.

In objection number 10, Duke Energy Ohio noted its disagreement with the recommendations of Staff that the amortization of the \$5 million deferral provides sufficient revenue to complete the balance of the legacy camera work for the remaining 2.3 million feet of gas main installed between 2001 and 2006. At the start of the AMRP, Duke Energy Ohio followed industry standards and relied on municipalities to provide records where their sewers were located. In 2006, the Company adopted new installation procedures, in response to an incident in Middletown, Ohio, where a gas line had breached a sewer line. The circumstance was not discovered until a plumber augered out the clogged sewer lateral. After this incident, however, the Company's investigation revealed that municipalities do not maintain reliable records of sewer locations. To promote the safety of the general public and Duke Energy's Ohio's customers and employees, Duke Energy Ohio developed a legacy sewer program for main installed from April 2001 through 2006. The legacy sewer program relied on certain criteria to prioritize the highest potential for a breach of a sewer main and/or lateral as required by the pipeline safety remediation for the incident. This additional work allows the Company to identify breaches in the sewer system created by gas main installation and avoid a potential incident. To date, we have investigated 510,924 feet of gas main footage or 1,362,466 feet of sewer mains and laterals, interpolated. The current rate of gas facilities breaching a sewer facility is 1 event for approximately every 3,600 feet of gas main or 9,600 feet of sewer mains and

laterals, interpolated. As a result of this investigation, Duke Energy Ohio has identified 142 breaches and repaired the breaches which eliminated the potential for incident at each of these locations. There are still approximately 2.3 million feet of gas main footage left to inspect with the camera. Therefore, as a prudent operator, the Company is requesting recovery for this program so it can continue to mitigate any safety issues and continue to provide safe and reliable service to the customer. This is an important program being conducted by the Company and Staff made no assertion that any of this work was imprudent or unreasonable. However, Staff is recommending that the Company be compensated for this important work through the use of funds that have already been spent in the past. This is unreasonable and unfair. Staff has recommended that the Company recovery costs for past camera work by recovery of a deferral over the next three years. The recovery of the deferral compensates the Company for work already accomplished and costs already incurred. The camera work that is necessary going forward will cause the Company to incur additional cost for which it must also be compensated. In order to continue this important program, Duke Energy Ohio must receive adequate compensation in within a reasonable time frame. Staff's recommendation is not consistent with allowing the Company reasonable compensation and should be disregarded.

Q. PLEASE EXPLAIN THE COMPANY'S OBJECTION NO. 18.

1

2

3

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

Α.

In objection number 18, Duke Energy Ohio noted its disagreement with the recommendations of the Staff related to elements of the Company's AMRP. In particular, Staff recommended: 1) the discontinuation of a waiver from certain

reporting requirements; 2) that recovery for meter relocation costs be limited to instances where the meter is connected to a high pressure system within two years of moving a meter; 3) that the Company not be permitted to recover costs associated with effectively coated steel pipes identified after investigation; and 4) that the Company recover costs of system improvement for future growth only if over-sizing replaces cast iron or bare steel pipe and costs no more than an in-kind (size for size) replacement. Duke Energy Ohio respectfully submits that these recommendations do not serve the public interest and that the Public Utilities Commission of Ohio (Commission) should reject these recommendations.

10 PLEASE EXPLAIN WHY THE COMPANY DISAGREES WITH STAFF'S Q. RECOMMENDATION THAT THE WAIVER FROM O.A.C. 4901:1-16-06

12 BE RESCINDED.

1

2

3

4

5

6

7

8

9

11

13

14

15

16

17

18

19

20

21

22

23

A.

O.A.C. Rule 4901:1-16-06 requires operators to report "important additions to its intrastate gas pipeline facilities." Specifically, the rule applies to projects of more than two hundred thousand dollars or more than ten percent of the Company pipeline facility. Although Duke Energy Ohio agrees that the work it does for its AMRP program is indeed very important, the Company does not think that the nature of the work makes it practical to provide such reports and doing so is costly, time consuming and burdensome. The Commission originally granted the waiver with the proviso that the Company comply with any Gas Pipeline Safety Staff's request for such information. The Company is unaware of any complaint from Staff that the Company has not provided this information upon request. Staff's complaint, raised in the Staff report, seems to be that, despite routinely

auditing construction projects through data requests and quarterly reports, Staff claims it now needs the more timely Rule 4901:1-16-06 reports. Staff has neglected to explain why it doesn't simply request such reports through data requests when needed rather than require the Company to submit them even when not needed. Consequently, Duke Energy Ohio submits that this is a regulatory requirement that creates unnecessary burden with no meaningful incremental benefit. The waiver has been in place since April 2005 and Staff has other tools at its disposal, which it has frequently used, to obtain the information any time it is needed. Staff's recommendation to rescind this waiver should be rejected.

10 Q. PLEASE EXPLAIN WHY THE COMPANY DISAGREES WITH STAFF'S 11 RECOMMENDATION REGARDING COSTS FOR RELOCATING

METERS.

A.

Staff recommended that the Company recover the costs for relocating meters from inside the premise to outside only in those cases where the meter is to be connected to a high pressure distribution system within two years after moving the meter is moved outside. Staff made this recommendation after explicitly stating that "there are safety issues related to inside meters connected to high pressure distribution systems." Staff's recommendation does not recognize the more stringent documentation and analysis required with Distribution Management Integrity Programs (DIMP). Future DIMP requirements may include the need to implement remediation activities intended to enhance safe operations or even the need to relocate inside meters to the outside. By doing this work in tandem with other work approved by the Commission, there is an

opportunity to avoid some costs and to gain some efficiency. Additionally, as
stated in my Direct Testimony, relocating these meters provides a substantial
convenience to customers since the Company will not need to enter customer
premises to, among other things, conduct mandatory atmospheric corrosion
inspections and leak surveys. Moreover, Staff's recommendation is economically
short-sighted. The more efficient and economical plan would be to do this work in
tandem with AMRP and the proposed ASRP.

A.

- 8 Q. PLEASE EXPLAIN THE COMPANY'S DISAGREEMENT WITH
 9 STAFF'S RECOMMENDATION RELATED TO RECOVERY OF COSTS
 10 FOR REPLACING INEFFECTIVELY COATED STEEL PIPES ONLY IF
 11 TESTING INDICATES THAT THE PIPING IS INEFFECTIVELY
 12 COATED.
 - The Staff correctly noted in its Staff Report that field-coated steel pipe installed prior to 1955 is generally unreliable and should be treated as bare steel pipe. Staff recommends that the Company should recover costs related to this category of pipe replacement. Staff then states that if the Company encounters coated steel pipe installed between 1955 and 1970 and proceeds to replace such pipe, then the Company should only recover these costs if the pipe is subsequently found to be ineffectively coated upon inspection, analysis, and cathodic-protection test results. The Company objects to this recommendation because it is unclear and impractical. The recommendation fails to take into account or recommend who would determine whether or not pipe is ineffectively coated and by which criteria of the three criteria presented above. Would all three be needed to demonstrate

conclusive results or will one criteria suffice? How would such determination be
contested or audited? How does the Company handle metallic services on these
types of facilities? Staff's recommendation here, as proposed, is one that is
difficult to carry out in the field and is not achievable in the timeframe proposed
for the AMRP.

PLEASE EXPLAIN WHY THE COMPANY DISAGREES WITH STAFF'S RECOMMENDATION RELATED TO INCREASING THE CAPACITY

OF MAINS TO SERVE FUTURE CUSTOMERS.

Q.

A.

Staff's recommendation fails to take into consideration the way in which the Company presently employs engineering standards to design its system for this work. Duke Energy Ohio's gas pipeline system is an integrated network of pipes. This network of pipes connects the customers to a supply of natural gas and is sized to provide a specific volume of natural gas to meet the customer's demand. The system relies on the integrated network and the size of the pipes to maintain system integrity. Natural gas is delivered through the system at higher pressures and utilizes system stations and district regulators to reduce and monitor the pressures. The system stations and district regulators maintain the integrity of the system by regulating pressures so the system is not over-pressurized. The network relies on an interwoven pipe system to meet the customer demand and maintain the continuity of the natural gas supply. Disruption of this network could cause outages and possibly a hazardous condition.

The model used to plan for this maintenance and replacement work uses historical loads and interpolates that information to calculate a profile for the peak hour on a design day. The result is that the appropriate pipe sizes are installed to support the model. In many instances, pipe sizes are reduced. However, in a few cases, the sizes may increase to accommodate a reduction along another route. The overall result is a more economical network than to install size for size.

These engineering principles ensure the integrity of the system and guide the work that is completed with each project. Arbitrarily determining other criteria for cost recovery is inconsistent with good engineering practice and unfair to the customer and the Company.

Q. PLEASE EXPLAIN THE COMPANY'S PLAN TO COMPLETE THE AMRP.

Duke Energy Ohio has approximately 143 record miles to replace over the next three years. Verifications still need to be performed at various locations that have been identified as a potential for cast iron or bare steel outside the 143 miles mentioned above. These verifications will need to be preformed via test holes and will be performed in 2013. These test holes will identify any additional miles of bare steel or cast iron needed to be replaced and will be incorporated into the AMRP. In order to complete the project by December 31, 2015, the approximate mileage to be installed in 2013, 2014, and 2015 is approximately 58, 58, and 27, respectively. It is anticipated that any additional mileage identified by the test holes that fell under the original criteria of the AMRP will be completed by December 31, 2015.

A.

1	Q.	PLEASE	DISCUSS	THE	COMP	'ANY'S	PROP	OSAL	FOR	AN
2		ACCELER	RATED SER	VICE R	EPLACI	EMENT I	PROGR	RAM AN	D STA	AFF'S
3		ALTERNA	ATIVE PRO	POSAL	THAT	FORMS	THE	BASIS	FOR	THE
1		COMPAN	V'S OR IFC'	TIAN 10						

A.

Duke Energy Ohio submitted a proposal for Rider ASRP to recover costs associated with the ASRP. Staff has recommended an alternative program, which it proposes to call Leaking Service Line Replacement Program (LSLRP) and which limits the services replaced under its proposed program to those that have been identified as leaking. Costs for this program would then be recovered under Staff's proposed Rider LSRP. Even the name of the program that Staff proposes should give the Commission pause.

Staff's proposal is reactive and does not address the safety and reliability problem identified by the Company for an entire class of services. The Code of Federal Regulations (192.1007), issued by the U.S. DOT Office of Pipeline Safety, requires Duke Energy Ohio to develop a DIMP. These regulations require operators of natural gas distribution pipelines to develop and implement an integrity management program. This required program is a comprehensive and systematic approach to maintain and improve safety of the Company's distribution system. In addition, DIMP is comprised of seven key elements: Knowledge of the System; Identify Threats; Evaluate and Rank Risks; Identify and Implement Measures to Address Risks; Measure Performance, Monitor Results and Evaluate Effectiveness; Periodic Evaluation and Improvement; and Report Results. Staff's proposal to limit replacement of services to only those

that are identified as leaking rather than to the replacement of all services the
Company identifies as having a high degree of propensity to leak does no
improve safety. Staff's proposal does not allow the Company to implement
measures to proactively and in an expedited fashion address risks identified on its
system and remedy potentially catastrophic situations before the hazardous
condition arises. Rather, Staff's recommendation is that the Company only
"react" to a hazardous condition after a problem has already developed, no
prevent it. Staff's proposal in that regard is inconsistent with both the intent and
practical application of DIMP. Moreover, the Pipeline and Hazardous Materials
Safety Administration (PHMSA) is implementing measures, such as DIMP
requiring Natural Gas Companies to be proactive and not reactive in maintaining
their system. Clearly, Staff's proposal is not a proactive program and is in conflic
with PHMSA's philosophy.

This Commission has already recognized the hazardous risks associated with leaking services as reflected in its Opinion and Order in Case No. 07-478-GA-UNC, *et al.* In approving Columbia Gas's proposal to assume maintenance and repair responsibility over customer-owned services, the Commission found that:

"[e]vidence in the record reflects that while service line leaks are generally not catastrophic, they are often times categorized as hazardous and can present significant safety hazards and do have the potential to cause catastrophic damage to the customer's property or neighboring properties."

¹ In the Matter of Columbia Gas of Ohio, Inc., for Approval of Tariffs to Recover, Through and Automatic Adjustment Clause, Costs Associated with the Establishment of an Infrastructure Replacement Program and for Approval of Certain Accounting Treatment, Case No. 07-478-GA-UNC, et al. (Opinion and Order at 29)(April 9, 2008).

Thus, Duke Energy Ohio's ASRP proposal responds to a class of
hazardous risks inherent in a category of service lines that have been identified as
having a high degree of risk for leaks and that is not currently addressed through
other Company safety initiatives, like the AMRP. The Company's proposal is
based upon an analysis that shows that, once the AMRP program is completed,
leak rates will increase on service lines that are no longer being addressed by the
AMRP program. A leak that represents an existing or probable hazard to persons
or property and requires immediate repair or continuous action until the
conditions are no longer hazardous is classified as a hazardous leak as defined by
Code of Federal Regulations 192.3 issued by the US DOT Office of Pipeline
Safety. In 2012, Duke Energy Ohio had approximately 17% of the distribution
main leaks repaired, excluding third party damage, classified as a hazardous leak
and approximately 23% of the distribution service leaks repaired, excluding third
party damage, classified as a hazardous leak. The Company's proposal is in the
best interests of safety and consistent with requirements under new federal
regulation to prioritize and mitigate risks in the gas distribution system. Metallic
services, based on main-to-curb data (Company owned facilities), are identified as
a risk in Duke Energy Ohio's DIMP, and to mitigate this risk, Duke Energy Ohio
will replace the pre-1971 coated steel service lines and unprotected metallic
service lines left in its distribution system at the conclusion of the AMRP. At the
current rate of replacement for service lines not captured in the AMRP, it will
take over 100 years to replace the remaining lines, especially if they are replaced
only on the basis of reported leaks.

Q. WHY IS THIS PROGRAM IN THE BEST INTERESTS OF DUKE

ENERGY OHIO CUSTOMERS?

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

A.

The proposed Rider ASRP is designed to methodically replace unprotected metallic services at a faster rate, thereby mitigating risk more efficiently. These services have outlived their useful life and have well outlived their economic value. The depreciation rate for many of these types of services is 34 years, which is based on the estimated useful life of the asset. Therefore, services that were installed anytime before 1979 have been fully depreciated suggesting that they are beyond their expected useful life. Of course, service lines may develop leaks at various times over their useful life but the age of those lines unquestionably raises the risk of leaks. As I have stated earlier and have testified to in a number of prior proceedings before this Commission, the Company considers safety its highest priority and has worked cooperatively with the Commission endeavoring to make the system as safe as possible while continuing to be attentive to the cost of providing our service. This is an issue the Company takes very seriously and, toward that end, the Company disagrees with the Staff's recommended course of action.

In addition to the mitigation of risk, implementing an accelerated and focused program would allow the Company to replace the lines in a methodical fashion that would potentially save customers as much as \$71 million, as compared to the estimated cost of simply replacing the services on an "as they leak" basis.

Initiating this program as a follow-on to the AMRP program would allow Duke Energy Ohio to keep some of the same contract employees working and to potentially save as many as 300 contract employee jobs. If the Company is required to replace lines on an *ad hoc* basis, it will not retain the contract employees and will not have the opportunity to provide efficiencies in the same way as would be true in the Rider ASRP proposal as filed.

And finally, the ASRP would include moving some customers' inside meters to the outside, significantly reducing inconvenience and intrusive service calls for many customers. The ASRP is a good deal for customers in all of these respects.

III. <u>CONCLUSION</u>

- 11 Q. DOES THIS CONCLUDE YOUR PRE-FILED SUPPLEMENTAL DIRECT
- **TESTIMONY?**
- 13 A. Yes.

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

2/25/2013 3:35:21 PM

in

Case No(s). 12-1685-GA-AIR, 12-1686-GA-ATA, 12-1687-GA-ALT, 12-1688-GA-AAM

Summary: Testimony Supplemental Direct Testimony of Gary Hebbeler on Behalf of Duke Energy Ohio, Inc. electronically filed by Carys Cochern on behalf of Duke Energy