Ohio Public Utilities Commission

Case No.: 13-1166 -EL-EEC

Mercantile Customer:	Giant Eagle, Inc.
Electric Utility:	The Cleveland Electric Illuminating Company
Program Title or Description:	Project 1 - LED Lighting Retrofits

Rule 4901:1-39-05(F), Ohio Administrative Code (O.A.C.), permits a mercantile customer to file, either individually or jointly with an electric utility, an application to commit the customer's existing demand reduction, demand response, and energy efficiency programs for integration with the electric utility's programs. The following application form is to be used by mercantile customers, either individually or jointly with their electric utility, to apply for commitment of such programs in accordance with the Commission's pilot program established in Case No. <u>10-834-EL-POR</u>

Completed applications requesting the cash rebate reasonable arrangement option (Option 1) in lieu of an exemption from the electric utility's energy efficiency and demand reduction (EEDR) rider will be automatically approved on the sixty-first calendar day after filing, unless the Commission, or an attorney examiner, suspends or denies the application prior to that time. Completed applications requesting the exemption from the EEDR rider (Option 2) will also qualify for the 60-day automatic approval so long as the exemption period does not exceed 24 months. Rider exemptions for periods of more than 24 months will be reviewed by the Commission Staff and are only approved up the issuance of a Commission order.

Complete a separate application for each customer program. Projects undertaken by a customer as a single program at a single location or at various locations within the same service territory should be submitted together as a single program filing, when possible. Check all boxes that are applicable to your program. For each box checked, be sure to complete all subparts of the question, and provide all requested additional information. Submittal of incomplete applications may result in a suspension of the automatic approval process or denial of the application.

Any confidential or trade secret information may be submitted to Staff on disc or via email at <u>ee-pdr@puc.state.oh.us</u>.

Section 1: Mercantile Customer Information

Name: Giant Eagle Store #6381 - Willoughby

Principal address: 701 Alpha Drive Pittsburgh, PA 15238

Address of facility for which this energy efficiency program applies: 36475 Euclide Ave. Willoughby, OH 44094

Name and telephone number for responses to questions: Antoinette Lichty 412-967-3649

Electricity use by the customer (check the box(es) that apply):

The customer uses more than seven hundred thousand kilowatt hours per year at the above facility. (Please attach documentation.)

The customer is part of a national account involving multiple facilities in one or more states. (Please attach documentation.)

Section 2: Application Information

A) The customer is filing this application (choose which applies):

Individually, without electric utility participation.

- Jointly with the electric utility.
- B) The electric utility is: The Cleveland Electric Illuminating Company
- C) The customer is offering to commit (check any that apply):

Energy savings from the customer's energy efficiency program. (Complete Sections 3, 5, 6, and 7.)

- Capacity savings from the customer's demand response/demand reduction program. (Complete Sections 4, 5, 6, and 7.)
- Both the energy savings and the capacity savings from the customer's energy efficiency program. (Complete all sections of the Application.)

Section 3: Energy Efficiency Programs

- A) The customer's energy efficiency program involves (check those that apply):
 - Early replacement of fully functioning equipment with new equipment. (Provide the date on which the customer replaced fully functioning equipment, and the date on which the customer would have replaced such equipment if it had not been replaced early. Please include a brief explanation for how the customer determined this future replacement date (or, if not known, please explain why this is not known)). If Checked, Please see Exhibit 1 and Exhibit 2
 - Installation of new equipment to replace equipment that needed to be replaced The customer installed new equipment on the following date(s):
 - Installation of new equipment for new construction or facility expansion. The customer installed new equipment on the following date(s):
 - Behavioral or operational improvement.
- B) Energy savings achieved/to be achieved by the energy efficiency program:
 - If you checked the box indicating that the project involves the early replacement of fully functioning equipment replaced with new equipment, then calculate the annual savings [(kWh used by the original equipment) – (kWh used by new equipment) = (kWh per year saved)]. Please attach your calculations and record the results below:

Annual savings: 129,686 kWh

2) If you checked the box indicating that the customer installed new equipment to replace equipment that needed to be replaced, then calculate the annual savings [(kWh used by less efficient new equipment) – (kWh used by the higher efficiency new equipment) = (kWh per year saved)]. Please attach your calculations and record the results below:

Annual savings: _____ kWh

Please describe any less efficient new equipment that was rejected in favor of the more efficient new equipment. **Please see Exhibit 1 if applicable**

 If you checked the box indicating that the project involves equipment for new construction or facility expansion, then calculate the annual savings [(kWh used by less efficient new equipment) – (kWh used by higher efficiency new equipment) = (kWh per year saved)]. Please attach your calculations and record the results below:

Annual savings: _____ kWh

Please describe the less efficient new equipment that was rejected in favor of the more efficient new equipment. **Please see Exhibit 1 if applicable**

4) If you checked the box indicating that the project involves behavioral or operational improvements, provide a description of how the annual savings were determined.

Section 4: Demand Reduction/Demand Response Programs

- A) The customer's program involves (check the one that applies):
 - Coincident peak-demand savings from the customer's energy efficiency program.

Actual peak-demand reduction. (Attach a description and documentation of the peak-demand reduction.)

- Potential peak-demand reduction (check the one that applies):
 - The customer's peak-demand reduction program meets the requirements to be counted as a capacity resource under a tariff of a regional transmission organization (RTO) approved by the Federal Energy Regulatory Commission.
 - The customer's peak-demand reduction program meets the requirements to be counted as a capacity resource under a program that is equivalent to an RTO program, which has been approved by the Public Utilities Commission of Ohio.
- B) On what date did the customer initiate its demand reduction program?

7/12/2012 - See Exhibit 2A

C) What is the peak demand reduction achieved or capable of being achieved (show calculations through which this was determined):

See Exhibit 2A - 10 kW

Section 5: Request for Cash Rebate Reasonable Arrangement (Option 1) or Exemption from Rider (Option 2)

Under this section, check the box that applies and fill in all blanks relating to that choice.

Note: If Option 2 is selected, the application will not qualify for the 60-day automatic approval. All applications, however, will be considered on a timely basis by the Commission.

- A) The customer is applying for:
 - Option 1: A cash rebate reasonable arrangement.

OR

Option 2: An exemption from the energy efficiency cost recovery mechanism implemented by the electric utility.

OR

Commitment payment

- B) The value of the option that the customer is seeking is:
 - Option 1: A cash rebate reasonable arrangement, which is the lesser of (show both amounts):
 - \bigtriangleup A cash rebate of \$<u>4,863.00</u>. (Rebate shall not exceed 50% project cost. Attach documentation showing the methodology used to determine the cash rebate value and calculations showing how this payment amount was determined.)
 - Option 2: An exemption from payment of the electric utility's energy efficiency/peak demand reduction rider.
 - An exemption from payment of the electric utility's energy efficiency/peak demand reduction rider for _____ months (not to exceed 24 months). (Attach calculations showing how this time period was determined.)

OR

A commitment payment valued at no more than \$____. (Attach documentation and calculations showing how this payment amount was determined.)

OR

Ongoing exemption from payment of the electric utility's energy efficiency/peak demand reduction rider for an initial period of 24 months because this program is part of the customer's ongoing efficiency program. (Attach documentation that establishes the ongoing nature of the program.) In order to continue the exemption beyond the initial 24 month period, the customer will need to provide a future application establishing additional energy savings and the continuance of the organization's energy efficiency program.)

Section 6: Cost Effectiveness

The program is cost effective because it has a benefit/cost ratio greater than 1 using the (choose which applies):

- Total Resource Cost (TRC) Test. The calculated TRC value is: (Continue to Subsection 1, then skip Subsection 2)
- Utility Cost Test (UCT) . The calculated UCT value is: **See Exhibit 3** (Skip to Subsection 2.)

Subsection 1: TRC Test Used (please fill in all blanks).

The TRC value of the program is calculated by dividing the value of our avoided supply costs (generation capacity, energy, and any transmission or distribution) by the sum of our program overhead and installation costs and any incremental measure costs paid by either the customer or the electric utility.

The electric utility's avoided supply costs were _____.

Our program costs were _____.

The incremental measure costs were _____.

Subsection 2: UCT Used (please fill in all blanks).

We calculated the UCT value of our program by dividing the value of our avoided supply costs (capacity and energy) by the costs to our electric utility (including administrative costs and incentives paid or rider exemption costs) to obtain our commitment.

Our avoided supply costs were See Exhibit 3

The utility's program costs were See Exhibit 3

The utility's incentive costs/rebate costs were See Exhibit 3

Section 7: Additional Information

Please attach the following supporting documentation to this application:

- Narrative description of the program including, but not limited to, make, model, and year of any installed and replaced equipment.
- A copy of the formal declaration or agreement that commits the program or measure to the electric utility, including:
 - 1) any confidentiality requirements associated with the agreement;
 - 2) a description of any consequences of noncompliance with the terms of the commitment;
 - 3) a description of coordination requirements between the customer and the electric utility with regard to peak demand reduction;
 - 4) permission by the customer to the electric utility and Commission staff and consultants to measure and verify energy savings and/or peak-demand reductions resulting from your program; and,
 - 5) a commitment by the customer to provide an annual report on your energy savings and electric utility peak-demand reductions achieved.
- A description of all methodologies, protocols, and practices used or proposed to be used in measuring and verifying program results. Additionally, identify and explain all deviations from any program measurement and verification guidelines that may be published by the Commission.

Ohio Public Utilities Commission

Application to Commit Energy Efficiency/Peak Demand **Reduction Programs** (Mercantile Customers Only)

-EL-EEC Case No.: 12-120667

State of Ohio :

Kristen May

, Affiant, being duly sworn according to law, deposes and says that:

1. I am the duly authorized representative of:

Giant Eagle, Inc. [insert customer or EDU company name and any applicable name(s) doing business as]

2. I have personally examined all the information contained in the foregoing application, including any exhibits and attachments. Based upon my examination and inquiry of those persons immediately responsible for obtaining the information contained in the application, I believe that the information is true, accurate and complete.

-Signature of Affiant & Title · Vice President Sourcing

Signature of official administering oath

Sworn and subscribed before me this <u>10th</u> day of <u>August</u>, <u>2012</u> Month/Year <u>Denice</u> <u>P. Bollinger</u>, <u>Month/Year</u> Signature of official administering oath Print Name and Title

My commission expires on July 13th 2013

	Notarial Seal
Denice P.	Bollinger, Notary Public
Viv Commis	sion Expires July 13, 201

Revised June 24, 2011

Exhibit 1

Customer Legal Entity Name: Giant Eagle Inc.

Site Address: Giant Eagle Store #6381 - Willoughby Principal Address: 36475 Euclid Avenue

What date would you have replaced your

Project No.	Project Name	Narrative description of your program including, but not limited to, make, model, and year of any installed and replaced equipment:	Description of methodologies, protocols and practices used in measuring and verifying project results	equipment if you had not replaced it early? Also, please explain briefly how you determined this future replacement date.	Please describe the less efficient new equipment that you rejected in favor of the more efficient new equipment.
1	LED Lighting Retrofits	The existing frozen food cases in the store were lit with 60° fluorescent T8 HO lamps with electronic ballasts. The fluorescent lighting was upgraded to LED lighting with electronic drivers. The new product is the GE Immersion series 9 and 18 wat LEDs. The 18 wat LED strips are used in the centers and the 9 wat LEDs are used at the left and right ends of the cases. In the produce area, 70 watt metal-halide track lights were upgraded to 25 watt LED fixtures to reduce energy use and increase light levels.	See the attached lighting calcuator 'GE 6381_NonStandard_Lighting_Calculator.xls'.	1 to 2 years. The decision to upgrade the lighting in the frozen food cases and produce areas was made to reduce energy use, improve light levels, and reduce maintenance costs.	N/A

Docket No. 13-1166

Site: 36475 Euclid Avenue

Customer Legal Entity Name: Giant Eagle Inc.

Site Address: Giant Eagle Store #6381 - Willoughby

Principal Address: 36475 Euclid Avenue

		Unadjusted Usage, kwh (A)	Weather Adjusted Usage, kwh (B)	Weather Adjusted Usage with Energy Efficiency Addbacks, kwh (c) Note 1						
	2011	3,378,320	3,378,320	3,378,320)					
	Average	3,378,320	3,378,320	3,378,320						
Project Number	Project Name	In-Service Date	Project Cost \$	50% of Project Cost \$	KWh Saved/Year (D) counting towards utility compliance	KWh Saved/Year (E) eligible for incentive	Utility Peak Demand Reduction Contribution, KW (F)	Prescriptive Rebate Amount (G) \$	Eligible Rebate Amount (H) \$ Note 2	Commitment Payment \$
1	LED Lighting Retrofits	07/12/2012	\$39,273	\$19,637	129,686	129,686	10	\$6,484	\$4,863	
					-	-	-			
					-	-	-			
					-	-	-			
					-	-	-			
					-	-	-			
					-	-	-			
		Total	\$39,273		129,686	129,686	10	\$6,484	\$4,863	\$0

Docket No. 13-1166

Site: 36475 Euclid Avenue

Notes

(1) Customer's usage is adjusted to account for the effects of the energy efficiency programs included in this application. When applicable, such adjustments are prorated to the in-service date to account for partial year savings.

(2) The eligible rebate amount is based upon 75% of the rebates offered by the FirstEnergy Commercial and Industrial Energy Efficiency programs or 75% of \$0.08/kWh for custom programs for all energy savings eligible for a cash rebate as defined in the PUCO order in Case NO.10-834-EL-EEC dated 9/15/2010, not to exceed the lesser of 50% of the project cost or \$250,000 per project. The rebate also cannot exceed \$500,000 per customer per year, per utility service territory.

Exhibit 3 Utility Cost Test

UCT = Utility Avoided Costs / Utility Costs

Project	Total Annual Savings, MWh (A)	Utility Avoide Cost \$/MWh (B)	d U	Itility Avoided Cost \$ (C)	ι	Jtility Cost \$ (D)	Cash Rebate \$ (E)	Administrator Variable Fee \$ (F)	Total Utility Cost \$ (G)	UСТ (Н)
1	130	\$ 30	8\$	39,980	\$	4,050	\$4,863	\$1,297	\$ 10,210	3.9
Total	130	\$ 30	В	39,980		4,050	\$4,863	\$1,297	10,210	3.9

Notes

- (A) From Exhibit 2, = kWh saved / 1000
- (B) This value represents avoided energy costs (wholesale energy prices) from the Department of Energy, Energy Information Administration's 2009 Annual Energy Outlook (AEO) low oil prices case. The AEO represents a national average energy price, so for a better representation of the energy price that Ohio customers would see, a Cinergy Hub equivalent price was derived by applying a ratio based on three years of historic national average and Cinergy Hub prices. This value is consistent with avoided cost assumptions used in EE&PDR Program Portfolio and Initial Benchmark Report, filed Dec 15, 2009 (See Section 8.1, paragraph a).

(C) = (A) * (B)

- (D) Represents the utility's costs incurred for self-directed mercantile applications for applications filed and applications in progress. Includes incremental costs of legal fees, fixed administrative expenses, etc.
- (E) This is the amount of the cash rebate paid to the customer for this project.
- (F) Based on approximate Administrator's variable compensation for purposes of calculating the UCT, actual compensation may be less.

(G) = (D) + (E) + (F)

(H) = (C) / (G)

Giant Eagle Inc. ~ Giant Eagle Store #6381 - Willoughby Docket No. 13-1166

Site: 36475 Euclid Avenue

Lighting Inventory Form

 Application
 Dest Table, Nr.
 Industries Researce and the Vacial Metric (see a service and the Vacial Me

Lina New Construct Rem Retroft	on or Building Addre	nx Floor	PRO-ROCE BASE 1 Area Description Space Description Critica Other	NFORMATION Interior or Extension Ficture Patterior	Predokranel Space Type Entwice Lighting Descript (Denrise Lighting Descript (Denrise Lighting Descript Office - Small	on Area Cooling	Pre Fistere Ony Pre Fister	PRE-INSTALLAT Code Pre Wat (W)	TDA (DETRONT) atta/ Pre VA/ Loisting Ex- per VA/ Control Se (MY) Control Se (MY) Control Se Any Anne Control Se Any Anny Any Any Anny Any Any Any Any	insting envor entity mea instite the multiple flat only entite the co	BASELINE DAY CONTRICTION Units Lighting Parel Density g. Spans Fant (RNunk) (RNunk) nurritypes are used, please ha total analishanonakiy nore par space.	Baxeline kW / Space (KW)	Post Fisture Cod Patree Oty 2 CF7257-8X	POST-INSTALLA Post Wattal Ficture (W) (W) 585 0.177	TION Are Occupancy Senacrs Required by Code?	Proposed Control drap dram W	Proposed Inter Senator Con Quantity (W here applicable 3	or Change in Es nected Load () eachading offt CFLs or net xit Signs	aterior Change in Connected Load (IW) excluding Irolit OFLs or Exit Signs	Change in Connected Load (kW) retroft CFL or LED Exit Signs	Applicant pincidence Factor (CF) Estimate	Colocidence Interactive Pro- Factor (demand) (Interactive Pro- Factor (demand) (every))	Controls Post Interior Interior Controls Post Interior Savings (0) (0) (0) (0) (0) (0) (0) (0) (0) (0)	Exterior Demand Savings (XW) (VW) Retroit exclusing CFLs or Retroit CFLs or Exit Signs Exit Signs	Applicant Pracribed Annual Im Equivalent Ful Equivalent Fature k (EFLI) Hours Ful Coad Extensis 2,001 3,425
1 Restrict 2 Restrict 3 Restrict 4 Restrict 5 6 7 5 9 10	36475 Euclid A 36475 Euclid A 36475 Euclid A 36475 Euclid A 36475 Euclid A		Near Food Sease Other Prosen Food Sease Other Prosen Food Sease Other Produce Lighting Other	Interior Interior Interior Interior	Annu France Care Care Care Care Care Care Care Car	Prezer Space Prezer Space Coded Space	117 P31L 34 P51L 34 P51L 32 MH73	4L 50 4L 59 4L 59 71 85	20 201 NONE 201 NONE 304 NONE				117 Cut Sheet 1 124 124 Cut Sheet 2 1 1	16 2.11 9 0.31 9 0.31 25 0.80	No No No	NONE NONE NONE NONE NONE NONE NONE NONE	-	4.80 1.70 1.70 2.24			100% 100% 100% 100%	Max Max Max 100% 50% 50% 100% 50% 50% 100% 50% 50% 100% 50% 50% 100% 50% 12%	0% 0% 7.20 0% 0% 2.25 0% 0% 2.55 0% 0% 3.00		8,760 8,760 63,000 8,760 6,760 22,300 8,760 8,760 22,300 8,760 8,760 22,300
11 12 13 14 15 16 17 18 19 20 21									NONE NONE NONE NONE NONE NONE NONE NONE							NONE NONE NONE NONE NONE NONE NONE NONE									
22 24 24 25 25 26 27 28 27 28 29 20 30 31 31 22									NONE NONE NONE NONE NONE NONE NONE NONE							NONE NONE NONE NONE NONE NONE NONE NONE									
24 35 35 26 27 28 39 40 41 41 42 43									NORE NORE NORE NORE NORE NORE NORE NORE							NONE NONE NONE NONE NONE NONE NONE NONE									
45 46 47 48 49 50 51 51 52 53 53 53 53 53 53 53									NONE NONE NONE NONE NONE NONE NONE NONE							NONE NONE NONE NONE NONE NONE NONE NONE								Image: Section of the sectio	
57 56 60 61 62 63 64 64 65 65 66 67									NONE NONE NONE NONE NONE NONE NONE NONE							NONE NONE NONE NONE NONE NONE NONE NONE									
66 65 70 72 72 73 74 74 75 76 77 77 78 79									NORE NORE NORE NORE NORE NORE NORE NORE							NONE NONE NONE NONE NONE NONE NONE NONE									
50 81 82 63 64 65 65 65 65 65 65 65 90 90 91									NCNE NCNE NCNE NCNE NCNE NCNE NCNE NCNE							NONE NONE NONE NONE NONE NONE NONE NONE									
52 93 94 95 96 96 97 98 99 100 100 100					Image: Section of the sectio				NORE NORE NORE NORE NORE NORE NORE NORE							NONE NONE NONE NONE NONE NONE NONE NONE									
104 105 106 107 100 100 110 111 111 112 112 113 114									NORE NORE NORE NORE NORE NORE NORE NORE							NONE NONE NONE NONE NONE NONE NONE NONE									
115 116 117 118 119 120 121 122 122 124 125 126									NCRE NCRE NCRE NCRE NCRE NCRE NCRE NCRE							NONE NONE NONE NONE NONE NONE NONE NONE									
127 123 120 131 131 132 132 134 135 136 136 136 137 138									NONE NONE NONE NONE NONE NONE NONE NONE							NONE NONE NONE NONE NONE NONE NONE NONE									
129 140 141 142 143 144 145 146 146 146 146 146 140 190									NONE NONE NONE NONE NONE NONE NONE NONE							NONE NONE NONE NONE NONE NONE NONE NONE								Image: Section of the sectio	
150 151 152 153 154 155 155 155 155 155 155 155 155 155									NCHE NCHE NCHE NCHE NCHE NCHE NCHE NCHE							NONE NONE NONE NONE NONE NONE NONE NONE									
162 163 164 165 165 167 167 166 166 166 166 170 170 171 171 172									NORE NORE NORE NORE NORE NORE NORE NORE							NUME NOME NOME NOME NOME NOME NOME NOME NO									
174 175 176 177 178 179 180 181 181 182 183 184 185									NONE NONE NONE NONE NONE NONE NONE NONE							NONE NONE NONE NONE NONE NONE NONE NONE									
105 107 100 109									NONE NONE NONE NONE							NONE NONE NONE NONE									

|--|

	-				PRO JECT BASIC IND	ORMATION					PERM	STATIATION	PETROPIT			ALST IN	NEW CONSTRUCTION				0051	en ante	w							To.	rev Calculation				
	Line New Construction Item Retroft	or Building Ad	idrea.s Floor	Area Description	Space Description	Interior or Exterior Foture	Predominant Space Type	Exterior Lighting Description (Exterior Lighting Only)	Area Cooling	Oty Oty	Pre l'isture Code	Pro Watte / Fixture (W)	Pro kW / Space (kW)	Control drap down	Estating Sensor Quantity	Units e.g. Square Feet (1 ²)	Lighting Power Density (Wunit)	Space (kW)	/ Post Fisture Oty	Post Fixture Code	Post Watta/ Fixture (W)	Post kW/ Space (kW)	Are Occupancy Senacra	Proposed Propo Control Seni drap dram Quar	eed Interior Cha or Connected ity (kW) each	ige in Exterior Change Load Connected Load ling (NW) excluding	In Change In Connected Load	Applicant Coincidence Factor	Coincidence Factor	Interactive Interactive Pre Cont Pactor Factor Factor (demand) (energy)	ola Post Controla Factor	Interior Exterior Der Demand Demand Sar Savings Savings Ø	and Applicant Ings Equivalent P W) Load Hour	Ful Equivalent	Annual Interio Fixture KWh Saved
															epplicable If m on	ultiple fixture types are used, please by enter the total arealdistance/pty once per space.							Code?		Exit Sig	a Signa	retroft CFL or LED Exit Signs	Extimate				excluding excluding CF Retrofit Retrofit LED CFLs or CFLs or Si Exit Sions Exit Sions	s or Estimate Eak pra		retroft CFLs or Ealt Signs
	191													NONE										NONE										+	
	192													NONE										NONE							_			_	4
	194													NONE										NONE											<u> </u>
	196													NONE										NONE							-				-
	197													NONE										NONE							_			_	4
	199													NONE										NONE										-	
	200													NONE										NONE										-	
	202	_												NONE				-	-					NONE			_				_				4
	204													NONE										NONE											4
	205													NONE										NONE							-				-
	207													NONE	_									NONE			_				_			_	7
	209													NONE										NONE										-	
N N N N N N <	210													NONE				-						NONE			_				-			<u> </u>	4
	212													NONE										NONE			_				_			_	7
Image Image <th< td=""><td>214</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>NONE</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>NONE</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td><td></td></th<>	214													NONE										NONE										-	
	215													NONE				-						NONE			_				-			<u> </u>	4
N N N N N N	217													NONE										NONE											4
	219													NONE										NONE										-	
Image Image <th< td=""><td>220</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>NONE</td><td></td><td></td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td>NONE</td><td></td><td></td><td>_</td><td></td><td></td><td></td><td>-</td><td></td><td></td><td><u> </u></td><td>4</td></th<>	220													NONE				-						NONE			_				-			<u> </u>	4
	222													NONE										NONE											2
A A A A A A	224													NONE										NONE										-	
P P	225													NONE				-						NONE			_				-			<u> </u>	4
	227													NONE										NONE											4
	229													NONE										NONE											-
	230					1			-					NONE					-					NONE										-	4
0 0	232													NONE										NONE									_	_	
1 1	233													NONE										NONE							-				-
	235													NONE	_									NONE			_				_			_	/
0 0	237													NONE										NONE											4
	230					1		1						NONE					-					NONE										-	4
	240													NONE										NONE											4
	242													NONE										NONE											4
	243					1		1						NONE					-					NONE										-	4
	245													NONE										NONE											4
	247													NONE										NONE										-	
	248					1			-					NONE					-					NONE										-	4
	250	1		1		1	1		1	217			11.04	NONE								10		NONE					1				_		100.000

Page 2 of 4

6142013

Project Estimate Savings Sum	d Annual Imary
Lighting	
Estimated Annual kWh Savings	129,686
Total Change in Connected Load	10.44
Annual Estimated Cost Savings	\$12,968.60
Annual Operating Hours	8,760
Interior Lighting Incentive @ \$0.05/kWh (excluding retrofit CFLs, sensors, or LED exit signs)	\$6,484.30
Exterior Lighting Incentive @ \$0.05/kWh (excluding retrofit CFLs, sensors, or LED exit signs)	\$0.00
Total retrofit CFL Incentive @ \$1/screw-in CFL lamp; \$15/hard- wired CFL lamp (includes all retrofit CFLs, both interior and exterior)	\$0.00
Total retrofit LED Exit Incentive @ \$10/exit sign	\$0.00
Total Lighting Controls Incentive @ \$25/occupancy sensor and \$25/daylight sensor (includes all Lighting Controls, both interior and exterior)	\$0.00
Total Calculated Incentive	\$6,484.30
Total Fixture Quantity excluding retrofit	217
Total Lamp Quantity for retrofit Screw-In	0

CFLs	0	
Total Fixture Quantity for retrofit LED Exit Signs	0	
Total Quantity for Occupancy Sensors	0	
Total Quantity for Daylight Sensors	0	
This location is open 24 hours per day, 7 day	/s per week.	

GE Lighting Solutions

Technical Guide

IMMERSION[™] LED Refrigerated Display Lighting

Vertical Cases RV40 Series

a product of ecomagination



LED Lights



Center LED Lights



End LED Lights



LED Driver

Wire Cover

D

D

			DIMEN	4		
Product Code			Length	Width	Depth	
(Single)	Description	ltem		(L)	(W)	(D)
70017			(inch)	10.75	1.65	1.05
79813	GEPS4000NCMUL-SY	LED Driver	(mm)	273	42	26.7
7001/			(inch)	1.77	1.42	1.19
/9814	GE-CV-4060CTR	Wire Cover	(mm)	45.01	36	30.23

	Product	Product					Р	ERFORMANC	e data				DIME	SIONAL	DATA
	Code (Single)	Code (10-Pack)	Description	Item	Color Temp (K)*	Lumens**	LPW	Lumens Per ft (m)	Life (Hours)	CRI (Typical)	Power (Watts)***		Length (L)	Width (W)	Depth (D)
	79777	79780	GELT403050CTR-SY, -SB	30" LED Light - Center	5000	644	71.6	258 846	50,000	75	9	(inch) (mm)	29.30 744.2	2.58 65.5	1.28 32.5
	79778 79779	79781 79782	GELT403050EDR-SY, -SB GELT403050EDL-SY, -SB	30" LED Light - Right End 30" LED Light - Left End	5000	379	79	152 500	50,000	75	4.8	(inch) (mm)	29.30 744.2	2.06 52.4	1.59 40.4
	79795	79798	GELT403650CTR-SY, -SB	36" LED Light - Center	5000	652	68.6	217 712	50,000	75	9.5	(inch) (mm)	35.16 893.1	2.58 65.5	1.28 32.5
	79796 79797	79799 79800	GELT403650EDR-SY, -SB GELT403650EDL-SY, -SB	36" LED Light - Right End 36" LED Light - Left End	5000	395	79	132 433	50,000	75	5	(inch) (mm)	35.16 893.1	2.06 52.4	1.59 40.4
Х	65602	65605	GELT404850CTR-SY, -SB	48" LED Light - Center	5000	872	74.5	218 715	50,000	75	11.7	(inch) (mm)	48.50 1232.4	2.60 65.5	1.30 32.5
500	65603 65604	65606 65607	GELT404850EDR-SY, -SB GELT404850EDL-SY, -SB	48" LED Light - Right End 48" LED Light - Left End	5000	477	78.2	119 390	50,000	75	6.1	(inch) (mm)	48.50 1232.4	2.10 52.3	1.60 40.4
	79741	79744	GELT406050CTR-SY, -SB	60" LED Light - Center	5000	1070	66.9	214 702	50,000	75	16	(inch) (mm)	60.3 1532	2.58 65.5	1.28 32.5
	79742 79743	79745 79746	GELT406050EDR-SY, -SB GELT406050EDL-SY, -SB	60" LED Light - Right End 60" LED Light - Left End	5000	650	81.3	130 427	50,000	75	8	(inch) (mm)	60.3 1532	2.06 52.4	1.59 40.4
	79759	79762	GELT407050CTR-SY, -SB	70" LED Light - Center	5000	1268	65.7	227 744	50,000	75	19.3	(inch) (mm)	70.75 1797.1	2.58 65.5	1.28 32.5
	79760 79761	79763 79764	GELT407050EDR-SY, -SB GELT407050EDL-SY, -SB	70" LED Light - Right End 70" LED Light - Left End	5000	739	78.9	132 434	50,000	75	10	(inch) (mm)	70.75 1797.1	2.06 52.4	1.59 40.4
	79783	79786	GELT403040CTR-SY, -SB	30" LED Light - Center	4000	606	67.3	242 794	50,000	80	9	(inch) (mm)	29.30 744.2	2.58 65.5	1.28 32.5
	79784 79785	79787 79788	GELT403040EDR-SY, -SB GELT403040EDL-SY, -SB	30" LED Light - Right End 30" LED Light - Left End	4000	335	69.8	134 440	50,000	80	4.8	(inch) (mm)	29.30 744.2	2.06	1.59
	79801	79804	GELT403640CTR-SY, -SB	36" LED Light - Center	4000	638	67.2	213 699	50,000	80	9.5	(inch) (mm)	35.16 893.1	2.58 65.5	1.28 32.5
	79802 79803	79805 79806	GELT403640EDR-SY, -SB GELT403640EDL-SY, -SB	36" LED Light - Right End 36" LED Light - Left End	4000	331	66.2	110 361	50,000	80	5	(inch) (mm)	35.16 893.1	2.06 52.4	1.59 40.4
Xo	65608	65611	GELT404840CTR-SY, -SB	48" LED Light - Center	4000	806	68.9	202 663	50,000	80	11.7	(inch) (mm)	48.50 1232.4	2.60 65.5	1.30 32.5
400	65609 65610	65612 65613	GELT404840EDR-SY, -SB GELT404840EDL-SY, -SB	48" LED Light - Right End 48" LED Light - Left End	4000	441	72.3	110 361	50,000	80	6.1	(inch) (mm)	48.50 1232.4	2.10 52.3	1.60 40.4
	79747	79750	GELT406040CTR-SY, -SB	60" LED Light - Center	4000	1070	<mark>59</mark>	213 698	50,000	80	18	(inch) (mm)	60.3 1532	2.58 65.5	1.28 32.5
	79748 79749	79751 79752	GELT406040EDR-SY, -SB GELT406040EDL-SY, -SB	60" LED Light - Right End 60" LED Light - Left End	4000	650	72	129 424	50,000	80	9	(inch) (mm)	60.3 1532	2.06 52.4	1.59 40.4
	79765	79768	GELT407040CTR-SY, -SB	70" LED Light - Center	4000	1213	62.8	217 712	50,000	80	19.3	(inch) (mm)	70.75 1797.1	2.58 65.5	1.28 32.5
	79766 79767	79769 79770	GELT407040EDR-SY, -SB GELT407040EDL-SY, -SB	70" LED Light - Right End 70" LED Light - Left End	4000	695	69.5	124 408	50,000	80	10	(inch) (mm)	70.75 1797.1	2.06 52.4	1.59 40.4
	65614	65617	GELT404835CTR-SY, -SB	48" LED Light - Center	3500	753	64.4	188 617	50,000	80	11.7	(inch) (mm)	48.50 1232.4	2.60 65.5	1.30 32.5
	65615 65616	65618 65619	GELT404835EDR-SY, -SB GELT404835EDL-SY, -SB	48" LED Light - Right End 48" LED Light - Left End	3500	416	68.2	104 341	50,000	80	6.1	(inch) (mm)	48.50 1232.4	2.10 52.3	1.60 40.4
Xo	79753	79756	GELT406035CTR-SY, -SB	60" LED Light - Center	3500	1055	58.6	211 692	50,000	80	18	(inch) (mm)	60.3 1532	2.58 65.5	1.28 32.5
350	79754 79755	79757 79758	GELT406035EDR-SY, -SB GELT406035EDL-SY, -SB	60" LED Light - Right End 60" LED Light - Left End	3500	589	65.4	118 386	50,000	80	9	(inch) (mm)	60.3 1532	2.06 52.4	1.59 40.4
	79771	79774	GELT407035CTR-SY, -SB	70" LED Light - Center	3500	1148	59.5	205 674	50,000	80	19.3	(inch) (mm)	70.75 1797.1	2.58 65.5	1.28 32.5
	79772 79773	79775 79776	GELT407035EDR-SY, -SB GELT407035EDL-SY, -SB	70" LED Light - Right End 70" LED Light - Left End	3500	649	64.9	116 381	50,000	80	10	(inch) (mm)	70.75 1791.1	2.06 52.4	1.59 40.4

*Color temp (CCT) +/- 10% **Based on typical in-store performance. ***System watts Typ AC based on Typical in-store performance

LED Driver Performance Data

	79813 GEPS4000NCMUL-SY				
—	Min	Typical	Max		
Input Voltage (VAC)	100		240		
Input Current (A)		1			
Input Line Frequency (Hz)		50/60			
LED Light Output Voltage (VDC)		12			
Output Power (W)			60		
Max Output Current (A)		5			
Total Harmonic Distortion		N/A*			
Power Factor at >80% Load (48W @ 120 VAC, 48W @ 240VAC)	0.9				
Operating Temperature Range (°C)	-20 C		45 C		
Storage Temperature Range (°C)	-40 C		70 C		

Conforms to the following standards: CE ROHS



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This Class [A] RFLD complies with the Canadian standard ICES-005. Ce DEFR de la classe [A] est conforme à la NMB-005 du Canada.



GE Lighting Solutions • 1-888-MY-GE-LED • www.gelightingsolutions.com 1 - 8 8 8 - 6 9 - 4 3 - 5 3 3

GE Lighting Solutions, LLC is a subsidiary of the General Electric Company. Immersion is a trademark of GE Lighting Solutions, LLC. The GE brand and logo are trademarks of the General Electric Company. © 2010 GE Lighting Solutions, LLC. Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

GE Lighting Solutions

Technical Guide

IMMERSION[™] LED Refrigerated Display Lighting

Vertical Cases RV40 Series

a product of ecomagination



LED Lights



Center LED Lights



End LED Lights



LED Driver

Wire Cover

D

D

				DIMENSIONAL DATA					
Product Code				Length	Width	Depth			
(Single)	Description	ltem		(L)	(W)	(D)			
70017			(inch)	10.75	1.65	1.05			
79813	GEPS4000NCMUL-SY	LED Driver	(mm)	273	42	26.7			
7001/			(inch)	1.77	1.42	1.19			
/9814	GE-CV-4060CTR	Wire Cover	(mm)	45.01	36	30.23			

	Product	Product					Ρ	ERFORMANCI	e data				DIMEN	ISIONAL	DATA
	Code (Single)	Code (10-Pack)	Description	Item	Color Temp (K)*	Lumens**	LPW	Lumens Per ft (m)	Life (Hours)	CRI (Typical)	Power (Watts)***		Length (L)	Width (W)	Depth (D)
	79777	79780	GELT403050CTR-SY, -SB	30" LED Light - Center	5000	644	71.6	258 846	50,000	75	9	(inch) (mm)	29.30 744.2	2.58 65.5	1.28 32.5
	79778 79779	79781	GELT403050EDR-SY, -SB	30" LED Light - Right End	5000	379	79	152	50,000	75	4.8	(inch)	29.30	2.06	1.59
	79795	79798	GELT403650CTR-SY, -SB	36" LED Light - Center	5000	652	68.6	217	50,000	75	9.5	(inch)	35.16	2.58	1.28
	79796	79799	GELT403650EDR-SY, -SB	36" LED Light - Right End	5000	395	79	132	50.000	75	5	(inch)	35.16	2.06	1.59
	/9/9/	/9800	GELT403650EDL-SY, -SB	36" LED Light - Left End	5000	072	7/ 5	433 218	50.000	75	11.7	(mm) (inch)	893.1 48.50	52.4 2.60	40.4
000K	65607	65606		48 LED Light - Center	5000	872	/4.5	715	50,000	/5	11.7	(mm)	1232.4	65.5	32.5
Ŋ	65604	65607	GELT404850EDL-SY, -SB	48" LED Light - Left End	5000	477	78.2	390	50,000	75	6.1	(mm)	1232.4	52.3	40.4
	79741	79744	GELT406050CTR-SY, -SB	60" LED Light - Center	5000	1070	66.9	214 702	50,000	75	16	(inch) (mm)	60.3 1532	2.58 65.5	1.28 32.5
	79742 79743	79745 79746	GELT406050EDR-SY, -SB GELT406050EDL-SY, -SB	60" LED Light - Right End 60" LED Light - Left End	5000	650	81.3	130 427	50,000	75	8	(inch) (mm)	60.3 1532	2.06 52.4	1.59 40.4
	79759	79762	GELT407050CTR-SY, -SB	70" LED Light - Center	5000	1268	65.7	227 744	50,000	75	19.3	(inch) (mm)	70.75 1797.1	2.58 65.5	1.28 32.5
	79760 79761	79763 79764	GELT407050EDR-SY, -SB GELT407050EDL-SY, -SB	70" LED Light - Right End 70" LED Light - Left End	5000	739	78.9	132 434	50,000	75	10	(inch) (mm)	70.75 1797.1	2.06 52.4	1.59 40.4
	79783	79786	GELT403040CTR-SY, -SB	30" LED Light - Center	4000	606	67.3	242 794	50,000	80	9	(inch)	29.30 744 2	2.58	1.28
	79784 79785	79787 79788	GELT403040EDR-SY, -SB	30" LED Light - Right End	4000	335	69.8	134	50,000	80	4.8	(inch)	29.30	2.06	1.59
	79801	79804	GELT403640CTR-SY, -SB	36" LED Light - Center	4000	638	67.2	213	50,000	80	9.5	(inch)	35.16	2.58	1.28
	79802	79805	GELT403640EDR-SY, -SB	36" LED Light - Right End	4000	331	66.2	110	50.000	80	5	(inch)	35.16	2.06	1.59
	79803 65608	79806 65611	GELT403640EDL-SY, -SB	36" LED Light - Left End	//000	806	68.9	361 202	50,000	80	11 7	(mm) (inch)	893.1 48.50	52.4 2.60	40.4
YOOOt	65609	65612	GELT404840EDR-SY, -SB	48" LED Light - Right End	4000	000	70.7	663 110	50,000	00	11.7	(mm) (inch)	1232.4 48.50	65.5 2.10	32.5 1.60
7	65610	65613	GELT404840EDL-SY, -SB	48" LED Light - Left End	4000	441	/2.3	361	50,000	80	6.1	(mm)	1232.4	52.3	40.4
	79747	79750	GELT406040CTR-SY, -SB	60" LED Light - Center	4000	1070	59	698	50,000	80	18	(inch) (mm)	60.5 1532	2.58 65.5	32.5
	79748 79749	79751 79752	GELT406040EDR-SY, -SB GELT406040EDL-SY, -SB	60" LED Light - Right End 60" LED Light - Left End	4000	650	<mark>72</mark>	129 424	50,000	80	9	(inch) (mm)	60.3 1532	2.06 52.4	1.59 40.4
	79765	79768	GELT407040CTR-SY, -SB	70" LED Light - Center	4000	1213	62.8	217 712	50,000	80	19.3	(inch) (mm)	70.75 1797.1	2.58 65.5	1.28 32.5
	79766 79767	79769 79770	GELT407040EDR-SY, -SB GELT407040EDL-SY, -SB	70" LED Light - Right End 70" LED Light - Left End	4000	695	69.5	124 408	50,000	80	10	(inch) (mm)	70.75 1797.1	2.06 52.4	1.59 40.4
	65614	65617	GELT404835CTR-SY, -SB	48" LED Light - Center	3500	753	64.4	188 617	50,000	80	11.7	(inch) (mm)	48.50 1232 4	2.60 65.5	1.30 32 5
	65615	65618	GELT404835EDR-SY, -SB	48" LED Light - Right End	3500	416	68.2	104	50,000	80	6.1	(inch)	48.50	2.10	1.60
~	79753	79756	GELT406035CTR-SY, -SB	60" LED Light - Center	3500	1055	58.6	211	50,000	80	18	(inch)	60.3	2.58	1.28
3500	79754	79757	GELT406035EDR-SY, -SB	60" LED Light - Right End	3500	589	65.4	118	50,000	80	g	(inch)	60.3	2.06	32.5 1.59
	79755	79758	GELT406035EDL-SY, -SB	60" LED Light - Left End	7500	11/0	со. с	386 205	50,000		10.7	(mm) (inch)	1532 70.75	52.4 2.58	40.4 1.28
	79772	79775	GELT407035EDR-SY -SB	70 LED Light - Center	3500	1148	59.5	674 116	50,000	δU	19.3	(mm)	1797.1 70.75	65.5 2.06	32.5 1 59
	79773	79776	GELT407035EDL-SY, -SB	70" LED Light - Left End	3500	649	64.9	381	50,000	80	10	(mm)	1791.1	52.4	40.4

*Color temp (CCT) +/- 10% **Based on typical in-store performance. ***System watts Typ AC based on Typical in-store performance

LED Driver Performance Data

	79813 GEPS4000NCMUL-SY				
—	Min	Typical	Max		
Input Voltage (VAC)	100		240		
Input Current (A)		1			
Input Line Frequency (Hz)		50/60			
LED Light Output Voltage (VDC)		12			
Output Power (W)			60		
Max Output Current (A)		5			
Total Harmonic Distortion		N/A*			
Power Factor at >80% Load (48W @ 120 VAC, 48W @ 240VAC)	0.9				
Operating Temperature Range (°C)	-20 C		45 C		
Storage Temperature Range (°C)	-40 C		70 C		

Conforms to the following standards: CE ROHS



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This Class [A] RFLD complies with the Canadian standard ICES-005. Ce DEFR de la classe [A] est conforme à la NMB-005 du Canada.



GE Lighting Solutions • 1-888-MY-GE-LED • www.gelightingsolutions.com 1 - 8 8 8 - 6 9 - 4 3 - 5 3 3

GE Lighting Solutions, LLC is a subsidiary of the General Electric Company. Immersion is a trademark of GE Lighting Solutions, LLC. The GE brand and logo are trademarks of the General Electric Company. © 2010 GE Lighting Solutions, LLC. Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

Mercantile Customer Project Commitment Agreement Cash Rebate Option

THIS MERCANTILE CUSTOMER PROJECT COMMITMENT AGREEMENT ("Agreement") is made and entered into by and between The Cleveland Electric Illuminating Company, its successors and assigns (hereinafter called the "Company") and Giant Eagle, Inc., Taxpayer ID No. 25-0698270 its permitted successors and assigns (hereinafter called the "Customer") (collectively the "Parties" or individually the "Party") and is effective on the date last executed by the Parties as indicated below.

<u>WITNESSETH</u>

WHEREAS, the Company is an electric distribution utility and electric light company, as both of these terms are defined in R.C. § 4928.01(A); and

WHEREAS, Customer is a mercantile customer, as that term is defined in R.C. § 4928.01(A)(19), doing business within the Company's certified service territory; and

WHEREAS, R.C. § 4928.66 (the "Statute") requires the Company to meet certain energy efficiency and peak demand reduction ("EE&PDR") benchmarks; and

WHEREAS, when complying with certain EE&PDR benchmarks the Company may include the effects of mercantile customer-sited EE&PDR projects; and

WHEREAS, Customer has certain customer-sited demand reduction, demand response, or energy efficiency project(s) as set forth in attached Exhibit 1 (the "Customer Energy Project(s)") that it desires to commit to the Company for integration into the Company's Energy Efficiency & Peak Demand Reduction Program Portfolio Plan ("Company Plan") that the Company will implement in order to comply with the Statute; and

WHEREAS, the Customer, pursuant to the Public Utilities Commission of Ohio's ("Commission") September 15, 2010 Order in Case No. 10-834-EL-EEC, desires to pursue a cash rebate of some of the costs pertaining to its Customer Energy Project(s) ("Cash Rebate") and is committing the Customer Energy Project(s) as a result of such incentive.

WHEREAS, Customer's decision to commit its Customer Energy Project(s) to the Company for inclusion in the Company Plan has been reasonably encouraged by the possibility of a Cash Rebate.

WHEREAS, in consideration of, and upon receipt of, said cash rebate, Customer will commit the Customer Energy Project(s) to the Company and will comply with all other terms and conditions set forth herein.

NOW THEREFORE, in consideration of the mutual promises set forth herein, and for other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the parties, intending to be legally bound, do hereby agree as follows:

 Customer Energy Projects. Customer hereby commits to the Company and Company accepts for integration into the Company Plan the Customer Energy Project(s) set forth on attached Exhibit 1. Said commitment shall be for the life of the Customer Energy Project(s). Company will incorporate said project(s) into the Company Plan to the extent that such projects qualify. In so committing, and as evidenced by the affidavit attached hereto as Exhibit A, Customer acknowledges that the information provided to the Company about the Customer Energy Project(s) is true and accurate to the best of its knowledge. a. By committing the Customer Energy Project(s) to the Company, Customer acknowledges

and agrees that the Company shall control the use of the kWh and/or kW reductions resulting from said projects for purposes of complying with the Statute. By committing the Customer Energy Project(s), Customer further acknowledges and agrees that the Company shall take ownership of the energy efficiency capacity rights associated with said Project(s) and shall, at its sole discretion, aggregate said capacity into the PJM market through an auction. Any proceeds from any such bids accepted by PJM will be used to offset the costs charged to the Customer and other of the Company's customers for compliance with state mandated energy efficiency and/or peak demand requirements

- b. The Company acknowledges that some of Customer's Energy Projects contemplated in this paragraph may have been performed under certain other federal and/or state programs in which certain parameters are required to be maintained in order to retain preferential financing or other government benefits (individually and collectively, as appropriate, "Benefits"). In the event that the use of any such project by the Company in any way affects such Benefits, and upon written request from the Customer, Company will release said Customer's Energy Project(s) to the extent necessary for Customer to meet the prerequisites for such Benefits. Customer acknowledges that such release (i) may affect Customer's cash rebate discussed in Article 3 below; and (ii) will not affect any of Customer's other requirements or obligations.
- c. Any future Customer Energy Project(s) committed by Customer shall be subject to a separate application and, upon approval by the Commission, said projects shall become part of this Agreement.
- d. Customer will provide Company or Company's agent(s) with reasonable assistance in the preparation of the Commission's standard joint application for approval of this Agreement ("Joint Application") that will be filed with the Commission, with such Joint Application being consistent with then current Commission requirements.
- e. Upon written request and reasonable advance notice, Customer will grant employees or authorized agents of either the Company or the Commission reasonable, pre-arranged access to the Customer Energy Project(s) for purposes of measuring and verifying energy savings and/or peak demand reductions resulting from the Customer Energy Project(s). It is expressly agreed that consultants of either the Company or the Commission are their respective authorized agents.
- 2. Joint Application to the Commission. The Parties will submit the Joint Application using the Commission's standard "Application to Commit Energy Efficiency/Peak Demand Reduction Programs" ("Joint Application") in which they will seek the Commission's approval of (i) this Agreement: (ii) the commitment of the Customer Energy Project(s) for inclusion in the Company Plan; and (iii) the Customer's Cash Rebate.

The Joint Application shall include all information as set forth in the Commission's standard form which, includes without limitation:

- i. A narrative description of the Customer Energy Project(s), including but not limited to, make, model and year of any installed and/or replaced equipment;
- ii. A copy of this Agreement; and
- iii. A description of all methodologies, protocols, and practices used or proposed to be used in measuring and verifying program results.

- 3. Customer Cash Rebate. Upon Commission approval of the Joint Application, Customer shall provide Company with a W-9 tax form, which shall at a minimum include Customer's tax identification number. Within the greater of 90 days of the Commission's approval of the Joint Application or the completion of the Customer Energy Project, the Company will issue to the Customer the Cash Rebate in the amount set forth in the Commission's Finding and Order approving the Joint Application.
 - a. Customer acknowledges: i) that the Company will cap the Cash Rebate at the lesser of 50% of Customer Energy Project(s) costs or \$250,000; ii) the maximum rebate that the Customer may receive per year is \$500,000 per Taxpayer Identification Number per utility service territory; and iii) if the Customer Energy Project qualifies for a rebate program approved by the Commission and offered by the Company, Customer may still elect to file such project under the Company's mercantile customer self direct program, however the Cash Rebate that will be paid shall be discounted by 25%; and
 - b. Customer acknowledges that breaches of this Agreement, include, but are not limited to:
 - i. Customer's failure to comply with the terms and conditions set forth in the Agreement, or its equivalent, within a reasonable period of time after receipt of written notice of such non-compliance;
 - ii. Customer knowingly falsifying any documents provided to the Company or the Commission in connection with this Agreement or the Joint Application.
 - c. In the event of a breach of this Agreement by the Customer, Customer agrees and acknowledges that it will repay to the Company, within 90 days of receipt of written notice of said breach, the full amount of the Cash Rebate paid under this Agreement. This remedy is in addition to any and all other remedies available to the Company by law or equity.
 - 4. Termination of Agreement. This Agreement shall automatically terminate:
 - a. If the Commission fails to approve the Joint Agreement;
 - b. Upon order of the Commission; or
 - c. At the end of the life of the last Customer Energy Project subject to this Agreement.

Customer shall also have an option to terminate this Agreement should the Commission not approve the Customer's Cash Rebate, provided that Customer provides the Company with written notice of such termination within ten days of either the Commission issuing a final appealable order or the Ohio Supreme Court issuing its opinion should the matter be appealed.

- 5. Confidentiality. Each Party shall hold in confidence and not release or disclose to any person any document or information furnished by the other Party in connection with this Agreement that is designated as confidential and proprietary ("Confidential Information"), unless: (i) compelled to disclose such document or information by judicial, regulatory or administrative process or other provisions of law; (ii) such document or information is generally available to the public; or (iii) such document or information was available to the receiving Party on a non-confidential basis at the time of disclosure.
 - a. Notwithstanding the above, a Party may disclose to its employees, directors, attorneys, consultants and agents all documents and information furnished by the other Party in connection with this Agreement, provided that such employees, directors, attorneys,

consultants and agents have been advised of the confidential nature of this information and through such disclosure are deemed to be bound by the terms set forth herein.

- b. A Party receiving such Confidential Information shall protect it with the same standard of care as its own confidential or proprietary information.
- c. A Party receiving notice or otherwise concluding that Confidential Information furnished by the other Party in connection with this Agreement is being sought under any provision of law, to the extent it is permitted to do so under any applicable law, shall endeavor to: (i) promptly notify the other Party; and (ii) use reasonable efforts in cooperation with the other Party to seek confidential treatment of such Confidential Information, including without limitation, the filing of such information under a valid protective order.
- d. By executing this Agreement, Customer hereby acknowledges and agrees that Company may disclose to the Commission or its Staff any and all Customer information, including Confidential Information, related to a Customer Energy Project, provided that Company uses reasonable efforts to seek confidential treatment of the same.
- 6. Taxes. Customer shall be responsible for all tax consequences (if any) arising from the payment of the Cash Rebate.
- 7. Notices. Unless otherwise stated herein, all notices, demands or requests required or permitted under this Agreement must be in writing and must be delivered or sent by overnight express mail, courier service, electronic mail or facsimile transmission addressed as follows:

If to the Company:

FirstEnergy Service Company 76 South Main Street Akron, OH 44308 Attn: Victoria Nofziger Telephone: 330-384-4684 Fax: 330-761-4281 Email: <u>vmnofziger@firstenergycorp.com</u>

If to the Customer:

Giant Eagle, Inc 101 Kappa Drive Pittsburgh, PA 15238 Attn:Antoinette Lichty Telephone:412-967-3649 Fax:412-968-1612 Email:Antoinette.Lichty@gianteagle.com

With copy to: Giant Eagle, Inc. 101 Kappa Drive Pittsburgh, PA 15238 Attn: Legal Department or to such other person at such other address as a Party may designate by like notice to the other Party. Notice received after the close of the business day will be deemed received on the next business day; provided that notice by facsimile transmission will be deemed to have been received by the recipient if the recipient confirms receipt telephonically or in writing.

- 8. Authority to Act. The Parties represent and warrant that they are represented by counsel in connection with this Agreement, have been fully advised in connection with the execution thereof, have taken all legal and corporate steps necessary to enter into this Agreement, and that the undersigned has the authority to enter into this Agreement, to bind the Parties to all provisions herein and to take the actions required to be performed in fulfillment of the undertakings contained herein.
- 9. Non-Waiver. The delay or failure of either party to assert or enforce in any instance strict performance of any of the terms of this Agreement or to exercise any rights hereunder conferred, shall not be construed as a waiver or relinquishment to any extent of its rights to assert or rely upon such terms or rights at any later time or on any future occasion.
- 10. Entire Agreement. This Agreement, along with related exhibits, and the Company's Rider DSE, or its equivalent, as amended from time to time by the Commission, contains the Parties' entire understanding with respect to the matters addressed herein and there are no verbal or collateral representations, undertakings, or agreements not expressly set forth herein. No change in, addition to, or waiver of the terms of this Agreement shall be binding upon any of the Parties unless the same is set forth in writing and signed by an authorized representative of each of the Parties. In the event of any conflict between Rider DSE or its equivalent and this document, the latter shall prevail.
- 11. Assignment. Customer may not assign any of its rights or obligations under this Agreement without obtaining the prior written consent of the Company, which consent will not be unreasonably withheld. No assignment of this Agreement will relieve the assigning Party of any of its obligations under this Agreement until such obligations have been assumed by the assignee and all necessary consents have been obtained.
- 12. Severability. If any portion of this Agreement is held invalid, the Parties agree that such invalidity shall not affect the validity of the remaining portions of this Agreement, and the Parties further agree to substitute for the invalid portion a valid provision that most closely approximates the economic effect and intent of the invalid provision.
- 13. Governing Law. This Agreement shall be governed by the laws and regulations of the State of Ohio, without regard to its conflict of law provisions.
- 14. Execution and Counterparts. This Agreement may be executed in multiple counterparts, which taken together shall constitute an original without the necessity of all parties signing the same page or the same documents, and may be executed by signatures to electronically or telephonically transmitted counterparts in lieu of original printed or photocopied documents. Signatures transmitted by facsimile shall be considered original signatures.

IN WITNESS WHEREOF, the Parties hereto have caused this Agreement to be executed by their duly authorized officers or representatives as of the day and year set forth below.

The Cleveland Electric Illuminating Company_

(Company) m By: Titler Y.P. Of Energy Efficiency 2-18-13 Date: ____

Ginnt Engle, Jnc. (Gustomer) By: Sourcefine Tifle; Date: ____ 1-31-13

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

5/15/2013 3:50:50 PM

in

Case No(s). 13-1166-EL-EEC

Summary: Application to Commit Energy Efficiency/Peak Demand Reduction Programs of The Cleveland Electric Illuminating Company and Giant Eagle, Inc. electronically filed by Ms. Jennifer M. Sybyl on behalf of The Cleveland Electric Illuminating Company and Giant Eagle, Inc.