

HAROLD M. SHURTZ

1225 mobile Rd.  
Carrollton, Ohio 44615  
(330)627-5860

March 1, 2014

Page 1 of 3

To Whom ever it concern,


I am oppose to the new Power plant for many unanswered questions and location of plant.

1. All maps on location was miss leading in the paper ,when a plat map with the exact location and the farmers property and all roads could be read would have been a lot better.. The latest picture in paper was terrible.
2. The temporary road being used of county property to access building site ,not one word about new access after completion. A diagram of new road and pipe line tap and power tap would have been nice, what's being hidden from the citizens.
3. No explanation about water and sewer feeding this plant.
4. Any State regulation regarding distance from a residence?"
5. Being so close to Mobile Road ,is access being required latter on ,which would cause a problem with farmers and residents on this road.
6. Is Moblie road going to be the source of water and sewer for this plant which in turn would cost the property owners.
7. How about the noise level for the residents in the area? If its bad on humans ,how will it affect people pets and farmers cattle ?
8. With the purchase of 77 acres ,why is the 15 acres being used ,,so close to residents property when the other end of 77 acres would have been away from everyone. And more isolated .

I'm for having a plant for creating jobs ,but when nobody has bother to answer these points, can't help but fill like we are not being told the whole story ,for that reason, I'm against this plant .I know I can't stop it with there high price lawyers ,I couldn't afford one of our local lawyers .But had to express my personal views on this Power Plant.

Respectfully,

Harold M. Shurtz



RECEIVED DOCKETING DIV

2014 MAR -3 PM 4:10

PUCO

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business Technician Ann Date Processed 3/3/14

# HAROLD M. SHURTZ

1225 mobile Rd.  
Carrollton, Ohio 44615  
(330)627-5860


page 2 of 3

March 1, 2014


In concussion :::

I would urge the Board not to approve Case# 13-1752-EL-BGN until the issues mentioned are addressed and verified. I intend to attend the meeting set for March 6, 2014 and hope to address my issues and get answers, but doubt I'll get the chance to do so. So I urge the board to verify the distance from Facility to residents is within proper feet allowed. Also the .04 mile to Tennessee gas tap as claimed, and the .04 mile to electric tap as claimed. Most important is noise level with in reason to residents close to facility if completed. Would you be able to live in that noise level, if it was one of you??? These are my concerns, not speaking for anybody else, but believe they should be examined for now before any approval. I'm not trying to put this facility down, I want it to help the County, but I want it to be good for me all so, where we both can live as good neighbors with no problems.

The enclosed map which shows more detail and should have been used in newspaper. The yellow part is the plant acres and the County property being used temp. for access as far as I believe. The blue circles are locations of some residents closest to Plant. The orange is around location of Plant. I still question the location chosen, but can't seem to get the reason. If someone was decent enough and return my calls, maybe I wouldn't be so concerned.



© G.M.W.P.C. 1993, Rev. 1996



**WASHINGTON TWP. -- WEST**  
CARROLL COUNTY, OHIO T.14N-R.5W