



Vorys, Sater, Seymour and Pease LLP
Legal Counsel

52 East Gay Street
P.O. Box 1008
Columbus, Ohio 43216-1008

614.464.6400 | www.vorys.com

Founded 1909

Stephen M. Howard
Direct Dial (614) 464-5401
Direct Fax (614) 719-4772
Email smhoward@vorys.com

May 20, 2016

Ms. Barcy F. McNeal, Secretary
Public Utilities Commission of Ohio
180 E. Broad Street, 11th Floor
Columbus, OH 43215-3793

Re: OPSB Case No. 16-841-EL-BGA
Carroll County Energy LLC
Proof of Publication

Dear Ms. McNeal:

On behalf of Carroll County Energy LLC, I am submitting a copy of an invoice, an affidavit of publication and a copy of an actual newspaper tear sheet indicating that "Notice of Second Amendment to Major Utility Facility" was published on May 12, 2016 in the Free Press Standard, a newspaper published of general circulation in Carroll County, Ohio.

Thank you for your cooperation.

Sincerely yours,

Stephen M. Howard

SMH/jaw
Enclosure

cc: Counsel of Record (w/encl.)



P.O. Box 37, 43 E. Main Street
Carrollton, OH 44615
Ph. (330) 627-5591 • Fax (330) 627-3195

Federal ID #: 34-1903363

Invoice #: 00012921

Date: 5/17/16

Order #:

Vorys, Sater, Seymour & Pease
P.O. Box 1008
Columbus, OH 43216-1008


Invoice and Affidavit of Publication

Public Notice: Notice Of Second Amendment To Major Utility Facility
Published: 5/12/2016

\$375.00

THE STATE OF OHIO CARROLL COUNTY, S.S.

I, David G. Schloss, verify by oath that the notice hereunto
published in the Free Press Standard, a newspaper published of
general circulation in said county and meeting the requirements
Section 7.12 Revised Code for 1 weeks
commencing on the 12 day of May, 20 16
and that I am the Publisher and Legal Notices Clerk of said newspaper.




David G. Schloss, Publisher

Subscribed to and sworn before me this 17 day of May,
20 16.



JESSICA SMITH
Notary Public, State of Ohio
My Commission Expires March 13, 2019



Jessica Smith

PAID

Printer's Fee: \$375.00

▲ Detach Here ▲

Remittance from:

Vorys, Sater, Seymour & Pease
P.O. Box 1008
Columbus, OH 43216-1008

Please return this stub with your payment!

To insure proper credit please include this
Invoice Number on your check
00012921

Printer's Fee: \$375.00

PAID

certificates (2 Carroll County), 12 cross county) and 15 liens (3 Carroll County, 12 cross county).

Carroll County
Animal Protection League
PO Box 353
Carrollton, OH 44615



Email:
carrollcountypl@yahon.com
Website:
www.ccapla.org

Sponsored by Davis and Cheryl Schnebelen of Malvern, Ohio

NOTICE OF SECOND AMENDMENT TO MAJOR UTILITY FACILITY

Carroll County Energy LLC has filed an application with the Ohio Power Siting Board in Case No. 16-841-EL-BGA seeking a Second Amendment to its Certificate of Environmental Compatibility and Public Need Issued for a natural gas-fired combined-cycle generating facility to be located in Washington Township, Carroll County, Ohio. The purpose of the requested Second Amendment is to install a septic system on the facility property. The Ohio Environmental Protection Agency has approved and issued a permit to install the septic system. More information may be obtained by writing to the offices of the Ohio Power Siting Board, 180 E. Broad Street, Columbus, OH 43215 or by calling the Ohio Power Siting Board at 1-866-270-6772. A copy of the Second Amendment application is available at the Ohio Power Siting Board's main office at 180 E. Broad Street, 11th Floor, Columbus, OH 43215, the Carroll County District Library, 70 Second Street, N.E., Carrollton, OH 44615 and online at the Ohio Power Siting Board's website at <http://dis.puc.state.oh.us> and by typing in Case No. 16-841-EL-BGA.

PUBLISHED IN THE FREE PRESS STANDARD MAY 12, 2016

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

5/20/2016 3:40:43 PM

in

Case No(s). 16-0841-EL-BGA

Summary: Proof of Pub Proof of Publication of Notice of Second Amendment to Major Utility Facility electronically filed by Mr. Stephen M Howard on behalf of Carroll County Energy LLC