

FILE

16-253-GA-BTX

(1)

Butler, Matthew

From: justin@thefeldmanfamily.org <webmaster@puc.state.oh.us>
Sent: Friday, September 23, 2016 10:28 AM
To: Puco ContactOPSB
Subject: OPSB-ContactUs

This form was sent at: Sep 23, 2016 10:27 AM

CONTACT_REASON: Comment
TITLE: Mr.
FIRST_NAME: Justin
LAST_NAME: Feldman
EMAIL: justin@thefeldmanfamily.org
PHONE_NUMBER: 513-563-2333
ALTERNATIVE_PHONE_NUMBER: 513-563-2333
STREET_ADDRESS1: 1415 MARKET ST
STREET_ADDRESS2:
CITY: Reading
STATE: OH
ZIP: 45215
COUNTY: Hamilton
COUNTRY: USA
COMPANY_NAME:
CASE_NUMBER: 16-253-GA-BTX

COMMENTS: From the beginning of this process I have been asking Duke representatives for information regarding venting of this pipeline, where these vents will be located, and how often will gases be released. Their answers have been vague to no answer at all. Since Duke management feels the need to route their pipeline through heavily populated areas should they not be required to point out the location of all venting locations and pumping stations on each route when they send out the required public notice. Release of the gases this pipeline will transport is a matter of endangering public health effecting many more people then those located along the proposed routes.

2016 SEP 26 AM 9:49
PUCO

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business.
Technician 25 R Date Processed SEP 26 2016