

FILE

16-253-GA-BTX

From: kathy kugler [mailto:kuglertennis@aol.com]
Sent: Friday, December 2, 2016 2:57 PM
To: Puco ContactOPSB <contactopsb@puco.ohio.gov>
Subject: Case 16-0253-GA-BTX

12/2/16

I am contacting you regarding the Duke High Presssure Pipeline that will run through residential areas of Hamilton County.

I am opposed to this due to serious safety issues. There is a real threat to children as Stewart Elementary, on Conrey, as it is within the blast zone. I am concerned that water supply will be involved as blast zone includes huge water tower on Edington.

I am concerned that Duke Energy is not providing definitive documentation of the need for the threat to our safety. There is no local need for this type of pipeline.

What will happen to Duke Engery officials if caught telling lies about the real use of this pipeline. Will they be prosecuted and put in prison?

Safety and Need, neither have been addressed in a way that would allow you to say yes to this pipeline.

Thank you

Kathy H. Kugler
7106 Tenderfoot Lane
Cincinnati, OH 45246

RECEIVED - DOCUMENTS
2016 DEC -5 PM 1:26
PUCCO

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business.
Technician re Date Processed DEC 05 2016