

COLUMBUS I CLEVELAND
CINCINNATI I DAYTON
MARIETTA

BRICKER & ECKLER LLP

100 South Third Street Columbus, OH 43215-4291 MAIN: 614.227.2300 FAX: 614.227.2390

www.bricker.com info@bricker.com

Devin D. Parram 614.227.8813 dparram@bricker.com January 11, 2017

Via Electronic Filing

The Honorable Richard M. Bulgrin Attorney Examiner Public Utilities Commission of Ohio 180 East Broad Street, 12th Floor Columbus OH 43215

Re: Ohio Edison Company, Cleveland Electric Illuminating Company, and the Toledo Edison Company, Case No. 16-743-EL-POR

Dear Examiner Bulgrin:

The Ohio Hospital Association ("OHA") will not be filing written direct testimony in this proceeding. OHA is opposed to the Stipulation and Recommendation ("Stipulation") that was filed on December 9, 2016 and intends to oppose the Stipulation during the hearing and in post-hearing briefs.

OHA notes the difficulty it has had with obtaining discovery responses from The Ohio Edison Company, The Cleveland Electric Illuminating Company and The Toledo Edison Company (the "Companies") during this proceeding. In fact, OHA did not receive documents responsive its December 19, 2016 requests for production of documents until January 10, 2017, the deadline for filling testimony in opposition to the Stipulation. This was only after OHA was forced to file a motion to compel with the Commission, which was granted on January 6, 2017.

Therefore, to the extent that OHA's rights continue to be prejudiced by discovery delays, OHA reserves the right to potentially seek a continuance of the current procedural schedule and may request an opportunity to file testimony before the hearing.

Sincerely yours,

Devin D. Parram

Cc: Parties of Record

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

1/11/2017 9:54:29 AM

in

Case No(s). 16-0743-EL-POR

Summary: Correspondence of The Ohio Hospital Association Regarding the Filing of Testimony electronically filed by Teresa Orahood on behalf of Parram, Devin D.