

# Memo

To: Docketing Division  
From: Jill Henry, Rail Specialist, Rail Division  
Cc: PUCO Legal Department  
Date: 5/19/17

Re: PUCO Case No. 17-975-RR-FED- In the Matter of a Request for an Upgrade to the Active Warning Devices at the Norfolk Southern Railway Crossing, Bessemer Avenue DOT#524-223P, in Cuyahoga County, Ohio.

---

In the original opening case filing, Staff failed to list NS Legal Counsel in the parties of record.

Please add the following to the parties of record:

Eastman & Smith LTD.  
Mr. Casey Talbott  
Attorney for Norfolk Southern  
One SeaGate 24<sup>th</sup> Floor  
P.O. Box 10032  
Toledo, Ohio 43699-0032

**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**5/19/2017 1:45:40 PM**

**in**

**Case No(s). 17-0975-RR-FED**

Summary: Memorandum Addition to the Parties of Record for an Upgrade to the Active Warning Devices at the Norfolk Southern Railway Crossing, Bessemer Avenue DOT#524-223P, in Cuyahoga County, Ohio. electronically filed by Mrs. Jill A Henry on behalf of PUCO/Rail Division