

THE PUBLIC UTILITIES COMMISSION OF OHIO

**IN THE MATTER OF RONALD HOGAN,
NOTICE OF APPARENT VIOLATION AND
INTENT TO ASSESS FORFEITURE.**

**CASE No. 17-1373-TR-CVF
(OH0969000137D)**

ENTRY

Entered in the Journal on July 13, 2017

{¶ 1} A prehearing conference was held in this case on July 12, 2017. At the prehearing conference, a hearing date of August 23, 2017, was established.

{¶ 2} Accordingly, this case should be scheduled for hearing on August 23, 2017, at 1:30 p.m., in Hearing Room 11-C, in the offices of the Commission, 180 East Broad Street, Columbus, Ohio 43215.

{¶ 3} Ohio Adm.Code 4901:2-7-14(E) provides that a respondent who has requested an administrative hearing and fails to appear for the hearing shall be in default. The rule additionally states that a respondent in default shall be deemed to have admitted the occurrence of the violation and waived all further right to contest liability for the forfeiture proposed in the notice of preliminary determination.

{¶ 4} At the hearing, following the presentation of evidence by Staff, it shall be the responsibility of Ronald Hogan to present evidence in support of his contentions regarding the alleged violation in this matter.

{¶ 5} It is, therefore,

{¶ 6} ORDERED, That Case No. 17-1373-TR-CVF be scheduled for hearing in accordance with paragraph (2). It is, further,

{¶ 7} ORDERED, That all findings herein be observed by the parties in this case. It is, further,

{¶ 8} ORDERED, That a copy of this Entry be served upon each party of record.

THE PUBLIC UTILITIES COMMISSION OF OHIO

/s/ Kerry K. Sheets

By: Kerry K. Sheets
Attorney Examiner

sef/vrm

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

7/13/2017 3:38:10 PM

in

Case No(s). 17-1373-TR-CVF

Summary: Attorney Examiner Entry scheduling a hearing on August 23, 2017, at 1:30 p.m.; electronically filed by Vesta R Miller on behalf of Kerry K. Sheets, Attorney Examiner, Public Utilities Commission of Ohio