

290 W. Nationwide Blvd.
Columbus, Ohio 43215
Direct: 614.460.6988
Fax: 614.460.8403
josephclark@nisource.com



January 2, 2018

Barcy F. McNeal
Administration/Docketing
Public Utilities Commission of Ohio
180 East Broad Street, 11th Floor
Columbus, Ohio 43215

Re: OPSB Case No. 17-2497-GA-BLN

In the Matter of the Letter of Notification by Columbia Gas of Ohio, Inc. for a Certificate of Environmental Compatibility and Public Need for the Willard Lateral Pipeline Replacement Project.

Dear Ms. McNeal:

Pursuant to Ohio Admin. Code 4906-6-07(B), Columbia Gas of Ohio, Inc. ("Columbia") hereby provides proof of compliance with Ohio Admin. Code 4906-6-07. Pursuant to Ohio Admin. Code 4906-6-07(A)(1), on December 21, 2017, Columbia served a copy of the Letter of Notification to Richland County and Huron County public officials and public agencies concerning the proposed facility. The list of public officials and public agencies served can be found on pages 6 - 8 of the Letter of Notification. Pursuant to Ohio Admin. Code 4906-6-07(A)(2), Columbia has placed a copy of the Letter of Notification at the Mansfield/Richland County Public Library in Mansfield and the Huron County Community Library in Willard. Finally, pursuant to Ohio Admin. Code 4906-6-07(A)(3), Columbia has placed and will maintain on its website information on how to request a paper copy of the Letter of Notification. Columbia has also added a link on its website to an electronic copy of the Letter of Notification.

Please contact me directly with any questions.

Sincerely,

/s/ Joseph M. Clark

Joseph M. Clark
Senior Counsel

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

1/2/2018 2:46:46 PM

in

Case No(s). 17-2497-GA-BLN

Summary: Correspondence regarding Proof of Compliance electronically filed by Cheryl A MacDonald on behalf of Columbia Gas of Ohio, Inc.