



COLUMBUS | CLEVELAND  
CINCINNATI | DAYTON  
MARIETTA

**BRICKER & ECKLER LLP**  
100 South Third Street  
Columbus, OH 43215-4291  
MAIN: 614.227.2300  
FAX: 614.227.2390

www.bricker.com  
info@bricker.com

**Sally W. Bloomfield**  
614.227.2368  
sbloomfield@bricker.com

March 1, 2018

*Via Electronic Filing*

Ms. Barcy McNeal  
Administration/Docketing  
Ohio Power Siting Board  
180 East Broad Street, 11<sup>th</sup> Floor  
Columbus, Ohio 43215-3793

**Re: Dominion Energy Ohio US 62 Pipeline Replacement Project,  
Case No. 17-2425-GA-BNR**

Dear Ms. McNeal:

On February 27, 2018, the Ohio Power Siting Board ("OPSB") Staff issued a Report of Investigation approving Dominion Energy Ohio's ("DEO") Construction Notice subject to a number of conditions. Within this set of conditions, **Condition No. 1** requires DEO to provide copies of permits and authorizations, including all supporting documentation, to Staff

In compliance with Staff Report **Condition No. 1**, and as agreed to by DEO in its Supplement filed on March 1, 2018, attached is a copy of the City of Canton Street Opening Permit #18475.

Please do not hesitate to contact me if you have any questions.

Sincerely,

Sally W. Bloomfield

Attachment

Cc: Ashton Holderbaum (w/Attachment)  
Eric Morrison (w/Attachment)



# THE CITY OF CANTON

THOMAS M. BERNABEI, MAYOR

## ENGINEERING DEPARTMENT

DANIEL J. MOEGLIN, PE, CITY ENGINEER

CIVIL | TRAFFIC | PARKING | SIGNAL & LIGHTING | SIGN & PAVEMENT MARKING | URBAN FORESTRY

Date: 2/8/2018

STREET OPENING PERMIT # 18475

PERMIT FEE [\$35x(# of Streets) x(# of Utilities)] = N/A

000T PROJ STA-62-24-90

Utility Project Number/Work Order PIR 2732

To: DOMINION

Permit Holder/Contractor Name

ERAY TULAY 330-664-2492

Contact Name/Phone Number

GREG TULAY 330-664-2491

Contact Name/Phone Number

SCHEDULED WORK DATE \_\_\_\_\_

WORK STARTED \_\_\_\_\_

WORK COMPLETED \_\_\_\_\_

RESTORATION COMPLETED \_\_\_\_\_

Billing for Utility Inspection: DOMINION

Contact Name/Phone Number

STREET(S) OPENING PERMIT FOR: 30<sup>th</sup> ST NE

(Street Name/Address)

LOCATION: 30<sup>th</sup> ST NE (OHIO AVE NE TO TAFT AVE NE)

TYPE OF WORK APPROVED: 12" HP AND MP GAS LINE INSTALLATION

Additional Notes/Comments: (see terms/criteria of permit on back)

- COORDINATE SCHEDULE OF WORK W/ ODOT AND THE GENERAL CONTRACTOR. RESTORE ALL PAVEMENTS OUTSIDE ODOT PROJ. LIMITS
- GROUT-FILL, BLOWN SAND, OR REMOVE ABANDONED 12" PIPES UNDER NEW ROAD PAVEMENT OR DRIVES
- PLACE NEW 12" WITHIN 5 FEET OF NORTH EDGE OF PARKING LOT (2+50 to 10+10)

City Inspector \_\_\_\_\_

Plan Attached

yes

no

City Atlas Sheet \_\_\_\_\_

Lic./Esmt. Agreement ORO 2663-47

(Permitting Signature) City Engineer's Office

Engineering Department  
2436 30<sup>th</sup> Street NE  
Canton, Ohio 44705

Phone: 330-489-3383  
Fax: 330-489-3337  
www.cantonohio.gov/engineering

The following terms/criteria apply to Street Opening Permits and work within Canton City public right-of-way:

- 1) **Notifications:** Permit Holder/Contractor shall notify the City Engineer's Office (Civil Division 330-489-3381) 48 hours in advance of commencing work in the public right-of-way; excepting work performed on an emergency basis to prevent injury or damages to the general public or existing utilities.
- 2) **Utility Clearance:** Permit Holder/Contractor is responsible for notifying utility owners to have existing utilities located and marked. Call O.U.P.S at 1-800-362-2764. The facilities installed must maintain a minimum three feet horizontal clearance and one foot vertical clearance from existing City utilities and structures; the City Engineer may deem greater clearance requirements as needed. Exceptions must be approved by the City Engineer.
- 3) **Traffic Maintenance:** Permit Holder/Contractor is responsible for all traffic control. In advance of any work requiring the full or partial closure of roadways, approval must be obtained from the City Engineer's Office (Traffic Division 330-489-3370). Also, Permit Holder/Contractor shall notify the Traffic Division 72 hours in advance of commencing work in the roadway for a public news release.
- 4) **Alignment:** Permit Holder/Contractor is to follow proposed work and/or route shown on submitted drawing.
- 5) **Conduits:** Conduit installed underground is not to exceed planned inside diameter and will be laid at a minimum depth of 18" of cover unless said depth interferes with existing or proposed conduits. Boring of conduits is subject to the approval of the City Engineer based on outside diameter of conduit, method of installation, proximity of other utilities, and surface treatments.
- 6) **Removals/Replacements:** Permit Holder/Contractor must notify the City Engineer or the owner for approval prior to the removal/adjustment/replacement of structures or equipment in the public right-of-way (i.e., parking meters, pull-boxes, mailboxes, traffic signs, etc.). Pavements shall be saw-cut (full pavement depth) prior to commencing excavations.
- 7) **Stone Walk/Curb:** Any portion of stone walk or curbs removed from the public right-of-way must be delivered to a City storage facility, as directed by the City Engineer, by the Permit Holder/Contractor
- 8) **Backfill in R/W:** Permit Holder/Contractor is to remove excavated material and backfill with ODOT Type 1 Backfill (304, 411, or 617 aggregate spec.) or ODOT 613 Low Strength Mortar Backfill in the public right-of-way. Reuse of excavated material as backfill under paved areas may only be used if approved by the City Engineer.
- 9) **Road/Utility Restoration:** Permit Holder/Contractor is responsible for repairing damaged utilities or pavements and restoring disturbed areas as a result of the proposed work. Pavement shall be restored in-kind. Joints in asphalt shall be sealed with asphalt cement. Brick pavers must be toothed in at joints. Pavement constructed/restored within the right-of-way must meet City Specifications and standard drawing #'s 27 thru 46. Reinstall pavement markings as directed by the City Engineer. The City Engineer will require full lane width or full pavement width resurfacing dependent upon length, width, and number of open cut trenches. Sidewalk and/or curb replacement/installation must be performed under a Sidewalk/Curb Construction Permit (\$5.00) by a Contractor licensed with the City Engineering Dept. Temporary pavement may be required by the City Engineer, in the event permanent restoration is delayed due to weather or other unforeseen circumstances.
- 10) **ADA Ramp:** Any portion of walks or curbs being disturbed/replaced in the area of a curb return at street/alley intersections must include the installation of wheelchair ramps. Wheelchair ramps constructed/restored must meet City Std. #33, with truncated domes.
- 11) **Trees along work in the public right-of-way:** The Permit Holder/Contractor must allow a City Engineer appointed arborist to inspect the tree prior to commencing work to assess the tree/s and determine if removal of tree(s) is necessary. Permit Holder/Contractor must reimburse the City for the cost of the arborist. Removal of tree(s) and stumps and if applicable, the replacement of tree(s), is at the expense of the Permit Holder/Contractor.
- 12) **Lawn Restoration:** Permit Holder/Contractor is responsible for lawn restoration unless released by adjoining property owner. Lawn areas are to be restored with 4" topsoil, in-kind perennial grass seed, and mulch; water and fertilize as needed.
- 13) **Utility Removal/Relocation:** Utility owners shall be responsible for relocation and/or removal of their utilities, active or abandoned facilities, in the public right-of-way upon request from the City of Canton.
- 14) **Working hours:** In the public right-of-way, working hours are Monday thru Friday, 8 am to 4:30 pm; excepting City-recognized holidays. Work on Saturdays, holidays, or after hours are subject to City Engineer approval and cost of inspection.
- 15) **Inspection Fee:** Public Utility work is subject to inspection fees.

**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**3/1/2018 12:24:19 PM**

**in**

**Case No(s). 17-2425-GA-BNR**

Summary: Correspondence of Dominion Energy Ohio in Compliance with Staff Report  
Condition No. 1 electronically filed by Teresa Orahod on behalf of Sally W. Bloomfield