



**Construction Notice for an
Extension of PIR 620 16-inch High
Pressure Distribution Line Project**

**Perry Township, Stark County, Ohio
Pipeline Replacement**

**Ohio Power Siting Board
Case No. 18-1110-GA-BNR**



COLUMBUS | CLEVELAND
CINCINNATI | DAYTON
MARIETTA

BRICKER & ECKLER LLP
100 South Third Street
Columbus, OH 43215-4291
MAIN: 614.227.2300
FAX: 614.227.2390

www.bricker.com
info@bricker.com

Sally W. Bloomfield
614.227.2368
sbloomfield@bricker.com

July 11, 2018

Via Electronic Filing

Ms. Barcy McNeal
Administration/Docketing
Ohio Power Siting Board
180 East Broad Street, 11th Floor
Columbus, Ohio 43215-3793

**Re: Dominion Energy Ohio,
Case No. 18-1110-GA-BNR**

Dear Ms. McNeal:

Enclosed for filing in the above-referenced case is a copy of the Construction Notice Application of Dominion Energy Ohio ("DEO") to replace approximately 1,100 feet of existing 10-inch bare steel pipe with approximately 1,100 feet of 16-inch steel pipe within DEO's existing easement and public right-of way. This project will be located on Southway Street (or County Road 246) west of the new pipeline which is the subject of Case No. 17-1944-GA-BNR. In addition, we have provided the Staff of the Ohio Power Siting Board with five hard copies of the Application.

DEO makes the following declarations pursuant to OAC Rule 4906-6-05(A):

Name of Applicant: Dominion Energy Ohio
320 Springside Drive
Akron, OH 44333

**Name/Location of
Proposed Facility:** An Extension of PIR 620
Pipeline Replacement Project
Perry Township, Stark County, Ohio

**Authorized Representative
Technical:** David Hollendonner
Gas Projects Manager
Pipeline Infrastructure Replacement
320 Springside Drive
Akron, OH 44333
Telephone: 330-664-2677
E-Mail: david.hollendonner@dominionenergy.com

Case No. 18-1110-GA-BNR
July 11, 2018
Page 2

Authorized Representative

Legal:

Sally W. Bloomfield
Devin D. Parram
Bricker & Eckler LLP
100 South Third Street
Columbus, OH 43215
Telephone: 614-227-2368; 227-8813
Facsimile: 614-2990
E-Mail: sbloomfield@bricker.com
dparram@bricker.com

Notarized Statement: See Attached Affidavit of David Hollendonner on behalf of
Dominion Energy Ohio

Sincerely on behalf of
DOMINION ENERGY OHIO



Sally W. Bloomfield

Enclosure

Cc: Eric Morrison (w/Enclosure)
Ed Steele (w/Enclosure)

**BEFORE
THE OHIO POWER SITING BOARD**

In the Matter of the Construction Notice)
Application of Dominion Energy Ohio for an) Case No. 18-1110-GA-BNR
Extension of PIR 620 Perry Township, Stark)
County, Ohio Pipeline Replacement Project)

AFFIDAVIT OF DAVID HOLLENDONNER, DOMINION ENERGY OHIO

STATE OF OHIO :
: ss
COUNTY OF SUMMIT :

I, David Hollendonner, being duly sworn and cautioned, state that I am more than 18 years of age am competent to testify to the matters stated in this affidavit and further that the following is based upon my personal knowledge:

1. I am a Gas Projects Manager with the Pipeline Infrastructure Replacement Department of Dominion Energy Ohio and am authorized to execute this Affidavit.


2. I have reviewed the Dominion Energy Ohio Construction Notice Application in the above referenced case.

3. To the best of my knowledge, information and belief, the information and materials contained in the above-referenced Application are true and accurate.

4. To the best of my knowledge, information and belief, the above-referenced Application is complete.


David Hollendonner

Sworn to before and signed in my presence this 11th day of July, 2018


Notary Public



TRAVIS CARPENTER
Notary Public
In and for the State of Ohio
My Commission Expires
March 02, 2023

[SEAL]

CASE NO. 18-1110-GA-BNR
CONSTRUCTION NOTICE FOR AN EXTENSION OF THE
PIR 620 REPLACEMENT PROJECT, PERRY TOWNSHIP, STARK COUNTRY, OHIO

The following information is in accordance with the procedures set forth in Ohio Administrative Code (“OAC”) Chapter 4906-6 Accelerated Certificate Application Requirements of the Rules and Regulation of the Ohio Power Siting Board (“OPSB” or “Board”).

4906-6-05 APPLICATION REQUIREMENTS

4906-6-05(B)(1): Name and Reference Number

The applicant is Dominion Energy Ohio (“DEO”). The name of the pipeline project is for an extension of PIR 620 Southway Street and Perry Drive. The internal project number is MWO 63373505.

4906-6-05(B)(1): Brief Description of Project

In constructing PIR 620 pipeline, the subject matter of the Construction Notice filed on September 22, 2017 in Case No. 17-1944-GA-BNR, DEO discovered that its 60-year old records were incorrect with respect to the pipeline to which it was to obtain a tie-in. Rather than tar-wrapped pipe, a bare steel pipe was discovered. The bare steel pipe has suffered significant deterioration, and is in such a worn condition that DEO determined that it could not tie-in to this pipe. The bare steel pipeline extends for approximately 1,100 feet to the west. Thus DEO will have to replace the bare steel segment and tie-in at the end of this new replacement line.

DEO files this Construction Notice to replace approximately 1,100 feet of the existing bare steel pipeline with a 16-inch diameter pipeline, thus changing the location of the tie-in for the PIR 620 pipeline replacement project, which is the subject of Case No. 17-1944-GA-BNR. The description of the PIR 620 pipeline project can be found on page 1, Section 4906-5-05(B)(1) of Case No. 17-1944-GA-BNR.

CASE NO. 18-1110-GA-BNR
CONSTRUCTION NOTICE FOR AN EXTENSION OF THE
PIR 620 REPLACEMENT PROJECT, PERRY TOWNSHIP, STARK COUNTRY, OHIO

4906-6-05 (B)(1): Why the Project Meets the Requirements for CN

This project qualifies as a Construction Notice because it fits the criteria of OAC Rule 4906-1-01, Appendix B (1) that provides for the replacement of an existing pipeline if it is less than one (1) miles in length. In this instance, DEO will be replacing an additional 1,100 feet in order to tie-in the PIR 620 pipeline project.

The replacement pipeline segment will be located entirely within DEO's service area. DEO owns and operates the existing line that will be replaced and will continue to own and operate the replacement pipeline segment.

4906-6-05(B)(2): Statement of Need for the Proposed Facility

DEO incorporates by reference Case No. 17-1944-GA-BNR because the information is the same.

4906-6-05(B)(3): Location of the Project

Attachment A contains a map that illustrates the extension of the PIR 620 pipeline segment and new tie-in location.

4906-6-05(B)(4): Alternatives Considered

DEO incorporates by reference Case No. 17-1944-GA-BNR because the information is the same.

4906-6-05(B)(5): Description of Public Information Program

There are only four property owners that will be affected by this change. DEO spoke to each of the four property owners listed on **Attachment B** on July 10, 2018, and each of them were okay with the project. DEO also sent a letter on July 11, 2018, **Attachment C**, to the four property owners informing them of the nature of the project,

CASE NO. 18-1110-GA-BNR
CONSTRUCTION NOTICE FOR AN EXTENSION OF THE
PIR 620 REPLACEMENT PROJECT, PERRY TOWNSHIP, STARK COUNTRY, OHIO

the proposed timeframe of the project construction, and restoration activities. Because the beginning of construction is planned within two weeks, a second letter is unnecessary.

4906-6-05(B)(6): Anticipated Construction Schedule, In-Service Date

The construction of the replacement pipeline is anticipated to begin as soon as the Construction Notice is approved. DEO plans to place the entire PIR 560 pipeline in service by the end of September 2018.

4906-6-05(B)(7): Project Area Map and Directions

DEO incorporates by reference the area map included as Attachment A submitted in Case No. 17-1944-GA-BNR because it has not changed.

4906-6-05(B)(8): Property Owner List

A list of the affected one property owner from which DEO has obtained an easement and the landowners across from the proposed pipeline segment is given on **Attachment B**.

4906-6-05(B)(9)(a): Operating Characteristics, Required Structures, and Right-of-Way and/or Land Requirements

Pipeline MAOP: The new pipeline segment will operate at an MAOP of 160 psig, and have a diameter of 16-inches.

Pipe Material: The additional 1,100 feet of 16-inch steel pipeline will have a wall thickness of 0.375 inch and a yield strength of 32 thousand pounds per square inch (“psi”). The pipelines will be cathodically protected by a seventeen (17)# anode and will be externally coated with 14-16 Mils of Fusion Bonded Epoxy.

Structures: No additional structures will be required for the new pipeline.

CASE NO. 18-1110-GA-BNR
CONSTRUCTION NOTICE FOR AN EXTENSION OF THE
PIR 620 REPLACEMENT PROJECT, PERRY TOWNSHIP, STARK COUNTRY, OHIO

Right-of-Way (“ROW”) and/or Land Requirement: The land needed in the project will be located entirely within public right of way. The temporary construction materials laydown areas will be necessary and will be the same laydown area identified in PIR 560 Construction Plan filed on May 17, 2018 in Case No. 17-1944-GA-BNR.

4906-6-05(B)(9)(b): Electric and Magnetic Fields

This project involves the construction of a natural gas pipeline; therefore, this section is not applicable.

4906-6-05(B)(9)(c): Estimated Capital Costs

The capital cost of an extension of PIR 620 is estimated to be approximately \$604,232.

4906-6-05(B)(10)(a): Land Use

DEO incorporates by reference the land use data in Case No. 17-1944-GA-BNR because the information is the same.

4906-6-05(B)(10)(b): Agricultural Land

DEO incorporates by reference the agricultural land data in Case No. 17-1944-GA-BNR because the information is the same.

4906-6-05(B)(10)(c): Archeological and Cultural Resources

Within the past week, DEO’s consultant, EnviroScience, Inc. (“EnviroScience”), surveyed the area for the pipeline segment that had not been the subject of its studies in Case No. 17-1944-GA-BNR, and concluded that there were no wetlands or streams in the affected area nor were there any other environmental concerns. A late-filed written document from EnviroScience will be submitted as soon as it is received. DEO

CASE NO. 18-1110-GA-BNR
CONSTRUCTION NOTICE FOR AN EXTENSION OF THE
PIR 620 REPLACEMENT PROJECT, PERRY TOWNSHIP, STARK COUNTRY, OHIO

incorporates by reference the archeological and cultural resources data in Case No. 17-1944-GA-BNR for the portion already examined by EnviroScience because the information is the same.

4906-6-05(B)(10)(d): List of Governmental Agencies Which Have Requirements to be met by the Project

DEO incorporates by reference the list of governmental agencies in Case No. 17-1944-GA-BNR because the information is the same.

4906-6-05(B)(10)(e): Federal and State Designated Species

DEO incorporates by reference this section of Case No. 17-1944-GA-BNR because the information is the same.

4906-6-05(B)(10)(f): Areas of Ecological Concern

DEO incorporates by reference this section of Case No. 17-1944-GA-BNR because the information is the same.

4906-6-05(B)(10)(g): Any Known Unusual Conditions Resulting in Significant Environmental, Social, Health, or Safety Impacts

DEO incorporates by reference this section of Case No. 17-1944-GA-BNR because the information is the same.

**4906-6-07 SERVICE AND PUBLIC DISTRIBUTION OF ACCELERATED
CERTIFICATE APPLICATIONS**

4906-6-07(A)(1): Service of Accelerated Application Upon Officials

Simultaneously with the filing this accelerated application with the Board, DEO has caused a copy of the application to be delivered to the following public officials:

CASE NO. 18-1110-GA-BNR
CONSTRUCTION NOTICE FOR AN EXTENSION OF THE
PIR 620 REPLACEMENT PROJECT, PERRY TOWNSHIP, STARK COUNTRY, OHIO

Brant A. Luther
County Administrator
Stark County Commissioners
110 Central Plaza South, Suite 240
Canton, OH 44702

Keith A. Bennett, P.E., P.S.
Stark County Engineer
5165 Southway Street S.W.
Canton, OH 44706

Robert Fonte
President
Stark County Regional Planning Commission
201 3rd Street NE, Suite 201
Canton, OH 44702-1211

Doug M. Haines
President
Perry Township Board of Trustees
3111 Hilton Street NW
Massillon, OH 44646

Chairman Randy Pero
Stark Soil & Water Conservation District
2650 Richville Drive SE, Suite 100
Massillon, OH 44646

John R. Masalko, Jr.
Superintendent
Perry Township Road Department
3111 Hilton Street NW
Massillon, OH 44646

A copy of this accelerated application and a transmittal letter (**Attachment D**) has been sent to the officials listed above.

4906-6-07(A)(2): Service of Accelerated Application Upon Main Public Libraries of Each Political Subdivision

A copy of this accelerated application is being sent to the Massillon Public Library located at 208 Lincoln Way East, Massillon, Ohio 44646.

4906-6-07(A)(3): DEO's Website

A copy of the accelerated application is located on DEO's web page at <https://www.dom.com/business/dominion-east-ohio/customer-service/rates-and-regulation/siting-board-filings>. Choose the case number of this case and double click to view the application.

Further interested persons may contact DEO at 320 Springside Dr., Akron, Ohio, 44333. to obtain either an electronic copy or a paper copy of this accelerated application.

CASE NO. 18-1110-GA-BNR
CONSTRUCTION NOTICE FOR AN EXTENSION OF THE
PIR 620 REPLACEMENT PROJECT, PERRY TOWNSHIP, STARK COUNTRY, OHIO

4906-6-07(B): Proof of Compliance

Within seven (7) days of the filing of this accelerated application, DEO will cause proof of compliance with this requirement to be filed with the Board.

CASE No. 18-1110-GA-BNR
CONSTRUCTION NOTICE FOR AN EXTENSION OF THE
PIR 620 REPLACEMENT PROJECT, PERRY TOWNSHIP, STARK COUNTRY, OHIO

ATTACHMENT A

AERIAL MAP



Google earth

© 2018 Google

40°46'49.50" N 94°07'52.43" W elev. 1108 ft

CASE No. 18-1110-GA-BNR
CONSTRUCTION NOTICE FOR AN EXTENSION OF THE
PIR 620 REPLACEMENT PROJECT, PERRY TOWNSHIP, STARK COUNTRY, OHIO

ATTACHMENT B

**LANDOWNERS OF PERMANENT & TEMPORARY
EASEMENTS/TENANTS**

Additional landowner notices since 7-10-2018

Current Property Owner	Property Address	City	State	Zip	Mailing Address	City	State	Zip	Telephone	Parcel #
Howard B. & Cynthia S. Taggart	3920 Southway St. SW	Massillon	Ohio	44646					Spoke with on 7-10-2018. Okay with project	4305974
Jennifer A. Devaughn	3912 Southway St., SW	Massillon	Ohio	44646					Spoke with on 7-10-2018. Okay with project	4305973
Patrick A. & Sheri L. Tilton, Trustees3900	Southway St., SW	Massillon	Ohio	44646					Linda Paul spoke to Patrick Tilton and said he was okay and left my phone number for him to call if he had concerns.	4309531
Linda R. Paul, Trustee	3844 Southway St., SW	Massillon	Ohio	44646					Spoke with on 7-10-2018. Okay with project	4304810

CASE No. 18-1110-GA-BNR
CONSTRUCTION NOTICE FOR AN EXTENSION OF THE
PIR 620 REPLACEMENT PROJECT, PERRY TOWNSHIP, STARK COUNTRY, OHIO

ATTACHMENT C

NOTIFICATION LETTER TO PROPERTY OWNERS

LANDOWNER LETTER

July 11, 2018

ADDRESS

Dear Property Owner or Tenant:

New Pipeline Project

As we indicated to you on July 10th per a phone conversation, Dominion East Ohio (DEO) is preparing to extend a pipeline project approximately 1,100 feet further west of the original tie in location. For a total replacement of approximately 4,540 feet of 10" and 12" steel with 4640 feet of 16" steel. With the additional footage added in, the revised project will be located on Southway St East from approximately 400' west of Eileen Ave SW to Perry Dr. and 700' west of Hopple Ave. leading up to Hopple Ave.

Please be assured that during work on the project described above, all of DEO's Standard Safety and Operating Procedures and all applicable federal, state and local laws, regulations and ordinances will be fully adhered to.

Timeline for Construction of the Project

The original project is currently in construction. DEO anticipates that construction of the added replacement pipeline will commence on or around July 21, 2018. The construction of the original project and extended area is expected to last until approximately late September.

Restoration Activities:

DEO will restore your property to the state that it was in prior to DEO's construction activities. Once the work is complete, restoration will begin as soon as weather permits, including sidewalks, driveways and approaches. Typical yard restoration is limited to grading and seeding. DEO expects that the restoration activities will be completed by late July 2018

Tenants

If you have tenants occupying this parcel, please advise them of this pipeline project.

Questions/Complaints:

DEO has a complaint resolution process. Should you have any questions concerning this pipeline project, please contact Dominion East Ohio's Land Services Department at 1-855-226-6022 who will see that it is communicated to DEO's Project Manager, David Hollendonner. Please mention the project reference, located on the bottom of this letter, when you call. If you have a complaint during construction or restoration, your call will be returned in a timely manner. Please be aware that DEO will make every best effort to resolve issues pertaining to the project.

Safety is Dominion's highest priority. Be assured we will take every possible step to ensure the security of the area, your property, your family and our employees.

Sincerely,

DOMINION ENERGY OHIO

Land Services Department

Project Reference: PIR 620
12978219v2

July 2016

CASE No. 18-1110-GA-BNR
CONSTRUCTION NOTICE FOR AN EXTENSION OF THE
PIR 620 REPLACEMENT PROJECT, PERRY TOWNSHIP, STARK COUNTRY, OHIO

ATTACHMENT D

TRANSMITTAL LETTER TO PUBLIC OFFICIALS



COLUMBUS | CLEVELAND
CINCINNATI | DAYTON
MARIETTA

BRICKER & ECKLER LLP
100 South Third Street
Columbus, OH 43215-4291
MAIN: 614.227.2300
FAX: 614.227.2390

www.bricker.com
info@bricker.com

Sally W. Bloomfield
614.227.2368
sbloomfield@bricker.com

July 11, 2018

Via UPS Ground

<NAME>
<ADDRESS>
<ADDRESS>

**Re: Dominion Energy Ohio Construction Notice of an
Extension of PIR 620 Perry Township, Stark County Pipeline
Replacement Project, OPSB Case No. 18-111-GA-BNR**

Dear <NAME>,

You previously received notice that Dominion Energy Ohio's ("DEO") Construction Notice filed a Construction Notice for the replacement of approximately 3,440 feet of existing 10-inch and 12-inch steel pipe with approximately 3,540 feet of 16-inch steel pipe within DEO's existing easements and public right-of ways located on Southway Street east from West Dale Street to Perry Drive and 700 feet west of Hopple Avenue leading up to Hopple Avenue.

In constructing the new PIR 620 pipeline segment, DEO discovered that its 60-year old records were incorrect with respect to the pipeline to which it was to obtain a tie-in to the new replacement pipeline. Rather than tar wrapped pipe, bare steel pipe was discovered. The bare steel pipeline extended for approximately 1,100 feet to the west. No-tie in could be made at that location. DEO now proposes to extend and replace 1,100 feet of the existing bare steel pipeline with 16-inch diameter pipeline thus changing the location of the tie-in to the PIR 620 pipeline replacement project which is the subject of Case No. 17-1944-GA-BNR.

In accordance with the provisions of Ohio Revised Code Section 4906.03(F)(3), this project falls within the Ohio Power Siting Board's ("Board") accelerated review or within its requirements for a Construction Notice. Therefore, in compliance with Ohio Administrative Code ("OAC") Rule 4906-6-07(A)(1) of the Board's rules, enclosed please find a disk containing a copy of the Construction Notice application that has been filed today with the Board for its review and approval. You may request a paper copy of the Construction Notice by contacting Teresa Orahod at (614) 227-4821 or torahood@bricker.com.

July 11, 2018
OPSP Case No. 18-1110-GA-BNR
Page 2

This project falls within the Board's requirements for a Construction Notice. Therefore, in compliance with OAC Chapter 4906-6 of the Board's rules, the enclosed Construction Notice has been filed today with the Board for its review and approval. These materials contain a description of the project.

If you have any questions concerning this pipeline replacement project, please contact David Hollendonner at (330) 664-2677 or david.hollendonner@dominionenergy.com.

Sincerely,



Sally W. Bloomfield

Enclosure: Disk Containing Copy of Construction Notice

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

7/11/2018 11:36:37 AM

in

Case No(s). 18-1110-GA-BNR

Summary: Text Dominion Energy Ohio Construction Notice for an Extension of PIR 620 Pipeline Replacement Project Perry Township, Stark County, Ohio electronically filed by Teresa Orahood on behalf of Sally W. Bloomfield