

From: [Ohio Power Siting Board](#)
To: [Puco Docketing](#)
Subject: public comment, case number 16-0253-GA-BTX, Justin and Ann Feldman [ref:_00Dt0GzXt._500t0Nns5a:ref]
Date: Tuesday, October 29, 2019 9:12:22 AM

Yesterday morning we were walking our dog down West St., Reading, Ohio, on the proposed Green Line. We saw a crane lifting an object at the edge of the street near the north east corner of the grave yard. We asked one of the workers what they were doing. He said they were replacing a pump on one of the wells that pumps polluted water to the Pristine purification plant. There are several wells and connecting pipelines, which are in use 24/7 to attempt to correct the Pristine pollution problem by the EPA.

We don't need a 20"/400PSI pipeline installed on a route next to so much infrastructure already in the ground, Beside Pristine wells and pipelines, there are water, sewage, gas and abandoned pipelines located on this route. Just one accident when repairing one of these pipelines could spell disaster for many people if the gas pipeline route is approved. From a risk management perspective, this route is terrible and makes no sense at all.

There is a reason the vast majority of these large, high pressure pipelines are located in rural areas. It is to avoid the terrible consequences of a gas explosion in densely populated areas.

Justin and Ann Feldman



ref:_00Dt0GzXt._500t0Nns5a:ref

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

11/4/2019 8:33:06 AM

in

Case No(s). 16-0253-GA-BTX

Summary: Public Comment of Justin and Ann Feldman via website electronically filed by
Docketing Staff on behalf of Docketing