

**Duke Energy Ohio
Case No. 19-1471-EL-BLN
Staff SECOND Set of Data Requests
Date Received: October 25, 2019
STAFF-DR-02-006**

REQUEST:

The application states an Earthwork Permit from the Hamilton County Soil and Water Conservation District will be submitted in August 2019 for the proposed three (3) acres of potential ground disturbance associated with the Project.

However, coordination letters submitted in the application from the County state this is not needed. Please clarify this. If an Earthwork Permit is needed, please provide a copy of the permit.

RESPONSE:

An Earthwork Permit from the Hamilton County Soil and Water Conservation district is not required based on direct communication – the email response is attached as STAFF-DR-02-006 Attachment 1.

PERSON RESPONSIBLE: Cori Jansing

Cori Jansing

From: Aaron Habig <aaron.habig@hamilton-co.org>
Sent: Monday, August 12, 2019 1:31 PM
To: Cori Jansing
Subject: RE: F684/Elmwood Place I-75 Widening Transmission Improvement Project

Cori,

Upon review, the F684 Road Improvement Project in Elmwood Place should be exempt from requiring a Hamilton County Earthwork Permit. The total area disturbed is below 1 acre. The use of the construction matting on the unpaved areas will limit the disturbance. On figure 4.03, the installation of a gravel pad and adding gravel to the existing road also constitute a minor disturbance.

The project will still need to follow the requirements of the Hamilton County Earthwork Regulations even though an Earthwork Permit is not needed.

Contact the District with any further questions, or if any issues arise when the project starts.

Regards,

Aaron Habig

Urban Technician
Hamilton County Soil and Water Conservation District
1325 East Kemper Rd
Suite 115
Cincinnati, Ohio 45246
Tel: [REDACTED]
Mob: [REDACTED]
see our website at www.hcswcd.org



Please consider the environment before printing this e-mail

This communication and any response to it may constitute a public record and thus may be publicly available to anyone who requests it. This email message, including any attachments, is for the sole use of the intended recipient(s) and may contain private, confidential and/or privileged information. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, employee or agent responsible for delivering this message, please contact the sender by reply email and destroy all copies of the original email message.

From: Cori Jansing <cori.jansing@cardno.com>
Sent: Monday, August 12, 2019 11:54
To: Aaron Habig <aaron.habig@hamilton-co.org>
Subject: F684/Elmwood Place I-75 Widening Transmission Improvement Project

Aaron,

It was a pleasure speaking with you today. When you get a chance can you please review that attached KMZ and let me know if the proposed Elmwood Place I-75 Widening Transmission Improvement Project will require an Earth Moving Permit through the Hamilton County SWCD. The Project involves the removal and replacement of roughly 46 wooden structures with updated steel structures.

Thanks for your help and feel free to let me know if you have any questions.

Best,

Cori

Cori Jansing

REGULATORY SPECIALIST, BOTANIST
CARDNO



Office +1 513 489 2402 Direct +1 [REDACTED] Mobile +1 [REDACTED]
Address 11121 Canal Rd., Cincinnati (Sharonville), Ohio 45241
Email cori.jansing@cardno.com Web www.cardno.com

CONNECT WITH CARDNO    

This email and its attachments may contain confidential and/or privileged information for the sole use of the intended recipient(s). All electronically supplied data must be checked against an applicable hardcopy version which shall be the only document which Cardno warrants accuracy. If you are not the intended recipient, any use, distribution or copying of the information contained in this email and its attachments is strictly prohibited. If you have received this email in error, please email the sender by replying to this message and immediately delete and destroy any copies of this email and any attachments. The views or opinions expressed are the author's own and may not reflect the views or opinions of Cardno.

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

11/4/2019 3:31:11 PM

in

Case No(s). 19-1471-EL-BLN

Summary: Correspondence Response to Staff Data Request 02-006 electronically filed by
Carys Cochern on behalf of Duke Energy