

PUCO EXHIBIT FILING

Date of Hearing: 11/18/2019

Case No.

PUCO Case

In the Matters of the
Applications of Duke
Energy Ohio, Inc., for
Adjustments to Rider MGP
Rates.

: Case No. 14-375-GA-RDR
: Case No. 15-452-GA-RDR
: Case No. 16-542-GA-RDR
: Case No. 17-596-GA-RDR
: Case No. 18-283-GA-RDR
: Case No. 19-174-GA-RDR

In the Matters of the
Applications of Duke
Energy Ohio, Inc.,
for Tariff Approval.

AE Megan Addison

: Case No. 14-376-GA-ATA
: Case No. 15-453-GA-ATA
: Case No. 16-543-GA-ATA
: Case No. 17-597-GA-ATA
: Case No. 18-284-GA-ATA
: Case No. 19-175-GA-ATA

List of exhibits being filed:

Volume I

OCC Exhibit 1

PUCO

2019DEC-3 PM 2:17

RECEIVED - BOOKETING RM.

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business. 11/13/19 date processed 11/13/19 technician

Reporter's Signature: *Karen Sue Gibson*

Date Submitted:

BEFORE THE PUBLIC UTILITIES COMMISSION OF OHIO

- - -

	: Case No. 14-375-GA-RDR
In the Matters of the	: Case No. 15-452-GA-RDR
Applications of Duke	: Case No. 16-542-GA-RDR
Energy Ohio, Inc., for	: Case No. 17-596-GA-RDR
Adjustments to Rider MGP	: Case No. 18-283-GA-RDR
Rates.	: Case No. 19-174-GA-RDR

- - -

	: Case No. 14-376-GA-ATA
In the Matters of the	: Case No. 15-453-GA-ATA
Applications of Duke	: Case No. 16-543-GA-ATA
Energy Ohio, Inc.,	: Case No. 17-597-GA-ATA
for Tariff Approval.	: Case No. 18-284-GA-ATA
	: Case No. 19-175-GA-ATA

- - -

PROCEEDINGS

before Ms. Megan J. Addison, Attorney Examiner, at the Public Utilities Commission of Ohio, 180 East Broad Street, Room 11-A, Columbus, Ohio, called at 10:00 a.m. on Monday, November 18, 2019.

- - -

VOLUME I

- - -

ARMSTRONG & OKEY, INC.
 222 East Town Street, 2nd Floor
 Columbus, Ohio 43215-5201
 (614) 224-9481 - (800) 223-9481

- - -

2019 DEC -3 PM 2:17
 PUCO
 RECEIVED-BOOKING 219

**Duke Energy Ohio
Case No. 14-375-GA-RDR
OCC First Set of Interrogatories
Date Received: April 22, 2014**

OCC-INT-01-031

REQUEST:

What testing/monitoring has been performed by ARCADIS as part an investigation of contamination in the Ohio River?

RESPONSE:

Sediment samples were visually inspected and representative samples were submitted for laboratory analysis for contaminants associated with MGP operations. TarGOST® was also utilized in some locations to inspect for tar-like material in the sediments.

PERSON RESPONSIBLE:
Jessica L Bednarcik

RECEIVED-BOOKETING DIV
2019 DEC -3 PM 2:18
PUCO

