

155 East Broad Street 20th Floor Columbus, Ohio, 43215 o: 614-222-1330 f: 614-222-1337

April 14, 2020

Ms. Tanowa M. Troupe Ohio Power Siting Board PUCO Docketing Division 180 East Broad Street, 11th Floor Columbus, OH 43215-3716

Re: Case No. 16-253-GA-BTX Blue Ash Permit 20-046 for Lake Forest Drive Bore

Dear Ms. Troupe:

Duke Energy Ohio, Inc., is filing, herewith, Permit No. 20-046, issued by the City of Blue Ash, for a bore under Lake Forest Drive. The Company is also filing an email from Blue Ash, clarifying the permissible construction hours per the Company's request for the permit.

Please contact me if you have any questions.

Sincerely,

Emily A. Olive, CP Paralegal

From:	Olberding, James H
To:	<u>Hebbeler, Gary J</u>
Cc:	Weil, Nicholas; Kingery, Jeanne W.; Shaffer, Chad
Subject:	FW: Duke Pipeline Right of Way Applications
Date:	Tuesday, April 14, 2020 1:42:50 PM

FYI

-----Original Message-----From: Perry, Gordon <gperry@BlueAsh.com> Sent: Tuesday, April 14, 2020 1:38 PM To: Olberding, James H <James.Olberding@duke-energy.com> Cc: Waltz, David <dwaltz@BlueAsh.com> Subject: Duke Pipeline Right of Way Applications

*** Exercise caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

Good afternoon James,

As per our discussion today, the City of Blue Ash recognizes your request for alternate hours of operation which conflict with existing Right of Way restricted hours as per item 3 of the City of Blue Ash Right of Way permit. Duke Energy has requested work hours from 7AM to 7PM which the City Manager has approved. This clarification for the applicant is specific to the following City of Blue Ash Right of Way permits:

20-042 20-043 20-044 20-045 20-046 20-047 20-048 20-049 20-050 20-051 20-052

Thank you,

Gordon M. Perry, P.E. Public Works Director City of Blue Ash 4343 Cooper Road Blue Ash, Ohio 45242-5699 (513) 745-8545 desk (513) 745-8594 fax

Permit to Work in the Public Right of Way APPLICATION



CITY OF BLUE ASH Service Department-Public Works Municipal & Safety Center 4343 Cooper Road • Blue Ash, OH 45242 Phone: (513) 745-8538 • Fax: (513) 745-8594 www.blueash.com

DATE <u>3/19/2020</u>			RM		Co.	- To be det	ermi	ned by City		FOR		FFICE USE ONLY PERMIT NO.
BOND AMT. REQUIRED \$									20	20-046		
PERMIT APPLICANT (Please	e Pr	rint) Nick W	/ei									
PHONE 513-287-2088		FAX	_			E-	Ma	il nicholas.weil	@dı	ike-energy.c	om	
ADDRESS 139 E. 4th St.												
PROJECT INFORMATIO												
PROJECT OWNER (Please P	_) _Duke En	er	gy								
PHONE 513-287-2088										luke-energy.	cor	n
ADDRESS 139 E. 4th St.												
PROJECT LOCATION: Lak												
ESTIMATED START DATE:									Т	BD		
	_		_		_			1			-	· · · · · · · · ·
(Click in box or use fill-in area) TYPE OF WORK:		WATER		ELECTRIC	1	GAS		TELEPHONE		SANITARY		SMALL CELL TOWER
	Π	DRIVEWAY		STORM SEWER		CATV		LAWN IRRIG.	Π	OTHER:		
EXCAVATION TYPE:		OPEN		TRENCHER		BORE						
EXCAVATION LOCATION:	\square	ROADWAY		SIDEWALK		GRASS		MEDIAN		OTHER:		
ESTIMATED TRENCH SIZE:	LE	ENGTH:	1	50'	N	VIDTH:	4	'-7'	DE	EPTH:	n	nin 4'
MATERIAL: TYPE & SIZE	PIPE: 20" carbon steel		OTHER :									
ADDITIONAL INFORMATION:	Op	en cut paveme	nt a	across Lake Forest D	r to	o install 20"	stee	pipe. Requesting	wor	k hours to be	7ar	n to 7pm.
INSTRUCTIONS TO APP	יבי 11י	CANT										
 APPLICANT ACKNOWLEE SIDEWALK, AND GRASS PROVISIONS ON BACK O APPLICANT MUST CALL BACKFILLING EXCAVATION 	ogi Ar F F Thi	ES FULL RE EA UNTIL P FORM. E ENGINEEI	EF	RMIT IS RELEAS	EC) BY THE	CI	TY OF BLUE A	SH	IN ACCORI	DA	NCE WITH ALL

3. APPLICANT MUST PROVIDE THE CITY WITH PROJECT PLANS OR A SKETCH OF THE PROJECT AREA.

SPECIAL INSTRUCTIONS FROM CITY:

THE UNDERSIGNED AGREES TO PERFORM THE ABOVE IN ACCORDANCE WITH ALL ORDINANCES, RULES AND REGULATIONS OF THE CITY OF BLUE ASH, OHIO, RELATING THERETO. THE UNDERSIGNED FURTHER AGREES TO BE FULLY RESPONSIBLE FOR THEIR OPERATIONS AND TO HOLD THE CITY OF BLUE ASH HARMLESS FROM ANY AND ALL CLAIMS, DAMAGES, AND CAUSES FOR ACTION WHATSOEVER WHICH MAY ARISE FROM WORK PERFORMED UNDER THIS PERMIT.

APPLICANT'S SIGNATURE Nick Weil

DATE 3/20/2020

PLEASE PRINT NAME _ Nick Weil

APPROVED BY:

PERMIT IS GRANTED SUBJECT TO ALL LAWS OF THE STATE OF OHIO AND THE CITY OF BLUE ASH, OHIO. FAILURE TO COMPLY WITH THE ABOVE LAWS SHALL BE CAUSE FOR REVOCATION OF THIS PERMIT AND/OR LIABILITY AND COST FOR ANY DAMAGES.

Klorylan M

DATE 4/6/2020




Service Department **Municipal & Safety Center** 4343 Cooper Road • Blue Ash, OH 45242 Phone: (513) 745-8538 • Fax: (513) 745-8594 www.blueash.com

General Provisions

- Any excavation and opening in the right of way shall be secured with sufficient barricades, signs e, caution tape, plywood (cover excavations out of street over night) approved steel plates (cover excavations in street over night) and other traffic control devices properly pre-warning oncoming traffic of construction. Traffic shall be maintained in accordance with Item 614 of the ODOT Construction and Material Specifications and is required by Public Works Director and Engineering Technician/City Inspector. All necessary precautions shall be taken to protect the public from accidents of damage to persons or property during duration of project. Each person, or contractor shall be held liable for all damages, including costs incurred by the city in defending any action brought against it for damages, as well as cost of any appeal, that may result from the neglect by such person or his/her employees of any necessary precaution against injury or damage to persons, vehicles or property of any kind 1)
- 2)
- 3)
- Horor damages, as well as cost of any appear, that may result from the heighed by such person of misrife employees of any necessary precaution against injury or damage to persons, vehicles or property of any kind. Hours of Construction-Work will be restricted to 9:00 a.m. through 4:00 p.m. on Reed Hartman Highway, Cornell Road, Kenwood Road, Glendale-Milford Road, and Cooper Road Monday through Friday. Any work that abuts a residential area will be restricted to 7:00 a.m. to 7:30 p.m. Monday through Friday, 9:00 a.m. to 7:30 p.m. on Saturdays, and 9 a.m. to 5:00 p.m. on Sundays. Unless otherwise approved, a minimum of one (1) lane of traffic in each direction shall be provided. All efforts must be made by permit holder to insure access to all properties adjacent to the project. If traffic becomes limited to only one (1) lane for both directions of travel, a flagger or temporary traffic control device shall be used in order to maintain proper traffic cycling. Permit holder shall insure best efforts 4) to prevent traffic back up.
- Notices shall be made to the Public Works Director, City Inspector, and all public and private individuals, firms, and corporations affected by the work to be done at least seven (7) business days before work commences, and the City inspector shall be notified twenty-four (24) hours prior to backfill of trench or excavation unless excavation is due to an emergency as noted in Blue Ash Codified Ordinances 949.06 5) (c) (1) and/or 949.08 (c).
- If and when the project will result in the loss of utility service to private properties or businesses, the owners shall be notified in writing or by 6)
- Adequate drawings or sketches shall be included with application permit showing the existing and/or proposed location of the excavation. Prior to excavation, the contractor shall first contact OUPS to determine locations of underground utilities. (1-800-362-2764) Pavement Removal shall be saw cut in neat, straight lines. Excavate as small of an area as needed. If the pavement is damaged beyond original saw cut lines, contractor must cut back a squared off section far enough to clean up the damaged area. Excavated material must be nield in a way not to disrupt motor and pedestrian traffic. Curb and gutters shall be keeded area.
- 10)Excavated material must be piled in a way not to disrupt motor and pedestrian traffic. Curb and gutters shall be kept clean to provide proper drainage.
- All excavated areas outside of the street must be correctly compacted upon backfilling. All excavations can be subject to testing. Backfilled material not achieving the compaction requirements shall be removed and re-compacted by contractor at the contractor's 11) cost.
- Trench safety shall be utilized at all times in strict accordance with State and Federal safety standards. Joint or Crack Seal is required on each street repair and pavement cut made.
- 14`
- Applicant to restore trench in the roadway per Roadway Trench Restoration detail below. Right of way work shall be cleaned at the end of each day and be neat and presentable. All catch basins, culverts, and storm sewers affected by project dirt, mud, rock, and debris shall be cleaned out to provide for proper drainage. Vehicles and equipment set up on sidewalk is strictly forbidden. Any violations will result in immediate shutdown of work and possible 15)
- 16) citations.
- Restoration of the right of way is required and shall be completed immediately after excavation and by the termination date on the permit. In the event that trench restoration does not comply with the specifications of this section, the City may order the work redone and/or contract 18) for the rework and charge all costs associated with the rework to the permit holder.
- Any replacement of, addition to, or change in the facility granted by this permit shall require a new permit prior to initiation of such 19) work.
- All workmanship and materials used by the Permit Holder, and/or its subcontractors, to repair the areas in the right of way shall be subject to the inspection and approval of the Public Works Director and/or Engineering Technician/City Inspector and shall be warranted for a 20) period of one (1) year from the date of completion for failure due to workmanship or quality of materials.

*Applicant must call the Engineering Technician at (513) 745-8536 for inspection 24 hours prior to backfill.

Roadway Trench Restoration - Apply granular bedding around the pipe. Backfill trench with a Controlled Density Fill (CDF) to bottom of the existing asphalt. Apply minimum 6" of 301 asphalt in 4" (maximum) lifts or match existing asphalt cross section. Apply minimum 2" of Item 448 asphalt surface course. Apply the asphalt in such a way that when it is fully compacted, the edges are flush, and the center is 1/1" high, for future compaction. Seal all edges of the trench with item 702.17 — Joint Sealer,



YAW-RO-THOU	н	DIMINOTIATS	NYTId	ATAO 3919	злыовы		P1 BEVISION	
			REED HARTIMAN HWY	FOR PERMITTING PURPOSES ONLY			REF. DWG(S) SHEET(S) 1 OF X DWG SCALE AS NO DWG DATE OI (13.2020) SUFERSEDED DWORD ACC-3500-SK001030 PNG -C-3500-SK011030	
							S MUST BE DESTROTED IN ACCORDANCE WITH RECORDS & NFO. MANAGEMENT (RMJ) POLE C 350 PIPELINE PIPELINE ALIGNMENT SHEETS HAMILTON COUNTY, OH	HAMILTON COUNTY, OH
							SNIMAR CALE THE DRAUNDER USE DRAUND WILLY PREVIOUS TOWNED AND THE DRAUNDER PREVIOUS AND THE DRAUNDER OF THE DR	PRINCIPAL COPYRIGHT 2019 ENGINEER COPYRIGHT 2019
							P. PRAMING E CHRERIT ONLY THROUGH THE LIVEST RESISTORED FUT 2 TO NOLIVE HERE EST ANT CHANG MAIP PARE.A CODE ANT CHANG MAIP PARE.A CODE PROJECT NUMBER [2016380 - 00 - 00 - 00 - 00 - 00 - 00 - 00 -	
							REDIVER SINTIAL DE FORMINGS ARE CONSEDENTIAL (DA FOR) TRAVILIOS TO TANTE RESERVEU TO NOT SCALE THE DRAVING' VEC ENERGENDA CONSTITUE	
MMM-30-11901 01MERSH ACREACE		9MNCUV/S	<u>.091 3705 Yuluo2601</u> 	/ναο) //σται ves //σται //σται ves (ναν.) //σται ves (ναν.) //σται ves /ναν.3 //σται //σται ves	<u>געונטר פטרד ו יוס, אטערטער פטרד ו יוס, סירד ו יוס, סירד ו יוס, סירד ו יוס, סירד ו סירד ו סי</u> ס, ס, <u>ס, וס, וס, וס, וס, וס, וס, וס</u> ט, סירד ו <u>ס, י</u> וס, סירד ו <u>ס, יוס, יוס, יוס, יוס, יוס, יוס, יוס, יו</u>	MATERIAU. CONST. METHOD CLASS / MAOP	ii:	ROFESSIONAL ENGARCH STONS

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

4/14/2020 4:52:02 PM

in

Case No(s). 16-0253-GA-BTX

Summary: Correspondence Blue Ash Permit 20-046 for Lake Forest Drive Bore electronically filed by Carys Cochern on behalf of Duke Energy