

**CASE
NUMBER:** 20-1760-EL-BGN

**CASE
DESCRIPTION:** In the Matter of the Application of Juliet Energy Project, LLC for a Certificate of Environmental Compatibility and Public Need for a Solar Facilit

**DATE OF
SERVICE:** 7/7/2021

**DOCUMENT
SIGNED ON:** 7/7/21

Sign Here: SANDRA

FILE

PARTY OF RECORD

JULIET ENERGY PROJECT, LLC
C/O
BRICKER & ECKLER LLP
100 SOUTH THIRD STREET
COLUMBUS, OH 43215-4291
Phone: 614-227-2300
Fax: 614-227-2390

APPLICANT

BORCHERS, DYLAN F
BRICKER & ECKLER LLP
100 S THIRD STREET

ATTORNEY

COLUMBUS, OH 43215
Phone: 614-227-4914
Fax: 614-227-2390
Email: DBORCHERS@BRICKER.COM

PARTY OF RECORD

none

ATTORNEY

*Beeler, Steven L. Mr.
Attorney General
30 East Broad Street, 16th Floor
Columbus, OH 43215
Phone: (614) 728-9481
Email: steven.beeler@ohioattorneygeneral.gov

ATTORNEY

none

*Parram, Devin D Mr.
Bricker and Eckler LLC
100 South Third Street
Columbus, OH 43215
Phone: 614-227-8813
Email: dparram@bricker.com

none

*Naeder, Kimberly M Mrs.
Office of Ohio Attorney General

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business. Technician *[Signature]* Date Processed 7.7.21

30 East Broad Street
26th Floor
Columbus, OH 43215
Phone: 614-466-4397
Fax: 866-483-1098
Email: kimberly.naeder@ohioattorneygeneral.gov

none

*Butler, Matt Mr.
Public Utilities Commission of Ohio
180 e. Broad St.
Columbus, OH 43215
Phone: 614-644-7670
Email: Matthew.Butler@puc.state.oh.us

none

*Orahood, Teresa
Bricker & Eckler LLP
100 South Third Street
Columbus, OH 43215-4291
Phone: (614) 227-4821
Fax: (614) 227-2390
Email: torahood@bricker.com

none

AKHBARI, ELYSE H
100 SOUTH THIRD STREET
COLUMBUS, OH 43215-4291
Phone: 614-227-8859
Fax: 614-227-2390
Email: EAKHBARI@BRICKER.COM

none

*Staff, Docketing
Docketing
180 East Broad Street
11th Floor
Columbus, OH 43215
Phone: 614-466-4095
Fax: 614-466-0313
Email: docketing@puco.ohio.gov

none

*King, Kelli C.
PUCO
180 E. Broad St.
Columbus, OH 43215
Phone: (614) 466-0461

