



155 East Broad Street
20th Floor
Columbus, Ohio, 43215

o: 614-222-1330
f: 614-222-1337

July 9, 2020

Ms. Tanowa M. Troupe
Ohio Power Siting Board
PUCO Docketing Division
180 East Broad Street, 11th Floor
Columbus, OH 43215-3716

Re: Case No. 16-253-GA-BTX
Evendale Permit No. 18875-2 Glendale Milford Road Open Hole

Dear Ms. Troupe:

Duke Energy Ohio, Inc., is filing, herewith, Permit No. 18875-2, issued by the Village of Evendale, for an open cut in Glendale Milford Road.

Please contact me if you have any questions.

Sincerely,

Emily A. Olive, CP
Paralegal

GLENDALE
MILFORD PERMIT

Permit Number: 18875-2

VILLAGE OF EVENDALE
DEPARTMENT OF THE BUILDING COMMISSIONER

Public Utility
Application for Permit
For Work in Right - of - Way

Work Hours for all
efforts during
construction will be
from 7 am to 7 pm, 6
days a week

Date: 3/16/2020

Applicant: Nick Weil

Company: Duke Energy, Ohio

Address: 139 E. 4th Street, Cincinnati, OH 45202

Phone Number: 513-287-2088

Location of Opening: N. S. (E. W) side of Glendale Milford Rd.

Approximate Distance 1.50 miles N. S. (E. W) from intersection of Glendale Milford Rd. & Plainfield Rd. to
Glendale Milford Rd. & US-42

Opening will be in: Hard pavement X Grass Area Opening Size: 4'-7'

Type of opening: Tunnel Bored Open hole X

Purpose of opening: Install a 20" steel pipeline via open cut in pavement of Glendale Milford Rd. for about
1.50 miles. Note: for open cut efforts, depth of cover is at min 4' and 1' from adjacent utilities

Provide sketch of street and opening location.

Rules and Regulations: The recipient of this permit agrees to do all work of excavation, refilling and temporary and/or permanent repairing in accordance with the Rules and Regulations of the Village of Evendale, Ohio which include but are not limited to the following:

- 1) Replaced in like kind or better;
- 2) All streets are to bored or tunneled unless otherwise stated;
- 3) Restoration within pavement or within 2' of pavement must be backfilled with small granular material;
- 4) If pavement is asphalt, replace with not less than 11" ; 9-1/2" - 301- no lift to exceed 5"; -404-final course to be trimmed and all vertical joints to be sealed. The above in accordance with Ohio Department of Transportation Specifications;
- 5) If pavement is concrete, replace with not less than 10" of concrete plus 6" concrete underout and keyed in accordance with item #452 of the Ohio Department of Transportation Specifications; or latest specifications adopted by same;
- 6) The service department superintendent must be notified a day in advance of restoration work (563-4338);
- 7) Inspection sheet must be signed by a Village of Evendale representative;
- 8) Permanent restoration must be made within three days after the street is opened;
- 9) Failure to comply with rules and regulations will result in forfeiture of bond and/or refusal of future street opening permits.

Approved as Noted by Conditions attached

Applicant's Signature: Nick Weil

Approved by: [Signature]

Date: 7-6-20

Title: Village Engineer

Copy to: Engineer: Police: Tax:



Richard H. Finan
Mayor

VILLAGE OF EVENDALE

10500 Reading Road • Evendale, Ohio 45241-2574 • Phone 513-563-2244

Conditions for Approval Duke Energy Central Corridor Pipeline Glendale Milford Open Cut Permit

In additions to the conditions listed on the application, the above permit is approved as noted below:

1. Work to be performed during the hours of 7:00am to 7:00pm Monday through Saturday.
2. Applicant shall maintain at least one lane of traffic for emergency vehicles.
3. Applicant shall provide a Maintenance of Traffic Plan for this section of work, including but not limited to schedule, signage, detour routes, and methods to be employed prior to construction.
4. Access to residential driveways within the work zone shall be maintained during non-working hours. To maintain access to residences during non-working areas, metal plates may be employed.
5. Restoration of disturbed areas to be replaced in kind or better.
6. Restoration of disturb lawn areas to be performed within 7 days of completing the work as shown on the permit.
7. Restoration of trench to be performed after work is completed to ensure the road is passible. Glendale Milford has both a concrete and asphalt base sections. The current pavement section for Glendale Milford Road is an ODOT Item 452 - 11" concrete base or 12" Item 301 Asphalt Base with 1½" of Item 441 - Intermediate Asphalt course and 1½" of Item 441 - Surface Asphalt Course.
8. Prior to construction through signalized intersections, contact the Village Engineer at 513-563-4338 to ensure that the underground signal wiring is marked. At Sharondale and Kingsport intersections with Glendale Milford Road, there are a series of conduits that cross the roadway for the traffic control systems. There is a 2" conduit that crosses the west side of the intersection at Kingsport for fiber and a 3" conduit for traffic control wiring. There is a 3" conduit at the east side of the intersection with Sharondale for traffic control wiring.
9. Any damages to underground utilities (water, sewer, gas, etc.) shall immediately be repaired.
10. The entire length of Glendale Milford west bound lane shall be milled and resurfaced. In addition, any additional areas disturbed during work of the eastbound lanes or middle turn lanes shall be milled and resurfaced.

Nick Weil

7/7/2020

NICK WEIL
DUKE ENERGY