f: 614-222-1337



July 9, 2020

Ms. Tanowa M. Troupe Ohio Power Siting Board PUCO Docketing Division 180 East Broad Street, 11th Floor Columbus, OH 43215-3716

Re: Case No. 16-253-GA-BTX

Evendale Permit No. 18875-3 Reading Road Bore

Dear Ms. Troupe:

Duke Energy Ohio, Inc., is filing, herewith, Permit No. 18875-3, issued by the Village of Evendale, for a bore under Reading Road.

Please contact me if you have any questions.

Sincerely,

Emily A. Olive, CP Paralegal

Permit Number: <u>18875</u> -3

VILLAGE OF EVENDALE DEPARTMENT OF THE BUILDING COMMISSIONER

Public Utility
Application for Permit
For Work in Right – of – Way

Due to HDD install, work hours for these efforts during construction will be 24/7.

Date: 3/16/2020		
Date: Or Torzozo		
Applicant: Nick We	il	Company: Duke Energy, Ohio
	h St, Cincinnati, OH 45202	Phone Number: 513-287-2088
	: N. S. E. W. side of Reading	
Approximate Distan	ce 1000 ft N. S. E. W from i	intersection of Kingsport Dr & Glendale Milford Ro
		Area X Opening Size: 20'x12' exit pit 20'x12' entry pit
Type of opening:	Tunnel Bored X	Open hole
Purpose of opening:	install a 20" steel pipeline	via HDD method under the road and Mill Creek.
Provide sketch of st	reet and opening location.	
Rules and Regulations: The accordance with the Rules a 1) Replaced in like k 2) All streets are to 3) Restoration withl 4) If pavement is as vertical joints to i 5) If pavement is co #452 of the Ohio 6) The service depail inspection sheet	recipient of this permit agrees to do all work of the Regulations of the Village of Evendale, Ohke ind or better; bored or tunneled unless otherwise stated; in pavement or within 2' of pavement must be chait, replace with not less than 11"; 9-1/2"—be sealed. The above in accordance with Ohioncrete, replace with not less than 10" of concr Department of Transportation Specifications; tment superintendent must be notified a day must be signed by a Village of Evendale repres	301- no lift to exceed 5"; -404-final course to be trimmed and all Department of Transportation Specifications; set plus 6" concrete underout and keyed in accordance with item or latest specifications adopted by same; in advance of restoration work (563-4338); sentative;
Rules and Regulations: The accordance with the Rules a 1) Replaced in like k 2) All streets are to 3) Restoration withl 4) If pavement is as vertical joints to i 5) If pavement is co. #452 of the Ohio 6) The service depail inspection sheet 8) Permanent restor	recipient of this permit agrees to do all work of the Regulations of the Village of Evendale, Ohke ind or better; bored or tunneled unless otherwise stated; in pavement or within 2' of pavement must be chait, replace with not less than 11"; 9-1/2"—be sealed. The above in accordance with Ohioncrete, replace with not less than 10" of concr Department of Transportation Specifications; timent superintendent must be notified a day must be signed by a Village of Evendale represation must be made within three days after the	b which include but are not limited to the following: backfilled with small granular material; 301- no lift to exceed 5"; -404-final course to be trimmed and all Department of Transportation Specifications; sete plus 6" concrete underout and keyed in accordance with item or latest specifications adopted by same; in advance of restoration work (563-4338); sentative;
Rules and Regulations: The accordance with the Rules a 1) Replaced in like k 2) All streets are to 3) Restoration withl 4) If pavement is as vertical joints to i 5) If pavement is co #452 of the Ohio 6) The service depail inspection sheet is Permanent restor 9) Failure to comply	recipient of this permit agrees to do all work of Regulations of the Village of Evendale, Ohlo ind or better; bored or tunneled unless otherwise stated; in pavement or within 2' of pavement must be chalt, replace with not less than 11"; 9-1/2"—be sealed. The above in accordance with Ohioncrete, replace with not less than 10" of concr Department of Transportation Specifications; timent superintendent must be notified a day must be signed by a Village of Evendale represation must be made within three days after the with rules and regulations will result in forfeit loted by Conditions attached	backfilled with small granular material; 301- no lift to exceed 5"; -404-final course to be trimmed and all Department of Transportation Specifications; sete plus 6" concrete underout and keyed in accordance with item or latest specifications adopted by same; in advance of restoration work (563-4338); sentative; set street is opened; sure of bond and/or refusal of future street opening permits.
Rules and Regulations: The accordance with the Rules a 1) Replaced in like k 2) All streets are to 3) Restoration withl 4) If pavement is as vertical joints to i 5) If pavement is co #452 of the Ohio 6) The service depail inspection sheet is Permanent restor 9) Failure to comply	recipient of this permit agrees to do all work of Regulations of the Village of Evendale, Ohlo ind or better; bored or tunneled unless otherwise stated; in pavement or within 2' of pavement must be chalt, replace with not less than 11"; 9-1/2"—be sealed. The above in accordance with Ohioncrete, replace with not less than 10" of concr Department of Transportation Specifications; timent superintendent must be notified a day must be signed by a Village of Evendale represation must be made within three days after the with rules and regulations will result in forfeit loted by Conditions attached	backfilled with small granular material; 301- no lift to exceed 5"; -404-final course to be trimmed and all Department of Transportation Specifications; sete plus 6" concrete underout and keyed in accordance with item or latest specifications adopted by same; in advance of restoration work (563-4338); sentative; set street is opened; sure of bond and/or refusal of future street opening permits.
Rules and Regulations: The accordance with the Rules a 1) Replaced in like k 2) All streets are to 3) Restoration withl 4) If pavement is as vertical joints to i 5) If pavement is co #452 of the Ohio 6) The service depail inspection sheet is Permanent restor 9) Failure to comply	recipient of this permit agrees to do all work of the Regulations of the Village of Evendale, Ohlo and Regulations of the Village of Evendale, Ohlo and or better; bored or tunneled unless otherwise stated; in pavement or within 2' of pavement must be shalt, replace with not less than 11"; 9-1/2"— be sealed. The above in accordance with Ohio increte, replace with not less than 10" of concrete, replace with not less than 10 of concrete, replace with not less than 10 of concrete, replace with not less than 10 of concrete, replace with one test than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. The above in accordance with Ohio more than 11"; 9-1/2"— be sealed. Th	backfilled with small granular material; 301- no lift to exceed 5"; -404-final course to be trimmed and all Department of Transportation Specifications; sete plus 6" concrete underout and keyed in accordance with item or latest specifications adopted by same; in advance of restoration work (563-4338); sentative; set street is opened; sure of bond and/or refusal of future street opening permits.





10500 Reading Road * Evendale, Ohio 45241-2574 Phone 513-563-2244

Richard H. Finan

Conditions for Approval
Duke Energy Central Corridor Pipeline
Reading Road HDD Permit

In additions to the conditions listed on the application, the above permit is approved as noted below:

1. Work is permitted to be performed 24/7 for this portion of work.

2. Applicant shall maintain at least one lane of traffic for emergency vehicles.

 Applicant shall provide a Maintenance of Traffic Plan for this section of work, including but not limited to schedule, signage, detour routes, and methods to be employed prior to construction.

4. Restoration of disturbed areas to be replaced in kind or better.

- 5. Restoration of disturb lawn areas to be performed within 7 days of completing the work as shown on the permit. The soccer fields located at the temporary easement will be regraded to ensure the play areas are free from trip hazards, etc. Applicant will provide shredded topsoil as needed to perform this work. Seed shall be Triple Crown Plus seed as supplied by The Forrest Lytle Co. or approved equal by the Village.
- 6. Applicant shall repair any damages to the irrigation system disturbed during work within the easement areas.
- 7. Permit conditioned upon successful agreement for the temporary and permanent easement acquisition from the Village.
- 8. Prior to construction through signalized intersections, contact the Village Engineer at 513-563-4338 to ensure that the underground signal wiring is marked. The traffic control system at the northeast corner is the main fiber optic hub for the Village. This fiber line runs along the north side of Glendale Milford to the Service Department. This is a 2" line with multiple pull boxes.
- 9. Restoration of trench to be performed after work is completed to ensure the road is passible. Glendale Milford has both a concrete and asphalt base sections. The current pavement section for Glendale Milford Road is an ODOT Item 452 11" concrete base or 12" Item 301 Asphalt Base with 1½" of Item 441 Intermediate Asphalt course and 1½" of Item 441 Surface Asphalt Course.
- 10. Any damages to underground utilities (water, sewer, gas, etc.) shall immediately be repaired.
- 11. At approximately Station 324+00 there is a water connection to the irrigation at the islands and soccer field irrigation. This is indicated by the backflow preventer that is on the north side of the street behind the curb.
- 12. The entire length of Glendale Milford west bound lane shall be milled and resurfaced. In addition, any additional areas disturbed during work of the eastbound lanes or middle turn lanes shall be milled and resurfaced.
- 13. The location of the temporary driveway will be relocated to protect the roadway trees.

Nichts Weil

7/7/2020

NICK WEIL

DUKE ENERGY

www.evendaleohlo.org