

ISSUED: APRIL 10, 2013
EFFECTIVE: MAY 10, 2013
LINDA GUAY, DIRECTOR
208 S AKARD ST., DALLAS, TX, 75202

2. GENERAL REGULATIONS

2.3. OBLIGATIONS OF THE CUSTOMER (continued)

2.3.16 Identification and Rating of Toll VoIP-PSTN Traffic

A. Scope

This section only applies to toll VoIP-PSTN traffic exchanged between the Company and the customer in time division multiplexing ("TDM") format that originates and/or terminates in Internet protocol ("IP") format. Toll VoIP-PSTN traffic originates and/or terminates in IP format if it originates from and/or terminates to an end-user customer of a service that requires Internet protocol-compatible customer premises equipment.

1. This section governs the identification of originating and terminating intrastate toll VoIP-PSTN traffic and facilities to which interstate switched access rates apply (unless the parties have agreed otherwise) in accordance with the transitional Intercarrier Compensation framework for toll VoIP-PSTN traffic adopted by the Federal Communications Commission in its Report and Order, FCC Release No. 11-161 (Nov. 18, 2011) ("FCC Order"). Specifically, this section establishes the method that will be used to identify the percentage of the customer's intrastate access traffic, that will be treated as intrastate toll VoIP-PSTN traffic (referred to in this tariff as "Relevant toll VoIP-PSTN Traffic"),
2. This section applies to originating and terminating intrastate switched access minutes of use ("MOU") and facility rate elements of all Access customers.
3. The customer shall not modify its reported PIU factor to account for the toll VoIP-PSTN Traffic for MOU and facility rate elements.

B. Rating of Toll VoIP-PSTN Traffic

The Relevant Toll VoIP-PSTN Traffic terminating from the customer to the Company and facility rate elements identified in accordance with this tariff section will be billed at rates equal to the Company's applicable tariffed terminating interstate switched access rates as specified at <http://serviceguide.att.com/ABS/ext/TariffDetails.cfm>, (Company's FCC Access Services Tariff, Sections 5.4 and 5.53), unless the corresponding intrastate rate is lower. If the intrastate rate is lower, then the intrastate rate will be applied to the relevant VoIP-PSTN traffic for billing. Relevant VoIP-PSTN Traffic originating from the Company or another provider to the customer will be rated using Intrastate rates and rate structure until June 30, 2014.

(T)
(T)

ISSUED: NOVEMBER 30, 2012
EFFECTIVE: JANUARY 1, 2013
LINDA GUAY, DIRECTOR
208 S AKARD ST., DALLAS, TX, 75202

2. GENERAL REGULATIONS

2.3. OBLIGATIONS OF THE CUSTOMER (Continued)

2.3.16 Identification and Rating of Toll VoIP-PSTN Traffic (Continued)

C. Calculation and Application of Percent-VoIP-Usage Factors

The Company will determine the number of Relevant Toll VoIP-PSTN Traffic terminating MOU and facility rate elements to which VOIP rates will be applied under subsection (B) above, by applying the Percent VoIP Usage ("PVU") factor to the intrastate access terminating MOU exchanged and facilities between the Company and the customer. The PVU factors will be derived and applied as follows:

1. The customer will calculate and furnish to the Company a factor (the "PVUC") on an ACNA basis which would aggregate traffic from Carrier Identification Code(s) ("CIC") or Operating Company Numbers ("OCNs") associated with the ACNA. This PVUC represents the percentage (whole number) of the total terminating intrastate access MOU that the customer exchanges with the Company end users in the State, that is received from the Company and terminated in IP format at the end user. This PVUC shall be based on information such as the number of the customer's retail VoIP subscriptions in the state (e.g., as reported on FCC Form 477), traffic studies, actual call detail, or other relevant and verifiable information.
2. The Company will calculate and periodically update a factor (the "PVUT") representing the percentage (whole number) of the total intrastate access MOU that the Company exchanges with the customer end users in the State, that is received from the Customer and terminated in IP format at the end user. This PVUT shall be based on information such as the number of the customer's retail VoIP subscriptions in the state (e.g., as reported on FCC Form 477), traffic studies, actual call detail, or other relevant and verifiable information.

ISSUED: NOVEMBER 30, 2012
EFFECTIVE: JANUARY 1, 2013
LINDA GUAY, DIRECTOR
208 S AKARD ST., DALLAS, TX, 75202

2. GENERAL REGULATIONS

2.3. OBLIGATIONS OF THE CUSTOMER (Continued)

2.3.16 Identification and Rating of Toll VoIP-PSTN Traffic (Continued)

C. Calculation and Application of Percent-VoIP-Usage Factors
(Continued)

3. The Company will develop a Customer Percent VoIP Usage ("PVU") factors combining the Customer's PVUC factor with the Company's PVUT factor.

a. The PVU calculation below is applied when the Company does not bill based on actual call detail records for the intrastate Company's IP traffic at relevant VOIP rates.

PVU = PVUC + [PVUT x (1-PVUC)] is applied to the traffic exchanged between the Company and customers end user's total intrastate MOU and facility rate elements

Example: The customer reported that their PVUC as 40%. The Company's PVUT is 10%. This results in the following:

$$PVU = 40\% \text{ plus } (10\% \text{ times } (1-40\%)) = 46\%$$

This means that 46% of the terminating Intrastate MOU exchanged between the customer and the Company's end users will be rated at VOIP rates.

ISSUED: NOVEMBER 30, 2012
EFFECTIVE: JANUARY 1, 2013
LINDA GUAY, DIRECTOR
208 S AKARD ST., DALLAS, TX, 75202

2. GENERAL REGULATIONS

2.3. OBLIGATIONS OF THE CUSTOMER (Continued)

2.3.16 Identification and Rating of Toll VoIP-PSTN Traffic (Continued)

3. (Continued)

- b. The PVU calculation below is applied when the Company bills are based on the actual call detail records for the intrastate Company's IP traffic at VOIP rates.

The formula for usage will be as follows:

$PVU = PVUC \times (1 - PVUT)$ applied to the traffic exchanged between the customer and the Company's TDM end user's total terminating intrastate MOU.

$PVU = PVUC + [PVUT \times (1 - PVUC)]$ is applied to the facility rate elements

Example: The Company has identified that there was 10,500 Intrastate MOU that were identified exchanged between the Customer and the Company's IP end users. The Customer reported that their PVUC as 40%. The Telephone Company's PVUT is 10%. This results in the following:

$$PVU = 40\% \text{ times } (1 - 10\%) = 36\%$$

This means that 36% of the terminating Intrastate MOU exchanged between the Customer and the Company's TDM end users will be rated at VOIP rates and the intrastate 10,500 MOU will also be rated at Interstate rates.

For the facility rate elements the formula that is applied to the intrastate dedicated facilities is as follows:

$$PVU = 40\% \text{ plus } (10\% \text{ times } (1 - 40\%)) = 46\%$$

Therefore 46% of the Intrastate facilities will be rated at VOIP rates.

4. If the customer does not furnish the Company with a PVUC pursuant to the preceding paragraph (C) (1), the Company will utilize a customer PVUC of 0%.