



155 East Broad Street
20th Floor
Columbus, Ohio, 43215

o: 614-222-1330
f: 614-222-1337

July 9, 2020

Ms. Tanowa M. Troupe
Ohio Power Siting Board
PUCO Docketing Division
180 East Broad Street, 11th Floor
Columbus, OH 43215-3716

Re: Case No. 16-253-GA-BTX
Evendale Permit No. 18875-5 Evendale Commons Drive Open Hole

Dear Ms. Troupe:

Duke Energy Ohio, Inc., is filing, herewith, Permit No. 18875-5, issued by the Village of Evendale, for an open cut in Evendale Commons Drive.

Please contact me if you have any questions.

Sincerely,

Emily A. Olive, CP
Paralegal

**EVENDALE
COMMONS DR
PERMIT**

Permit Number: 18875-5

**VILLAGE OF EVENDALE
DEPARTMENT OF THE BUILDING COMMISSIONER**

Work Hours for all efforts during construction will be from 7 am to 7 pm, 6 days a week

**Public Utility
Application for Permit
For Work in Right - of - Way**

Date: 3/16/2020

Applicant: Nick Weil

Company: Duke Energy, Ohio

Address: 139 E. 4th Street, Cincinnati, OH 45202

Phone Number: 513-287-2088

Location of Opening: (N.) S. E. W. side of Evendale Commons Dr.

Approximate Distance .36 miles N. (S.) E. W. from intersection of Chase Bank Rd. & Evendale Commons Dr.

Opening will be in: Hard pavement Grass Area Opening Size: 4'-7'

Type of opening: Tunnel Bored Open hole

Purpose of opening: install a 20" steel pipeline via open cut in pavement of Evandale Commons Dr.

for approximately 0.3 miles. Note: for open cut efforts, depth of cover is at min 4' and 1' from adjacent utilities

Provide sketch of street and opening location.

Rules and Regulations: The recipient of this permit agrees to do all work of excavation, refilling and temporary and/or permanent repairing in accordance with the Rules and Regulations of the Village of Evendale, Ohio which include but are not limited to the following:

- 1) Replaced in like kind or better;
- 2) All streets are to bored or tunneled unless otherwise stated;
- 3) Restoration within pavement or within 2' of pavement must be backfilled with small granular material;
- 4) If pavement is asphalt, replace with not less than 11" ; 9-1/2" - 301- no lift to exceed 5"; -404-final course to be trimmed and all vertical joints to be sealed. The above in accordance with Ohio Department of Transportation Specifications;
- 5) If pavement is concrete, replace with not less than 10" of concrete plus 6" concrete underout and keyed in accordance with Item #452 of the Ohio Department of Transportation Specifications; or latest specifications adopted by same;
- 6) The service department superintendent must be notified a day in advance of restoration work (563-4338);
- 7) Inspection sheet must be signed by a Village of Evendale representative;
- 8) Permanent restoration must be made within three days after the street is opened;
- 9) Failure to comply with rules and regulations will result in forfeiture of bond and/or refusal of future street opening permits.

Approved as Noted by Conditions attached

Applicant's Signature: Nick Weil

Approved by: [Signature]

Date: 7-6-20

Title: Village Engineer

Copy to: Engineer: Police: Tax:



Richard H. Finan
Mayor

VILLAGE OF EVENDALE

10500 Reading Road • Evendale, Ohio 45241-2574 • Phone 513-563-2244

Conditions for Approval Duke Energy Central Corridor Pipeline Evendale Commons Open Cut Permit

In additions to the conditions listed on the application, the above permit is approved as noted below:

1. Work to be performed during the hours of 7:00am to 7:00pm Monday through Saturday.
2. Applicant shall maintain at least one lane of traffic for emergency vehicles and access to associated businesses.
3. Applicant shall provide a Maintenance of Traffic Plan for this section of work, including but not limited to schedule, signage, detour routes, and methods to be employed prior to construction.
4. Access to driveways within the work zone shall be maintained during non-working hours. To maintain access to residences during non-working areas, metal plates may be employed.
5. Restoration of disturbed areas to be replaced in kind or better.
6. Restoration of disturb lawn areas to be performed within 7 days of completing the work as shown on the permit.
7. Restoration of trench to be performed after work is completed to ensure the road is passible. The current pavement section for Evendale Commons is an ODOT Item 304 - 10" aggregate base, 4" Item 301 Asphalt Base with 3" of Item 441 - Intermediate Asphalt course and 1½" of Item 441 - Surface Asphalt Course. The proposed pavement section is flash fill with a 6" asphalt base and then a 2" asphalt surface. Restoration of pavement at trench should match current pavement sections.
8. Prior to construction, contact the Village Engineer at 513-563-4338 to ensure that the underground electric for the street lights are marked. Any damages to underground utilities (water, sewer, gas, etc.) shall immediately be repaired.
9. The entire length of Evendale Commons south bound lane shall be milled and resurfaced. In addition, any additional areas disturbed during work of the northbound lane shall be milled and resurfaced.

Nick Weil

7/7/2020

NICK WEIL
DUKE ENERGY