

Large Filing Separator Sheet

Case Number : 06-350-GA-CMR

File Date : 11/8/06

Section : 1 of 2

Number of Pages : 200

Description of Document : Text

FILE

06-350-GA-CMR

Original Cost Valuation

RECEIVED-DOCKETING DIV

2006 NOV -8 PM 4:48

PUCO

Oxford Natural Gas Company

Oxford, Ohio

October 2006

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business.

Technician → Date Processed 10/6/06

TABLE OF CONTENTS

	Page
1.0 INTRODUCTION	1-1
General	1-1
Scope and Work	1-1
2.0 ORIGINAL COST	2-1
General	2-1
Reproduction Cost New	2-1
Trending	2-2
Original Cost and Accumulated Depreciation	2-3
3.0 INVENTORY	3-1
General	3-1
Mains (Account #376)	3-1
Measuring and Regulating Station Equipment (Accounts #378 and 379)	3-3
Services (Account #380)	3-3
Meters and Meter Installation (Accounts #381 and 382)	3-4
Land and Land Rights (Account #389)	3-4
Structures and Improvements (Account #390)	3-5
Office Furniture and Equipment (Account #391)	3-6
Transportation and Power-Operated Equipment (Accounts #392 and 396)	3-6
Tools; Shop and Garage Equipment (Account #394)	3-7
Other Tangible Property (Account #399)	3-7
4.0 SAMPLING	4-1
5.0 SAMPLE CALCULATION	5-1

LIST OF TABLES

Table No.	Description	
2.1	Reproduction Cost New – Summary by Asset Type	2-2
2.2	Original Cost – Accumulated Depreciation Summary by Asset Type	2-3

LIST OF FIGURES

Figure No.	Description	
2.1	6-Inch Gas Main at 505 Chestnut	3-1
2.2	Town Border Regulating Station	3-3
2.3	Service at 5386 Hester Road	3-3
2.4	Paved Area North of Office	3-4
2.5	Office at 5181 College Pike	3-5
2.6	Table/Chairs	3-6
2.7	Ditch Witch Trencher	3-6
2.8	Generator	3-7
2.9	Parts Inventory	3-7

LIST OF APPENDICES

Appendix	Description
A	Original Cost/Reproduction Cost Valuation Table
B	Pricing Backup
C	Installation Matrix
D	Uniform System of Accounts for Non-Major Gas Utilities (FERC-0115) (Partial)
E	Stored Inventory Listing
F	Inspection Reports and Sample Photographs
G	Inventory Photographs

1.0 INTRODUCTION

General

Oxford Natural Gas Company's (Oxford Gas) service area is located in the City of Oxford and part of the unincorporated area of Oxford Township in Butler County and in part of Gratis and Somers Townships of Preble County. Oxford Gas was initially founded and started operation in 1962 and now has a base of approximately 4,200 residential and commercial customers. Oxford Gas purchases gas from Energy USA.

Currently, there is a pending Rate Case with the Public Utilities Commission of Ohio (PUCO) where it has been identified that the Continuing Property Records (CPR) of Oxford Gas is not adequate for the Rate Case and that additional documentation is needed. The goal of this Valuation Study is to review the records and tangible assets owned by Oxford Gas and prepare an Original Cost valuation of the tangible assets. The PUCO will provide information on the asset depreciation to generate an Accumulated Depreciation (AD) value for the CPR.

Scope of Work

Burgess & Niple, Inc. (B&N) was retained by Oxford Natural Gas Company to prepare an Original Cost valuation of the Company's tangible assets in accordance with the directions from the PUCO. The Scope of Work for the valuation includes the following objectives:

Document assets owned by Oxford Gas as follows:

- Use an electronic version of the underground utility drawings from Oxford Gas to extract, totalize, tabulate, and inventory the 60% underground assets by pipe material, size, and age. Age of underground assets will be identified based on interviews with key existing and former Company personnel.
- Inventory aboveground, tangible assets owned by Oxford Gas, right-of-ways, and leased equipment will not be included in this inventory task. Inventories of "stock" or "warehouse" material or equipment will be based on the records of Oxford Gas. Land



costs will be extracted through available information from the Butler County Auditor's office

- Tax asset records will be reviewed and compared to verify the approximate quantity(s) of the tangible assets that are identified in the Engineer's inventory.
- Interview existing and former Company officials, (such as Mr. Harold Ramsey, retired) to establish accuracy of utility drawings and condition and age of underground gas utilities. This input will be used to edit/update the utility drawings.
- Select at random, eight locations in the gas distribution piping system to be exposed by representatives of Oxford Gas and viewed to verify pipe material and size. Photograph and catalog this information as part of a written report to Oxford Gas.

Interview Oxford Gas staff or local Contractor(s) to identify a typical labor and equipment cost (crew cost) for the installation of gas line utility work in that locale. Combine the local, hourly (or other increment) crew cost with an appropriate, productivity factor from *RS Means Cost Guide* to develop the lineal cost for each category of gas line piping.

- Develop and provide a cost matrix for the gas line piping that identifies each component of cost.
- Provide a Reproduction Cost New/Original Cost table of tangible assets consistent with the *Uniform System of Accounts for Non-Major Gas Utilities* as adapted by the Federal Energy Regulatory Commission in Publication No. FERC-0115. Identify the *Handy Whitman Index* utilized to develop each Original Cost value. The Reproduction Cost New/Original Cost table will be referenced and/or hyper-linked as applicable to costing sources used in this estimate.
- Prepare a final report and documentation that will be used by Oxford Gas in the *Rate Case* pending with the PUCO.

2.0 ORIGINAL COST

General

Original Cost is generally referred to as the “book value” or the cost of the asset when originally purchased or placed in service. The depreciated Original Cost is the cost of the assets adjusted for decline in value due to wear and tear or obsolescence caused by normal usage or time (depreciation). The depreciation factor in this valuation will be provided by PUCO staff to develop the Accumulated Depreciation (AD) value for the assets. A detailed asset listing for the Original Cost values is shown in the Original Cost/Reproduction Cost Valuation table.

This valuation study has provided an estimate of the Original Cost of the Oxford Gas assets which was trended from the Reproduction Cost New (RCN) estimate of the tangible assets.

Reproduction Cost New

For purposes of this valuation, the RCN value is defined as the estimated cost of reproducing the meter installations, equipment, buildings, services, gas mains, and all other assets of the Oxford Gas System with identical materials, standards, design, layout, workmanship and conditions that were used to create the original assets. We have assumed that construction of all the assets in the Oxford Gas system would occur in one continuous effort. The RCN pricing effort included a “hands-on” verification of all of the visible, tangible assets of Oxford Gas and resulted in applying a current material cost, construction cost, engineering cost, administration cost, interest during construction, and entrepreneurial profit to the pricing to arrive at the RCN value. The RCN of the tangible assets in the Oxford Gas System as of January 31, 2006 is \$17,736,000 (Rounded), which is itemized in Table 2.1.

Table 2.1
Reproduction Cost New – Summary by Asset Type

ACCOUNT #	ASSET	RCN*
376	Mains	\$15,275,000
378	Measuring and Regulating Station Equipment-General	4,000
379	Measuring and Regulating Station Equipment-City	--
380	Services	\$750,000
381	Meters	\$832,000
382	Meter Installations	\$63,000
387	Other Equipment	--
389	Land and Land Rights	\$119,000
390	Structures and Improvement	\$519,000
391	Office Furniture and Equipment	51,000
392	Transportation Equipment	N/A
** 393	Stores Equipment	--
394	Tools; Shop and Garage Equipment	\$34,000
396	Power-Operated Equipment	N/A
398	Miscellaneous Equipment	--
399	Other Tangible Property	\$89,000
	Total	\$17,736,000

* RCN figures shown are rounded and include interest during construction and engineering costs.

** Stores Equipment listed under Account #390 in OC/RC valuation table.

Trending

The RCN values developed in the valuation were trended back to the estimated date of installation to determine the Original Cost. Trending factors from (1) *Handy Whitman Index of Public Utilities Construction Cost – Bulletin No. 163* and/or (2) Consumer Price Index from the Department of Labor were used to establish the Original Cost. The *Handy Whitman Index - Bulletin No. 163* was utilized for the categories of Mains, Measuring and Regulating Station Equipment-General, Measuring and Regulating Station Equipment- City, Services, Meters, and Meter Installations, but was not applicable to the remaining categories, so the Consumer Price Index was assigned to those assets. The *Handy Whitman- Bulletin No. 163* tables are divided into different geographical categories and the Oxford, Ohio factors are found under the “north central region.” As an example, a gas main asset that was installed in 1980 has a *Handy Whitman Cost Index* of 187 as compared to a current cost index of 409. The cost index ratio for this example would be (409/187) 2.19, which means the Original Cost for this asset would be 1/2.19 (or 45.7 percent) times the RCN value.

Original Cost and Accumulated Depreciation

The Original Cost of the tangible assets in the Oxford Gas system was trended from the estimated reproduction cost values and is estimated to be \$5,918,000 (Rounded) and is itemized in Table 2.2.

The Accumulated Depreciation (AD) was established by applying an appropriate depreciation factor to the Original Cost values and the number of years since installation. The Accumulated Depreciation of the tangible assets is estimated to be \$3,701,000 (Rounded) and is itemized in Table 2.2.

**Table 2.2
Original Cost – Accumulated Depreciation
Summary by Asset Type**

ACCOUNT #	ASSET	OC*	AD*
376	Mains	\$4,292,000	\$2,462,000
378	Measuring and Regulating Station Equipment-General	\$5,000	\$2,000
379	Measuring and Regulating Station Equipment-City	--	--
380	Services	\$237,000	\$306,000
381	Meters	\$590,000	\$485,000
382	Meter Installations	\$15,000	\$12,000
387	Other Equipment	--	--
389	Land and Land Rights	\$119,000	--
390	Structures and Improvement	\$279,000	\$270,000
391	Office Furniture and Equipment	35,000	\$27,000
392	Transportation Equipment	126,000	\$94,000
** 393	Stores Equipment	--	--
394	Tools; Shop and Garage Equipment	\$27,000	\$16,000
396	Power-Operated Equipment	103,000	\$24,000
398	Miscellaneous Equipment	--	--
399	Other Tangible Property	\$90,000	\$3,000
	Total	\$5,918,000	\$3,701,000

* OC and AD figures shown are rounded and include interest during construction and engineering costs.

** Stores Equipment listed under Account #390 in OC/RC valuation table.

3.0 INVENTORY

General

The tangible assets and related records were examined to establish the most reliable asset inventory. The specific effort(s) involved in each category is listed below for the following: (1) Land and Land Rights; (2) Structures and Improvements; (3) Mains; (4) Measuring and Regulating Station Equipment-General; (5) Measuring and Regulating Station Equipment-City; (6) Services; (7) Meters; (8) Meter Installations; (9) Other Equipment; (10) Office Furniture and Equipment; (11) Transportation Equipment; (12) Stores Equipment; (13) Tools; Shop and Garage; and (14) Power-Operated Equipment. The assets that have been listed in the Original Cost/Reproduction Cost Valuation table have been listed in a format consistent with the *Uniform System of Accounts for Non-Major Gas Utilities* per Federal Publication No. FERC-0115. For purposes of this valuation, the Oxford Gas assets were assigned to only the Distribution Plant and General Plant account categories.

Mains (Account #376)

The Oxford Gas mains are shown on the Company's distribution maps, which consist of 55




Figure 2.1 - 6-Inch Gas Main at 505 Chestnut
2.1 was exposed during the sample verification process and is estimated to be installed in the mid 1970s.

digitized electronic drawings and hard-copy drawings that show the location of the gas mains and generally indicate the pipe size, pipe material, valves, valve numbers, and curb stops. According to the Oxford Gas maps, the mains vary in size from 3/4-inch diameter to 6-inch diameter and are either polyethylene plastic or steel, with the steel mains being either plastic-coated or bare steel. The steel mains are provided with anodic corrosion protection and have, galvanic monitoring stations. The gas main shown on Figure

The electronic version of the distribution mapping was originally generated from off of an Oxford Gas historic paper copy through the services of a consultant (DDS Surveying, Inc.). The drawings are maintained by Oxford Gas staff and edited, as gas main extensions are made to the system. In conjunction with this valuation, the accuracy of the mapping was reviewed and checked on a sheet-by-sheet basis with Mr. Harold Ramsey (Oxford Gas Superintendent, retired) to determine if the mapping (pipe size and pipe materials) needed to be adjusted. The Oxford Gas yearly extension records, along

with input from Mr. Ramsey, covered approximately half of the mains. The information on the half of the system that was identified was used to assign the date of installation for the remaining gas mains. Each gas main increment was assigned to a 5-year time window for the date of installation. For example, a main that was installed in 1977 was assigned to a 1976 to 1980 window. The average of the 1976 and 1980 price indices was then used for the price index of any gas main installed in 1977. The mapping was also checked to verify that the drawings did not have any retired mains or any mains that were installed after the Date Certain milestone of January 31, 2006. The maps were then scanned and digitized through AutoCad into separate layers by (a) pipe diameter; (b) pipe material; and (c) date of installation after which a GIS map was created. Gas main quantities were then obtained from the GIS drawings through a quantity-extraction routine.

An Installation Matrix (refer to Appendix C) was developed that addressed material cost, overhead/profit, production, crew costs, backfill costs, pavement removal and replacement, and traffic maintenance. It should be noted that even though Oxford Gas crews have historically installed almost all of their own gas mains, the crew installation costs in the matrix were based upon a publicly-bid format and installation by a local, qualified Contractor (Miller Pipeline Corporation). Oxford Gas crew costs were tabulated for comparison purposes and estimated to be approximately 10 percent less than that of an out-sourced Contractor. The gas mains were priced out assuming an average trench cover of 24 inches, controlled density backfill (CDF) under pavement, and premium sand/gravel backfill outside of pavement, and that the installation would be by a backhoe or trencher method. It was taken into account that the City of Oxford requires that utility lines under pavement areas be installed with CDF backfill. Based on information from Oxford Gas records, the Installation Matrix was set up for 60 percent of the gas mains to be under pavement. The on-site sampling effort yielded a range of 26 to 34 inches of cover at the eight sample sites, as compared to the assumed 24 inches that was used for pricing. The gas mains are estimated to have an RCN value of \$15,275,000 (Rounded).

Measuring and Regulating Station Equipment (Accounts #378 and 379)

Oxford Gas has one General (Account #378) measuring and regulating station located on Route




27 south of town and one City (Account #379) measuring and regulating station located near the generating plant of Miami University. The stations consist of aboveground piping and appurtenances that are located in a locked, fenced area. The piping/appurtenances are made up of steel piping, pressure regulators, pressure relief valves, pressure gauges, pressure chart recorders and gas pre-heaters. Oxford Gas also owns the regulator and meter at the Miami University connection. The stations were

Figure 2.2 - Town Border Regulating Station
inventoried, nameplate data was recorded, and photos were taken. Several equipment suppliers were contacted for quotes on this installation. The Town Border regulating station is shown in the foreground of the adjacent photo, while other piping in this photo is owned by Energy USA.

Services (Account #380)

Services are shown on the Oxford Gas distribution maps and are usually kept up-to-date on a



weekly basis based on work orders and/or field reports. Service materials and sizes are also shown on the distribution maps, but are not differentiated from the gas mains. Any company-owned services shown on the maps without a size or material delineation were defaulted to a 3/4-inch diameter plastic category. Most of the service lines shown on the maps were 3/4-inch diameter. It was established from input from Oxford Gas staff that Oxford

Figure 2.3 - Service at 5386 Hester Road
Gas owns those "service" lines that serve multiple

customers, but does not usually own or maintain any of the service lines from the curb stop to the house for individual (residential) customers. Single service lines to residential users were not included as an asset in this valuation. However, Oxford Gas does own, install, and maintain the gas meters on all of the service lines. The gas service lines were assumed to have 24 inches of cover and the same 60 percent of utility under pavement. The 3/4-inch service shown on Figure 2.3 was exposed as part of a recent service tap made by Oxford Gas.


The service lines were not designated separately from the gas mains on the electronic edition of the Oxford Gas distribution mapping, so the quantity extraction routine lumped the services and main quantities together. A hard copy of the mapping was reviewed and the services were manually identified, quantified, and subtracted from the gas main quantities.

Depending upon the vintage of the service line, it has been established that curb shut-off valves were not always installed on some of the older lines. Based upon information from Oxford Gas, all but 40 of the 4,127 services have a valve shutoff at the curb. A five-year time window was also assigned to the services. However, an average cost index factor was developed and applied to all of the services and is listed in Appendix B. The estimated RCN for services is \$750,000 (Rounded).

Meters and Meter Installation (Accounts #381 and 382)

Meters are not designated on the gas main distribution maps. Currently, Oxford Gas has approximately 4,127 meters installed in the system. The number of meters that are active ("turned on") varies considerably because of the student influx from Miami University. According to input from Oxford Gas, the in-house staff can install meters in approximately 30 minutes. This production rate was used to price out the meter installation costs, which is approximately \$14 per meter. The meters in the system are a temperature-compensated, diaphragm-type, and are similar to Model AC-250 as manufactured by the American Meter Company (ABC). The estimated RCN for the meters and meter installation is \$895,000 (Rounded).

Land and Land Rights (Account #389)



Oxford Gas owns two contiguous parcels of land where the office building is currently sited on 5181 College Corner Pike and the value that was assigned to the land was obtained from the 2005 records that Oxford Gas had on file which they had received from the Butler County Treasurer's office. As indicated in Table 2.1, the current (RCN) land value for Parcel No. H4100-019-000-026 is \$38,500 and for parcel No. H4100-019-000-045 is \$81,400. The northerly portion of the two parcels with frontage on College Corner Pike is shown on Figure 2.4.

Figure 2-4 - Paved Area North of Office

According to Oxford Gas, there may be easements associated with some of the gas main locations, but there were no available records that identified these easements and there was no time available to research the County Recorder's office so, accordingly, this valuation did not include any value for easements. Oxford Gas noted that they have three railroad utility crossing permits with CSX Transportation and that these permits have a total annual fee of \$375.00 associated with them. These fees are noted for record purposes, but are not included in the tangible assets.

Structures and Improvements (Account #390)

The Oxford Gas office building at 5181 College Corner Pike represents the only structure asset in the system and was inventoried by measuring, photographing, and recording all pertinent information involved with the building and the building site, including the type of wall, floor and roof construction.

The office building consists of two, semi-separate, "slab" on-grade structures that have a partial, common wall between them and is shown on Figure 2.5. The southerly portion of the building is a single story, wood-framed structure that houses the main entrance, lobby, clerical area, and two offices. The northerly portion of the building is a two story, wood-framed structure that has two work areas, kitchenette, three bathrooms, meeting room, various storage rooms, and garage and maintenance area. This building was priced out using the *2006 RS Means Square Foot Costs* publication for one-story and two-story residential construction structures, which can be found on pages 28 and 30 of that publication. The *RS Means Square Foot Costs* of \$81.70/square foot and \$69.68/square foot was interpolated from the tables and applied respectively to the 1,858 square foot one-story, and the 3,136 square foot two-story structures.




Figure 2.5 - Office at 5181 College Pike
A tabulation on pricing of the building components is listed in the "Square Foot Costs" tabulation found in Appendix B.

Adjustments in the *RS Means Square Foot Costs* values were then made for items such as (1) wood siding versus vinyl siding; (2) basement versus slab-on-grade; (3) attached versus built-in garage; (4) kitchen versus kitchenette; (5) alarm system added; and (6) baths versus half-baths. The outside site features that we observed in this account included: (1) paved drive and parking; (2) concrete walk; (3) curbing (concrete and asphalt); (4) chain link fencing with motor-operated gate; (5) concrete push wall; (6) storm inlets and sewer; (7) exterior lighting; and (8) drop-off box.

For the purpose of this valuation, the built-in counter in the lobby area was priced out as 50 percent of the value of a similar sized kitchen counter.

The RCN value of the building and site improvements is estimated to be \$519,000 (Rounded) as compared to a value of \$959,030, which was listed in the Butler County Treasurer's 2005 tax statement for Parcel No. H400-999-001-300. After viewing tax statements from previous years, several additional disparities were identified and it was concluded that the assigned price of \$519,000 was accurate for the purposes of this valuation.

Office Furniture and Equipment (Account #391)

The office furniture was observed, inventoried and photographed for this valuation. The furniture




Figure 2.6 – Table/Chairs
Office furniture in one of the two lower level offices is shown on Figure 2.6.

and office equipment was priced from various Office Supply vendors, which are listed in Appendix B and hyper-linked in the Original Cost/Reproduction Cost valuation table. The stored monitors and other peripheral computer hardware that was stored in one of the second floor rooms were not included in this valuation, since they were assumed to have a minimal value, and would not have a comparable model that is currently available.

Office furniture in one of the two lower level offices is

Transportation/Power-Operated Equipment (Accounts #392 and 396)


Transportation and power-operated equipment were examined and inventoried and photographed at the Oxford Gas office. Equipment features and mileage/hours were noted. Oxford Gas also provided available purchase orders and "sticker" information on the equipment. The transportation fleet consists of two vans, one dump truck, two pickup trucks, and one panel truck. The power-operated equipment consists of three equipment trailers, a trailer-mounted vacuum "pot-hole" rig, a Ditch Witch trencher; a Vermeer wheeled backhoe, a Bobcat loader, and a Clark pallet loader. Any equipment

that was noted as being leased was not included in this valuation. The RCN was not estimated for this

category, since a current value of a 2006 model would not be trendable to the Original Cost model. In this category, purchase order information from Oxford Gas files was used directly for the Original Cost value. The Ditch Witch trencher is shown on Figure 2.7.

Tools; Shop and Garage Equipment (Account #394)

Oxford Gas has various tools and related equipment stored in their trucks and vans and in the



garage area of the office building. These items were observed, inventoried, and photographed and then priced out in *McMaster-Carr* and numerous other sources, which are listed in Appendix B and hyper-linked in the Original Cost/Reproduction cost valuation table. A portable generator that is stored in the garage area is shown on Figure 2.6. The RCN of this category is estimated to be approximately \$34,000 (Rounded).

Figure 2.8-Generator

Other Tangible Property (Account #399)

Oxford Gas maintains an inventory of fittings, valves, meters, repair repair clamps and other



appertaining parts that are stored in the garage bay of the office building. Oxford Gas provided a stored inventory listing (included in Appendix E), which was generated in January 2006. That list was spot-checked in the field against the items currently in storage and found to be representative of the current inventory count. This equipment was priced out using the costs listed in the Oxford Gas stored inventory document and the RCN were estimated to be \$89,000 (Rounded). Some of the

Figure 2.9 - Parts Inventory

inventory on spare parts in the storage area of the garage is shown on Figure 2.9.

4.0 SAMPLING

In order to confirm the content of the distribution maps as pertains to pipe size and type, eight gas main locations were selected to be exposed, measured, and observed. Four locations were on steel mains and the other four were on plastic mains. The locations were selected based on creating a minimum of disturbance to traffic and other buried utilities. The selections were also based on sampling piping of different vintages, as some of the locations were of 1971-1975 vintage, and some were installed after 2000. The trench cover and backfill conditions were also observed to substantiate the cost for the gas main installation. The sample exposures were recorded as to outside pipe diameter, material, and pipe condition; and the Inspection Reports, along with the sample photos, are included in Appendix F. All eight samples verified that the gas main size and material that was shown on the distribution maps was accurate.

The eight sampling locations indicated that the trench cover varied from 26 to 34 inches as compared to the 24 inches assumed for pricing purposes. Based on the observed exterior condition of the gas mains, all eight locations indicated that the piping was in very good condition.

5.0 SAMPLE CALCULATION

The following sample calculation(s) is presented for the 2-inch steel gas main asset (Account #376) to assist in following and understanding the material/data that has been presented in the Original Cost/Reproduction Cost valuation table and other locations throughout the Appendices. Other assets in the valuation table have been priced out in a manner comparable to the 2-inch steel gas main.

Unit cost per foot, (Refer to Installation Matrix/Appendix C). The unit cost of \$29.35 per lineal foot (lf) for 2-inch steel shown in the referenced matrix (Column P; Line 12) consists of eight components: (a) Material Costs; (b) Material Cost Markup; (c) Crew Costs; (d) Granular Backfill; (e) Controlled Density Fill (CDF) Backfill; (f) Pavement Removal; (g) Pavement Replacement; and (h) Traffic Maintenance which are listed in the Installation Matrix in Appendix C.

- (a) **Material Costs:** Based on the quote of Consolidated Pipe and Supply Company, Inc. (Appendix B).
 - 2-inch (2 3/8-inch outside diameter) - **\$3.88** per lineal foot.
 - The price of \$3.88 can be found in Column D of the Installation Matrix.
- (b) **Material Markup:** The material markup has been based on an accepted, historical threshold of 15 percent.
 - $\text{Markup} = 0.15 \times \text{material cost}$.
 - For 2-inch steel: $\text{Markup} = 0.15 \times \$3.88/\text{ft} = \$0.58/\text{ft}$. (Refer to Column E/ Installation Matrix).
- (c) **Crew Costs:** Crew costs per lineal foot were derived from crew costs per day and lineal foot production.
 - 2-inch steel: Man-hour cost is \$70/hour with a 4-man crew (per Miller Pipeline Company).
$$\$70/\text{hour} \times 4\text{-man crew} = \$280/\text{crew-hour}$$

$$8 \text{ hours/day} \times \$280 \text{ per crew-hour} = \$2,240/\text{day}$$
. (Refer to Column G/Installation Matrix).
 - Refer also to Index for Installation Matrix/Appendix C.
 - 280 lf/day (*RS Means* Production) (Column F/Installation Matrix).

- **Cost per lineal foot:**

Crew Cost/Day ÷ lineal foot production/day = 2,240 \$/day ÷ 280 lf/day = **\$8.00/lf.**
 (Refer to Column I/Installation Matrix).

- (d) **Granular Backfill Costs:** Granular backfill has been assumed to occur at 40 percent of the gas utility locations and is figured as follows:

- (Trench width (ft) times trench cover (ft) ÷ 27 cf/cy) x cost/cy x 40% = cost per lf.
- Trench width: = 1.5 ft
- Trench cover = 2.0 ft.
- Cost/cy = \$32 (*R.S. Means* Page 62; Line 0050)
- Cost/lf = $(2.0' \times 1.5' \div 27) \text{ cf/sy} \times \$32/\text{cy} \times 40\% = \$1.42/\text{lf}$. (Refer to Column H/Installation Matrix).

- (e) **CDF Costs:** CDF fill is required at utilities installed under pavement:

- Cost/lf = (trench width (ft) x trench cover (ft) ÷ 27) cf/cy x cost/cy.
- Trench width = 1.5 ft.
- Trench cover = 2.0 ft.
- Cost/cy = \$87.50/cy (*R.S. Means* Page 154; Line 4300)
- Cost/lf = $(1.5' \times 2.0' \div 27) \text{ cf/cy} \times \$87.50/\text{cy} = \$9.72/\text{lf}$. (Refer to Column M/Installation Matrix).

- (f) **Pavement Removal:** Pavement removal has been assumed to be 1 foot beyond each side of the trench sides:

- 1.5 ft trench width + 2.0 ft = 3.5 ft width of pavement replacement.
- Width of replacement (ft) ÷ 9 sf/sy x \$/sy = cost/lf.
- \$/sy = \$7.00 (*RS Means* Page 36; Line 5050).
- $(3.5 \text{ ft} \div 9 \text{ sf/sy}) \times \$7.00/\text{sy} = \$2.72/\text{lf}$. (Refer to Column K/Installation Matrix).

- (g) **Pavement Replacement:** Pavement replacement is also assumed to 3.5 feet wide. (Width of replacement (ft) ÷ 9 sf/sy) x \$/sy = cost/lf.

- \$/lf = \$31.50 (*RS Means* Page 97; Line 1000).
- $3.5' \div 9 \text{ sf/sy} \times \$31.50/\text{sy} = \$12.25/\text{lf}$. (Refer to Column L/Installation Matrix).

(h) **Maintain Traffic:** (Refer to Index for Installation Matrix).

- $\$/lf = \0.66 (Table 42 U.S. EPA *Publication 68-03-3266*; refer to Index for Installation Matrix – 1989 Index).

Convert to 2006 \$/lf: (2006 Cost Index/1989 Cost Index) $\times \$0.66/lf = 7,660/4,615 \times \$0.66/lf = \$1.10/lf$.

The Pavement Removal, Pavement Replacement, Controlled Density Fill Costs, and Maintenance of Traffic occurs 60 percent of main locations, so these four items are factored by that amount.

In-Pavement Cost/lf = (Pavement Removal + Pavement Replacement + CDF + Traffic Maintenance Costs/lf) $\times 0.60 = (2.72 \$/lf + 12.25 \$/lf + 9.72 \$/lf + 1.10 \$/lf) \times 0.60 = \$15.47/lf$. (Refer to Column O/Installation Matrix).

Total Unit Cost/lf = Material Cost/lf + Markup/lf + Crew Cost/lf + Backfill/lf + In-Pavement Cost/lf) $= (\$3.38 + \$0.58 + \$1.42 + \$8.00 + \$15.47/lf) = \$29.35/lf$. (Refer to Column P; Line 12/Installation Matrix).

The \$29.35/lf does not include the 4 percent interest during construction and 6 percent engineering components; so the total unit price would be $1.10 \times 29.35 \$/lf = \$32.29/lf$.

Estimated Reproduction Cost. (Refer to page 2 of the Original Cost/Reproduction Cost Valuation Table), Appendix A. The estimated reproduction costs are listed in the titled column, which has eight asset categories for 2-inch steel gas mains based on the eight purchase year time windows. The lineal foot reproduction unit price is, of course, the same for all eight time windows, and can be verified by dividing any of the “estimated reproduction cost” values by the corresponding lineal footages listed in the “Asset” category. For example, the Reproduction Cost of \$283,106.74 divided by the corresponding footage of 8,766 feet yields a unit price per foot of \$32.29, which, as shown, was developed from Column P of the Installation Matrix in Appendix C.

APPENDIX A
ORIGINAL COST/REPRODUCTION COST VALUATION TABLE

OXFORD NATURAL GAS CO.
 5181 College Corner Pike
 P.O. Box 880
 Oxford, OH 45056

Date Certain January 31, 2006

		Summary		Estimated Reproduction Cost	Original Cost	Accumulated Depreciation
	Asset Type	Account Number				
MAINS		376	\$ 15,274,666.97	\$ 4,291,922.58	\$ 2,462,286.22	
MEASURING & REGULATING STATION EQUIPMENT- GENERAL		378	\$ 3,933.60	\$ 5,345.00	\$ 2,166.65	
MEASURING & REGULATING STATION EQUIPMENT- City gate check station		379	\$ 462.55	\$ 59.68	\$ 102.46	
SERVICES		380	\$ 749,474.00	\$ 236,875.47	\$ 305,806.24	
METERS		381	\$ 831,600.00	\$ 589,991.86	\$ 484,740.89	
METERS INSTALLATIONS		382	\$ 63,140.00	\$ 15,276.30	\$ 12,182.06	
OTHER EQUIPMENT		387	\$ 63			
LAND & LAND RIGHTS		389	\$ 119,000.00	\$ 119,000.00		
STRUCTURE & IMPROVEMENTS		390	\$ 518,514.83	\$ 278,860.55	\$ 269,921.77	
OFFICE FURNITURE & EQUIPMENT		391	\$ 51,429.40	\$ 35,196.12	\$ 26,996.67	
TRANSPORTATION EQUIPMENT		392	\$ 170.00	\$ 126,169.95	\$ 93,780.81	
STORES EQUIPMENT		393				
TOOLS, SHOP & GARAGE EQUIPMENT		394	\$ 33,860.84	\$ 26,794.50	\$ 15,855.40	
POWER OPERATED EQUIPMENT		396	\$ -	\$ 102,393.00	\$ 23,750.16	
MISCELLANEOUS EQUIPMENT		398	\$ 315.00	\$ 283.78	\$ 86.75	
OTHER TANGIBLE PROPERTY		399	\$ 89,440.83	\$ 89,440.83	\$ 3,478.01	
Account Totals			\$ 17,736,008.02	\$ 5,917,609.64	\$ 3,701,154.08	

* Engineering Cost (6%) and Interest During Construction (4%) Markups Not Applied
 To Land & Rights, Transportation Equipment, And Power Operated Equipment Categories.

OXFORD NATURAL GAS CO.
5181 College Corner Pike
P.O. Box 880
Oxford, Oh 45056

Date Certain January 31, 2006

ORIGINAL COST/REPRODUCTION COST VALUATION TABLE

Asset Type	Account Number	Asset	Photo No.	Purchase Year	Pricing Reference Note	Estimated Reproduction Cost	Cost Index Factor	Original Cost	P.U.C.O. Depreciation Factor (Note: 2)	Accumulated Depreciation (Note: 3)
Distribution Plant										
Land and Land Rights	374	N/A								
STRUCTURE & IMPROVEMENTS	375	N/A								
MAINS										
See Note: 1 below										
376 PE. 1 1/2" (186 ft.)		N/A 1966 - 1970			\$ 4,022.44		5.357	\$ 750.87	0.962	\$ 722.44
376 PE. 1 1/2" (226 ft.)		N/A 1971 - 1975			\$ 4,887.48		3.964	\$ 1,232.97	0.834	\$ 1,028.45
376 PE. 3/4" (17 ft.)		N/A <1955			\$ 369.33		5.958	\$ 61.99	1.039	\$ 64.40
376 PE. 3/4" (994 ft.)		N/A 1966 - 1970			\$ 21,594.65		5.357	\$ 4,031.11	0.962	\$ 3,878.43
376 PE. 3/4" (601 ft.)		N/A 1971 - 1975			\$ 13,056.73		3.964	\$ 3,293.83	0.834	\$ 2,747.46
376 PE. 3/4" (447 ft.)		N/A 1976 - 1980			\$ 9,711.08		2.698	\$ 3,599.36	0.706	\$ 2,541.90
376 PE. 3/4" (494 ft.)		N/A 1981 - 1985			\$ 10,732.15		1.937	\$ 5,540.60	0.629	\$ 3,486.84
376 PE. 3/4" (44 ft.)		N/A 1986 - 1990			\$ 9,689.35		1.632	\$ 5,937.10	0.450	\$ 2,672.44
376 PE. 3/4" (313 ft.)		N/A 1991 - 1995			\$ 6,789.93		1.408	\$ 4,829.49	0.322	\$ 2,155.70
376 PE. 3/4" (142 ft.)		N/A 1996 - 2000			\$ 3,084.95		1.267	\$ 2,434.85	0.194	\$ 472.66
376 PE. 3/4" (8 ft.)		N/A 2001 - 2005			\$ 173.80		1.108	\$ 156.86	0.066	\$ 10.37
376 PE. 1" (157 ft.)		N/A <1965			\$ 3,438.46		5.958	\$ 577.12	1.039	\$ 569.58
376 PE. 1" (2597 ft.)		N/A 1966 - 1970			\$ 56,876.90		5.357	\$ 10,617.30	0.962	\$ 10,215.17
376 PE. 1" (2578 ft.)		N/A 1971 - 1975			\$ 56,460.78		3.964	\$ 14,243.38	0.834	\$ 11,880.76
376 PE. 1" (1557 ft.)		N/A 1976 - 1980			\$ 34,089.86		2.698	\$ 12,638.94	0.706	\$ 8,924.67
376 PE. 1" (988 ft.)		N/A 1981 - 1985			\$ 21,638.19		1.937	\$ 11,170.98	0.578	\$ 6,458.22
376 PE. 1 1/4" (6236 ft.)		N/A 1966 - 1970			\$ 141,856.53		5.357	\$ 26,480.59	0.962	\$ 25,477.63
376 PE. 1 1/4" (3880 ft.)		N/A 1971 - 1975			\$ 88,262.24		3.964	\$ 22,265.95	0.834	\$ 18,572.58
376 PE. 1 1/4" (8598 ft.)		N/A 1976 - 1980			\$ 204,606.50		2.698	\$ 75,866.01	0.706	\$ 53,570.87
376 PE. 1 1/4" (4952 ft.)		N/A 1981 - 1985			\$ 112,648.10		1.937	\$ 58,155.96	0.578	\$ 33,621.40
376 PE. 1 1/4" (1799 ft.)		N/A 1986 - 1990			\$ 40,923.65		1.632	\$ 25,075.77	0.450	\$ 11,237.22
376 PE. 1 1/4" (1996 ft.)		N/A 1991 - 1995			\$ 45,405.01		1.408	\$ 32,247.88	0.322	\$ 10,337.84
376 PE. 1 1/4" (6701 ft.)		N/A 1996 - 2000			\$ 152,424.35		1.287	\$ 120,311.25	0.194	\$ 23,355.40
376 PE. 2" (11285 ft.)		N/A 1971 - 1975			\$ 263,538.61		3.964	\$ 66,483.00	0.834	\$ 55,455.12
376 PE. 2" (3714 ft.)		N/A 1976 - 1980			\$ 86,733.04		2.698	\$ 32,147.16	0.706	\$ 22,639.91
376 PE. 2" (4176 ft.)		N/A 1981 - 1985			\$ 97,522.13		1.937	\$ 50,346.99	0.578	\$ 29,106.85
376 PE. 2" (23227 ft.)		N/A 1986 - 1990			\$ 542,420.13		1.632	\$ 332,365.28	0.450	\$ 149,605.85
376 PE. 2" (12825 ft.)		N/A 1991 - 1995			\$ 299,502.23		1.408	\$ 212,714.65	0.322	\$ 68,520.66
376 PE. 2" (2384 ft.)		N/A 1996 - 2000			\$ 557,763.05		1.287	\$ 440,223.40	0.194	\$ 85,458.28
376 PE. 2" (3377 ft.)		N/A 2001 - 2005			\$ 78,863.08		1.108	\$ 71,176.07	0.066	\$ 4,706.50
376 PE. 4" (1204 ft.)		N/A 1971 - 1975			\$ 378,973.78		3.964	\$ 95,603.88	0.834	\$ 79,745.57
376 PE. 4" (2493 ft.)		N/A 1986 - 1990			\$ 78,457.20		1.632	\$ 48,074.27	0.450	\$ 21,639.42
376 PE. 4" (3298 ft.)		N/A 1991 - 1995			\$ 103,759.89		1.408	\$ 73,693.10	0.322	\$ 23,738.38
376 PE. 4" (5681 ft.)		N/A 1996 - 2000			\$ 185,080.95		1.287	\$ 146,078.10	0.194	\$ 28,357.38

376	PE. 4" (3018 ft.)	\$ 94,979.48	1.108	\$ 85,721.55
376	PE. 6" (6803 ft.)	\$ 251,963.38	5.357	\$ 46,978.42
376	PE. 8" (339 ft.)	\$ 15,930.29	3.964	\$ 4,018.74
376	Steel 3/4" 519 ft.)	\$ 15,191.65	9,594	\$ 1,583.45
376	Steel 3/4" (7367 ft.)	\$ 215,639.46	8,422	\$ 25,604.31
376	Steel 3/4" (4517 ft.)	\$ 132,217.11	5,791	\$ 22,831.48
376	Steel 3/4" (103 ft.)	\$ 15,045.29	1.322	\$ 11,380.71
376	Steel 3/4" (514 ft.)	\$ 32,315.18	3.899	\$ 8,288.07
376	Steel 3/4" (1104 ft.)	\$ 24,412.01	2.746	\$ 8,890.03
376	Steel 3/4" (834 ft.)	\$ 68,347.79	2.408	\$ 28,383.63
376	Steel 1 1/4" (2335 ft.)	\$ 1,854.91	1,624	\$ 1,856.47
376	Steel 1 1/4" (103 ft.)	\$ 3,014.91	5,791	\$ 1,044.30
376	Steel 1 1/4" (514 ft.)	\$ 15,045.29	1.322	\$ 11,380.71
376	Steel 1" (1165 ft.)	\$ 34,741.47	8,422	\$ 4,125.08
376	Steel 1 1/4" (13909 ft.)	\$ 429,315.19	8,422	\$ 50,975.44
376	Steel 1 1/4" (15120 ft.)	\$ 466,693.92	5,791	\$ 80,589.52
376	Steel 1 1/4" (3383 ft.)	\$ 104,419.68	3,899	\$ 26,781.14
376	Steel 1 1/4" (1758 ft.)	\$ 1,262.43	2,746	\$ 19,760.53
376	Steel 1 1/4" (2654 ft.)	\$ 81,918.36	2,408	\$ 34,019.25
376	Steel 1 1/4" (163 ft.)	\$ 1,624	3,098.00	\$ 1,194
376	Steel 2" (445 ft.)	\$ 5,031.16	1,624	\$ 1,039
376	Steel 2" (63753 ft.)	\$ 143,749.50	9,594	\$ 14,983.27
376	Steel 2" (16387 ft.)	\$ 2,058,966.89	8,422	\$ 244,474.81
376	Steel 2" (876 ft.)	\$ 5,791	91,389.15	\$ 1,039
376	Steel 2" (14396 ft.)	\$ 233,106.74	3,899	\$ 72,610.09
376	Steel 2" (971 ft.)	\$ 484,933.22	2,746	\$ 169,312.90
376	Steel 2" (1703 ft.)	\$ 31,358.42	2,408	\$ 13,023.01
376	Steel 2" (973 ft.)	\$ 55,000.09	2,007	\$ 27,404.13
376	Steel 3" (1178 ft.)	\$ 31,424.01	1,624	\$ 19,349.76
376	Steel 3" (1178 ft.)	\$ 4,7156.99	8,422	\$ 5,642.01
376	Steel 4" (2438 ft.)	\$ 113,493.78	9,594	\$ 11,829.66
376	Steel 4" (26946 ft.)	\$ 1,254,380.19	8,422	\$ 148,942.08
376	Steel 4" (15096 ft.)	\$ 702,748.99	5,791	\$ 121,351.92
376	Steel 4" (2564 ft.)	\$ 119,359.33	3,899	\$ 30,612.81
376	Steel 4" (3271 ft.)	\$ 152,271.59	2,746	\$ 55,452.15
376	Steel 6" (5932 ft.)	\$ 405,800.93	9,594	\$ 42,297.37
376	Steel 6" (14513 ft.)	\$ 984,518.38	8,422	\$ 116,898.41
376	Steel 6" (8044 ft.)	\$ 545,580.83	5,791	\$ 94,229.12
376	Steel 6" (5804 ft.)	\$ 393,725.95	3,899	\$ 100,981.26
376	Steel 6" (17642 ft.)	\$ 1,196,780.35	2,746	\$ 435,826.79
				\$ 0.578
				\$ 251,962.27

COMPRESSOR STATION EQUIPMENT

377	N/A	201	378_2	\$ 47.30
		201	378_4	\$ 3,506.80
		201	378_6	\$ 379.50
		201	378_8	\$ 203
		203	378_9	\$ 203
		203	378_10	\$ 203
		203	378_11	\$ 203
		203	378_12	\$ 203
		203	378_13	\$ 203
		203	378_14	\$ 203
		203	378_15	\$ 203
		203	378_16	\$ 203
		203	378_17	\$ 203
		203	378_18	\$ 203
		203	378_19	\$ 203
		203	378_20	\$ 203
		203	378_21	\$ 203
		203	378_22	\$ 203
		203	378_23	\$ 203
		203	378_24	\$ 203
		203	378_25	\$ 203
		203	378_26	\$ 203
		203	378_27	\$ 203
		203	378_28	\$ 203
		203	378_29	\$ 203
		203	378_30	\$ 203
		203	378_31	\$ 203
		203	378_32	\$ 203
		203	378_33	\$ 203
		203	378_34	\$ 203
		203	378_35	\$ 203
		203	378_36	\$ 203
		203	378_37	\$ 203
		203	378_38	\$ 203
		203	378_39	\$ 203
		203	378_40	\$ 203
		203	378_41	\$ 203
		203	378_42	\$ 203
		203	378_43	\$ 203
		203	378_44	\$ 203
		203	378_45	\$ 203
		203	378_46	\$ 203
		203	378_47	\$ 203
		203	378_48	\$ 203
		203	378_49	\$ 203
		203	378_50	\$ 203
		203	378_51	\$ 203
		203	378_52	\$ 203
		203	378_53	\$ 203
		203	378_54	\$ 203
		203	378_55	\$ 203
		203	378_56	\$ 203
		203	378_57	\$ 203
		203	378_58	\$ 203
		203	378_59	\$ 203
		203	378_60	\$ 203
		203	378_61	\$ 203
		203	378_62	\$ 203
		203	378_63	\$ 203
		203	378_64	\$ 203
		203	378_65	\$ 203
		203	378_66	\$ 203
		203	378_67	\$ 203
		203	378_68	\$ 203
		203	378_69	\$ 203
		203	378_70	\$ 203
		203	378_71	\$ 203
		203	378_72	\$ 203
		203	378_73	\$ 203
		203	378_74	\$ 203
		203	378_75	\$ 203
		203	378_76	\$ 203
		203	378_77	\$ 203
		203	378_78	\$ 203
		203	378_79	\$ 203
		203	378_80	\$ 203
		203	378_81	\$ 203
		203	378_82	\$ 203
		203	378_83	\$ 203
		203	378_84	\$ 203
		203	378_85	\$ 203
		203	378_86	\$ 203
		203	378_87	\$ 203
		203	378_88	\$ 203
		203	378_89	\$ 203
		203	378_90	\$ 203
		203	378_91	\$ 203
		203	378_92	\$ 203
		203	378_93	\$ 203
		203	378_94	\$ 203
		203	378_95	\$ 203
		203	378_96	\$ 203
		203	378_97	\$ 203
		203	378_98	\$ 203
		203	378_99	\$ 203
		203	378_100	\$ 203
		203	378_101	\$ 203
		203	378_102	\$ 203
		203	378_103	\$ 203
		203	378_104	\$ 203
		203	378_105	\$ 203
		203	378_106	\$ 203
		203	378_107	\$ 203
		203	378_108	\$ 203
		203	378_109	\$ 203
		203	378_110	\$ 203
		203	378_111	\$ 203
		203	378_112	\$ 203
		203	378_113	\$ 203
		203	378_114	\$ 203
		203	378_115	\$ 203
		203	378_116	\$ 203
		203	378_117	\$ 203
		203	378_118	\$ 203
		203	378_119	\$ 203
		203	378_120	\$ 203
		203	378_121	\$ 203
		203	378_122	\$ 203
		203	378_123	\$ 203
		203	378_124	\$ 203
		203	378_125	\$ 203
		203	378_126	\$ 203
		203	378_127	\$ 203
		203	378_128	\$ 203
		203	378_129	\$ 203
		203	378_130	\$ 203
		203	378_131	\$ 203
		203	378_132	\$ 203
		203	378_133	\$ 203
		203	378_134	\$ 203
		203	378_135	\$ 203
		203	378_136	\$ 203
		203	378_137	\$ 203
		203	378_138	\$ 203
		203	378_139	\$ 203
		203	378_140	\$ 203
		203	378_141	\$ 203
		203	378_142	\$ 203
		203	378_143	\$ 203
		203	378_144	\$ 203
		203	378_145	\$ 203
		203	378_146	\$ 203
		203	378_147	\$ 203
		203	378_148	\$ 203
		203	378_149	\$ 203
		203	378_150	\$ 203
		203	378_151	\$ 203
		203	378_152	\$ 203
		203	378_153	\$ 203
		203	378_154	\$ 203
		203	378_155	\$ 203
		203	378_156	\$ 203
		203	378_157	\$ 203
		203	378_158	\$ 203
		203	378_159	\$ 203
		203	378_160	\$ 203
		203	378_161	\$ 203
		203	378_162	\$ 203
		203	378_163	\$ 203
		203	378_164	\$ 203
		203	378_165	\$ 203
		203	378_166	\$ 203
		203	378_167	\$ 203
		203	378_168	\$ 203
		203	378_169	\$ 203
		203	378_170	\$ 203
		203	378_171	\$ 203
		203	378_172	\$ 203
		203	378_173	\$ 203
		203	378_174	\$ 203
		203	378_175	\$ 203
		203	378_176	\$ 203
		203	378_177	\$ 203
		203	378_178	\$ 203
		203	378_179	\$ 203
		203	378_180	\$ 203
		203	378_181	\$ 203
		203	378_182	\$ 203
		203	378_183	\$ 203
		203	378_184	\$ 203
		203	378_185	\$ 203
		203	378_186	\$ 203
		203	378_187	\$ 203
		203	378_188	\$ 203
		203	378_189	\$ 203
		203	378_190	\$ 203
		203	378_191	\$ 203
		203	378_192	\$ 203
		203	378_193	\$ 203
		203	378_194	\$ 203
		203	378_195	\$ 203
		203	378_196	\$ 203
		203	378_197	\$ 203
		203	378_198	\$ 203
		203	378_199	\$ 203

Miami Line	378	Sedement Trap (2)	203				
Miami Line	378	2" Mooney Pressure Regulator	203				
Miami Line	378	Reynolds 2-pin Recorder	203				
Pre-Heat	378	1992 Sivalis spec 12K Pre-Heat Chamber	208	1996	\$	5,345.00	0.405 \$
							2,166.65
MEASURING & REGULATING							
STATION EQUIPMENT							
(City gate check station)							
Town Border	379	3" Lockable Plug Valve (4)	195	1965	7.75	1.717 \$	-
Town Border	379	Streamflow 3" Strainer	195	1965	7.75	1.717 \$	-
Town Border	379	Equimeter Regulator 57 3-100 psi (2)	195	1965	7.75	1.717 \$	-
Town Border	379	Wiki Gauge 0-60 psi	195	1965	35.75	4.61	7.92
Town Border	379	Wiki Gauge 0-400 psi	195	1965	47.30	6.10	10.48
Town Border	379	Fisher Controls Pressure Relife Valve 398	198	1965	379.50	48.97	84.06
Town Border	379	Mercury 7-day pressure chart	199	1965	7.75	1.717 \$	-
SERVICES							
	380	PE 3/4" 31000 lf.	N/A	Avg. of All	3.164 \$	212,855.56	1.291 \$
	380	3/4" Corp. Stop w/ box (300)	N/A	Avg. of All	3.164 \$	24,019.91	1.291 \$
							274,796.53
							31,009.71
METERS							
	381	American Meters AC-250 (1206)	N/A	1966 - 1970	Note: 4	238,788.00	114,088.87
	381	American Meters AC-250 (729)	N/A	1971 - 1975	Note: 4	144,342.00	86,225.81
	381	American Meters AC-250 (542)	N/A	1976 - 1980	Note: 4	107,316.00	1.085 \$
	381	American Meters AC-250 (600)	N/A	1981 - 1985	Note: 4	118,800.00	93,556.20
	381	American Meters AC-250 (541)	N/A	1986 - 1990	Note: 4	107,118.00	73,124.06
	381	American Meters AC-250 (541)	N/A	1991 - 1995	Note: 4	75,240.00	75,075.00
	381	American Meters AC-250 (380)	N/A	1996 - 2000	Note: 4	34,056.00	58,397.65
	381	American Meters AC-250 (172)	N/A	2001 - 2005	Note: 4	1,980.00	31,179.81
	381	American Meters AC-250 (10)	N/A	<1965	Note: 4	3,960.00	8,212.63
	381	American Meters AC-250 (20)	N/A				163.15
							2,248.57
METERS INSTALLATIONS							
	382	American Meters AC-250 (1206)	N/A	1966 - 1970	Note: 5	18,572.40	9,619 \$
	382	American Meters AC-250 (729)	N/A	1971 - 1975	Note: 5	11,226.60	6,443 \$
	382	American Meters AC-250 (542)	N/A	1976 - 1980	Note: 5	8,346.80	1,742.45
	382	American Meters AC-250 (600)	N/A	1981 - 1985	Note: 5	9,240.00	4,240 \$
	382	American Meters AC-250 (541)	N/A	1986 - 1990	Note: 5	8,331.40	1,968.58
	382	American Meters AC-250 (380)	N/A	1991 - 1995	Note: 5	5,852.00	3,084.11
	382	American Meters AC-250 (172)	N/A	1996 - 2000	Note: 5	1,108.80	3,128.58
	382	American Meters AC-250 (10)	N/A	2001 - 2005	Note: 5	154.00	2,691.81
	382	American Meters AC-250 (20)	N/A	<1965	Note: 5	308.00	1.040 \$
							157.12
							0.265 \$
							0.090 \$
							9.99
							39.06
HOUSE REGULATORS							
	383	N/A					
HOUSE REGULATORS INSTALLATIONS							
	384	N/A					
INDUSTRIAL MEASURING & REGULATING STATION EQUIPMENT							
	385	N/A					
OTHER PROPERTY ON							

Miami Line
Miami Line
Miami Line
Pre-Heat

HOUSE REGULATORS INSTALLATIONS
INDUSTRIAL MEASURING &
REGULATING STATION EQUIPMENT
OTHER PROPERTY ON

CUSTOMERS PREMISES	386	N/A						
OTHER EQUIPMENT	387	Gasurveyor 500 Series	143	1994	1,348	0.463	\$	-
	387	Heathtech Detecto-Pak III	144	1994	1,348	0.463	\$	-
GENERAL PLANT								
Land and Land Rights	389	Property Office is on						
STRUCTURE & IMPROVEMENTS (Note 8)								
390	Office Building & Garage (4993 sf)	1985	structure cost	\$ 396,002.33	1,914	\$ 206,897.77	1,029	\$ 212,928.84
390	Gravel Paving 12,800 sf 157 cy	12	m98-511	\$ 6,649.50	1,691	\$ 3,932.28	0,779	\$ 3,063.84
390	Asphalt Paving 8757 sf	75	m98-0020	\$ 19,842.90	1,691	\$ 11,734.42	0,779	\$ 9,142.87
390	Asphalt Curbs 302 lf	74	m99-0100	\$ 983.40	1,691	\$ 581.55	0,779	\$ 453.11
390	Concrete Curb 105 lf	71	m99-0100	\$ 987.80	1,691	\$ 584.15	0,779	\$ 455.14
390	Concrete Walk 112 sf	74	1100-0310+045	\$ 573.10	1,691	\$ 338.91	0,779	\$ 264.06
390	Concrete Island 2' x 19' x 6" h	71	1990	\$ m155-4820	125.40	1,691	\$ 74.16	\$ 57.78
390	Concrete Filled Pipe Bollards (16)	71	m114-1300	\$ 7,040.00	1,691	\$ 4,163.22	0,779	\$ 3,243.77
390	CL Gate 20'x 8' h (2)	65	m107-7805	\$ 9,480.00	1,691	\$ 5,994.32	0,779	\$ 4,358.82
390	Elect. Gate Opener Stanley mdl. 550	73	m155-4820	\$ 7,067.50	1,691	\$ 3,692.53	0,779	\$ 3,800.17
390	Sim. CB 2'x2 x 1.5 Concrete (2)	71	bois-27-20.1	\$ 2,514.60	1,691	\$ 1,487.05	0,779	\$ 1,158.63
390	Lt. Poles 40' (2)	68	m1037-1-320	\$ 7,810.00	1,691	\$ 4,618.57	0,779	\$ 3,598.56
390	Alum. Flag Pole. 30' h	74	m1293-0300	\$ 1,842.50	1,691	\$ 1,089.59	0,779	\$ 848.96
390	Alum. R400 Multi-Vaper Light for Flag	75	m837-7460	\$ 693.00	1,691	\$ 409.82	0,779	\$ 319.31
390	Concrete Foundation for Flag Pole	N/A	1990	\$ m394-7400	803.00	1,691	\$ 474.87	0,779
390	Trench Plate 7' x 10' x 34"	64	m204-0450	\$ 2,464.00	1,691	\$ 1,457.32	0,779	\$ 1,135.32
390	Antenna Tower 55' h	75	m85-0020	\$ 4,235.00	1,691	\$ 2,504.44	0,779	\$ 1,951.33
390	Conc. Storage Bins Walls 13.5 cy	21	m155-4820	\$ 6,608.80	1,691	\$ 3,908.22	0,779	\$ 3,045.09
390	Conc. Storage Bins Slab 20 cy	21	m155-4820	\$ 3,696.00	1,691	\$ 2,185.68	0,779	\$ 1,702.58
390	Cl Fence 10 h w/3 stran bw 774'	76	1990	\$ m105-0920	34,907.40	1,691	\$ 20,643.05	0,779
390	Privacy Stals for CL Fence	12	1990	\$ m106-7071	\$ 3,350.60	1,691	\$ 1,981.43	0,779
390	Plastic Parking Blocks (8)	75	m114-1300	\$ 858.00	1,691	\$ 507.39	0,779	\$ 395.33
OFFICE FURNITURE & EQUIPMENT (Note 8)								
391.1	Chair, Guest Dark Burgundy (4)	192	2003	\$ 391-1	660.00	1,070	\$ 277.57	0,144 \$ 88.58
391.1	Chair, Executive Desk (1)	193	2003	\$ 391-2	297.00	1,070	\$ 1,722.11	0,144 \$ 39.86
391.1	Chair, Guest Wood Arms-Legs (15)	187	1990	\$ 391-3	2,640.00	1,533	\$ 1,735.03	0,866 \$ 1,492.06
391.1	Chair, Cloth Swivel-Rocker (13)	171	1990	\$ 391-4	2,659.80	1,533	\$ 1,54.98	0,866 \$ 1,503.26
391.1	Stackable Trays (18)	153	1990	\$ 391-5	237.60	1,533	\$ 287.02	0,866 \$ 134.29
391.1	Conference Table (1) Oval	86	1990	\$ 391-6	440.00	1,533	\$ 172.21	0,866 \$ 248.68
391.1	Bookcases 3' x 6' (1)	142	1990	\$ 391-7	264.00	1,533	\$ 243.97	0,866 \$ 149.21
391.1	Bookcases 3' x 4' (2)	150	1990	\$ 391-8	374.00	1,533	\$ 150.68	0,866 \$ 211.38
391.1	Bookcases 3' x 5' (1)	88	1990	\$ 391-9	231.00	1,533	\$ 227.74	0,866 \$ 130.56
391.1	Audio Visual Cart	87	1985	\$ 391-9	401.50	1,763	\$ 530.98	1,144 \$ 260.63
391.1	Garnet Rack (2)	129	1990	\$ 391-11	814.00	1,533	\$ 99.02	0,866 \$ 460.05
391.1	Drafting Table	169	1990	\$ 391-15	151.80	1,533	\$ 1,248.53	0,866 \$ 85.79
391.1	4 Drawer Hoz. Metal File Cab. (3)	152	1990	\$ 391-16	1,914.00	1,533	\$ 708.22	0,866 \$ 1,081.75
391.1	6 Drawer Metal File Cab. (3)	176	1990	\$ 391-17	1,085.70	1,533	\$ 676.84	0,866 \$ 613.61
391.1	5 Drawer Metal File Cab. (1)	85	2005	\$ 391-18	680.90	1,006	\$ 440.00	0,032 \$ 21.94
391.1	2 Drawer Metal File Cab (4)	20	1990	\$ 391-19	1,533	\$ 287.02	0,866 \$ 248.68	
391.1	Flat Files for Plans (3) Stacked	77	1990	\$ 391-20	\$ 2,772.00	1,533	\$ 1,808.22	0,866 \$ 1,566.67
391.1	Cardboard Drawer Storage (72)	97	1990	\$ 391-21	\$ 3,168.00	1,533	\$ 2,066.54	0,866 \$ 1,790.48

TRANSPORTATION EQUIPMENT

LABORATORY EQUIPMENT

POWER OPERATED EQUIPMENT

2002	<u>396 -1</u>	N/A	\$ 34,000.00	0.179	\$ 6,091.10
2002	<u>396 -2</u>	N/A	\$ 32,350.00	0.179	\$ 5,795.50
2002				0.179	
2002				0.179	
2002				0.179	

COMMUNICATION ENVIRONMENT

MISCELLANEOUS EQUIPMENT	398	Polar-Oasis Water Dispenser	<u>129</u>	2001	<u>398-1</u>	\$ 315.00	1.11	\$ 283.78	0.306	\$ 86.75
OTHER TANGIBLE PROPERTY	399	Physical Inventory List	N/A.	2005	<u>Note:7</u>	\$ 89,440.83	1.000	\$ 89,440.83	0.039	\$ 3,478.01
TOTALS										
						\$ 17,736,008.02		\$ 5,917,609.64		\$ 3,701,154.08

Note # 1 - Material prices based on 10/02/2006 quote from Consolidated Pipe and Supply co., Inc. refit

Note # 2 - P.U.C.O. depreciation factor to be determined by P.U.C.O.

Note # 3 - O.C.L.D. (Original cost less depreciation) to be determined by P.U.C.O.

Note # 4 - Meter material price based on PlumbingSupply .com web-site

Note # 5 - Meier Installation cost based on 30-minute install time and a \$ 28.00 per salary cost.

Note # 6 - Transportation and power operated equipment original cost based directly on purchase order from Oxford Gas co.

Note # 7 - Inventory pricing based on Oxford Gas inventory list.

Note # 8 - The pricing references for those asset items in account nos. 390, 391, 393, 394 and 396 are a multi-digit number which consists of the account number and an ascending number unique to each asset in that account category. I.E. The pricing reference number for the drafting table (photo 169) listed under account no. 391 would be 391-15.

Note # 9 - Pricing references are electronically Hyper-Linked to the pricing source and can be accessed by clicking on the pricing reference number or a hard copy can also be found in the pricing backup of Appendix B.

These pricing sources are indexed with the pricing reference number. Some of the Hyper-Linked when initially accessed, may need to be enlarged by selecting the zoom feature.

Estimated reproduction costs have been increased by 10% to account for the 4% interest during construction and engineering costs, except for accounts 389, 392 and 396.

Consolidated

Plumbing Supply

399-1

APPENDIX B
PRICING BACKUP

COST INDEX FACTOR
MAINS (ACCOUNT 376)

Handy-Whitman/Line #45					
Material	Year	Index	2006 Index	Multiplier	Average
Polyethylene	pre 1965	71	423	5.958	
Polyethylene	1966	73	423	5.795	5.357
					Example: Calculate Cost Index Factor to convert 2006 reproduction price to 1977 original cost for polyethylene gas main.
Polyethylene	1970	86	423	4.919	
Polyethylene	1971	92	423	4.598	3.964
Polyethylene	1975	127	423	3.331	
Polyethylene	1976	135	423	3.133	2.698
					2006/1976 Ratio = 423 ÷ 135 = 3.133
Polyethylene	1980	187	423	2.262	
Polyethylene	1981	204	423	2.074	1.937
Polyethylene	1985	235	423	1.800	
					Average multiplier (Cost Index Factor): (3.133 + 2.262) ÷ 2 = 2.698
Polyethylene	1986	239	423	1.770	1.632
Polyethylene	1990	283	423	1.495	
Polyethylene	1991	289	423	1.464	1.408
Polyethylene	1995	313	423	1.351	
Polyethylene	1996	321	423	1.318	1.267
Polyethylene	2000	348	423	1.216	
Polyethylene	2001	358	423	1.182	1.108
Polyethylene	2005	409	423	1.034	
Handy-Whitman/Line #44					
Steel	pre 1965	64	614	9.594	
Steel	1966	65	614	9.446	8.422
Steel	1970	83	614	7.398	
Steel	1971	91	614	6.747	5.791
Steel	1975	127	614	4.835	
Steel	1976	136	614	4.515	3.899
Steel	1980	187	614	3.283	
Steel	1981	207	614	2.966	2.746
Steel	1985	243	614	2.527	
Steel	1986	234	614	2.624	2.408
Steel	1990	280	614	2.193	
Steel	1991	285	614	2.154	2.007
Steel	1995	330	614	1.861	
Steel	1996	376	614	1.633	1.624
Steel	2000	380	614	1.616	
Steel	2001	388	614	1.582	1.322
Steel	2005	578	614	1.062	



Consolidated Pipe & Supply Co., Inc.

FACSIMILE

TRANSMISSIONDate: 10/04/06
Time: 08:38:31From: CONSOLIDATED PIPE & SUPPLY
2821 SABLE MILL LANE
JEFFERSONVILLE, IN 47130To: CLIFF CRISWELL
OXFORD NATURAL GAS
614-451-1385 USANumber of Pages
Including Cover Sheet: 03

If you have a problem with this transmission, please call:

812 2800100

376

To: CLIFF CRISWELL

Fax: 614-451-1385

CONSOLIDATED PIPE AND SUPPLY CO., INC.
CUSTOMER QUOTE2821 Sable Mill Lane
Jeffersonville IN 47130Quote Nbr: 090810 000
Quote Date: 10/02/2006

Page 1

70 - D WILLIAMS
Phone: 812-280-0100
Fax: 812-280-0101

Job:

070327 - OXFORD NATURAL GAS
5181 COLLEGE CORNER
PO BOX 880
OXFORD OH 45056

Good Until: 11/02/2006

Qty	Size/Wall/Description	Price	Extended Price
412.0	1/2 DR15PLX 080 CTS PE2406 6500 GAS TBC 500	0.17 FT	70.04
34616.0	3/4 DR15PLX SDR11 PE2406 6500 GAS PIPE 500	0.25 FT	8,654.00
7876.0	1 CTS .088 PE2406 GAS TBC 500	0.39 FT	3,072.42
34562.0	1-1/4 DR15PLX SDR10 PE2406 6500 GAS PIPE 500	0.80 FT	27,648.00
82488.0	2 DR15PLX SDR11 PE2406 6500 GAS PIPE 500	0.98 FT	81,663.12
26731.0	4 DR15PLX SDR11.5 PE2406 6500 GAS PIPE 40	3.27 FT	87,410.37
6803.0	6 DR15PLX SDR11.5 PE2406 6500 GAS PIPE 40	7.13 FT	48,505.39
339.0	8 DR15PLX SDR 13.5 PE2406 6500 GAS PIPE 40 PE	13.51 FT	4,579.89
17293.0	3/4 NM .113 TF API-5L R25 BW 21UL PEB	1.96 FT	33,884.28
1165.0	1 NM .133 TF API-5L R25 BW 21UL PEB	2.39 FT	2,784.35
36587.0	1-1/4 NM .140 TF API-5L R25 BW 21UL PEB	2.95 FT	110,591.13
111399.0	2-3/8 OD .154 TF API-5L X-42 ERW DRL PEB	3.88 FT	432,228.12

CONSOLIDATED PIPE AND SUPPLY CO., INC.

CUSTOMER QUOTE

Quote Nbr: 030810 000

Quote Date: 10/02/2006

Page 2

Qty	Size/wall/Description	Price	Extended Price
1178.0	3-1/2 00 .216 TF API-5L X-42 ERW DRL PEB	7.16 FT	8,434.48
50315.0	4-1/2 00 .237 TF API-5L X-42 ERW DRL PEB	9.83 FT	494,596.45
51985.0	6-5/8 00 .280 TF API-5L GR B X-42 ERW DRL PEB	17.47 FT	909,177.95
4000.0	8-5/8 00 .250 TF API-5L X-42 ERW DRL PEB	16.48 FT	65,920.00

Total:

2,318,231.59

PRICES ARE FREIGHT ALLOWED TO OXFORD, OHIO.
TERMS NET 30 DAYS.

DEBORAH WILLIAMS

378 - 379

Criswell, Cliff

From: Criswell, Cliff
Sent: Friday, October 06, 2006 12:44 PM
To: Sweeney, Gary
Subject: FW: Control valves

FYI

From: Templeton, Elaine [mailto:etempleton@ehrke.com]
Sent: Friday, October 06, 2006 11:51 AM
To: Criswell, Cliff
Cc: Matteo, Gary
Subject: RE: Control valves

Mr. Criswell please see the pricing as shown below. In order for us to properly quote the equipment noted below we will require your specification sheets with complete service conditions and a formal inquiry.

FOB Shipping Point
Freight Prepay & Add
Terms Net 30 days
Lead-time 4-6 weeks/ara

Elaine Templeton

A. E. Ehrke & Co.
Phone: 440-498-3449
Fax: 440-248-9170
etempleton@ehrke.com

-----Original Message-----

From: Criswell, Cliff [mailto:CCriswell@burnlp.com]
Sent: Thursday, October 05, 2006 11:49 AM
To: Ehrke, AE
Subject: Control valves

Gentlemen,
Could you please provide me with a rough quote on the following:

Fisher controls Type 1805 2" pressure relief valve	budgetary pricing only \$ 345.00
Fisher Controls D4 Control 2" Pressure Regulator	budgetary pricing only \$1594.00

Thanks

cliff criswell



© 2006 Burgess & Niple. All rights reserved. This document is confidential and is the sole property of Burgess & Niple. It is not to be reproduced or distributed without prior written permission.

2,78 - 379

Criswell, Cliff

From: Criswell, Cliff
Sent: Thursday, October 05, 2006 1:13 PM
To: Sweeney, Gary
Subject: FW: Wika gauge RFQ

gary.... probably can use the \$43 figure for gauges.... cliff
I have sent out e-mail requests to Sivalls and Fisher Controls on the valves, regulators and pre-heater.....

From: Steve Miller-Colesco [mailto:s-miller@cinci.rr.com]
Sent: Thursday, October 05, 2006 12:35 PM
To: Criswell, Cliff
Subject: Wika gauge RFQ

Mr. Criswell-Thank you for your inquiry. Although the Wika model 131.11 is available with a 2.5" dial, they only make it as a special quoted item. We need specific details, such as range and connection location-bottom or back, as well as quantity. We can quote alternates, as follows:
131.11, 2" dial, 1/4" LM, 0-30#, 60#, 100#, 160# : \$32.50
131.11, 2" dial, 1/4" CBM, same ranges : \$36.50
232.53, 2.5" dial, all SS, 1/4" LM or CBM, with ranges from vacuum thru 1000# : \$43.00
Del depends on specifics; usually 1-3 weeks.
Please phone, fax, or email us, if we can answer any questions.

Steve Miller
COLESCO INC
6060 Interstate Cir
Cincinnati, Oh 45242
Ph 513-489-1122 or 800-359-0809
Fx 513-489-9062

**AVERAGE COST INDEX FACTOR
SERVICES (ACCOUNT #380)**

Services	Years*	Size	Lineal Feet	Percent of Total	Index Factor	D x F**
P	PRE 1965	0.750	166	0.005	5.761	959.097
P	1966 - 1970	0.750	9941	0.287	5.179	51484.44
P	1971 - 1975	0.750	6011	0.174	3.833	23040.16
P	1976 - 1980	0.750	4466	0.129	2.608	11647.33
P	1981 - 1985	0.750	4943	0.143	1.873	9257.741
P	1986 - 1990	0.750	4461	0.129	1.578	7038.939
P	1991 - 1995	0.750	3130	0.090	1.361	4259.794
P	1996 - 2000	0.750	1416	0.041	1.225	1734.31
P	2001 - 2005	0.750	83	0.002	1.071	88.73878
		Total	34616	1.000		109510.5
						3.163545
Meters						
4127	1966 - 1970			0.287		1185
	1971 - 1975			0.174		717
	1976 - 1980			0.129		532
	1981 - 1985			0.143		589
	1986 - 1990			0.129		532
	1991 - 1995			0.090		373
	1996 - 2000			0.041		169
	2001 - 2005			0.002		10
	PRE 1965			0.005		20
				1.000		4127

*Year of Services installation established from electronic mapping data.

'These percentages were then also used for the meter vintages.

There was a total of 34,616 lineal feet of 3/4-inch plastic Services in the Assets of which 31,000 lineal feet was determined from the mapping to be on multiple-user lines, which was established as property of Oxford Gas.

**The product of the lineal footage and Cost Index Factor for a particular 5-year time window was used as a weighted factor to develop an average Cost Index Factor. The sum of this product was divided by the total lineal footage of 34,616, i.e. $109,510.50 \div 34,616$ to arrive at an average Index of 3.164 for all of the 3/4-inch Services.

02

SITWORK

Utilities		UNIT	MAT.	INST.	TOTAL
02610.13	Gate Valves				
Planged, with box, post indicator (AWWA)					
4" valve	EA.	700.00	77.00	777.00	
6" valve		810.00	87.50	897.50	
8" valve		1,160	110.00	1,270	
10" valve			1,740	130.00	1,870
12" valve			2,520	160.00	2,680
14" valve			5,810	190.00	6,000
16" valve			7,740	240.00	7,980
02610.15	Water Meters				
Water meter, displacement type					
1"	EA.	280.00	52.50	332.50	
1-1/2"		980.00	58.50	1,039	
2"		1,470	65.50	1,535	
02610.17	Corporation Stops				
Stop for flared copper service pipe					
* 3/4"	EA.	31.70	26.20	57.90	
1"		42.80	29.20	72.00	
1-1/4"		120.00	35.00	155.00	
1-1/2"		140.00	43.70	183.70	
2"		200.00	52.50	252.50	
02610.40	Ductile Iron Pipe				
Ductile iron pipe, cement lined, slip-on joints					
4"	L.F.	12.90	5.35	18.25	
6"		15.65	6.65	21.30	
8"		20.45	6.00	26.45	
10"		28.20	6.40	34.60	
12"		34.70	7.70	42.40	
14"		43.80	9.60	53.40	
16"		54.00	10.65	64.65	
18"		60.50	12.00	72.50	
20"		69.00	13.70	82.70	
Mechanical joint pipe					
4"	L.F.	15.35	7.40	22.75	
6"		18.35	8.00	26.35	
8"		24.15	8.75	32.90	
10"		31.00	9.60	41.20	
12"		40.20	12.80	53.00	
14"		50.50	14.75	65.25	
16"		55.50	17.45	72.95	
18"		62.50	19.20	81.70	
20"		72.00	21.35	93.35	
Fittings, mechanical joint					
90 degree elbow					
4"	EA.	190.00	24.85	214.85	
6"		250.00	28.60	278.60	
8"		360.00	37.20	397.20	
10"		510.00	53.00	563.00	
12"		690.00	74.50	764.50	
14"		1,070	93.00	1,163	

COST INDEX FACTOR
METERS (ACCOUNTS 381 AND 382)

(Handy-Whitman/Line #51)				
Meters/Year	Index	2006 Index	Multiplier	Average
pre 1965	79	188	2.380	
1966	86	188	2.186	2.093
1970	94	188	2.000	
1971	100	188	1.880	1.674
1975	128	188	1.469	
1976	131	188	1.435	1.348
1980	149	188	1.262	
1981	158	188	1.190	1.190
1985	158	188	1.190	
1986	166	188	1.133	1.074
1990	185	188	1.016	
1991	190	188	0.989	0.989
1995	190	188	0.989	
1996	192	188	0.979	0.955
2000	202	188	0.931	
2001	210	188	0.895	0.958
2005	184	188	1.022	

(Handy-Whitman/Line #52)				
Meter Installation				
pre 1965	60	672	11.200	
1966	62	672	10.839	9.619
1970	80	672	8.400	
1971	88	672	7.636	6.443
1975	128	672	5.250	
1976	137	672	4.905	4.240
1980	188	672	3.574	
1981	209	672	3.215	2.996
1985	242	672	2.777	
1986	229	672	2.934	2.663
1990	281	672	2.391	
1991	287	672	2.341	2.174
1995	335	672	2.006	
1996	336	672	2.000	1.873
2000	385	672	1.745	
2001	392	672	1.714	1.394
2005	626	672	1.073	

Average Cost Index Factor was calculated similar to as shown for Mains/Account 376

38 /

1/2" = \$59.95 0

3/4" = \$59.96 0


Looking for water pressure regulators?



- Or -



Gas Meters



AC-250
Odometer style gas meter

This is similar to what many gas provider companies install.
Measures propane or natural gas in cubic feet.

The perfect meter for mobile homes, apartments, condominiums, multiple family dwellings, etc.

- One-piece body
- Self-lubricating bearings
- Long-lasting grommet-type seals
- Duramic diaphragms
- Reinforced flag rods
- Adjustable tangents
- Vented index box
- Comes with 3/4" connection set
- view dimensions
- Exterior has inert, two-part epoxy primer and finish exhibits extreme resistance to chemical penetration

GAS METERS		
AC-250	3/4" 250cfh, 5psi max - with odometer style read-out	\$180.19 0

Temperature Compensating Gas Meters (-30°F to 140°F)	

SQUARE FOOT COSTS
STRUCTURE & IMPROVEMENTS (ACCOUNT 385)

SINGLE STORY BUILDING			
Room No.	Width	Length	Square Feet
101	20	28.5	570
102	16	12	192
103	16	12	192
104	4	22	88
105	4	26	104
106	4	16	64
107	6.42	13.67	87.7614
108	5.83	5.67	33.0561
109	5	11.83	59.15
110	4.5	10.75	48.375
111	11.67	14	163.38
112	5.42	6.83	37.0186
113	5.33	6.67	35.5511
114	10.5	17.5	183.75
		Total	1858

TWO-STORY BUILDING			
Garage	29.5	46.5	1372
200	11.08	23.33	258.50
201	13.50	12.00	162.00
202	11.75	12.00	141.00
203	11.82	12.00	141.84
204	13.58	12.00	162.96
205	11.82	12.00	141.84
206	11.82	12.00	141.84
207	20.00	14.00	280.00
208	13.92	8.75	121.80
209	11.00	5.25	57.75
210	4.00	38.50	154.00
			1764
			4993

Structure Cost	Means Square Foot Cost
One-Story Structure Average Construction	1,858 81.7 \$ 151,798.60 28
Two-Story Structure Average Construction	3,136 69.68 \$ 218,516.48 30
Deduct for Built-in Garage	1,372 8.43 \$ (11,565.96) 61
Deduct for not having Full Kitchen	
Deduct for not having Full Bath	
Add for (3) Three Half Baths	
Add for Security System	
Add Microwave	
Add Refrigerator	
Grage Door Operner	
Hot Water Heater	
	Net Total Cost \$ 360,002.12
	Average Cost/Square Foot (360,002.12 ÷ 4993) \$ 72.10 s.f.

**Butler County
Real Estate Tax Bill**

Carole B. Mosketti
Butler County Treasurer



**REAL PROPERTY
2nd HALF 2005
August 4, 2006**

Visit our website at
www.butlercountytreasurer.org

OXFORD NATURAL GAS COMPANY
0.000000RANK SANDERS
PO BOX 880
OXFORD OH 45056-0880

XXXXXXXXXXXXXXXXXXXXXX

Gross Tax Rate	66.730000	Acres	
Reduction Factor	0.393115	Class	
Effective Tax Rate	40.363993	Code	C 400
Calculation of Taxes			
Gross Taxes	899.52	General Fund	25.88
Reduction Factor	.355.40	Mental Retardation	38.42
Subtotal	544.12	Miami Conservancy	0.27
Current Net Taxes	544.12	Mental Health	4.03
Current Assessments	1.46	Children Services	26.51
Current Net Taxes & Assmts(YEAR)	545.58	Senior Citizens	26.51
Current Net Taxes & Assmts(HALF)	272.79	Tallawanda Csd	344.04
		Butler Tech Jvs	26.02
		Oxford Township	3.24
		Oxford City	49.20
		Assessments	1.46
		Total	545.58
Payments	-272.79	Stub No.	179143
Other Credits	0.00	Avoid Penalty	Pay on or Before
Full Year Total	272.79		August 4, 2006
Amount Due	272.79		

Return This Portion with Payment



REAL PROPERTY

2nd HALF 2005

August 4, 2006

Code

Owner Name OXFORD NATURAL GAS CO

Parcel Location OXFORD COLLEGE CORNER RD

OXFORD NATURAL GAS COMPANY
% FRANK SANDERS
PO BOX 880
OXFORD OH 45056

Parcel No.
Stub No.
179143



H4100-019-000-026

Make Checks Payable To:
Carole B. Mosketti, Treasurer

Your check may be converted to an electronic payment through the ACH network

Payment Amount
272.79

H410001900002600000027279000002727935D

**Butler County
Real Estate Tax Bill**
Carole B. Mosketti
Butler County Treasurer



**REAL PROPERTY
2nd HALF 2005
August 4, 2006**

Visit our website at
www.butlercountytreasurer.org

Parcel No. H3510-999-001-300

Taxing District OXFORD TAL CL

Parcel Location

Owner Name OXFORD NATURAL GAS
COMPANY

Legal Description 31-0647798
NATURAL GAS COMPANY

100% Appraised Value
Land
Bldg/Improv
Total

91,430
91,430

35% Taxable Value
Land
Bldg/Improv
Total

32,000
32,000

Special Assessments
Ded. Current Yr.

Homestead Reduction Value
CAUV Value
0

If your mortgage company holds an escrow
account for your real estate taxes, this bill is for
information purposes only. Payments can be
viewed on our website.

Gross Tax Rate	72.430000	Acres	U
Reduction Factor	0.390020		
Effective Tax Rate	44.115694		
Calculation of Taxes			
Gross Taxes	3,317.76		
Subtotal	2,317.76		
Current Net Taxes	2,317.76		
Current Net Taxes & Assessments (YEAR)	1,158.88		
Current Net Taxes & Assessments (HALF)			
Annual Tax Distribution			
General Fund	100.87		
Mental Retardation	149.74		
Miami Conservancy	3.05		
Mental Health	15.70		
Children Services	103.33		
Senior Citizens	103.33		
Tahquamenon Csd	1,340.86		
Butler Tech Jvs	101.40		
Oxford Township	401.48		
Assessments	0.00		
Total	2,317.76		
Stub No.	169238		
Avoid Penalty Pay on or Before	August 4, 2006		
Amount Due	1,158.88		

Return This Portion with Payment



Butler County Real Estate Tax Bill

Carole B. Mosketti
Butler County Treasurer



H3510-999-001-300

Make Checks Payable To:
Carole B. Mosketti, Treasurer

Your check may be converted to an electronic payment through the
ACH network

Payment Amount

1,158.88

**REAL PROPERTY
2nd HALF 2005
August 4, 2006**


Code
Owner Name
Parcel Location

OXFORD NATURAL GAS COMPANY

OXFORD NATURAL GAS COMPANY
C/O ROBERT SANDERS
PO BOX 880
OXFORD OH 45056

11300000001158880000115888350

Butler County Real Estate Tax Bill



Carole B. Mosketti
Butler County Treasurer

**REAL PROPERTY
2nd HALF 2005
August 4, 2006**

Visit our website at
www.buckscountytreasurer.org

OXFORD NATURAL GAS COMPANY 16-20-14
C/O ROBERT SANDERS
PO BOX 880
OXFORD OH 45056-0880

Gross Tax Rate	66.730000
Reduction Factor	0.395115
Effective Tax Rate	40.363993

Calculation of Taxes

Gross Taxes	22,398.58
Subtotal	22,398.58
Current Net Taxes	22,398.58
Current Net Taxes & Assmts(YEAR)	22,398.58
Current Net Taxes & Assmts(HALF)	11,199.29
Payments	-11,199.29
Other Credits	0.00
Full Year Total	11,199.29
Amount Due	11,199.29

Annual Tax Distribution

General Fund	1,065.44
Mental Retardation	1,581.62
Miami Conservancy	11.10
Mental Health	165.82
Children Services	1,091.33
Senior Citizens	1,091.33
Talawanda Csd	14,162.33
Butler Tech Jvs	1,070.99
Oxford Township	133.18
Oxford City	2,025.44
Assessments	0.00
Total	22,398.58

Stub No. 176086

Return This Portion with Payment



**REAL PROPERTY
2nd HALF 2005
August 4, 2006**

Butler County Real Estate Tax Bill

**Carole B. Moskett
Fresno County Treasurer**

CtrlE

Owner Name OXFORD NATURAL GAS COMPANY

Parcel No.
Stub No.
136086



H4000-999-001-300

**Make Checks Payable To:
Carole B. Moskowitz, Treasurer**

Your check may be converted to an electronic payment through the ACH network.

OXFORD NATURAL GAS COMPANY
C/O ROBERT SANDERS
PO BOX 880
OXFORD OH 45056

Payment Amount

02

SITWORK

Utilities		UNIT	MAT.	INST.	TOTAL
02695.40		Steel Pipe			
1" dia.		LF	4.80	5.66	10.65
1-1/4" dia.		"	5.80	6.55	12.35
1-1/2" dia.		"	6.55	7.50	14.05
2" dia.		"	7.55	8.75	16.30
3" dia.		"	14.60	9.60	24.10
4" dia.		"	25.10	10.65	35.75
6" dia.		"	61.50	12.00	73.50
8" dia.		"	81.00	13.70	94.70
10" dia.		"	120.00	16.00	136.00
12" dia.		"	140.00	19.20	159.20
02695.80		Steam Meters			
In-line turbine, direct reading, 300 lb, flanged		EA	5,160	65.50	5,226
2"					
3"					
4"					
Threaded, 2"		EA	6,530	87.00	5,818
5" line					
6" line					
8" line					
10" line		EA	10,700	520.00	11,220
12" line					
14" line					
16" line		EA	11,250	520.00	11,770
02720.10		Sewerage And Drainage			
Catch Basins		UNIT	MAT.	INST.	TOTAL
Standard concrete catch basin		EA	310.00	480.00	790.00
Cast in place, 3'8" x 3'8", 6" thick wall					
2" deep		EA	420.00	480.00	900.00
3" deep					
4" 4" deep		EA	540.00	640.00	1,180
5" deep					
6" deep		EA	640.00	640.00	1,280
4'x4', 8" thick wall, cast in place					
2" deep		EA	710.00	770.00	1,480
3" deep					
4" deep		EA	810.00	840.00	1,250
5" deep					
6" deep		EA	710.00	640.00	1,350
Frames and covers, cast iron					
Round		EA	780.00	770.00	1,550
24" dia.					
26" dia.					
28" dia.					

02700 | Bases, Ballasts, Pavements & Appurtenances

02

	02770 Curbs and Gutters	CREW	DAILY OUTPUT	LABOR HOURS	UNIT	2005 BARE COSTS				TOTAL INCL G&P
						MAT.	LABOR	EQUIP.	TOTAL	
500	2700 Pink				Ton	162			162	128
	2750 Cubes, 4" x 4" x 4" (15 lb), grey					194			194	214
	2800 Pink					216			216	238
	2850 6" x 6" x 6" (25 lb), pink					162			162	178
	2900 For pallets, add				↓	16.50			16.50	18.15
	02775 Sidewalks									
275	0010 SIDEWALKS, DRIVEWAYS, & PATIOS No base									
	0020 Asphaltic concrete, 2" thick	B-37	720	.067	S.Y.	4.01	1.94	.16	6.11	7.75
	0100 2 1/2" thick		660	.073		5.10	2.11	.17	7.38	9.25
	0110 Bedding for brick or stone, mortar, 1" thick	D-1	300	.053	S.F.	.65	1.71		2.36	3.50
	0120 2" thick		200	.080		1.63	2.57		4.20	5.50
	0130 Sand, 2" thick	B-18	8000	.003		.16	.08		.24	.32
	0140 4" thick		4000	.005	↓	.32	.17	.01	.50	.65
	0300 Concrete, 3000 psi, CIP, 6 x 6 - W1.4 x W1.4 mesh,									
	0310 broomed finish, no base, 4" thick	B-24	600	.040	S.F.	1.45	1.30		2.75	3.71
	0350 5" thick		545	.044		1.93	1.43		3.36	4.46
	0400 6" thick		510	.047		2.26	1.53		3.79	4.97
	0450 For bank run gravel base, 4" thick, add	B-18	2500	.010		.42	.27	.01	.70	.94
	0520 8" thick, add		1600	.015		.85	.42	.02	1.29	1.66
	0550 Exposed aggregate finish, add to above, minimum	B-24	1875	.013		.11	.42		.53	.80
	0600 Mortar:		455	.053	↓	.35	1.71		2.06	3.18
	0850 Schlach block, precast concrete	1 Cab	150	.053	Ea.	6	1.46		7.46	9
	0950 Concrete tree grate, 5" square	B-6	25	.960		345	29	9.05	383.05	435
	0960 Cast iron tree grate with frame, 2 piece, round, 5' diameter		25	.960		950	29	9.05	938.05	1,100
	0980 Square, 5" side		25	.960	↓	980	29	9.05	1,018.05	1,125
	1000 Crushed stone, 1" thick, white marble	2 Cab	1700	.009	S.F.	.20	.26		.46	.65
	1050 Bluestone		1700	.009		.21	.26		.47	.67
	1070 Granite chips		1700	.009		.21	.26		.47	.66
	1160 Limestone pavers, 3" thick	D-1	72	.222		8.05	7.15		15.20	20.50
	1170 4" thick		70	.229		10.65	7.35		18	23.50
	1180 5" thick		68	.235		13.35	7.55		20.50	27
	1700 Redwood, prefabricated, 4" x 4" sections	2 Cab	316	.051		8.10	1.80		9.90	11.90
	1750 Bedrock pavers, 1" thick, on slopes		240	.067		5.65	2.37		8.02	10.20
	1830 1 1/2" thick	B-28	167	.144		3.93	4.72		8.65	12.10
	1840 2" thick		167	.144		5.09	4.72		9.77	13.35
	1850 3" thick		150	.160		7.45	5.25		12.70	16.90
	1860 4" thick		150	.160		9.80	5.25		15.05	19.45
	1870 5" thick		150	.160	↓	12.45	5.25		17.70	22.50
	2100 River or beach stone, stock	B-1	18	1.333	Ton	.27	37.50		64.50	91.95
	2150 Quarried		18	1.333		.47	37.50		84.50	114
	2160 Lead, dump, and spread stone with mid steer, 100' haul	B-62	24	1	C.Y.		30	6.40	36.40	56
	2165 200' haul		18	1.333			40	8.55	43.55	74.50
	2168 300' haul		12	2	↓		60	12.85	72.85	112
	2170 Shale paver, 2 1/4" thick	D-1	200	.080	S.F.	2.76	2.57		5.33	7.20
	2200 Coarse washed sand bed, 1"	B-62	1350	.018	S.Y.	1.21	.53	.11	1.85	2.33
	2250 Stone dust, 4" thick		900	.027		2.94	.80	.17	3.91	4.72
	2300 Tile throat pavers, 3/8" thick	D-1	300	.053	S.F.	3.03	1.71		4.74	6.10
	2350 3/4" thick		280	.057		4.83	1.84		6.67	8.30
	2400 Wood rounds, cypress	B-1	175	.137	Ea.	9.10	3.65		12.95	16.40
	9030 Minimum labor/equipment charge	D-1	2	8	Job		257		257	415
	02780 Unit Pavers									
100	0010 ASPHALT BLOCKS	D-1	135	.119	S.F.	4.64	3.81		8.45	11.30
	0020 Rectangular, 6" x 12" x 1-1/8", w/bed & neon. adhesive									

G4020 Site Lighting




Table G4020 210 Procedure for Calculating Floodlights Required for Various Footcandles

Poles should not be spaced more than 4 times the fixture mounting height for good light distribution. To maintain 1 footcandle

over a large area use these watts per square foot:

Incandescent	0.15
Metal Halide	0.032
Mercury Vapor	0.05
High Pressure Sodium	0.024


Estimating Chart

Select Lamp type.

Determine total square feet.

Chart will show quantity of fixtures to provide 1 footcandle initial, at intersection of lines. Multiply fixture quantity by desired footcandle level.

Chart based on use of wide beam luminaires in an area whose dimensions are large compared to mounting height and is approximate only.



System Components

SYSTEM G4020 210 0200

LIGHT POLES, ALUMINUM, 20' HIGH, 1 ARM BRACKET

ITEM	DESCRIPTION	QUANTITY	UNIT	COST EACH		
				MAT.	INST.	TOTAL
4.87	Aluminum light pole, 20', no concrete base	1.000	Ea.	840	498	1,338
5.68	Bracket arm for Aluminum light pole	1.000	Ea.	110	64.50	174.50
5.42	Excavation by hand, pts to 6' deep, heavy soil or clay	2.368	C.Y.		215.49	215.49
6.37	Footings, concrete incl forms, reinforcing, screed, under 1 C.Y.	.465	C.Y.	63.71	76.22	139.93
6.33	Backfill by hand	1.903	C.Y.		62.80	62.80
7.54	Compaction vibrating plate	1.903	C.Y.		8.49	8.49
6.87						
8.20						
		TOTAL		1,013.71	925.50	1,939.21

G4020 210

Light Pole (Installed)

COST EACH

MAT.	INST.	TOTAL
------	-------	-------

0230	Light pole, aluminum, 20' high, 1 arm bracket	1,025	925	1,950
0240	2 arm brackets	1,125	925	2,050
0230	3 arm brackets	1,225	960	2,185
0220	4 arm brackets	1,350	960	2,310
0350	30' high, 1 arm bracket	1,825	1,175	3,000
0400	2 arm brackets	1,925	1,175	3,100
0450	3 arm brackets	2,025	1,225	3,250
0480	4 arm brackets	2,150	1,225	3,375
0580	40' high, 1 arm bracket	2,225	1,550	3,775
0720	2 arm brackets	2,350	1,550	3,900
0760	3 arm brackets	2,450	1,575	4,025
0810	4 arm brackets	2,550	1,575	4,125
0840	Steel, 20' high, 1 arm bracket	1,225	985	2,210
0850	2 arm brackets	1,325	985	2,310
0920	3 arm brackets	1,350	1,025	2,375
0950	4 arm brackets	1,450	1,025	2,475
1080	30' high, 1 arm bracket	1,425	1,250	2,675
1040	2 arm brackets	1,500	1,250	2,750
1180	3 arm brackets	1,525	1,275	2,800
1120	4 arm brackets	1,625	1,275	2,900
1150	40' high, 1 arm bracket	1,850	1,700	3,550
1160	2 arm brackets	1,950	1,700	3,650
1450	3 arm brackets	1,975	1,725	3,700
1440	4 arm brackets	2,075	1,725	3,800

02800 | Site Improvements and Amenities

02810 | Irrigation System

ITEM	DESCRIPTION	QUANTITY	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL O&P
						MAT.	LABOR	EQUIP.	TOTAL	
300	Dual programs, 18 station	2 Shwk	24	66.667	Ea.	1,525	2,425		3,950	5,650
1420	23 station	↓	16	100	↓	1,925	3,650		5,625	8,150
3830	Backflow preventer, bronze, 0-175 PSI, w/valves, test cocks	2 Shwk	2	8	Ea.	125	292		417	615
75	3/4"					130	292		422	625
1440	1"					258	292		550	765
1450	1-1/2"					269	292		561	775
1470	2"	↓	2	8	↓					
1475	Pressure vacuum breaker, brass, 15-150 PSI	2 Shwk	2	8	Ea.	75	292		367	565
1480	3/4"					98.50	292		390.50	590
1490	1"					194	292		486	695
1500	1-1/2"					180	292		472	680
1510	2"	↓	2	8	↓					

02820 | Fences & Gates

ITEM	DESCRIPTION	QUANTITY	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL O&P
						MAT.	LABOR	EQUIP.	TOTAL	
110	0010 CHAIN LINK FENCES AND GATES									110
4750	Gate, transom for 10' fence, galv. steel, single, 3' x 7' x 3'	B-80A	52	462	Ea.	335	12.65	3.39	351.04	390
4752	4' x 7' x 3'		10	2,400		350	66	17.60	433.60	515
4754	3' x 10'		8	3		335	82	22	439	530
4756	4' x 10'	↓	10	2,400		375	66	17.60	458.60	545
4758	Double transom, 10' x 7' x 3'	B-80B	10	3,200		610	94	23.50	722.50	855
4760	12' x 7' x 3'		6	5,333		665	157	39	861	1,025
4762	14' x 7' x 3'		5	6,400		735	188	47	970	1,175
4764	10' x 10'		4	8		785	235	59	1,079	1,325
4766	12' x 10'		7	4,571		840	134	33.50	1,007.50	1,175
4768	14' x 10'		7	4,571		905	134	33.50	1,072.50	1,250
4780	Vinyl clad, single transom, 3' x 7' x 3'		6	5,333		505	157	39	701	855
4782	4' x 7' x 3'		10	3,200		535	94	23.50	652.50	765
4784	3' x 10'		8	4		515	117	29.50	661.50	790
4786	4' x 10'		10	3,200		580	94	23.50	697.50	815
4788	Double transom, 10' x 7' x 3'		10	3,200		1,125	94	23.50	1,242.50	1,425
4790	12' x 7' x 3'		6	5,333		1,225	157	39	1,421	1,650
4792	14' x 7' x 3'		5	6,400		1,375	188	47	1,610	1,875
4794	10' x 10'		4	8		1,225	235	59	1,519	1,800
4796	12' x 12'		7	4,571		1,325	134	33.50	1,492.50	1,725
4799	14' x 14'	↓	7	4,571	↓	1,425	134	33.50	1,592.50	1,825
130	0010 FENCE, CHAIN LINK INDUSTRIAL, schedule 40									130
0020	3 strands barb wire, 2' post @ 10' O.C., set in concrete, 6' H									
0020	9 ga. wire, galv. steel	B-80C	240	.100	L.F.	12.75	2.75	.56	16.96	19.15
0020	Aluminized steel		240	.100		16.35	2.75	.56	19.66	23
0020	6 ga. wire, galv. steel		240	.100		20	2.75	.56	23.31	27
0020	Aluminized steel		240	.100		22.50	2.75	.56	25.81	30
0020	6 ga. wire, 6' high but omit barbed wire, galv. steel		250	.096		19.40	2.64	.54	22.58	26.50
0020	Aluminized steel		250	.096		27	2.64	.54	30.18	35
0020	6' H, 6 ga. wire, 2 1/2" ins post, galv. steel		180	.133		31	3.66	.75	35.41	41
0020	Aluminized steel		180	.133	↓	38	3.66	.75	42.41	48.50
0020	Gate for 6' high fence, 1 5/8" frame, 3" wide, galv. steel		10	2,400	Ea.	141	66	13.40	220.40	280
0020	Aluminized steel	↓	10	2,400	↓	174	66	13.40	253.40	315
2000	5' 0" high fence, 9 ga., no barbed wire, 2" ins post, 10' O.C., 1 5/8" top rail									
2010	Galvanized steel	B-80C	300	.080	L.F.	11.05	2.20	.45	13.70	16.25
2010	Aluminized steel		300	.080	↓	13.05	2.20	.45	15.70	18.45
2400	Gate, 4' wide, 5' high, 2" frame, galv. steel		10	2,400	Ea.	161	66	13.40	240.40	300
2500	Aluminized steel		10	2,400	↓	181	66	13.40	260.40	325
3100	Overhead slope gate, chain link, 6' high, to 18' wide	↓	38	.632	L.F.	142	17.35	3.53	162.88	188
3110	Cantilever type	B-80	48	.667	↓	61	19.95	11.10	92.05	112

02800 | Site Improvements and Amenities

			DAILY OUTPUT	LABOR- HOURS	UNIT	2006 BARE COSTS				TOTAL INCL O&P	
						MAT.	LABOR	EQUIP.	TOTAL		
130	3120	8' high	880	24	1,333	L.F.	88.50	.40	22	150.50	187
	3130	10' high		18	1,778	↓	105	.53	29.50	187.50	234
	5000	Double swing gates, incl. posts & hardware									
	5010	5' high, 12' opening	8800	340	7,059	Open.	430	1.94	39.50	863.50	840
	5020	20' opening		280	8,571		550	2.35	48	873	1,160
	5030	6' high, 12' opening		320	7,500		325	2.06	42	973	1,175
	5070	20' opening		260	9,231		1,000	2.54	51.50	1,305.50	1,375
	5080	8' high, 12' opening	980	213	15,002		1,125	4.50	250	1,825	2,250
	5090	20' opening		145	22,069		1,475	6.60	365	2,530	3,100
	5100	10' high, 12' opening		131	24,427		1,300	7.30	405	2,435	3,075
	5110	20' opening		103	31,058		1,925	9.30	515	3,170	4,200
	5120	12' high, 12' opening		105	30,476		1,875	9.10	505	3,290	4,130
	5130	20' opening		85	37,647	↓	2,425	1.25	625	4,175	5,175
	5190	For aluminized steel add					20%				
	7201	Snow fence on steel posts 10' O.C., 4' high	81	500	.048	L.F.	2.38	1.35		373	485
	7265	Braces, galv. steel	B80A	950	.025		1.79	.69	.18	266	331
	7056	Aluminized steel		500	.025	↓	2.15	.69	.18	362	370
	7071	Privacy slats, vertical, vinyl	1 Cais	500	.016	S.F.	1.50	.44		1.94	2.38
	7072	Redwood		450	.018		2.82	.49		3.11	3.69
	7073	Diagonal, aluminum		300	.027	↓	3.41	.73		4.14	4.36
	9000	Minimum labor/equipment charge	8.85	2	16	Job			480	266	746
140	0010	FENCE, CHAIN LINK RESIDENTIAL, sch. 20, 11 ga. wire, 1-5/8" post									140
	0020	10' O.C., 1-3/8" top rail, 2" corner post, galv. stl. 3' high	8800	500	.048	L.F.	3.86	1.32	.27	6.45	6.70
	0050	2' high		400	.060		4.38	1.65	.34	6.37	7.90
	0100	6' high		200	.125	↓	5.30	3.30	.67	9.27	12.05
	0150	Add for gate 3' wide, 1-3/8" frame, 3' high		12	2	EA.	57.50	.55	11.20	123.70	166
	0170	4' high		10	2,400		66.50	.66	13.40	145.90	197
	0190	6' high		10	2,400		91	.66	13.40	170.40	224
	0200	Add for gate 4' wide, 1-3/8" frame, 3' high		9	2,667		65	73.50	14.90	153.40	209
	0220	4' high		9	2,667		73.50	73.50	14.90	161.90	218
	0240	6' high		8	3	↓	86	82.50	16.75	165.25	249
	0350	Aluminized steel 11 ga. wire, 3' high		500	.048	L.F.	5.10	1.32	.27	6.69	8.85
	0380	4' high		400	.060		6.55	1.65	.34	8.54	10.30
	0400	6' high		200	.120	↓	9.23	3.30	.67	13.17	16.35
	0450	Add for gate 3' wide, 1-3/8" frame, 3' high		12	2	EA.	70.50	.55	11.20	136.70	180
	0470	4' high		10	2,400		116	.66	13.40	195.40	251
	0490	6' high		10	2,400		146	.66	13.40	225.40	284
	0530	Add for gate 4' wide, 1-3/8" frame, 3' high		10	2,400		80	.66	13.40	169.40	212
	0520	4' high		9	2,667		88.50	73.50	14.90	126.90	235
	0540	6' high		8	3	↓	102	82.50	16.75	201.25	266
	0620	Vinyl covered, 9 ga. wire, 3' high		500	.048	L.F.	4.17	1.32	.27	5.76	7.05
	0640	4' high		400	.060		4.87	1.65	.34	6.86	8.45
	0660	6' high		200	.120	↓	6.15	3.30	.67	10.12	13
	0720	Add for gate 3' wide, 1-3/8" frame, 3' high		12	2	EA.	20.50	.55	11.20	146.70	191
	0740	4' high		10	2,400		91	.66	13.40	170.40	224
	0760	6' high		10	2,400		141	.66	13.40	220.40	279
	0780	Add for gate 4' wide, 1-3/8" frame, 3' high		10	2,400		92.50	.66	13.40	171.90	226
	0800	4' high		9	2,667		101	73.50	14.90	189.40	248
	0820	6' high		8	3	↓	114	82.50	16.75	213.25	279
150	0013	FENCE, CHAIN LINK, GATES & POSTS (1/3 post length in ground)									150
	6580	Line posts, galvanized, 2-1/2" OD, set in earth, 4'	880	60	400	EA.	22	11.95	6.65	40.60	51
	6585	5'		76	421		26.50	12.60	.7	46.10	57
	6590	6'		74	432		27	12.95	7.20	47.15	59
	6595	7'		72	444		29.50	13.30	7.40	50.20	62
	6600	8'		69	464	↓	32.50	13.85	7.70	54.05	66.50

02800 | Site Improvements and Amenities

ITEM	DESCRIPTION	CREW	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL. O&P
						MAT.	LABOR	EQUIP.	TOTAL	
187	6610 Ribbeam, 1-7/8", 4'	B-80	83	.386	EA.	25	11.55	5.40	42.95	53.50
234	5'		81	.395		28.50	11.80	6.55	46.85	58
610	6620 6'		78	.410		33.50	12.25	6.85	52.60	64.50
1,100	6625 7'		75	.427		36.50	12.75	7.10	56.35	69.50
1,175	6630 8'		73	.438		40	13.10	7.30	60.40	73.50
1,575	6635 Vinyl coated, 2-1/2" OD, set in conc., 4'		79	.405		43	12.10	6.75	61.85	74.50
2,250	6640 5'		77	.416		49.50	12.45	6.90	68.85	82
3,100	6645 6'		74	.432		62	12.95	7.20	82.15	97.50
3,025	6650 7'		72	.444		66.50	13.30	7.40	87.20	103
4,200	6655 8'		69	.464		72.50	13.85	7.70	94.05	111
4,103	6660 End gate post, steel, 3" OD, set in conc., 4'		68	.471		50.50	14.05	7.85	72.45	87
5,175	6665 5'		65	.492		64	14.70	8.20	86.90	104
425	6670 6'		63	.508		65	15.20	8.45	88.65	105
3,31	6675 7'		61	.525		67	15.70	8.75	111.45	131
3,70	6685 Vinyl, 4'		68	.471		84.50	14.05	7.85	106.40	125
2,38	6690 5'		65	.492		93	14.70	8.20	115.90	135
3,69	6705 6'		63	.508		115	15.20	8.45	138.65	161
4,86	6710 8'		59	.542		137	16.20	9.05	162.25	187
4,05	Corner post, galv. steel, 4" OD, set in conc., 4'		65	.492		85	14.70	8.20	107.90	127
6,70	6715 6'		63	.508		120	15.20	8.45	143.65	166
7,90	6720 7'		61	.525		135	15.70	8.75	159.45	183
12,05	6725 8'		65	.492		155	14.70	8.20	177.90	204
156	6730 Vinyl, 5'		65	.492		148	14.70	8.20	170.90	196
6,70	6735 6'		63	.508		197	15.20	8.45	220.65	251
7,90	6740 7'		61	.525		180	15.70	8.75	204.45	232
12,05	6745 8'		59	.542		236	16.20	9.05	260.25	294
197	7031 For corner, end, & pal post bracing, sold					20%	15%			
224	7770 Gates, sliding w/o overhead support, 4' high	B-800	35	.914	L.F.	45.50	27	6.70	79.20	101
209	5'		32	1		49.50	29.50	7.35	86.35	111
218	6' high		28	1.143		53	33.50	8.40	94.90	123
249	7' high		25	1.280		70	37.50	9.40	116.90	149
	8' high		23	1.391		67	41	10.25	138.25	173
8,05	7795 Cantilever, manual, exp. roller, 40" wide x 8' high	B-22	1	30	EA.	3,575	975	229	4,779	5,775
10,30	7800 30" wide x 8' high		1	30		3,000	975	229	4,204	5,150
16,35	7805 24" wide x 8' high		1	30		2,225	975	229	3,429	4,300
180	7810 Motor operators for gates, inc elec warning, 3" wide swing	2 Skew	.50	32		1,225	1,175		2,400	3,225
251	7815 Up to 20" wide swing		.50	32		4,050	1,175		5,225	6,350
284	Up to 45° sliding		.50	32		4,125	1,175		5,300	6,425
212	7825 Overhead gate, 6' to 18' wide, sliding/cantilever		45	.356	L.F.	144	13		157	179
235	7830 Gate operators, digital receiver		7	2.268	EA.	435	83.50		518.50	610
266	7832 Two button transmitter		24	.667		55.50	24.50		80	101
7,05	7840 3 button station		14	1.143		68.50	41.50		110	144
8,45	7845 Master slave system		4	4		244	146		390	510
13	7900 Auger fence post hole, 3' deep, medium soil, by hand	1 Dab	30	.267			7.30		7.30	12.10
191	7925 By machine	B-80	175	.183			5.45	3.04	8.49	12.25
224	Rock, wth jackhammer	B-80	32	1.250			35	4.60	39.60	62.50
279	7935 With rock drill	B-470	65	2.46			7.70	17.05	24.75	31
226	170 0010 FENCE, FABRIC & ACCESSORIES									170
279	1000 Fabric, 9 ga., galv., 1.2 oz. coat, 2" chain link, 4'	B-80K	304	.079	L.F.	3.45	2.16	.58	6.19	8
51	1150 5'		285	.084		4.12	2.31	.62	7.10	9.10
57	1200 6'		266	.090		6.60	2.47	.66	9.73	12.10
59	1250 7'		247	.097		9.70	2.66	.71	13.07	15.90
62	1300 8'		228	.105		12.10	2.88	.71	15.75	18.95
66,50	1400 9 ga., fused, 4'		304	.079		5.65	2.16	.58	8.39	10.45
	1450 5'		285	.084		7.05	2.31	.62	9.98	12.25

02800 | Site Improvements and Amenities

02	028	02800	02840	Walk/Road/Parking Appurtenances		Crew	Output	Labor-Hours	Unit	2006 BARE COSTS				Total Incl. Overhead				
										MAT.	LABOR	EQUIP.	TOTAL					
				0010	FENDERS													
400	0010	0015	Bumper rails for garages, 12 Ga. galv, 6" wide, with steel posts 12'-0" O.C., minimum															
		0020	Average	E4	180	.168	L.F.		13.15	6.80	.47	20.42	27.50					
		0030	Magnum		165	.194			16.45	7.85	.54	24.84	33.50					
		0100	12" channel rail, minimum		140	.229			19.70	9.25	.64	29.59	39.50					
		0300	Maximum		160	.200			16.45	8.10	.56	25.11	34					
		0400	Maximum labor/equipment charge		120	.267			24.50	10.80	.74	36.04	48					
		9000			2	.16	Job			645	44.50	689.50	1,250					
800	0010	PARKING BUMPERS																
	0020	Parking barriers, bender w/saddles, treated type																
	0100	4" x 4" for cars		B2	520	.077	L.F.		2.54	2.14		4.68	6.5					
	0200	6" x 6" for trucks			520	.077			5.30	2.14		7.44	9.4					
	0600	Flexible fixed stanchion, 2' high, 3" diameter			100	.400	ea.		25.50	11.10		36.60	46.50					
	1000	Wheel stops, precast concrete incl. dowels, 6" x 10" x 6'-0"			120	.333			40	9.25		49.25	59.50					
	1100	8" x 13" x 6'-0"			120	.333			46.50	9.25		55.75	66.50					
	1200	Thermoplastic, 6" x 10" x 6'-0"			120	.333			74.50	9.25		83.75	97.50					
	1300	Pipe bollards, conc. med/part, 8' L x 4' D hole, 6" diam.		B6	20	1,200			300	36	11.30	347.30	400					
	1400	8" diam.			15	1,600			455	48	15.30	518.10	595					
	1500	12" diam.			12	2			595	60	18.85	673.85	770					
	1592	Bollards, steel, 3' H, retractable, incl hydraulic controls, min			4	6			27,800	180	56.50	28,036.50	31,000					
	1594	Max			2	12			31,000	350	113	31,473	34,800					
	2030	Folding with industrial padlocks		B2	50	.830			730	22		752	835					
	9000	Parking lot control, see Div. 11156-600																
910	0010	TRAFFIC BARRIERS, TRAFFIC CONTROL DEVICES																
	0020	Crash barriers																
	0030	Traffic channelizing pavement markers, layout only		N7	2000	.012	ea.			.40	.03	.50	.78					
	0110	1 3/8" x 7 1/2" x 2 1/2" high, non-pawlable, instl		2 Clb	96	.162			19.85	4.57		24.42	29.50					
	0200	8" x 6" x 2 1/4" high, non-pawlable, instl			96	.167			18.05	4.57		22.62	27.50					
	0230	4" x 4" x 3 3/4" high, non-pawlable, instl			120	.333			2.41	3.65		6.06	8.70					
	0240	9 1/4" x 5 7/8" x 1 1/4" high, plowable, concrete pavt		A-2A	70	.343			14.45	9.40	3.37	27.22	35					
	0250	9 1/4" x 5 7/8" x 1 1/4" high, plowable, asphalt pavt			120	.200			2.76	5.50	1.97	10.23	14.25					
	0300	Barrier end cap, demarcators, reflectorized, 2" x 4"		2 Clb	150	.107			1.57	2.92		4.49	6.55					
	0310	3" x 5"			150	.107			3.19	2.92		6.11	8.35					
	0500	Rumble strip, polycarbonate		2 Clbs	50	.320	ea.			8.75			14.75	21				
	0510	24" x 31 1/2" x 1 1/2" high																
210	0010	BRIDGES, PEDESTRIAN spans over streams, roadways, etc.																
	0020	Including erection, not including foundations																
	0030	Precast concrete, complete in place, 8' wide, 60' span		E2	215	.260	S.F.		52	10.15	6.65	68.89	82.50					
	0100	100' span			185	.303			56.50	11.80	7.70	76	92					
	0150	120' span			160	.350			61.50	13.60	8.50	84	102					
	0200	150' span			145	.385			64	15	9.85	88.85	108					
	0350	Steel, trussed or arch spans, compd. in place, 8' wide, 40' span			320	.175			67.50	6.80	4.46	78.76	91					
	0400	50' span			395	.142			60.50	5.50	3.61	69.61	80.50					
	0500	60' span			465	.120			60.50	4.68	3.07	68.25	78.50					
	0550	80' span			570	.098			72	3.82	2.50	78.32	88.50					
	0700	100' span			465	.120			101	4.68	3.07	108.75	123					
	0800	120' span			365	.153			128	5.95	3.91	137.86	156					
	0900	150' span			310	.181			136	7.05	4.60	147.65	168					
	1000	160' span			255	.220			136	8.55	5.60	150.15	172					
	1100	10' wide, 50' span			640	.088			75	3.40	2.23	80.63	91					
	1200	120' span			415	.135			97	5.25	3.44	105.69	120					
	1300	150' span			445	.126			109	4.90	3.21	117.11	132					
	1400	200' span			205	.273			116	10.65	6.95	133.60	155					

03300 | Cast-In-Place Concrete

TOTAL
INCL O&P

120

130

140

150

160

170

180

190

200

210

220

230

240

250

260

270

280

290

300

310

320

330

340

350

360

370

380

390

400

410

420

430

440

450

460

470

480

490

500

510

520

530

540

550

560

570

580

590

600

610

620

630

640

650

660

670

680

690

700

710

720

730

740

750

760

770

780

790

800

810

820

830

840

850

860

870

880

890

900

910

920

930

940

950

960

970

980

990

1000

1010

1020

1030

1040

1050

1060

1070

1080

1090

1100

1110

1120

1130

1140

1150

1160

1170

1180

1190

1200

1210

1220

1230

1240

1250

1260

1270

1280

1290

1300

1310

1320

1330

1340

1350

1360

1370

1380

1390

1400

1410

1420

1430

1440

1450

1460

1470

1480

1490

1500

1510

1520

1530

1540

1550

1560

1570

1580

1590

1600

1610

1620

1630

1640

1650

1660

1670

1680

1690

1700

1710

1720

1730

1740

1750

1760

1770

1780

1790

1800

1810

1820

1830

1840

1850

1860

1870

1880

1890

1900

1910

1920

1930

1940

1950

1960

1970

1980

1990

2000

2010

2020

2030

2040

2050

2060

2070

2080

2090

2100

2110

2120

2130

2140

2150

2160

2170

2180

2190

2200

2210

2220

2230

2240

2250

2260

2270

2280

2290

2300

2310

2320

2330

2340

2350

2360

2370

2380

2390

2400

2410

2420

2430

2440

2450

2460

2470

2480

2490

2500

2510

2520

2530

2540

2550

2560

2570

2580

2590

2600

2610

2620

2630

2640

2650

2660

2670

2680

2690

2700

2710

2720

2730

2740

2750

2760

2770

2780

2790

2800

2810

2820

2830

2840

2850

2860

2870

2880

2890

2900

2910

2920

2930

2940

2950

2960

2970

2980

2990

3000

3010

3020

3030

3040

3050

3060

3070

3080

3090

3100

3110

3120

3130

3140

05100 | Structural Metal Framing

	05120 Structural Steel	CREW	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL. O&G	
						MAT.	LABOR	EQUIP.	TOTAL		
560	0050 1/8" thick (5.1 lb./S.F.)				S.F.	4.85			4.85	15	
	0100 1/4" thick (10.2 lb./S.F.)	R051223 -80				9.70			9.70	30	
0300	3/8" thick (15.3 lb./S.F.)					14.85			14.85	45	
0400	1/2" thick (20.4 lb./S.F.)					19.40			19.40	65	
0450	3/4" thick (30.6 lb./S.F.)					29			29	82	
0500	1" thick (40.8 lb./S.F.)					39			39	100	
600	0010 STRESSED SKIN ROOF & CEILING SYSTEM										
	0020 Double panel flat roof, spans to 100'	E-2	1150	.049	S.F.	7.60	1.89	1.24	10.73	33	
	0100 Double panel convex roof, spans to 200'		950	.058		12.35	2.27	1.49	16.11	49	
	0200 Double panel arched roof, spans to 300'		760	.074		19	2.87	1.88	23.75	78	
640	0010 STRUCTURAL STEEL MEMBERS	R051223 -10									
	0020 Shop fab'd for 100-ton, 1-2 story project, bolted conn's.										
0102	W 6 x 9	R051223 -15	E-2	.600	.093	L.F.	9.40	3.63	2.38	15.41	49
0302	W 8 x 10			.600	.093		10.45	3.63	2.38	16.46	50
0502	x 31			.550	.102		32.50	3.96	2.59	39.05	53
0702	W 10 x 22			.600	.093		23	3.63	2.38	29.01	53
0902	x 49			.550	.102		51	3.96	2.59	57.55	65
1102	W 12 x 14			.680	.064		14.65	2.48	1.62	18.75	22
1302	x 22			.880	.064		23	2.48	1.62	27.10	31
1502	x 26			.880	.064		27	2.48	1.62	31.10	36
1702	x 32			.640	.068		75	3.40	2.23	80.63	91
1902	W 14 x 26			.990	.057		27	2.20	1.44	30.64	35
2102	x 30			.900	.062		31.50	2.42	1.59	35.51	40
2302	x 34			.810	.069		35.50	2.69	1.76	39.95	46
2502	x 120			.720	.078		125	3.03	1.98	130.01	141
2702	W 16 x 26			1000	.056		27	2.18	1.43	30.61	35
2902	x 31			.900	.062		32.50	2.42	1.59	36.51	41
3102	x 40			.800	.070		42	2.72	1.78	46.50	51
3302	W 18 x 35	E-5	.960	.083		36.50	3.28	1.58	41.36	47	
3502	x 40		.960	.083		42	3.28	1.58	46.86	53	
3702	x 50		.912	.088		52.50	3.46	1.65	57.62	65	
3902	x 55		.912	.098		57.50	3.46	1.65	62.62	71	
4102	W 21 x 44		1054	.075		46	2.96	1.42	50.38	57	
4302	x 50		1054	.075		52.50	2.96	1.42	56.88	64	
4502	x 62		1036	.077		65	3.04	1.46	69.50	75	
4702	x 68		1036	.077		71	3.04	1.46	75.50	85	
4902	W 24 x 55		1110	.072		57.50	2.84	1.37	61.71	69	
5102	x 62		1110	.072		65	2.84	1.37	69.21	76	
5302	x 68		1110	.072		71	2.84	1.37	75.21	84	
5502	x 76		1110	.072		79.50	2.84	1.37	83.71	94	
5702	x 84		1030	.074		88	2.92	1.40	92.32	103	
5902	W 27 x 94		1190	.087		98	2.65	1.27	101.92	111	
6102	W 30 x 99		1230	.067		103	2.63	1.26	106.89	119	
6302	x 108		1220	.067		113	2.63	1.26	116.89	128	
6502	x 116		1160	.069		121	2.72	1.31	125.03	138	
6702	W 33 x 118		1176	.068		123	2.68	1.29	126.97	141	
6902	x 130		1134	.071		136	2.78	1.34	140.12	149	
7102	x 141		1134	.071		147	2.78	1.34	151.12	159	
7302	W 36 x 135		1170	.068		141	2.70	1.30	145	159	
7502	x 150		1170	.068		157	2.70	1.30	161	178	
7702	x 194		1129	.071		203	2.80	1.35	207.15	221	
7902	x 230		1125	.071		240	2.80	1.35	244.15	271	
8102	x 300		1035	.077		315	3.05	1.46	319.51	351	
8490	For projects 75 to 93 tons, add					10%					
8492	50 to 74 tons, add					20%					
8494	25 to 49 tons, add					30%	10%				

05100 | Sh

05100	10 to 12
05100	2 to 9
05100	Less than
05100	Minimum
STRUCTURAL	
Shop fab'd	
Apartment	
3	
7	
0	
Offices, no	
3	
7	
0	
Farm	
M	
Industrial	
st	
1 stor	
M	
Monument	
Churches	
Power stat	
Nucle	
S	
Roof truss	
Market	
Schools, n	
Welded co	
7	
Welded rig	
Fabricator	
Min n	
n	
Total	
Shop	
A	
A	
A	
High steel	
P	
Add P	
Max size e	
Mem	
Mem	
Column b	

10000 | Fireplaces & Stoves

10310 | Fireplate Specialties & Accessories

		CREW	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL O&P
						MAT.	LABOR	EQUIP.	TOTAL	
	Copper plated, 12" x 15" opening	1 Br/c	13	.015	Ea.	177	22.50		199.50	231
	Fireplace liners, no accessories, 32" opening		3	2.667		510	97.50		607.50	720
	36" opening			2.50	3.200		650	117		767
	40" opening			2	4		800	146		1,006
	78" opening			1.50	5.333		1,250	195		1,445
	Steel and cast iron fireplace, 18" x 24" fire			16	.500		37.50	18.30		55.80
	11" x 15" fire			12	.667		40.50	24.50		65
	Minimum labor/equipment charge			3.50	2.200	Job	83.50		83.50	136

10320 | Stoves

		CREW	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL O&P
						MAT.	LABOR	EQUIP.	TOTAL	
	WOODBURNING STOVES									100
	Cast iron, minimum	2 Carp	1.30	12.300	Ea.	910	440		1,350	1,725
	Average			1	16		1,400	570		1,970
	Maximum			.80	20		2,350	710		3,060
	For gas log lighter, add						40			44

10340 | Manufactured Exterior Specialties

10344 | Weathervanes

		CREW	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL O&P
						MAT.	LABOR	EQUIP.	TOTAL	
	WEATHERVANES									800
	Residential types, minimum	1 Carp	8	1	Ea.	130	35.50		165.50	202
	Maximum			2	4		2,300	142		2,442
	Minimum labor/equipment charge			.40	2	Job	71		71	118

10350 | Flagpoles

10355 | Flagpoles

		CREW	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL O&P
						MAT.	LABOR	EQUIP.	TOTAL	
	FLAGPOLE, Ground set									400
	Not including base or foundation									
	Aluminum, tapered, ground set 20' high	K1	2	8	Ea.	790	253	88	1,131	1,375
	25' high			1.70	9.412		895	297	1,296	1,575
	30' high			1.50	10.667		890	335	117	1,342
	35' high			1.40	11.429		1,450	360	126	1,936
	40' high			1.20	12.333		2,050	420	147	2,617
	50' high			1	16		2,700	505	176	3,381
	60' high			.90	17.778		4,350	560	196	5,106
	70' high			.80	20		7,800	630	220	8,650
	Countersbalanced, internal guyed, 20' high			1.80	8.889		2,050	281	98	2,429
	30' high			1.50	10.667		2,275	335	117	2,727
	40' high			1.30	12.308		3,800	390	136	4,326
	50' high			1	16		7,800	505	176	7,581
	Aluminum, electronically operated, 30' high			1.40	11.429		3,975	360	126	4,461
	35' high			1.30	12.308	Job	4,275	390	136	4,801

10350 | Flagpoles

10355 Flagpoles			CREW	DAILY OUTPUT	LABOR- HOURS	UNIT	2006 BARE COSTS				TOTAL INCL GST	
							MAT.	LABOR	EQUIP.			
400	2800	39' high	K-1	1.10	10,545	Ea.	4,675	460	160	5,295	5,295	
	2800	45' high		1	16		5,975	505	176	6,656	6,656	
	2900	50' high		1	16		6,350	560	196	7,106	7,106	
	3000	Fiberglass, tapered, ground set, 23' high		2	8		1,050	253	88	1,391	1,391	
	3100	29'-7" high		1.50	10,667		1,275	335	117	1,727	1,727	
	3200	35'-1" high		1.40	11,429		1,650	360	126	2,136	2,136	
	3300	39'-8" high		1.20	13,333		2,150	420	147	2,717	2,717	
	3400	49'-2" high		1	16		4,375	505	176	5,056	5,056	
	3500	59' high		1	16		6,275	560	196	7,031	7,031	
	4300	Steel, direct embedded installation		1	16							
	4400	Internal balyard, 20' high	K-1	2.50	6,400	Ea.	1,350	202	70.50	1,622.50	1,622.50	
	4500	25' high		1	2.50	6,400		1,500	202	70.50	1,772.50	1,772.50
	4600	30' high		1	2.50	6,957		1,775	220	76.50	2,071.50	2,071.50
	4700	40' high		1	2.50	7,619		2,625	241	84	2,950	2,950
	4800	50' high		1	2.50	8,421		3,900	266	92.50	4,258.50	4,258.50
	5000	60' high		1	2.50	8,889		5,875	281	98	6,254	6,254
	5100	70' high		1	2.50	10,175		7,175	315	110	7,600	7,600
	5200	80' high		1	2.50	11,429		9,475	360	126	9,961	9,961
	5300	90' high		1	2.50	13,333		13,000	420	147	13,567	13,567
	5500	EDG' high		1	2.50	16,400		13,400	505	176	14,081	14,081
	6400	Wood poles, tapered, clear vertical grain fir w/o baling										
	6410	base, nor incl. foundation, 4' butt, 25' high	K-1	1.90	8,421	Ea.	625	266	92.50	963.50	963.50	
*	6800	6' butt, 30' high		1.30	12,308		775	390	136	1,301	1,301	
*	7300	Foundations for flagpoles, including										
*	7400	excavation and concrete, to 35' high poles	C-1	10	3,200	Ea.	500	107		607	607	
	7600	40' to 50' high		1	3.50	9,143		910	305		1,215	1,215
	7700	Over 60' high		1	2	16		1,025	535		1,560	1,560
900	2013	FLAGPOLE, Structure mounted										
	0100	Fiberglass, vertical wall set, 19'-8" long	K-1	1.50	10,667	Ea.	1,225	335	117	1,677	1,677	
	0200	23' long		1.40	11,429		1,300	360	126	1,786	1,786	
	0300	26'-3" long		1.30	12,308		1,900	390	136	2,426	2,426	
	0800	19'-8" long outrigger		1.30	12,308		1,250	390	136	1,776	1,776	
	1300	Aluminum, vertical wall set, tapered, with base, 20' high		1.20	13,333		925	420	147	1,492	1,492	
	1400	29'-6" high		1	16		2,175	505	176	2,856	2,856	
	2400	Outrigger poles with base, 12' long		1.30	12,308		860	390	136	1,386	1,386	
	2500	14' long		1	2	16		1,375	505	176	2,056	2,056

10400 | Identification Devices

10410 Directories			CREW	DAILY OUTPUT	LABOR- HOURS	UNIT	2006 BARE COSTS				TOTAL INCL GST	
							MAT.	LABOR	EQUIP.			
100	0010	DIRECTORY BOARDS										
	0050	Plastic, glass covered, 30" x 20"	2 Corp	3	5,333	Ea.	282	190		432	432	
	0100	36" x 48"		2	8		770	284		1,054	1,054	
	0300	Grooved cork, 30" x 20"		3	5,333		355	190		545	545	
	0400	36" x 48"		2	8		300	284		584	584	
	0600	Black felt, 30" x 20"		3	5,333		192	190		382	382	
	0700	36" x 48"		1	2	16		330	284		614	614
	0900	Outdoor, weatherproof, black plastic, 36" x 24"		2	8		685	284		969	969	

02550 | Piped Energy Distribution

		DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL O&P		
					MAT.	LABOR	EQUIP.	TOTAL			
550	0280	4" diameter	Q6	15	1,600	Ea.	17.65	64.50	82.15	119	550
	0290	Threaded adapters 2"		21	1,143		11.85	46	57.85	84.50	
	0300	3" diameter		18	1,333		21	53.50	78.50	107	
	0310	4" diameter		15	1,600		28	64.50	92.50	131	
	0320	Reducers, 2"		27	.889		15.75	35.50	51.25	73	
	0330	3" diameter		22	1,091		18.25	44	62.25	88	
	0340	4" diameter	↓	20	1,200	↓	23.50	48	71.50	101	
1010	Gas station product line for secondary containment (double wall)										
1100	Fiberglass reinforced plastic pipe 25' lengths										
1120	Pipe, plain, etc., 3"				Q6	375 .064	L.F.	6	2.57	8.57	10.60
1130	4" diameter		350	.069			9.85	2.76	12.61	15.10	
1140	5" diameter		325	.074			12.80	2.97	15.77	18.65	
1150	6" diameter	↓	300	.080	↓		13.15	3.21	16.35	19.50	
1200	Fittings										
1230	Elbows, 30° & 45°, 2"				Q6	18 1,333	Ea.	43	53.50	96.50	131
1240	4" diameter		16	1,320			75.50	60.50	136	177	
1250	5" diameter		14	1,714			175	69	244	299	
1260	6" diameter		12	2			177	80.50	257.50	320	
1270	tees, 3"				15	1,600		64	64.50	128.50	171
1280	4" diameter		12	2			94	80.50	174.50	228	
1290	5" diameter		9	2,667			190	107	297	375	
1300	6" diameter		6	4			199	161	360	470	
1310	Couplings, 3"				18	1,333		50.50	53.50	84	117
1320	4" diameter		16	1,500			78.50	60.50	139	180	
1330	5" diameter		14	1,714			163	69	232	286	
1340	6" diameter		12	2			169	80.50	249.50	310	
1350	Crossover nipples, 3"				18	1,333		6.90	53.50	60.40	91
1360	4" diameter		16	1,500			8.10	60.50	68.60	102	
1370	5" diameter		14	1,714			12.05	69	81.95	120	
1380	6" diameter		12	2			12.65	80.50	93.15	139	
1400	Telescoping, reducers, concentric 4" x 3"				18	1,333		23	53.50	76.50	109
1410	5" x 4"		17	1,412			60	56.50	116.50	154	
1420	6" x 5"	↓	16	1,580	↓		144	60.50	204.50	253	

02580 | Elec/Communication Structures

100	0010	RADIO TOWERS									100
✓	0220	Guyed, 50' h, 40 lb. sec., 70 MPH basic wind sped.	2 Swlk	1	16	Ea.	2,400	640		3,040	3,850
	0130	Wind load 30 MPH basic wind speed	*	1	16		2,400	640		3,040	3,850
550	0300	190' high, 40 lb. section, wind load 70 MPH basic wind speed	K2	33	72.727		6,500	2,650	535	9,685	12,500
	0400	200' high, 70 lb. section, wind load 90 MPH basic wind speed		33	72.727		13,100	2,650	535	16,285	19,800
	0600	300' high, 70 lb. section, wind load 70 MPH basic wind speed		.20	120		18,500	4,375	880	23,755	29,300
	0700	270' high, 50 lb. section, wind load 90 MPH basic wind speed		.20	120		21,400	4,375	880	26,655	32,400
	0800	400' High, 100 lb. section, wind load 70 MPH basic wind speed		.14	171		31,200	6,250	1,250	38,700	47,000
	0900	Self-supporting, 60' high, wind load 70 MPH basic wind speed		.80	30		5,000	1,100	220	6,320	7,725
	0910	60' high, wind load 90 MPH basic wind speed		.46	53.333		9,025	1,950	390	11,365	13,900
	1000	120' high, wind load 70 MPH basic wind speed	↓	.40	60		12,300	2,200	440	14,940	17,900
	1200	190' high, wind load 90 MPH basic wind speed	↓	.20	130		29,800	4,375	880	35,055	41,700
	2000	For states west of Rocky Mountains, add for shipping						10%			
410	0010	UNDERGROUND DUCTS AND MANHOLES, In slab or duct bank									410
	0211	Not including excavation, backfill and cast in place concrete									
	1000	Direct burial									
	1010	PVC, schedule 40, w/coupling, 1/2" diameter	1 Exc	340	.024	L.F.	.38	.99		1.37	1.94
	1020	3/4" diameter		230	.028		.50	1.16		1.66	2.34
	1030	1" diameter	↓	260	.031	↓	.74	1.29		2.03	2.80

16500 | Lighting

16520 | Exterior Luminaires

ITEM REF.	DESCRIPTION	QUANTITY	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL O&P
						MAT.	LABOR	EQUIP.	TOTAL	
350	4 arms	1 Elec	5.39	1,509	Ea.	353	63.50	413.50	480	300
350	Fiberglass pole, 1 or 2 fixtures, 20' high	R-3	4	3		465	237	38	710	870
410	30' high		3.60	5,556		575	230	42.50	847.50	1,025
420	35' high		3.20	6,250		900	239	47.50	1,206.50	1,450
420	40' high	▼	2.80	7,143		1,050	396	54.50	1,400.50	1,675
420	Wood pole, 4 1/2" x 5 1/8", 8' high	1 Elec	6	1,333		269	56		325	385
520	10' high		6	1,333		305	56		361	420
530	12' high		5.70	1,404		385	59		444	515
530	15' high		5	1,600		430	67		527	600
530	20' high	▼	4	2	▼	545	84		689	730
725	Bollard light, lamp & ballast, 42" high with polycarbonate lens									
850	Metal halide, 175 watt	1 Elec	3	2,667	Ea.	645	112		757	880
1,000	High pressure sodium, 70 watt		3	2,667		660	112		722	900
420	100 watt		3	2,667		660	112		772	900
420	150 watt		3	2,667		645	112		757	880
455	Incandescent, 150 watt	▼	3	2,667	▼	435	112		517	685
635	Transformer bases, not including concrete bases									
845	Maximum pole size, steel, 40' high	1 Elec	2	4	Ea.	1,100	168		1,268	1,475
213	Cast aluminum, 30' high		3	2,667		630	112		712	835
263	40' high	▼	2.50	3,200	▼	505	134		1,039	1,200
355	Landscape recessed uplight, incl. housing, ballast, transformer & reflector									
350	Incandescent, 250 watt	1 Elec	5	1,600	Ea.	455	67		532	620
350	Quartz, 250 watt		5	1,600		445	67		512	590
740	35- 500 watt	▼	4	2	▼	435	84		539	630
830	Replacement (H.A.D.) ballasts,									
750	120/208/240/277 volt	1 Elec	10	800	Ea.	142	33.50		175.50	258
580	High pressure sodium, 70 watt									
580	100 watt		9.40	351		146	35.50		183.50	218
580	150 watt		9	389		160	37.50		197.50	234
75	250 watt		8.50	341		239	39.50		278.50	325
60	400 watt		7	1,143		269	48		317	370
35	1,000 watt		6	1,333		370	56		426	495
310	Metal halide, 175 watt		8	1		87	42		129	161
310	250 watt		3	1		113	42		155	189
310	300 watt		7	1,143		141	48		189	229
310	1,000 watt		6	1,333		241	56		297	350
310	1,500 watt		5	1,600		299	67		366	435
700	Walkway luminaire, square 16", metal halide 250 watt	3.70	2,963			520	124		644	760
720	High pressure sodium, 70 watt		3	2,667		595	112		707	830
720	100 watt		3	2,667		605	112		717	840
720	150 watt		3	2,667		610	112		722	845
720	200 watt		3	2,667		755	124		879	1,025
720	Round 19", metal halide, 250 watt	2.70	2,963			830	112		942	1,100
720	High pressure sodium, 70 watt		3	2,667		830	112		942	1,100
720	100 watt		3	2,667		835	122		947	1,100
720	150 watt		3	2,667		878	124		999	1,150
720	250 watt		2.70	2,963						
530	Sphere 14" opal, incandescent, 200 watt		4	2		244	84		328	375
530	Sphere 18" opal, incandescent, 300 watt		3.50	2,286		295	96		331	375
530	Sphere 16" clear, high pressure sodium, 70 watt		3	2,667		510	112		622	775
530	100 watt		3	2,667		545	112		657	710
610	Cube 16" opal, incandescent, 300 watt	3.50	2,286			325	96		421	510
610	High pressure sodium, 70 watt		3	2,667		475	112		587	700
610	100 watt		3	2,667		490	112		602	710
610	Lantern, high pressure sodium, 70 watt	▼	3	2,667	▼	520	112		532	640

SITE CONSTRUCTION

02600 | Drainage & Containment

027

	02660 Ponds & Reservoirs	CREW	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCLUDES GST
						MAT.	LABOR	EQUIP.	TOTAL	
600	0050 Minimum	C-7	333	.216	C.F.	6.45	6.50	3.04	15.99	21
	0100 Maximum		200	.360	*	10.80	10.80	5.06	26.65	38
	0200 Alternate pricing method, minimum		150	.480	S.F.	12.90	14.40	6.75	34.05	45
	0300 Maximum		120	.600		19.35	18	8.40	45.75	60.50
	0500 Reinforced slurry trench, minimum	B-48	177	.316		9.65	9.80	20.50	39.95	49
	0600 Maximum		69	.812	*	32	25	52.50	109.50	135
	0800 Haul for disposal, 2 mile haul, excavated material, add	B-34B	99	.081	C.Y.		2.29	4.81	7.10	9
	0900 Haul bentonite castings for disposal, add		40	.200	*		5.65	11.90	17.55	22.50

0272

02700 | Bases, Ballasts, Pavements & Appurtenances

	02710 Bound Base Courses	CREW	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCLUDES GST	
						MAT.	LABOR	EQUIP.	TOTAL		
100	0010 AGGREGATE-BITUMINOUS BASE COURSE for roadways and large paved areas										
	0500 Bituminous concrete, 4" thick	B-25	4545	.019	S.Y.	8.50	.58	.47	9.55	10.00	
	6" thick		3700	.024		12.50	.72	.57	13.79	15.35	
	8" thick		3000	.029		16.65	.88	.71	18.24	20.31	
	10" thick		2545	.035	*	20.50	1.04	.83	22.37	25	
	8900 For small and irregular areas, add						50%	50%			
200	0010 ASPHALT-TREATED PERMEABLE BASE COURSE for roadways and large paved areas										
	0700 Liquid application to gravel base, asphalt emulsion	B-45	6000	.003	Gal.	3	.09	.09	3.18	3.51	
	Prime and seal, cut back asphalt		6000	.003	*	3.54	.09	.09	3.72	4.13	
	1000 Macadam penetration crushed stone, 2 gal. per S.Y., 4" thick		6000	.003	S.Y.	6	.09	.09	6.18	6.85	
	6" thick, 3 gal. per S.Y.		4000	.004		9	.13	.13	9.25	10.25	
	1200 8" thick, 4 gal per S.Y.		3000	.005	*	12	.17	.18	12.35	13.75	
	8900 For small and irregular areas, add						50%	50%			
	02720 Unbound Base Courses & Ballasts										
200	0010 AGGREGATE BASE COURSE for roadways and large areas										
	0050 Crushed 3/4" stone base, compacted, 3" deep	B-360	5200	.008	S.Y.	2.69	.26	.51	3.46	3.93	
	6" deep		5000	.008		5.40	.27	.53	6.20	6.90	
	9" deep		4600	.009		8.05	.29	.58	8.92	10	
	12" deep		4200	.010		10.75	.32	.63	11.70	13.05	
	0301 Crushed 1-1/2" stone base, compacted to 4" deep	B-368	6000	.011		4.25	.35	.60	5.10	5.80	
	0302 6" deep		5400	.012		6.40	.38	.66	7.34	8.25	
	0303 8" deep		4500	.014		8.50	.46	.67	9.63	10.35	
	0304 12" deep		3800	.017	*	12.75	.55	.79	14.09	15.80	
	0310 Minimum labor/equipment charge	B-35	1	.40	Job		1,250	1,150	2,400	3,325	
	0350 Bark run gravel, spread and compacted		B-32	6000	.005	S.Y.	3.54	.18	3.58	4.41	
	6" deep										
	0370 8" deep		4900	.007		9.30	.22	.32	5.84	6.55	
	0400 12" deep		4200	.008	*	7.05	.26	.38	7.69	8.65	
	1500 Alternate method to figure base course										
	1510 Crushed stone, 3/4", compacted, 3" deep	B-36C	435	.092	E.C.Y.	27.50	3.09	6.10	36.69	42	
	✓ 6" deep		B-36B	835	.077		27.50	2.49	3.62	33.61	38.59
	9" deep			1150	.066		27.50	1.80	2.63	31.93	36.50
	12" deep			1400	.046		27.50	1.48	2.16	31.14	35.52
	1520 Crushed stone, 1-1/2", compacted 4" deep				*	27.50	3.12	4.54	35.16	40.50	

Important: See the Reference Section for supporting data - Crews, Rental Equipment, City Cost Indexes and Reference Data.

96

Page

02700 | Bases, Ballasts, Pavements & Appurtenances

02

0750
0760
0770
0780
0782
0784

0810
0820
0830
0840
0850
0860
0870
0880
0890
0900
0910
0920
0930
0940
0950
0960
0970
0980
0990
1000
1100
1110
1120
1130
1140
1150
1200

022

1000
0010
0012
0100
0150
0200

3000
0010
0030
0400
0410
0415
0416
0421
0422
0430
0432
0450
0500
0510
0520
0530
0540
0550
0560
0570
0580
0590
0600
0610
0620
0630
0640
0650
0660
0670
0680
0690
0700
0710
0720
0730
0740
0750
0760
0770
0780
0790
0800
0810
0820
0830
0840
0850
0860
0870
0880
0890
0900
0910
0920
0930
0940
0950
0960
0970
0980
0990
1000
1100
1110
1120
1130
1140
1150
1200

	DESCRIPTION	CREW	DAILY OUTPUT	LABOR-HOURS	UNIT	2006 BARE COSTS			TOTAL INCL O&P
						MAT.	LABOR	EQUIP.	
310	1330 See 02315-490-0010 for hauling costs								
315	0011 ASPHALTIC CONCRETE PAVEMENT, LOTS & DRIVEWAYS								
✓	0020 ✓ 6" stone base, 2" bader course, 1" toping	B-25C	9000	.005	S.F.	.42	.16	.21	1.79 2.06
	Bader course, 1-1/2" thick		35000	.001		.34	.14	.05	.43 .51
	2" thick		25000	.002		.45	.16	.07	.58 .67
	3" thick		15200	.003		.69	.18	.12	.91 1.08
	4" thick		10800	.004		.90	.14	.17	1.21 1.42
	Sand for 6" course, 3/4" thick		41000	.001		.18	.04	.05	.27 .31
	1" thick		34000	.001		.22	.04	.05	.31 .37
	Fill pot holes, hot mix, 2" thick	B-16	4200	.038		.47	.21	.11	.79 .88
	4" thick		3500	.009		.68	.26	.14	1.08 1.33
	6" thick		3100	.013		.92	.29	.15	1.36 1.63
	Cold patch, 2" thick	B-51	3000	.015		.47	.14	.04	.95 1.33
	4" thick		2700	.018		.90	.19	.05	1.44 1.86
	6" thick		1900	.025		1.40	.30	.07	2.17 2.77
	02750 Rigid Pavement								
300	0010 PLAIN CEMENT CONCRETE PAVEMENT								
	0015 Including joints, finishing and curing								
	0020 Fixed form, 12" pass, unreinforced, 6" thick	B-26	3000	.029	S.Y.	21.50	.91	.90	23.31 26
	7" thick		3650	.031		27	.96	.95	28.91 32
	0100 8" thick		2750	.032		29.50	.99	.98	31.47 38
	0170 8" thick, small area		1375	.064		29.50	1.98	1.96	33.44 38
	0200 9" thick		2500	.035		34.50	1.09	1.08	36.67 41
	0300 10" thick		2120	.042		37	1.30	1.28	39.58 44.50
	0310 10" thick, small area		1050	.004		37	2.00	2.57	42.17 48
	0400 12" thick		1800	.049		40	1.52	1.50	43.02 49
	0500 13" thick		1500	.059		44.50	1.82	1.80	48.12 54
	0505 Medium labor/equipment charge	: Cyl	1	8	Job		275		275 435
	0510 For small irregular areas, add				%		10%		
	0810 For under 10' pass, add								7.30 8.56
	0850 For 24" pass, deduct						20%	20%	
	0655 For slipforming, deduct						10%	10%	
	0730 Finishing, bucket brush small areas	2.06	120	.133	S.Y.	4.56			4.59 7.25
	0710 Transverse joint support cowls	C1	350	.091	Ca.	3.24	3.06		6.30 8.65
	0720 Transverse contraction joints, saw cut & grind	A-1B	120	.067	L.E.		1.83	.03	2.72 4.01
	0730 Transverse expansion joints, incl. premolded bit & filler	C4	150	.213		1.57	7.15		8.72 13.60
	0740 Transverse construction joint using bolthead		73	.438		2.28	14.70		16.98 27
	0750 Longitudinal joint tie bars, grouted	B-23	70	.571	Fa.	3.53	15.90	.51	70.43 88.50
	1002 Curing, with sprayed membrane by hand	2.036	1520	.011	S.%	.50	.29		.73 1.03
	1859 For integral coloring, see div. 03310-220								
	02760 Paving Specialties								
300	0010 PAINTED TRAFFIC LINES AND MARKINGS								
	0020 Acrylic waterborne, white or yellow, 4" wide	B-78	20000	.003	L.F.	.17	.37	.02	.26 .32
	6" wide		11000	.004		.16	.12	.08	.32 .42
	8" wide		10000	.005		.22	.13	.04	.39 .50
	12" wide		4000	.012		.41	.33	.10	.84 1.11
	Arrows or gore lines		2300	.021	S.F.	.64	.58	.17	1.39 1.85
	Temporary paint, white or yellow		15000	.003	L.F.	.19	.09	.03	.31 .39
	Removal	1.000	300	.027			.73		.33 1.21
	Temporary Lane	2.000	1500	.011		1.85	.29		2.14 2.52
	Thermoplastic, white or yellow, 4" wide	B-79	15000	.003		.74	.07	.05	.87 1
	6" wide		14000	.003		1.87	.09	.06	1.21 1.38
	8" wide		12000	.003		1.44	.09	.07	1.60 1.82

TOTAL
INCL O&P**02760 | Paving Specialties**

		DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS			TOTAL INCL O&P			
					MAT.	LABOR	EQUIP.				
300	0750	12" wide	B-79	6000 .007	L.F.	2.15	.19	.15	2.49	2.83	300
	0760	Arrows		660 .061	S.F.	1.98	1.69	1.34	5.01	6.45	
206	0770	Core lines		2500 .016		1.31	.45	.36	2.12	2.57	
51	0780	Letters		660 .061		1.64	1.69	1.34	4.67	6.05	
67	0782	Thermoplastic material			Ton	1.050			1.050	1.150	
106	0784	Gloss treads, add			M.L.F.	9.30			9.30	10.25	

02760 | PAVEMENT MARKINGS

		DAILY OUTPUT	LABOR HOURS	UNIT	MAT.	LABOR	EQUIP.	TOTAL INCL O&P			
140	0790	Layout of pavement marking	A-2	25000 .001	L.F.	.03	.01	.04	.05		
31	0800	Parking stall, paint, white	B-78	440 .109	S.F.	3.43	3.03	.88	7.34	9.75	
31	1000	Street letters and numbers		1630 .030	S.F.	.68	.83	.24	1.73	2.38	
58	1100	Pavement marking letter, 6"	2 Pond	400 .040	Eq.	1.32	1.27		2.59	3.49	
132	1110	12" letter		272 .059		1.93	1.86		3.79	5.10	
156	1120	24" letter		160 .100		3.22	3.17		6.39	8.65	
130	1130	36" letter		84 .150		6.50	6.05		12.55	16.85	
186	1140	48" letter		84 .190		15.75	6.05		21.80	27	
277	1150	72" letter		40 .400		44.50	12.70		57.20	69	
	1200	Handicap symbol		40 .400		27.50	12.70		40.20	50.50	

02770 | Curbs and Gutters

		DAILY OUTPUT	LABOR HOURS	UNIT	MAT.	LABOR	EQUIP.	TOTAL INCL O&P			
26	0010	BITUMINOUS CONCRETE CURBS									
32	0012	Curbs, asphaltic, machine formed, 6" wide, 6" high, 40 l.f./ton	B-23	1000 .032	L.F.	.82	.89	.23	1.94	2.64	
35	✓ 0100	✓ 6" wide, 8" high, 30 l.f. per ton		900 .036		.94	.99	.26	2.19	2.96	
38	0150	Asphaltic berm, 12" W, 3-1/2" H, 35 l.f./ton, before pavemark		700 .046		1.07	1.28	.33	2.68	3.65	
41	0280	12" W, 1-1/2" to 4" H, 60 l.f. per ton, laid with pavement	B-2	1050 .038		.65	1.06		1.71	2.47	

		DAILY OUTPUT	LABOR HOURS	UNIT	MAT.	LABOR	EQUIP.	TOTAL INCL O&P			
48	0010	CEMENT CONCRETE CURBS									
48	0300	Concrete, wood form's, 6" x 18", straight	C-2A	500 .036	L.F.	2.89	3.30		6.19	8.55	
54	6300	6" x 18", radius		200 .240		3	8.25		11.25	16.85	
35	0415	Machine formed, 6" x 18", straight	B-69A	2000 .024		3.80	.73	.30	4.83	5.70	
855	0416	6" x 18", radius		900 .053		3.95	1.62	.46	6.24	7.75	
	0421	Curb and gutter, straight									
	0422	with 6" high curb and 6" thick gutter, wood forms									
	0439	24" wide, .035 C.Y. per l.f.	C-2A	375 .128	L.F.	14.30	4.39		18.69	23	
725	0455	30" wide, .036 C.Y. per l.f.		340 .141		15.60	4.85		20.45	25	
665	0550	Precast, 6" x 18", straight	B-29	700 .060		7.95	2.40	1.20	11.56	13.95	
401	0630	6" x 18", radius		325 .172		9.05	5.15	2.59	16.79	21.50	

		DAILY OUTPUT	LABOR HOURS	UNIT	MAT.	LABOR	EQUIP.	TOTAL INCL O&P			
7	0010	STONE CURBS									
550	1020	Granite, split face, straight, 5" x 18"	B-13	500 .036	L.F.	10.20	3.27	1.07	14.54	17.70	
103	1300	Radius curbing, 6" x 18", over 10' radius	B-29	260 .215		16.40	6.45	3.24	26.09	32	
	1400	Corners, 2" radius		80 .200	Eq.	.55	.21	10.50	86.50	106	
	1600	Edging, 4-1/2" x 12", straight		300 .187	L.F.	5.10	5.60	2.80	13.50	17.80	
	1800	Curb inlets, (gutterrough) straight		41 .1368	Eq.	122	41	20.50	183.50	224	
35	2000	Indian granite (belgian block)									
32	2100	Jumbo, 10-1/2" x 7-1/2" x 4", grey	B-1	150 .107	L.F.	1.86	3.43		5.29	7.60	
42	2150	Pink		150 .107		2.41	3.43		5.84	8.20	
50	2200	Regular, 3" x 4-1/2" x 4-1/2", grey		160 .100		1.68	3.22		4.90	7.05	
11	2250	Pink		160 .100		2.31	3.22		5.53	7.75	
35	2300	Cubes, 4" x 4" x 4", grey		175 .091		1.60	2.94		4.54	6.65	
19	2350	Pink		175 .091		1.68	2.94		4.62	6.60	
1	2400	6" x 6" x 6", pink		155 .103		4.17	3.32		7.49	10	
2	2500	Alternate pricing method for indian granite									
	2550	Jumbo, 10-1/2" x 7-1/2" x 4" (30 lb), grey			Ton	106			106	116	
3	2600	Pink							140	154	
2	2650	Regular, 3" x 4-1/2" x 4-1/2" (20 lb), grey							119	131	

For expanded coverage of these items see Means Site Work & Landscape Cost Data 2006

391-1



that was easy®

[Back to: Chairs / Leather Guest](#)



Global Traditional Guest Chair, Dark Burgundy

Dark Burgundy finish with leather-like vinyl seat and back.

- Mahogany finish wood trim and brass nailed trim
- No assembly required
- 15-year mfr. limited warranty

- [More details below](#)

Also Consider

Global Traditional Executive Chair in Burgundy with Mahogany Wood Finish



\$269.99 Each

Item 903120 Model 8962M- 557	Global Traditional Guest Chair, Dark Burgundy	Expected Delivery 2 Business Days	<p>\$149.99 Each</p> <p>Buy More, Save More</p> <ul style="list-style-type: none"> • 1-2 @ \$149.99 • 3+ @ \$142.99 	<p>Qty: 1</p> <p>Add to Favorites</p> <p>X 4</p>
------------------------------------	--	--------------------------------------	--	---

Recommended Items


	Rubbermaid BerberMat, Traditional, 36" x 48"	Expected Delivery 1 Business Day	\$29.99 Each	<p>Qty:</p> <hr/> <p>Add to Favorites</p>
Item 561162	<ul style="list-style-type: none"> • Great for Berber carpets • Best on carpets and pads up 			

STAPLES

391-2

That was easy.*

[Back to: Chairs / Leather & Wood Executive](#)



Global Traditional Executive Chair in Burgundy with Mahogany Wood Finish

Distinguished dark burgundy upholstery.

With its vinyl seat/back and mahogany finish wood trim, this chair will add an elegant touch to your office.

- Faux Burgundy leather
- Closed arms
- Mahogany finish wood trim
- Full swivel
- Tilt Tension increases or decreases the resistance of chair tilt
- Tilt Angle: Seat & back tilt simultaneously at the same ratio
- 45"H x 29"W x 29-1/2"D
- Manual seat height adjustment
- Meets or Exceeds ANSI-BIFMA Standards
- Ready to Assemble
- Lifetime mfr. limited warranty
- [More details below](#)

Global Traditional Executive Chair in Burgundy with Mahogany Wood Finish at Staples® Page 2 of 3


Item 429077 Model 8960M-557	Global Traditional Executive Chair In Burgundy with Mahogany Wood Finish	Expected Delivery 1 Business Day	\$269.99 Each	Qty. <input type="text" value="1"/> Add to Favorites
\$ 269.99				

391-3



that was easy®

Back to: Chairs / Guest



Oak Wood Guest Chairs

- Thick padded seat
- Built-in lumbar support reduces lower-back fatigue and strain
- Solid-wood armrests and sled base
- 38 1/4"H x 24"W x 27 3/4"D
- Ready to assemble
- 15-year mfr. limited warranty

- More details below

	sort by Name	sort by Delivery	sort by Price	
 Item 582671 Model WD4005-138	Oak Wood Guest Chairs, Brick Fabric <ul style="list-style-type: none"> • Thick padded seat • Built-in lumbar support reduces lower-back fatigue and strain • Solid-wood armrests and sled base 	Expected Delivery 7 - 14 Business Days	\$159.99 each	Qty. <hr/> Add to Favorites
 Item 582682 Model WD4005-140	Oak Wood Guest Chairs, Grape Fabric <ul style="list-style-type: none"> • Thick padded seat • Built-in lumbar support reduces lower-back fatigue and strain • Solid-wood armrests and sled base 	Expected Delivery 7 - 14 Business Days	\$159.99 each	Qty. <hr/> Add to Favorites
 Item 582693 Model WD4005-142	Oak Wood Guest Chairs, Lake Fabric <ul style="list-style-type: none"> • Thick padded seat • Built-in lumbar support reduces lower-back fatigue and strain • Solid-wood armrests and sled base 	Expected Delivery 7 - 14 Business Days	\$159.99 each	Qty. <hr/> Add to Favorites
	Oak Wood Guest Chairs, Nickel Fabric	Expected Delivery 7 - 14 Business Days	\$159.99 each	Qty.

391°4

	<ul style="list-style-type: none"> Multifunctional arms that adjust up, down, side to side, slide forward and backward, and pivot 15° inward to 15° outward Back height adjustment positions lumbar support to user's back Seat glide mechanism, 360° swivel, tilt tension and tilt lock controls 			Add to Favorites
	HON® Solutions Seating Swivel/Tilt Chair, Olefin® Upholstery - Dark Gray <ul style="list-style-type: none"> 100% Olefin Upholstery with stain-resistant protection Molded arm pads and back Pneumatic seat height adjustment 	Expected Delivery 7 - 14 Business Days	\$185.70 Each	Qty. 1 Add to Favorites
	HON® Solutions Seating® High Back Swivel/Tilt Chair, Olefin® Upholstery, Dark Gray <ul style="list-style-type: none"> Fully upholstered back with stain resistant 100% Olefin Upholstery Molded arm pads Pneumatic seat height adjustment and tilt tension and tilt lock 	Expected Delivery 1 - 4 Business Days	\$210.09 Each	Qty. 1 Add to Favorites
	sort by Name	sort by Delivery	sort by Price	

[*See our delivery policy for full details.](#)

Copyright 2005-06, Staples, Inc. All Rights Reserved.

Questions? Call 1-800-3STAPLE or email us at <http://www.staples.com/emailus>.

STAPLES**391-5**

that was easy®

Back to: Desk Organizer Collections, Plastic / Rubbermaid® Image® Black Plastic Desk Collection



Rubbermaid® Image® Black Plastic Stackable Side-Load Legal-Size Tray

Complete your Image® desk collection with the following pieces:

Front-Load Letter Tray
Front-Load Legal-Size Tray
Four Stacking Supports
Stackable Front-Load Letter Tray
Stackable Side-Load Letter Tray
Stackable Side-Load Legal Tray
Memo Holder
Business Card Holder
Pencil Holder
Magnetic Clip Dispenser
Stapler
Tape Dispenser

- Holds legal-size materials
- 2 1/2"H x 17 1/4"W x 10"D
- Use stacking supports (sold separately -- #514729) to stack multiple trays
- More details below

Also Consider

Rubbermaid® Image® Black Plastic Stackable Front-Load Letter Tray



\$11.99 Letter Tray

Item	Rubbermaid® Image® Black Plastic Stackable	Expected Delivery 1	\$15.99 Legal	Qty.

STAPLES**391-6**

that was easy®

Back to: Tables / Rectangular / Oval Conference Room Tables



Basyx Oval Conference Tables

Ideal for virtually any office environment

Top and base sold separately. You must order both.

- Medium Oak or Gray finish with high-pressure laminate top with 1-1/8" thick bullnose edge
- Patented Superstrut™ steel stretcher reinforcement for a no-sag surface
- Adjustable leveling guides
- Patented Super Strut steel stretcher reinforcement for a no-sag surface
- Seats 8-10
- Ready to assemble
- 5-year mfr. limited warranty

	sort by Name	sort by Delivery	sort by Price	
 Item 392436 Model BSXOV4896TQ	Basyx 48" x 96" Oval Conference Table Top, Gray <ul style="list-style-type: none"> • Laminate 1 1/4" wood-grain top • Walnut, Medium Oak or Gray finish top • Adjustable leveling guides 	Expected Delivery 1 - 4 Business Days	\$339.99 Table Top Only	Qty. <hr/> Add to Favorites
 Item 392431 Model BSXOV4896TM	Basyx 48" x 96" Oval Conference Table Top, Medium Oak <ul style="list-style-type: none"> • Medium Oak or Gray finish with high-pressure laminate top with 1-1/8" thick bullnose edge • Patented Superstrut™ steel stretcher reinforcement for a no-sag surface • Adjustable leveling guides 	Expected Delivery 1 - 4 Business Days	\$339.99 Table	Qty. <hr/> Add to Favorites
 Item 392439 Model BSXOVBASEQ	Basyx Oval Conference Table Base, Gray <ul style="list-style-type: none"> • Medium Oak or Gray finish with high-pressure laminate top with 1-1/8" thick bullnose edge • Patented Superstrut™ steel stretcher reinforcement for a no-sag surface • Adjustable leveling guides 	Expected Delivery 1 - 4 Business Days	\$259.99 Base	Qty. <hr/> Add to Favorites

391-7

	<ul style="list-style-type: none"> Walnut Finish 4 adjustable/removable shelves (3/4" thick) 60"H X 36"W x 12"D 			Add to Favorites
Item 505653 Model HAR16064				
	Harbour Creations BC Series Wood Veneer Bookcase, 72" High, Mahogany <ul style="list-style-type: none"> Mahogany Finish 5 adjustable/removable shelves (3/4" thick) 72"H X 36"W x 12"D 	Expected Delivery 1 - 4 Business Days	\$239.99 6-Shelf	Qty. Add to Favorites
Item 505654 Model HAR17262				
	Harbour Creations BC Series Wood Veneer Bookcase, 72" High, Medium Oak <ul style="list-style-type: none"> Medium Oak Finish 5 adjustable/removable shelves (3/4" thick) 72"H X 36"W x 12"D 	Expected Delivery 1 - 4 Business Days	\$239.99 6-Shelf	Qty. Add to Favorites
Item 505656 Model HAR17263				
	Harbour Creations BC Series Wood Veneer Bookcase, 72" High, Walnut <ul style="list-style-type: none"> Walnut Finish 5 adjustable/removable shelves (3/4" thick) 72"H X 36"W x 12"D 	Expected Delivery 1 - 4 Business Days	\$239.99 6-Shelf	Qty. Add to Favorites
Item 505657 Model HAR17264				
	Harbour Creations BC Series Wood Veneer Bookcase, 84" High, Mahogany <ul style="list-style-type: none"> Mahogany Finish 6 adjustable/removable shelves (3/4" thick) 84"H X 36"W x 12"D 	Expected Delivery 1 - 4 Business Days	\$269.99 Each	Qty. Add to Favorites
Item 505658 Model HAR18462				
	Harbour Creations BC Series Wood Veneer Bookcase, 84" High, Medium Oak <ul style="list-style-type: none"> Medium Oak Finish 6 adjustable/removable shelves (3/4" thick) 84"H X 36"W x 12"D 	Expected Delivery 1 - 4 Business Days	\$269.99 Each	Qty. Add to Favorites
Item 505659 Model HAR18463				
	Harbour Creations BC Series Wood Veneer Bookcase, 84" High, Walnut <ul style="list-style-type: none"> Walnut Finish 6 adjustable/removable shelves (3/4" thick) 84"H X 36"W x 12"D 	Expected Delivery 1 - 4 Business Days	\$269.99 Each	Qty. Add to Favorites
Item 505660 Model HAR18464				
	sort by Name	sort by Delivery	sort by Price	

*See our delivery policy for full details.

Copyright 2005-06, Staples, Inc. All Rights Reserved.

Questions? Call 1-800-3STAPLE or email us at <http://www.staples.com/emailus>.

391-8

	Harbour Creations BC Series Wood Veneer Bookcase, 36" High, Mahogany <ul style="list-style-type: none"> • Mahogany Finish • 2 adjustable/removable shelves (3/4" thick) • 36"H X 36"W x 12"D 	Expected Delivery1 - 4 Business Days	\$139.99 3-Shelf	<input type="text" value="Qty."/> <input type="button" value="Add to Favorites"/>
	Harbour Creations BC Series Wood Veneer Bookcase, 36" High, Medium Oak <ul style="list-style-type: none"> • Medium Oak Finish • 2 adjustable/removable shelves (3/4" thick) • 36"H X 36"W x 12"D 	Expected Delivery1 - 4 Business Days	\$139.99 3-Shelf	<input type="text" value="Qty."/> <input type="button" value="Add to Favorites"/>
	Harbour Creations BC Series Wood Veneer Bookcase, 36" High, Walnut <ul style="list-style-type: none"> • Walnut Finish • 2 adjustable/removable shelves (3/4" thick) • 36"H X 36"W x 12"D 	Expected Delivery1 - 4 Business Days	\$139.99 3-Shelf	<input type="text" value="Qty."/> <input type="button" value="Add to Favorites"/>
	Harbour Creations BC Series Wood Veneer Bookcase, 48" High, Mahogany <ul style="list-style-type: none"> • Mahogany Finish • 3 adjustable/removable shelves (3/4" thick) • 48"H X 36"W x 12"D 	Expected Delivery1 - 4 Business Days	\$169.99 4-Shelf	<input checked="" type="text" value="Qty. 2"/> <input type="button" value="Add to Favorites"/>
	Harbour Creations BC Series Wood Veneer Bookcase, 48" High, Medium Oak <ul style="list-style-type: none"> • Medium Oak Finish • 3 adjustable/removable shelves (3/4" thick) • 48"H X 36"W x 12"D 	Expected Delivery1 - 4 Business Days	\$169.99 4-Shelf	<input type="text" value="Qty."/> <input type="button" value="Add to Favorites"/>
	Harbour Creations BC Series Wood Veneer Bookcase, 48" High, Walnut <ul style="list-style-type: none"> • Walnut Finish • 3 adjustable/removable shelves (3/4" thick) • 48"H X 36"W x 12"D 	Expected Delivery1 - 4 Business Days	\$169.99 4-Shelf	<input type="text" value="Qty."/> <input type="button" value="Add to Favorites"/>
	Harbour Creations BC Series Wood Veneer Bookcase, 60" High, Mahogany <ul style="list-style-type: none"> • Mahogany Finish • 4 adjustable/removable shelves (3/4" thick) • 60"H X 36"W x 12"D 	Expected Delivery1 - 4 Business Days	\$209.99 5-Shelf	<input type="text" value="Qty."/> <input type="button" value="Add to Favorites"/>
	Harbour Creations BC Series Wood Veneer Bookcase, 60" High, Medium Oak <ul style="list-style-type: none"> • Medium Oak Finish • 4 adjustable/removable shelves (3/4" thick) • 60"H X 36"W x 12"D 	Expected Delivery1 - 4 Business Days	\$209.99 5-Shelf	<input type="text" value="Qty."/> <input type="button" value="Add to Favorites"/>
	Harbour Creations BC Series Wood Veneer Bookcase, 60" High, Walnut	Expected Delivery1 - 4 Business Days	\$209.99 5-Shelf	<input type="text" value="Qty."/>

STAPLES**391-9**

that was easy®

Back to: Carts & Stands / Audio/Visual Carts



Office Impressions Adjustable Audio Visual Cart with Power Strip

Three-outlet power strip with 25-foot cord and storage bracket

- Holds monitors to 27"
- Height adjusts from 40" to 56"
- Two locking 4 casters
- Ready to assemble

	sort by Name	sort by Delivery	sort by Price	
 Item 506751 Model OID36660	Adjustable Audio Visual Cart with Power Strip <ul style="list-style-type: none"> ● Holds monitors to 27" ● Height adjusts from 40" to 56" ● Two locking 4 casters 	Expected Delivery7 - 14 Business Days	\$364.68 Cart	Qty. <hr/> Add to Favorites
 Item 347288 Model OID36650	Adjustable Audio Visual Cart with Power Strip and Locking Cabinet <ul style="list-style-type: none"> ● Holds monitors to 27" ● Height adjusts from 40" to 56" ● Two locking 4 casters 	Expected Delivery7 - 14 Business Days	\$493.64 Cart	Qty. <hr/> Add to Favorites
	sort by Name	sort by Delivery	sort by Price	

*See our delivery policy for full details.

Copyright 2005-06, Staples, Inc. All Rights Reserved.

Questions? Call 1-800-3STAPLE or email us at <http://www.staples.com/emailus>.

Buy the JVC 4-Head VCR (HRS2902U) and other VCRs at circuitcity.com

391-10

Order anytime @ 1-800-843-2489

| Cart | Order Status | My Account | Help



Just what I needed!

What's New

Services

Outlet

Gift Cards

Shop by Brand

Weekly Ad

Store Locator

Catalog

TV & Video

Audio / MP3

PCs

Cameras

Car

Home, Office & Phones

Games & Toys

Movies & Music

Buy online. Pick up in-store.

Ready in 26 minutes or this gift card's yours. ▶

Search

All products

go

JVC 4-Head Hi-fi Stereo VCR

Home > TV & Video > VCRs > Product Information for JVC HRS2902U

Order anytime @ 1-800-843-2489

Email a friend

Print



JVC 4-Head VCR (HRS2902U)

- Four-head design
- Hi-fi stereo capability
- Front A/V inputs
- Plug and play

Price:

\$129.00



- How to Get It
zip code View shipping options
 Not available in stores

Note: This item is shipped directly from the vendor and shipping times may be affected.

Protect it!

Circuit City Advantage Protection
Plan for 2 years on JVC
HRS2902U
\$24.98



Just what I needed!

What's New

Services

Outlet

Gift Cards

Shop by Brand

Weekly Ad

Store Locator

Catalog

TV & Video

Audio / MP3

PCs

Cameras

Car

Home, Office & Phones

Games & Toys

Movies & Music

Cart

Order Status

My Account

Help

Just what I needed!

What's New

Services

Outlet

Gift Cards

Shop by Brand

Weekly Ad

Store Locator

Catalog

TV & Video

Audio / MP3

PCs

Cameras

Car

Home, Office & Phones

Games & Toys

Movies & Music

Cart

Order Status

My Account

Help

Just what I needed!

What's New

Services

Outlet

Gift Cards

Shop by Brand

Weekly Ad

Store Locator

Catalog

TV & Video

Audio / MP3

PCs

Cameras

Car

Home, Office & Phones

Games & Toys

Movies & Music

Cart

Order Status

My Account

Help

Four-head design: Four heads provide the best VHS playback quality and enhanced features such as still frame and slow motion.
Hi-fi stereo capability: Hi-fi stereo ensures high quality sound reproduction.
Front A/V inputs: Makes it easy to hook up other VCRs, camcorders or video game consoles.
Plug and play: Local time and available channels are set automatically

Accessories


Recommended

Belkin Surge
Protector
(F9582008CLI)

STAPLES**391-11**

that was easy.*

Back to: Furniture Accessories / Costumers/Garmet Racks



Magnuson Group Office Rak™ with Preset Hanger Spacing

Includes 8, /clatter-proof/ polystyrene hangers, MGNMG17PM6CG (also sold separately) with slotted design to reduce theft. Features wire hat and boot shelves; two umbrella holders with molded drip trays.

- Clean, uncluttered lines fit any office environment.
- Heavy-gauge steel construction; rustproof, vinyl coated shelves.
- Black.
- 3" spacing between garments ensures proper ventilation.
- 60"H x 22"D
- Ready to assemble. No tools required for assembly.

	sort by Name	sort by Delivery	sort by Price	
 Item 506292 Model MGNOR4AGY	48" Wide Office Rack, Holds 16 Hangers, Gray, Includes 16 Hangers <ul style="list-style-type: none"> • Clean, uncluttered lines fit any office environment. • Heavy-gauge steel construction; rustproof, vinyl coated shelves. • Black. 	Expected Delivery 7 - 14 Business Days	\$369.99 Each	Qty. <hr/> Add to Favorites
 Item 506289 Model MGNOR4ABK	Magnuson Group 48" Wide Office Rak®, Black <ul style="list-style-type: none"> • Clean, uncluttered lines fit any office environment. • Heavy-gauge steel construction; rustproof, vinyl coated shelves. • Black. 	Expected Delivery 7 - 14 Business Days	\$369.99 Each	Qty. <hr/> Add to Favorites
	sort by Name	sort by Delivery	sort by Price	

*See our delivery policy for full details.


Copyright 2005-06, Staples, Inc. All Rights Reserved.

391-12



that was easy®

Back to: Office Machines / Comb Binding Machines



GBC CombBind™ C75 Manual Binding System

Great for the small home or office

- Binds up to 125 sheets of paper, punches up to 10 sheets
- Easily add and remove sheets with a machine for quick edits
- Manual punching and binding with ZipBind® Easy-Editing spines
- Features an ergonomic handle for extended use
- Horizontal paper feed
- Pages lie flat for convenient notetaking and photocopying

Item 599470 Model 7704230	GBC CombBind™ C75 Manual Binding System	Expected Delivery 1 Business Day	\$99.99 Each	Qty. 1
				Add to Favorites


*See our delivery policy for full details.

Copyright 2005-06, Staples, Inc. All Rights Reserved.

Questions? Call 1-800-3STAPLE or email us at <http://www.staples.com/emailus>.



391-13


[Log in to your account](#)
[Bookmark this page!](#)
[Home](#) [Home & Garden](#) [Computers](#) [Clothes](#) [Halloween](#) [Toys](#) [Electronics](#) [Kids](#) [Jewelry](#) [All Departments](#)

I'm shopping for

In All Departments

Home > Electronics > Television (TV) > Standard (4:3) > RCA

[Email this page](#)

Standard (4:3), RCA Television (TV)

Search took 0.003 of a second.

Standard (4:3), RCA Television (TV)

 Sort by:
 Best Match

Buying Guides

Televisions

 [Compare](#) << Choose at least two products to compare.

Technology Type


CRT

LCD

 Check to Compare

**RCA TruFlat
27F500TDV 27
In Combo CRT
TV**

\$399.99



Found at 1 store

TV Style

TV Combo

Flat Screen

Flat Panel

 Aspect Ratio:
 Widescreen
 (16:9), Standard
 (4:3)


HD Capability

HDTV

 Check to Compare

**RCA E13320 13
In TV
Aspect Ratio:
Standard (4:3)**

\$98



Found at 2 stores

 2 reviews:
 ★ ★ ★

Price Range

Under \$300

\$300 - \$530


Over \$530

More

 Check to Compare

**RCA TruFlat
20F510TD 20 in
Combo CRT TV
Aspect Ratio:
Standard (4:3)**

\$218.99



Found at 1 store

Product Line

TruFlat

 Check to Compare

**RCA
24F501TDV 24
In TV/DVD/VCR
Combo
Aspect Ratio:
Widescreen
(16:9), Standard
(4:3)**

\$499.95



Found at 1 store

Resolution

800 X 600 Pixels

or Browse by:

Stores

[TVs Sitemap](#)
 Check to Compare

**RCA
LCDS2022B 20**

\$883.00



Found at 1 store

391-14
[Home](#) • [My Account](#) • [Shopping Cart \(0 items\)](#)
[SHOP BY ITEM](#)[SHOP BY BRAND](#)[SALES & PROMOTIONS](#)[ADVICE CENTRAL](#)[CUST](#)

Search: All Brands

for

[Go!](#)[ADVANCED SEARCH](#)**Call Us Toll Free****PRODUCT DETAILS**

- [» Manufacturer Details](#)
- [» Insights](#)
- [» Product Details](#)
- [» Weight & Dimensions](#)
- [» See Similar Products In](#)
- [» Additional Images](#)
- [» For Your Reference](#)


QUESTIONS? EMAIL US!

Have any questions about this product? Send us an email,

RELATED ITEMS

- Peerless VPM 40-W and SVPM 40-W - VCR/DVD Bracket for LWB-530, LWB-354 AND WB-20T
Free Shipping!
From \$45.00

**Actual size
will vary**



[Enlarge Image](#) | [Additional Images](#)

Email this product to a friend [Email](#)

Peerless LWB-530 and LW Locking Wall Mount for 19"

FREE SHIPPING!

The Slimline™ Wall Mounts provide a the Jumbo Mount for installations wil These shelf style wall mounts offer a profile design that is unparalleled in safety.

Features:

- Ideal for... (See Full Description)

OUR PRICE: \$75.00

Original Price: \$99.00

You Save: \$24.00 (24%)

SKU #PE0001

Seen this item for less?

Step 1: Select Your Shipping

FREE SHIPPING! Usually ships within 24 to 72 hours [See Estimated Dates]

Ground - Free!

Step 2: Select Options**Style:** Select Style

Questions? Call us anytime at (866) 506-6868


Quantity: 1**Add****Manufacturer Details:**

Peerless Industries has been the leader in the audiovisual mounti over 40 years, providing innovative mounting solutions that focus of installation and functionality while providing an aesthetically ple and... More on Peerless...

Insights:

Construction Quality	what's this?
Economical	Premium

Shipping Damage	what's this?
Rarely	Often

391-15

Alvin "Onyx" Fold-Away -- FREE FREIGHT


This contemporary fold-away drafting table is perfect for home, office and dormitory. The sturdy 1-1/2" tubular steel frame is easy to set up and is available either in black or white powder-coated finish that will provide years of service. The four telescoping legs allow the tabletop surface to easily adjust from 29" to 44" in horizontal position and tilt from 0 to 45 degrees. drafting table has fold-away gate hinges permit base to fold flat in seconds to 5" for convenient storage. Warp-free white Melamine drawing board top. Please specify White or Black base when ordering drafting table. Free Freight applies to shipments in the continental U.S. only, and does not include shipments to Alaska and Hawaii.

24" x 36" top (#ONX-30) \$119.95 [ADD TO CART](#)

30" x 42" top (#ONX-42) \$137.80 [ADD TO CART](#)

DRAFTING & ART ★[Art & Drafting Tables](#) ★[Art Supplies](#) ★[Board Cover](#) ★[Chairs](#) ★[Computer Tables](#) ★[Consl. Calculators](#) ★[Cutting](#)
★[Drafting Kits](#) ★[Drafting Machines](#) ★[Drafting Tables](#) ★[Drawing Protectors](#) ★[Erasing Machines](#) ★[Files & Storage](#) ★[Hobby & Craft](#) ★[Lam](#)
[Tables & Boxes](#) ★[Mayline Group Products](#) ★[Paper, Film & Supplies](#) ★[Parallel Rule/ Straightedges](#) ★[Pens & Pencils](#) ★[Plan Measures](#) ★[Ri](#)
[Scales](#) ★[Stools](#) ★[Student Supplies](#) ★[Table Trays/ Pencil Ledges](#) ★[Taboret](#) ★[Trimmers](#) **SCHOOL** ★[Drafting Tables & Furniture](#) **PLOT**
PRINTERS ★[HP Plotters](#) ★[HP Inkjet Cartridges](#) ★[Inkjet Media](#) ★[Other Media](#) **XEROGRAPHIC** ★[Media & Supplies](#) ★[SITE MAP](#)

391-16

			\$456.99	
	HON® 600 Series 42" Wide 3-Drawer Lateral File, Gray • Letter and legal • Three drawer • Gray Item 794891 Model 693L-Q	Expected Delivery 1 - 4 Business Days	\$479.99 File Cabinet Buy More, Save More • 1-2 @ \$479.99 • 3+ @ \$456.99	Qty. <hr/> Add to Favorites
	HON® 600 Series 42" Wide 3-Drawer Lateral File, Putty • Letter and legal size • Three drawer • Putty Item 794875 Model 693L-L	Expected Delivery 1 - 4 Business Days	\$479.99 File Cabinet Buy More, Save More • 1-2 @ \$479.99 • 3+ @ \$456.99	Qty. <hr/> Add to Favorites
	HON® 600 Series 42" Wide 4-Drawer Lateral File, Black • Letter and legal • Four drawer • Black Item 794925 Model 694L-P	Expected Delivery 7 - 14 Business Days	\$579.99 File Cabinet Buy More, Save More • 1-2 @ \$579.99 • 3+ @ \$552.99	Qty. <hr/> Add to Favorites
	HON® 600 Series 42" Wide 4-Drawer Lateral File, Charcoal • Letter and legal size • Four drawer • Charcoal Item 409356 Model HON694LS	Expected Delivery 7 - 14 Business Days	\$579.99 File Cabinet Buy More, Save More • 1-2 @ \$579.99 • 3+ @ \$552.99	Qty. <hr/> Add to Favorites
	HON® 600 Series 42" Wide 4-Drawer Lateral File, Gray • Letter and legal size • Four drawer • Gray Item 794933 Model 694L-Q	Expected Delivery 7 - 14 Business Days	\$579.99 File Cabinet Buy More, Save More • 1-2 @ \$579.99 • 3+ @ \$552.99	Qty. <hr/> Add to Favorites
	HON® 600 Series 42" Wide 4-Drawer Lateral File, Putty	Expected Delivery 7 - 14 Business Days	\$579.99 File Cabinet Buy More, Save More	Qty. <hr/> Add to

391-17


Setting the Standard for Online Office

[Home](#) | [Office Chairs](#) | [File Cabinets](#) | [Desks](#) | [Bookcases](#) | [Office Tables](#) | [Accessories](#)

Search Inventory


[view cart](#) | [my account](#)FREE & Flexible
Delivery Options

Low-Price Guarantee

Customer Satisfaction
GuaranteeWhy Planet Office
Furniture?Plan Ahead Volume
Discount ProgramDiscounts for Schools
and Non-Profits

Legal Size, 5 Drawer Vertical File Cabinets

Planet Office Furniture's offers you high quality legal size, 5-drawer vertical file cabinets. The files include a lock for the security of your paperwork. Choose from black, gray, or putty rust-proof exterior.



Hon 310 Series Five Drawer Vertical Files w/Locks - Legal Size

Dimensions: 60'H x 26 1/2"D x 18 1/2"W, Lock Included, Legal Size, 5 Drawers, No: 315CP

Our Price: \$329.25

Quick Finder

Need File Cabinets?



HON Lateral File Cabinets

2 Drawer 30" 36" 42"

3 Drawer 36" 42" Wide

4 Drawer 30" 36" 42"

5 Drawer 36" 42" Wide

Wood Lateral File Cabinets



HON Vertical File Cabinets

2 Drawer Letter Legal Size

3 Drawer Letter Legal Size

4 Drawer Letter Legal Size

5 Drawer Letter Legal Size

391-18

	<ul style="list-style-type: none"> • Recycled 	<ul style="list-style-type: none"> • 3+ @ \$514.99 	
 Item 794941 Model 685L-L	HON® 600 Series 36" Wide 5-Drawer Lateral File <ul style="list-style-type: none"> • Letter and legal size • Five drawer • Putty 	Expected Delivery 1 to 7 days	<p>\$649.99 File Cabinet</p> <p> Buy More, Save More</p> <ul style="list-style-type: none"> • 1-2 @ \$649.99 • 3+ @ \$618.99
	<ul style="list-style-type: none"> • Recycled 		Qty. <hr/> Add to Favorites
 Item 794958 Model 685L-P	HON® 600 Series 36" Wide 5-Drawer Lateral File, Black <ul style="list-style-type: none"> • Letter and legal size • Five drawer • Black 	Expected Delivery 1 to 7 days	<p>\$649.99 File Cabinet</p> <p> Buy More, Save More</p> <ul style="list-style-type: none"> • 1-2 @ \$649.99 • 3+ @ \$618.99
	<ul style="list-style-type: none"> • Recycled 		Qty. <hr/> Add to Favorites
 Item 409310 Model HON685LS	HON® 600 Series 36" Wide 5-Drawer Lateral File, Charcoal <ul style="list-style-type: none"> • Letter and legal size • Five drawer • Charcoal 	Expected Delivery 7 - 14 Business Days	<p>\$649.99 File Cabinet</p> <p> Buy More, Save More</p> <ul style="list-style-type: none"> • 1-2 @ \$649.99 • 3+ @ \$618.99
	<ul style="list-style-type: none"> • Recycled 		Qty. <hr/> Add to Favorites
 Item 794966 Model 685L-Q	HON® 600 Series 36" Wide 5-Drawer Lateral File, Gray <ul style="list-style-type: none"> • Letter and legal size • Five drawer • Gray 	Expected Delivery 1 to 7 days	<p>\$649.99 File Cabinet</p> <p> Buy More, Save More</p> <ul style="list-style-type: none"> • 1-2 @ \$649.99 • 3+ @ \$618.99
	<ul style="list-style-type: none"> • Recycled 		Qty. <hr/> Add to Favorites
	sort by Name	sort by Delivery	sort by Price

*See our delivery policy for full details.

Copyright 2005-06, Staples, Inc. All Rights Reserved.

Questions? Call 1-800-3STAPLE or email us at <http://www.staples.com/emailus>.

391-19



that was easy®

Back to: Furniture / File Cabinets

File Cabinets - Vertical

Our most popular option.

- All Vertical File Cabinets
- Commercial Metal
- Small or Home Office Metal
- Wood Vertical File Cabinets

Today's Features

Staples Vertical File, 25" 2-Drawer, Letter Size, Putty



\$99.98 File Cabinet

HON 1480 26 1/2"-Deep 2-Drawer/Letter Vertical File Cabinet, Light Gray



\$107.94 File Cabinet

 Special Buy

- Save \$12.05
- Only \$107.94 after 10% instant savings

*See our delivery policy for full details.

Copyright 2005-06, Staples, Inc. All Rights Reserved.

Questions? Call 1-800-3STAPLE or email us at <http://www.staples.com/emallus>.



391-20



that was easy®

[Back to: Furniture / File Cabinets](#)

Flat & Roll Files

Engineering and Art solutions.

- Drafting, Printout and Wire File Systems
- Flat File Systems

Today's Features

Safco 5-Drawer Steel Flat File Only, 16 1/2"H x 40 3/8"W x 29 3/8"D



\$779.99 File Only

Base: \$179.99

*See our delivery policy for full details.

Copyright 2005-06, Staples, Inc. All Rights Reserved.

Questions? Call 1-800-3STAPLE or email us at <http://www.staples.com/emallus>.




391-21



that was easy.®

[Back to: Storage & Organizers / Cardboard Drawer Storage](#)




Perma® 2300 Heavy-Duty Transfer File Systems

Heavy-duty transfer drawer system

- Heavy-duty 20-gauge steel side channels
- Heavy-duty 13-gauge double-metal crossbeam
- Heavy-duty drawer
- Stacks and interlocks up to 10 high
- Available in letter or legal size
- 45% post-consumer recycled content

Also Consider

Bin Warehouse Storage System, 18-File Box Model



\$99.99 Each

	Sort by Name	sort by Delivery	sort by Price	
 Item 113951 Model 23921	Perma® 2300 Heavy-Duty Legal-Size Transfer File System <ul style="list-style-type: none"> • Heavy-duty 20-gauge steel side channels • Heavy-duty 13-gauge double-metal crossbeam • Heavy-duty drawer 	Expected Delivery 1 to 7 days	\$39.99 Each	Qty. _____ Add to Favorites
 Item 113902 Model	Perma® 2300 Heavy-Duty Letter-Size Transfer File System <ul style="list-style-type: none"> • Heavy-duty 20-gauge steel side channels and • Heavy-duty 13-gauge double-metal crossbeam • Heavy-duty drawer 	Expected Delivery 1 to 7 days	\$36.99 Each	Qty. _____ Add to Favorites

391-22

Carrier PTAC Units | Wine Coolers | Compact Refrigerators | College Dorm Appliances | Room Air Conditioners | Di-

Place your order over the phone
TOLL FREE 868-688-1564

Home | Home and Kitchen Appliances | Air Conditioning | Laundry Appliances | Commercial Appliances

Shop by Brand: Select Brand



Enter Keyw

Early Autumn Sale! Save on entire site!

now through 09/26/2006

Can't find what you're looking for?
 Call us for assistance and find out if we
 carry an item that may not be online.

Shipping Calculator

Qty: 1 Zip:


For multiple pieces or for local
 rates in the NY/NJ area, please
 call for a price quote.

more images**Compact Refrigerator****Summit SW23L**

09/25 Summit SW23L
 09/21 Jennair JMW8527DAS
 09/21 Jennair JMW8527DAW
 09/21 Jennair JMW9527DAS
 09/21 Jennair JMW9527DAW

This Month's Best Sellers

Summit H1620W	\$69.99
	\$66.93
Avanti 653SST	\$285.99
	\$276.45
Hitachi RAS09UH-RAC09UHV	\$400.00
	\$454.03
Avanti 249SYB	\$100.99
	\$134.83
Danby DCR412BLS	\$200.99
	\$202.73

What's Hot

Manufacturer: Avanti
 Model No: EC15W-2
 Availability: In Stock
 Old Price: \$69.99
 Sale Price: \$66.33
 Qty:

enlarge**The Avanti EC15W-2 Compact Refrigerator**

The Avanti EC15W-2 is a great compact refrigerator. It's small size makes it a great unit for small a vibration making it very quiet.

1.7 Cu. Ft. Capacity - Thermo Electric Refrigerator - No Vibration - Reversible Door - Color: White

for more information on the EC15W-2 and other Avanti Appliances, please visit their official website.

Features

- Solid State Components For Superior Reliability
- No Vibration
- Unique State-Of-The-Art Thermolectric Technology
- Environmentally Friendly
- Full Range Temperature
- Reversible Door - Left Or Right Swing
- Soft Interior LED Lighting With ON/OFF Switch
- Slide Out Shelf
- Tall Bottle Door Rack - Holds 2-Liter
- Color: White
- Power 115 Volts - 60Hz

SPECS

Model: EC15W-2
 Refrigerator Type: Compact Refrigerator
 Door Color: White
 Cabinet Color: White
 Capacity: 1.70 cu. ft.

391-23

Toll Free 888.228.5800 | Chicagoland 847.967.8830



Shop With Confidence
Free Return Shipping On Thousand Of Items



[Why Abt?](#) | [Customer Service](#) | [Site Promotions](#) | [Wishlist](#) | [Store Location](#) | [Chicagoland Cut](#)

[Shop By Brand](#)[Shop By Category](#)[Testimonials](#)[Shipping](#)[Track Your Order](#)


Search Abt

 Email A Friend

search tips

[Shop Online](#)[Appliances](#)[Video & TV](#)[Cameras & Camcorders](#)[Audio & Home Theater](#)[Portable Electronics](#)[Communications](#)[Computer Products](#)[Mobile Electronics](#)[Furniture](#)[Gourmet Shop](#)[Accessories](#)[Extended Warranties](#)[Gift Cards](#)[Video Games](#)[Sunglasses](#)[More Ways To Shop](#)[Gift Registry](#)[Gift Ideas](#)[New & Hot](#)[Clearance Center](#)[Best Sellers](#)[Featured Products](#)[Available For Pre-Order](#)[Rebates](#)

RCA 19" Diagonal TV - F19421



RCA 19" Diagonal TV - F19421 / Advanced ColorView Processing/ On-Screen Clock, Sleep And Alarm Timers/ Front Audio Video Inputs/ Energy Star Compliant/ Remote Control

Back Ordered 7 To 14 Days

\$ 128.00

[Save to Wishlist](#)

Nee

Live

Buy!

Fre

Four

Free



Product Rating

(0 ratings)

[Write a Review](#)

RCA 19" Diagonal TV, Model F19421

RCA brings style and convenience together in this great 19" Diagonal Television. The sleek metallic silver finish will look fantastic in any room in your home. In addition to the attention to style, RCA included Front Audio Video Inputs, a Front Headphone Jack and Direct-Access Remote for total convenience. RCA didn't stop at style and convenience in this television – it is also packed with a High Contrast Picture Tube with Advanced ColorView Processing. This will increase the contrast on your television under bright room conditions and also provides vivid color highlights. Start enjoying the style and convenience of this 19" Diagonal Television today!

Features:

- 19" Diagonal Television with Front Inputs and Advanced ColorView Processing
- High Contrast Picture Tube with Advanced ColorView Processing
- On-Screen Clock, Sleep and Alarm Timers
- Front Audio Video Inputs
- Direct-Access Remote Control
- Trilingual On-Screen Display
- Front Headphone Jack
- Energy Star Compliant

Approximate Dimensions:

- Height: 17-1/4"
- Width: 19"
- Depth: 19"

Site

FRE
Or N
Item\$78
MosNO :
(OutSavi
On VWin
By S

Awa

Illino

R


R

391-24



that was easy®

[Back to: Modern / Bush Tuxedo Collection](#)



\$250.00

Bush Tuxedo Collection, "L" Desk

"L" style desk creates a large worksurface for all your needs.

- Durable Mocha Cherry finish is low maintenance and resists dents and scratches, while Satin Nickel hardware conveys elegance
- Accepts a hutch which can be mounted on either side of desk Includes one 2-drawer letter/legal file storage plus one CPU storage pedestal and keyboard tray
- 29 3/4" H x 59 3/8" W X 59 5/8"
- Includes 2 drawer letter/legal file storage plus CPU storage and keyboard tray
- Ready to assemble
- 6-year manufacturer's limited warranty
- [More details below](#)

391-25

International Espanol

Login

Office DEPOT®[Home](#) / [Tech Depot](#) / [Ink Depot](#) / [Design and Print](#)

1-4

Office Supplies

Furniture

Technology

Business Center

Customer Service

Company Info

Search for **Shopping Cart**

0 item(s) in Cart


Subtotal: \$0.00

Add \$50.00 more for
FREE Next Business
Day Delivery![View Cart](#) | [Check Out](#)**Shopping Tools**[Find Printer Supplies](#)Manufacturer Find a Store Order by Item # Order Tracking My Account My Shopping Lists Request a Catalog Apply for Credit Card Worklife Rewards Star Teacher Buyer's Edge Shop Our Site **\$289.99**

After Mail In Savings

20" Samsung Monitor

(online price \$349.99)

**Budget Folding Tables, 29"H x 72"W x 30"D,
Walnut**[View all Folding Tables](#)

These folding work tables are on hand when you need extra work space, but out of the way when you don't. The walnut melamine top is made of 5/8" industrial-density particle board, is water and scratch resistant, and is more burn resistant than vinyl. Features automatic leg locks, industrial-grade foot caps and edge molding. Available in a walnut wood-grain top with a dark-brown steel frame. Manufacturer's 1-year limited warranty.

Metal F
1/2"H
3/4"D
P
U
Qty:

Item #	Our Price	Units	Quantity
398677	\$50.99	each	In Stock

[Compare](#) [Add To Cart](#) [Add To List](#)**Product Details**

Item #	398677
Manufacturer #	29306M
manufacturer	Correll
brand name	Correll
tabletop construction	particleboard
base construction	steel
height	29 inches
width	72 inches
depth	30 inches
adjustable height	no
levelers	no
warranty	1-year limited
assembly required	no

Site Info: [Other Depots](#):
[Site Map](#) [Janitation Depot](#)
[Terms of Use](#) [Tech Depot](#)
[Privacy Policy](#) [Office Depot en Espanol](#)
[Products A-Z](#)

Customer Service:
[Contact Us](#)
[Delivery](#)
[Find a Store](#)
[Catalog Request](#)
[Office Depot Gift/Reward Cards](#)
[Recall Notice](#)

Company Info:
[Affiliate Program](#)
[Career Opportunities](#)
[International](#)
[Government Programs](#)
[Real Estate](#)
[Supply Chain Diversity](#)
[NASCAR / Carl Edwards](#)
[More](#)

Specials:
[Mail-in Savings Center](#)
[Advertised Specials](#)
[5% Back to Schools Program](#)
[Great Tools For Your School Sweepstakes](#)

Copyright ©2006 by Office Depot, Inc. All rights reserved.

Prices shown are in U.S. Dollars. Please login for country specific pricing. Prices are subject to change based on your order and delivery location(s) and the applicable retail store location. All orders are subject to the Terms of Use.

391-26

International Espanol

Login

Office DEPOT®[Home](#) [Tech Depot](#) [Ink Depot](#) [Design and Print](#)

1-4

Office Supplies

Furniture

Technology

Business Center

Customer Service

Company Info

Search for

Shopping Cart

0 Item(s) in Cart

Subtotal: \$0.00

Add \$50.00 more for
FREE Next Business
Day Delivery!*[View Cart](#) | [Check Out](#)

Ref

Shopping Tools[Find Printer Supplies](#)Manufacturer [Find a Store](#)[Order by Item #](#)[Order Tracking](#)[My Account](#)[My Shopping Lists](#)[Request a Catalog](#)[Apply for Credit Card](#)[Worklife Rewards](#)[Star Teacher](#)[Buyer's Edge](#)[Shop Our Site](#)Bo
Con
Erase/NP
L

Qty:

Smead
Manila
Size
P
U

Qty:

Smead
Manila
Size
P
U

Qty:

FREE**Online Business
Seminars!****SIGN UP for the
October 3
seminar now!
Learn More ****Product Details**

Item #	579433
Manufacturer #	N3C0046A
desktop accessory style	contemporary
color	Smoke
material	plastic
height	14 7/8 inches
width	13 inches
depth	4 inches
brand name	Office Depot
manufacturer	Office Depot

Site Info:

Other Depots:
[Site Map](#) [Janitation Depot](#)
[Terms of Use](#) [Tech Depot](#)
[Privacy Policy](#) [Office Depot en Espanol](#)
[Products A-Z](#) [Espanol](#)

Customer Service:

[Contact Us](#)
[Delivery](#)
[Find a Store](#)
[Catalog Request](#)
[Office Depot Gift/Reward Cards](#)
[Recall Notice](#)

Company Info:

[Affiliate Program](#)
[Career Opportunities](#)
[International](#)
[Government Programs](#)
[Real Estate](#)
[Supply Chain Diversity](#)
[NASCAR / Carl Edwards](#)
[More](#)

Specials:

[Mail-in Savings Center](#)
[Advertised Specials](#)
[5% Back to Schools Program](#)
[Great Tools For Your School](#)
[Sweepstakes](#)

Copyright ©2006 by Office Depot, Inc. All rights reserved.

Prices shown are in U.S. Dollars. Please login for country specific pricing. Prices are subject to change based on your order and delivery location(s) and the applicable retail store location. All orders are subject to the Terms of Use.

391-27



that was easy®

[Back to: Reception / Office Star® Traditional Oxblood Faux Leather Reception Seating](#)



Office Star® Traditional Oxblood Faux Leather Sofa

Elegant traditional tufted seating with brass nail-head trim enhances the beauty and aesthetic value of any room.

- Covered in durable, rich Oxblood faux leather with brass nail-head trim
- Mahogany finish legs
- Thick-cushioning for comfort and support
- 29"H x 79"W x 31-1/2"D
- Light assembly required to attach legs- products are shipped otherwise assembled
- Delivery includes driver carrying item inside, up one flight of stairs, and placing at location of customer's choosing
- 15-year limited warranty

Item 665016 Model TSX4603-4	Office Star® Traditional Oxblood Faux Leather Sofa	Expected Delivery 10-14 Business Days	\$849.99 Sofa New At Staples	Qty. 1 Add to Favorites
-----------------------------------	---	--	---------------------------------	---

*See our delivery policy for full details.

Copyright 2005-06, Staples, Inc. All Rights Reserved.

Questions? Call 1-800-3STAPLE or email us at <http://www.staples.com/emailus>.




391-28



that was easy®

[Back to: Desks / Executive Desks](#)



Sauder Westwood Executive Desk

The Sauder Westwood desk is finished in a classic cherry finish for an elegant appearance that is nicely complemented by the detailed moldings.

Desk ships in 2 boxes - both are required to complete desk. Please be sure to order both boxes. Total cost of desk is \$249.98.

- Durable melamine worksurface resists heat, stains and scratches
- Includes 2 box and 2 file drawers. File drawers accept letter & legal files
- 30 1/8"H x 65 1/2"D x 31 1/8"D

	sort by Name	sort by Delivery	sort by Price	
Item 461466	<p>Sauder Westwood, Executive Desk</p> <ul style="list-style-type: none"> • Durable melamine worksurface resists heat, stains and scratches • Includes 2 box and 2 file drawers. File drawers accept letter & legal files • 30 1/8"H x 65 1/2"D x 31 1/8"D <p>Zoom View</p>	Expected Delivery 1 to 7 days	\$249.98 Desk	<p>Qty.</p> <hr/> <p>Add to Favorites</p>
	sort by Name	sort by Delivery	sort by Price	

*See our delivery policy for full details.

Copyright 2005-06, Staples, Inc. All Rights Reserved.

Questions? Call 1-800-3STAPLE or email us at <http://www.staples.com/emailus>.




VERIFY

391-29



that was easy®

[Back to: Office Decor & Plants / Accent/Coffee Tables](#)



Office Star Mahogany Finish Reception Tables

All your needs for a comfortable, fashionable visitor's lounge.

- Solid wood construction with Mahogany finish
- Ready to assemble
- Mfr. limited lifetime warranty

	sort by Name	sort by Delivery	sort by Price	
 Item 623396 Model G4020M	Office Star Pro-Line II Mahogany Modular Coffee Table <ul style="list-style-type: none"> • Solid wood construction with mahogany finish • 16"H x 40-1/4"W x 20-1/4"D • Ready to assemble 	Expected Delivery 7 - 14 Business Days	\$179.99 Coffee Table	Qty. <hr/> Add to Favorites
 Item 623398 Model G2020M	Office Star Pro-Line II Mahogany Modular End Table <ul style="list-style-type: none"> • Solid wood construction with mahogany finish • 20-1/4"H x 20-1/4"W x 20-1/4"D • Ready to assemble 	Expected Delivery 7 - 14 Business Days	\$119.99 End Table	Qty. <hr/> Add to Favorites
	sort by Name	sort by Delivery	sort by Price	

*See our delivery policy for full details.

Copyright 2005-06, Staples, Inc. All Rights Reserved.

Questions? Call 1-800-3STAPLE or email us at <http://www.staples.com/emailus>.



391-30

ComputerDesksⁿmore

a Division of CymaxStores

Home * My Acc

Qty 0

Home

Bookcases


Computer Desks

Conference Tables

Office Chairs

Computer Carts

Search

**Free Shipping Every Day!****Call Us Toll Free:**

(Click for larger image)

Bestar 53400pkg Connexion Office Set 1
250.00 ea.

Item 53400pkg

List Price: \$849.95

\$499.00 No Sales TaxHave you seen this item for less?
Click here or Call 866-740-9830

You Save: \$350.95 (41%)

Availability: Item in stock!

Free Shipping for this item**Pre-Ship Processing Time:**

Check Estimated Arrival Date »

Live Cus
866.740.9
Monday -
7:00 AM
Saturday
9:00 AMRequest
Not sure
more proEmail a
Let a frie
item the;
your frie

Ref:

Shipping

Free Shipping


Enter QuantityQuantity: **Bestar 53400pkg Connexion Office Set 1 Description****Features:**

- Finish Is Slate & Sandstone
- Includes a 72" Desk, Credenza, Hutch for Credenza, Keyboard Shelf and Mobile CPU Platform
- Durable 1" (25.4mm) commercial grade work surface with melamine finish that resists scratches, stains and burns
- Deluxe 2.5mm PVC edges
- Features grommets for wire management
- Two large flip up doors
- Two convenient paper shelves under the flip up doors
- Rubber strip for wire management
- Keyboard Shelf with integrated pencil tray is deep enough to accommodate most laptops
- Desk dimensions are 71" W x 29.75" H x 29" D

Includes #T53400, #T53510, #T53610, #T53830.

Dimensions: 71 W x 29.75 H x 29 D**Weight:** 337 lbs**Shipping:** Free Shipping

391-31



- Home
- Quote Request
- Shopping Cart
- About Us
- Contact Us

Products:
Chalk to Dry Erase Conversion
 Retro-Fit
 Poly-Rite™
 Sheet Material

Whiteboards
 Marker Boards
 Teaching Walls
 Graphic Boards
 Combination Units
 Freestanding
 Conference Cabinets
 Student Lapboards

Trophy Cases
 Recessed
 Wall Mount

Bulletinboards
 Map & Display Rails
 Bulletinboards
 Teaching Walls
 Covered/Wrapped
 Enclosed
 Pedestals


Directory Boards
 Wall Mounted
 Pedestals
 Accessories

Easels
 Easels
 Presentation Easels

Accessories
 Markers/Cleaner
 Dir. Board Letters

Customer Service:
 General
 Payment
 Ordering
 Returns
 Shipping
 Warranties

Traditional Oak Conference Cabinets



Convenient brass hangers for using flip charts sheet pads. Pens, markers and erasers easily held in place by ribbed ledge. Natural Cork Bulletin Boards on interior of both doors. Solid oak cabinet frame. Note: Width doubles when opened, depth remains the same (48" wide = 96" open, 72" wide = 144" open).

- Projection screen also available, call or e-mail for details.

Wood Frame Description				
Qty	Size h x w	Colors	Depot Price	Buy
0	48" x 48"	Choose	\$899	<input type="button" value="Buy"/>


[Go Back](#)

39/- 32[HOME](#)[MY ORDERS](#)[SEARCH](#)[GALLERY](#)[WHY BUY FROM US?](#)[FAQs](#)


search ...


[All Furniture](#) | [Intelligent Designs Furniture](#) | [Office Furniture](#) | [Storage Cabinets](#) | [Hutches](#) | [Intelligent Designs 10155](#)

Intelligent Designs Storage Hutch



[click to enlarge](#)



Model: 10155
 List Price: \$197.99
 You Save: - \$98.49 (50%)
Our Price: \$99.50

Qty: 1 [Add to Cart](#)
The Right Furniture, Right Price!

*not eligible for further discount

At FurnitureBuzz, we know the customers expect our furniture to be lower than any of our competitors. If you've found this item priced lower somewhere else, give us a call.

This item is IN STOCK and will ship in 3-4 days.

Other Matching Items in Intelligent Designs' Living Dimensions Collection



Lateral File & Storage Cabinet
 \$264.50

Qty: 1



Lateral File
 \$165.00

Qty: 1




[View All Items in Intelligent Designs' Living Dimensions Collection](#)

Product Description


finish: Hardrock Maple
 Blackstone
 dimensions: 29 1/8"W x
 14"D
 weight: 88 lbs.
 warranty: 10 Year
 Twin locking doors with continuous hinging. Two interior height shelves. Fits perfectly atop Lateral File Cabinet, or on its own.

This furniture item requires complete assembly instructions provided with the unit. Typically, a Phillips head screwdriver will be required for assembly. Additionally, the manufacturer offers toll free phone support should assistance during assembly be required. A toll free number to call for this information is listed in the instruction book.

391 - 33

Cheap 27 Rca Tv Prices10,600+ Audio & Video Products Read **27 Rca Tv Reviews!**www.NexTag.com/Audio&Video[View larger image](#)[E-mail this page to a friend](#)**You may also like**

Toshiba
26HF85 - 26"
16:9 FST Pure
Flat Tube HDTV
Monitor - with
HDMI Input



Toshiba
24AF45 - 24
Inch FST PURE
Color TV - with
Stereo Sound



Toshiba
27AF45 - 27
Inch FST
PURE® Fine
Pitch Flat Color
TV - Silver
Finish

VISUALshow.com
SELLING DIRECT

Ready to buy?

Store
Rating[Price Promotions](#)[Add to Cart](#)[Save for Later](#)**RCA 24V412T - 24"**
Direct View TV - Favorite
Channel List

Item 24V412T

Was \$229.99
Now \$196.95

You Save \$33.04

Quantity 1

Picture, Sound and Convenience!
Presenting an RCA 24" Diagonal Television
that has picture and audio quality plus the
convenience of Electronic On-Screen
Notepad, Broadcast Stereo and Front-Fired
Speaker System, On-Screen Clock, Sleep,
and Wake Timers.

Usually ships within 1-2 days.

[Shipping Cost Estimator](#)[Enter US Destination Zip](#)[Display Cost](#)

Don't know Zip Code?
Get Info by state or country

[Product Info](#) | [Shipping Info](#) | [Return Policy](#) | [Store Info](#)**RCA 24V412T - 24" Direct View TV - Favorite Channel List**

Picture, Sound and Convenience! Presenting an RCA 24" Diagonal Television that has picture and audio quality plus the convenience of Electronic On-Screen Notepad, Broadcast Stereo and Front-Fired Speaker System, On-Screen Clock, Sleep, and Wake Timers, Rear Stereo AV Inputs with S-Video, Side Stereo AV Inputs, Rear AV Outputs, Trilingual On-Screen Display, Electronic On-Screen Notepad, Favorite Channel List, and Front Panel Lock.

Help us improve our site to be the best possible shopping experience online!
We value your input and welcome your comments!

[Send us your feedback!](#) >**SHOP.COM Cares Program**

The CareCode
Donation for this
Item is: \$3.54
(1.8%)

SHOP.COM Wishlists

Want this item on your
Wishlist?


eGifts - Create eGifts at SHOP.COM

Want this item as your eGift?

Photo # 79
391-34

Machine Tables

Steel Machine Tables



(A) Light Duty—Assemble these tables with a flat top (as shown) or with a 2" high lip around the edges by turning the top over. The tops are made of 16-gauge steel. Legs are 1½" x 1½" x ¾" thick angle iron with 1" wide thick corner braces. Color is green. Shipped unassembled. ~~Please specify height from those listed.~~

Mobile models have swivel casters with brakes and 2" dia. hard rubber wheels.

(B-F) Medium Duty—These tables are built to take on heavier loads. All have a welded construction with 12-gauge steel top (unless noted). Color is gray. ~~Please specify height (where applicable) from those listed.~~

Style B have 1½" x 1½" x ¾" thick angle iron legs (unless noted). Shipped assembled.

Mobile models have swivel casters with brakes and 3" dia. hard rubber wheels.

Style C include a 13" Wd. x 15" Dp. x 5" Ht. drawer with a capacity of 40 lbs. Legs are 1½" x 1½" x ¾" thick angle iron (unless noted). Shipped assembled.

Mobile models have swivel casters with brakes and 3" dia. hard rubber wheels.

Style D allow you to manually adjust height in 2" increments within range listed. Made entirely of 16-gauge steel with 1½" x 1½" x ¾" legs, these tables do not have a welded construction. Lower shelf adjusts in 4" increments. Shipped unassembled.

Mobile models have swivel casters with brakes and 3" dia. polypropylene wheels.

Styles E and F come furnished with one (Style E) or two (Style F) 12-gauge steel lower shelves. Legs are 1½" x 1½" x ¾" thick angle iron. Shipped assembled.

Stationary models have ¾" dia. holes in the feet for mounting to the floor. Mobile models have swivel casters with brakes and 3" dia. polyolefin wheels.


(G) Heavy Duty—Our highest capacity machine tables include a high capacity lower shelf. Top and lower shelf are 12-gauge steel. Legs are 2" x 2" x ¾" thick angle iron. Color is gray. Shipped assembled. Stationary models have ¾" dia. holes in the feet for mounting to the floor. Mobile models have swivel casters with brakes and 3" dia. polyolefin wheels.

Available Heights

Wd. x Dp.	Available Heights	O'all Cap., lbs.	Stationary		Mobile		
			Each	O'all Cap., lbs.	Each	O'all Cap., lbs.	
24" x 18"	18", 24", 30", 36"	800	4791T61	\$107.85	800	4791T81	\$184.80
26" x 22"	18", 24", 30", 36"	800	4791T62	113.04	800	4791T82	197.12
30" x 24"	18", 24", 30", 36"	800	4791T63	118.11	800	4791T83	204.96
36" x 24"	18", 24", 30", 36"	800	4791T64	123.20	800	4791T84	210.56
(A) Light Duty							
24" x 18"	18", 24", 30", 36", 42"	1500	4871ST31	97.47	500	4871ST61	160.93
36" x 24"	18", 24", 30", 36", 42"	1500	4871ST32	127.78	500	4871ST62	193.04
48" x 24"	18", 24", 30", 36", 42"	1500	4871ST33*	159.10	500	4871ST63*	226.38
(B) Medium Duty							
24" x 18"	18", 24", 30", 36", 42"	1500	4871ST71	212.27	500	4871ST81	268.33
36" x 24"	18", 24", 30", 36", 42"	1500	4871ST72	242.56	500	4871ST82	296.32
48" x 24"	18", 24", 30", 36", 42"	1500	4871ST73*	273.98	500	4871ST83*	328.24
(C) Medium Duty with Drawer							
24" x 18"	18", 24", 30"-36"	1500	4805T11	58.33	1000	4805T31	108.39
30" x 24"	18"-24", 30"-36"	1500	4805T32	72.62	1000	4805T32M	129.71
36" x 24"	18"-24", 30"-36"	1500	4805T33	79.65	1000	4805T33M	144.83
48" x 24"	18"-24", 30"-36"	1500	4805T34	91.19	1000	4805T34M	164.78
(D) Medium Duty Adjustable Height with Lower Shelf							
24" x 18"	18", 24", 30"-36"	2000	5167T51	127.92	2000	5167T21	213.38
36" x 24"	18", 24", 30"-36"	2000	5167T53	140.00	2000	5167T23	224.87
48" x 24"	18", 24", 30"-36"	2000	5167T55	173.19	2000	5167T25	256.47
60" x 24"	18", 24", 30"-36"	2000	5167T57	200.60	2000	5167T27	294.70
(E) Medium Duty with Lower Shelf							
36" x 18"	32"	2000	5167T51	127.92	2000	5167T21	213.38
36" x 24"	32"	2000	5167T53	140.00	2000	5167T23	224.87
48" x 24"	32"	2000	5167T55	173.19	2000	5167T25	256.47
60" x 24"	32"	2000	5167T57	200.60	2000	5167T27	294.70
(F) Medium Duty with Two Lower Shelves							
36" x 18"	32", 32"	2000	5167T52	180.77	2000	5167T22	263.70
36" x 24"	32", 32"	2000	5167T54	200.91	2000	5167T24	282.87
(G) Heavy Duty with Lower Shelf							
36" x 18"	32"	2000	5167T61	109.47	2000	5167T41	281.49
48" x 24"	32"	3000	5167T64	208.66	2600	5167T44	792.87
48" x 24"	32"	3000	5167T67	244.28	2600	5167T47	324.17
72" x 34"	32"	3000	5167T69	371.40	2600	5167T49	419.13

* Has 1½" x 1½" x ¾" angle iron legs. ■ Available heights are 22"-28", 34"-40".

High-Capacity Steel Machine Tables



Able to hold a whopping 36,000 lbs., these tables have the highest capacity of any machine table we offer. All have a welded steel construction with precision-ground top. The legs are 4" x 4" x ¾" thick angle iron with 2" x 3" x ¾" thick cross bracing for added strength. The bottom of each leg has two tapped holes (1 1/4"-13 and 5/8"-11) and one drilled hole (7/16" dia.) for mounting to the floor. Inmounting fasteners not included. Color is gray. Shipped assembled. ~~Please specify height: 24", 30", 32", 34", or 36".~~

Wd. x Dp.	Top Thick.	Each	Wd. x Dp.	Top Thick.	Each		
24" x 24"	1 1/4"	4789T42	\$696.47	48" x 30"	3/4"	4789T47	\$1127.06
30" x 24"	3/4"	4789T43	775.29	48" x 36"	3/4"	4789T48	1252.94
30" x 30"	3/4"	4789T45	864.88	48" x 48"	1"	4789T49	1658.02
36" x 24"	3/4"	4789T44	855.29	60" x 30"	3/4"	4789T83	1221.72
36" x 30"	3/4"	4789T48	935.29	72" x 30"	3/4"	4789T84	1395.12

Capacities listed are based on an evenly distributed load.

10600 | Partitions

10615 | Demountable Partitions

ITEM	DESCRIPTION	CREW	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL FACI. CHG.
						MAT.	LABOR	EQUIP.	TOTAL	
5700	For doors, see Div. 08100 & 08200									
5800	For door hardware, see Div. 08700									
6100	Fit-plant modular office system, w/prehung hollow core door									
6200	3" thick, polystyrene core panels									
6250	12' x 12', 2 wall	2 Crew	3.80	4.211	Ea.	2,675	115		2,790	3,150
6300	4 wall		1.90	8.421		3,725	231		3,956	4,475
6350	16' x 16', 2 wall		3.60	4.444		4,175	122		4,297	4,800
6400	4 wall		1.80	8.869		5,375	244		5,619	6,300
9080	Minimum labor/equipment charge	2 Crew	3	5.333	Job		190		190	335

10630 | Port. Partitions/Screens/Panels

ITEM	DESCRIPTION	CREW	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL FACI. CHG.
						MAT.	LABOR	EQUIP.	TOTAL	
0010	PARTITIONS, PORTABLE Divider panels, free standing, fiber core									
0020	Fabric face straight									
0100	3' 0" long, 4' 0" high	2 Crew	100	.160	L.F.	106	5.70		111.70	126
0200	5' 0" high		90	.178		107	6.30		113.30	128
0500	6' 0" high		75	.213		122	7.60		129.60	147
0900	5' 0" long, 4' 0" high		175	.091		80.50	3.28		83.75	94
1000	5' 0" high		150	.107		98.50	3.79		102.29	119
1500	6' 0" high		125	.128		94.50	4.55		99.05	112
1600	* 6' 0" long, 5' 0" high		162	.699		79	3.51		82.51	93
3100	Curved, 3' 0" long, 5' 0" high		90	.178		83	6.30		89.30	102
3150	6' 0" high		75	.213		95.50	7.60		103.10	118
3200	Economical panels, fabric face, 4' 0" long, 5' 0" high		132	.121		39.50	4.31		43.81	50.50
3250	6' 0" high		112	.143		42.50	5.10		47.60	55
3300	5' 0" long, 5' 0" high		150	.107		34.50	3.79		38.29	44.3
3350	6' 0" high		125	.128		36	4.55		40.55	47
3380	3' 0" curved, 5' 0" high		90	.178		83	6.30		89.30	102
3390	6' 0" high		75	.213		95.50	7.60		103.10	118
3450	Acoustical panels, 60 to 90 NRC, 3' 0" long, 5' 0" high		90	.178		95.50	6.30		101.80	115
3550	6' 0" high		75	.213		91.50	7.60		99.10	114
3600	5' 0" long, 5' 0" high		150	.107		66.50	3.79		70.29	79.4
3650	6' 0" high		125	.128		73.50	4.55		78.05	88.3
3700	6' 0" long, 5' 0" high		162	.699		64.50	3.51		68.01	76.5
3750	6' 0" high		138	.116		64.50	4.12		68.62	78
3800	Economy acoustical panels, 40 NRC, 4' 0" long, 5' 0" high		132	.121		39.50	4.31		43.81	50.50
3850	6' 0" high		112	.143		42	5.10		47.10	54.5
3900	5' 0" long, 5' 0" high		125	.128		36	4.55		40.55	47
3950	6' 0" long, 5' 0" high		162	.699		29.50	3.51		33.01	38.51
4000	Metal chalkboard, 6' 6" high, chalkboard, 1 side		125	.128		90.50	4.55		95.05	107
4100	Metal chalkboard, 2 sides		120	.133		103	4.74		107.74	122
4300	Jackboard, both sides		123	.130		82	4.62		86.62	97.5
9080	Minimum labor/equipment charge		3	5.333	Job		190		190	335

10651 | Accordion Folding Partitions

ITEM	DESCRIPTION	CREW	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL FACI. CHG.
						MAT.	LABOR	EQUIP.	TOTAL	
0010	PARTITIONS, FOLDING ACCORDION									
0100	Vinyl covered, over 150 S.F., frame not included									
0300	Residential, 1.25 lb. per S.F., 8' maximum height	2 Crew	300	.053	S.F.	17.35	1.90		19.25	21
0400	Commercial, 1.75 lb. per S.F., 8' maximum height		225	.071		19.85	2.53		22.38	25
0600	2 b. per S.F., 17' maximum height		150	.107		20.50	3.79		24.29	25
0700	Industrial, 4 b. per S.F., 20' maximum height		75	.213		29.50	7.60		37.10	41
0900	Acoustical, 3 b. per S.F., 17' maximum height		100	.160		23	5.70		28.70	31
1200	5 b. per S.F., 20' maximum height		95	.168		32	6		38	41
1300	5.5 b. per S.F., 17' maximum height		90	.178		37.50	6.30		43.80	48
1400	Fire rated, 4.5 psf, 20' maximum height		160	.100		37.50	3.56		41.06	45

10600 |

10651 | A

550	Vinyl clad
560	Wood, nov
580	Minimum l

10653 | Fe

590	PARTITIONS,
6100	Vinyl facer
6150	A
6200	M
6300	Formic
6500	N
6600	Wood, low
6700	Steel, acco
6800	M
6900	Aluminum l
7000	M
7100	6.5 lb.
7200	M
7300	Medium fe

10658 | Ac

7400	PARTITIONS, 4
7500	Acoustic al
7600	M
7800	2 1/4"
7900	M
8000	For tra
8100	Overhead b
8200	M

10670 |


10674 | Sto

8300	SHEDDING
8400	Metal, inclus
8500	24"
8600	4" wide
8700	24"
8800	Enclosed si
8900	24"
9000	Fully enclos
9100	24"
9200	4" wide
9300	24"
9400	Wide span
9500	36"
9600	8" wide
9700	36"
9800	Pallet racks

391-37



that was easy.*

[Back to: Carts & Stands / Mobile Printer Stands](#)

Balt Dual Printer Stand

- Gray laminate shelves and gray frame
 - Holds two laser printers, copiers, scanners, fax machines, or any combination
 - 33"H x 24"W x 24"D
 - Top and bottom platforms each measure 24"W x 20"D
 - Bottom platform extends two inches for easy accessibility to equipment
 - Bottom wrap-lock panel provides additional storage and stability
 - 2" casters for mobility
 - Ready to assemble
- [More details below](#)

Item 465564 Model 23701	Balt Dual Printer Stand	Expected Delivery 5-10 Business Days	\$259.99 Each	Qty. <input type="text" value="1"/>
				Add to Favorites

Specifications

Color of Item	Gray
Assembly required	Yes

*See our delivery policy for full details.

Copyright 2005-06, Staples, Inc. All Rights Reserved.

Questions? Call 1-800-3STAPLE or email us at <http://www.staples.com/emailus>.

391-38

12.

 Compare selected[Enlarge](#)
[Demo](#)**HP LaserJet 3052 All-in-One****Price: \$399.99***

(As low as \$20/mo†)

- Print, color scan, copy
- Up to 1200 x 1200 dpi
- Print and copy up to 19 pages per minute
- 7,000 pages per month
- Letter-size flatbed
- Automatic document feeder (50 pages)
- Network ready
- One-year limited warranty

13.

 Compare selected[Enlarge](#)
[Demo](#)**HP LaserJet 2420 Printer****Price: \$549.99****Price after rebates: \$449.99***

(As low as \$20/mo†)

You save: \$100.00 (18.2%)**

- Up to 30 pages per minute
- 75,000 pages per month
- 400MHz, 32MB RAM (expandable to 288MB)
- One-year limited warranty



Save \$100 Instantly

14.

 Compare selected[Enlarge](#)
[Demo](#)**HP Color LaserJet 2605dn Printer****Price: \$499.99****Price after rebates: \$449.99***

(As low as \$20/mo†)

391-40

Home
» Hardware Bundles
Barcode Scanners
Cash Drawers
Credit Card Readers
Label Printer
Pole Display
POS Keyboard
Receipt Printer
Receipt Printer Supplies
Touch Screen Monitor
Touch Screen Terminals
» Barcode Generator
» Contact Us
» Customer Comments
» Our Customers
» Press Releases
» Site Map
» Tech Support

» View Cart / Checkout
» Info & Policies
» Privacy Policy
» Search Page



POSWorld
Your Point of Sale and Barcode Superstore

Toll Free:
Local:
Toll Free Fax:
2100 Powers
Atlanta,

Manually Operated Cash Drawers

[Home](#) > [Cash Drawers](#) > [M-S Cash Drawer](#) > [Manually Operated Cash Dr](#)

These drawers have no electronic components. They are opened and close assembly that is released when the face of the drawer is pushed in, and latch when closed. The key lock is used to prevent access to the drawer.

These drawers are very popular for use by cabinet manufacturers or for other require the security of a cash drawer but without the need to interface with a system.



~~M-S Cash Drawer HP-121 - Manual Cash Drawer~~

~~13.0"(W) x 16.3"(L) x 3.54"(H)~~

~~Click for: Specifications / Order below...~~

~~HP-121 On Sale » \$89.00~~

~~QTY 1~~

~~Add to Cart~~



~~M-S Cash Drawer HP-122 - Manual Cash Drawer~~

~~18.8"(W) x 15.2"(L) x 3.94"(H)~~

~~Click for: Specifications / Order below...~~

~~HP-122 On Sale » \$129.00~~

~~QTY 1~~

~~Add to Cart~~



~~M-S Cash Drawer HP-123 - Manual Cash Drawer~~

~~15.9"(W) x 16.7"(L) x 3.86"(H)~~

~~Click for: Specifications / Order below...~~

~~HP-123 On Sale » \$109.00~~

~~QTY 1~~

~~Add to Cart~~



If you need assistance finding a specific cash drawer, please department a message by clicking here or calling 1-888-801-7

The Best Experience at the Best Price, Period.
Free Tech Support Fast, Free Shipping Award Winni
POS World is an Inc 500 & Entrepreneur Hot 100 Com

391-42



Buy Online or Contact Us: 1-800-449-3355



Products Services Support Purchase Help Account

Desktops Notebooks

Printers & Ink

Electronics & Accessories

Dell Outlet

Dell recommends Windows® XP Professional

You are here: USA > Home & Home Office > Accessories

Accessories

Narrow Your Selection

Search Within Accessories

Product Category

- Desktop Accessories (4)
- Memory (3)
- Monitors & Accessories (1)
- Notebook Accessories (4)
- Replacements & Upgrades (5)
- Software (10)
- Storage, Drives & Media (10)

Shop By Brand

- DELL (7)
- Adobe Systems (2)
- VOMagic Corporation (1)
- Intuit (1)
- Iomega (4)
- LaCie (2)
- Microsoft Corporation (1)
- [View More](#)

Shopping Tools



Memory

Ink



Batteries & Adapters

Accessories
for your Dell

You've searched for



OptiPlex

OptiPlex GX1

Start New Search

*For prices and availability on spare parts for this system call 1-800-357-3355.

Dell Electronics and Accessories

1 2 next

Sort by: Best Results

 Compare Selected Products Large Grid Small Grid BBB List

<p>DELL 2-Button USB Entry Mouse Usually Ships: Within 24 Hours Manufacturer Part#: H8565 Dell Part#: 310-5204</p> <p> Add to Cart</p> <p> More Details</p>	<p>DELL A225 Two-piece Stereo Speaker System for Select Dell OptiPlex Desktop / Precision WorkStation Systems - Customer Install Usually Ships: Within 24 Hours Manufacturer Part#: DJ46 Dell Part#: 313-4323</p> <p> Add to Cart</p> <p> More Details</p>	<p>DELL USB Enhanced Multimedia Keyboard Usually Ships: Within 24 Hours Manufacturer Part#: R6047 Dell Part#: 310-6168</p> <p> Add to Cart</p> <p> More Details</p>
<p>DELL 512 MB High Speed USB 2.0 Memory Key Usually Ships: Within 24 Hours Manufacturer Part#: CC395 Dell Part#: 311-5277</p> <p> Add to Cart</p> <p> More Details</p>		

391 - 43



Mon, Sep 25, 2006

» Return to original page

HP recommends Windows®
XP Professional

HP Pavilion and Pavilion Slimline PCs




Compare by Usage



Scroll right to see all 6 series »



Monitor sold separately



Monitor sold separately



Monitor sold separately



Monitor sold separately

s7600 series**Space-saving design**

- Fully loaded PCs just a third the size of a traditional tower
- Windows Vista Capable
- One-year limited in-home warranty¹¹

» See all offers

From \$449.99*

(after rebate)

As low as \$20/mo†
Apply now. Get up to 12 months no payments.**d4650 series****Premium computing**

- Latest processors, optional dual hard drive and latest graphics cards for extreme performance
- Windows Vista Capable
- One-year limited in-home warranty¹¹

» See all offers

From \$899.99*

As low as \$27/mo†

Apply now. Get up to 12 months no payments.

a1650 series**Digital photography**

- Intel and AMD dual-core processor options to handle multi-tasking and photography
- Windows Vista Capable
- One-year limited in-home warranty¹¹

» See all offers

From \$619.99*

(after rebate)

As low as \$22/mo†
Apply now. Get up to 12 months no payments.**a1620 series****Family essentials**

- Wide range of affordable memory, hard drive, and processor options for meeting all your family's PC needs
- Windows Vista Capable
- One-year limited in-home warranty¹¹

» See all offers

From \$449.99*

(after rebate)

As low as \$20/mo†
Apply now. Get up to 12 months no payments.**Features**

- Processor
Intel Core Solo or AMD Sempron Processors

- Processor
Intel Core 2 Duo or AMD Athlon 64 X2 dual core processors

- Processor
Intel or AMD dual core processors

- Processor
Intel Pentium 4 or AMD Athlon 64 processors

- Operating system
Genuine Windows XP Home
Genuine Windows XP Media Center
Genuine Windows XP Professional

- Operating system
Genuine Windows XP Home
Genuine Windows XP Media Center
Genuine Windows XP Professional

- Operating system
Genuine Windows XP Home
Genuine Windows XP Media Center
Genuine Windows XP Professional

- Operating system
Genuine Windows XP Home
Genuine Windows XP Media Center
Genuine Windows XP Professional

- TV and entertainment experience
TV tuner and remote available

- TV and entertainment experience
TV tuner and remote available

- TV and entertainment experience
TV tuner and remote control available

- TV and entertainment experience
Remote control available

- Memory speed
400MHz DDR or 533MHz DDR2 dual channel

- Memory speed
533MHz DDR2 or 667MHz DDR2 dual channel


- Memory speed
533MHz DDR2 dual channel SDRAM

- Memory speed
400MHz DDR or 533MHz DDR2 dual channel


391-44

Canon**CONSUMER PRODUCTS HOME ▶****DOWNLOAD LIBRARY****SUPPORT****WHERE TO BUY****PROMOTIONS****CL**

SOFTWARES	SCANNERS	CANONDEPOTS	PRINTERS	SCANNERS	PROFESSIONAL	COPIERS & FAX
APPLICATIONS	NETWORK WORKSTATIONS	PERSONAL & VISUAL DEVS	PERSONAL & VISUAL DEVS	EDUCATIONAL	SUPPLIES & ACCESS	



- SHOP**
- PRODUCT**
- CHOOSE T**
- SUPPORT**
- CANON AD**



Consumer Products Home :: Calculators :: Commercial Desktop Printing :: CP1200-D

CP1200-D **Buy Now!****CP1200D Calculator** 1 \$169.00 \$169.00

Item Code: 8838A001

The Competitive Edge in Business.

The CP1200D utilizes Canon's original heavy-duty design with a built in multi-angle kickstand that enables you to customize the angle to your personal preference. The durability is further enhanced by the "Double Injection Keys"; no matter how much you press a key, the number will never wear out because the number is not a decal, but part of the actual key. The Canon quality is also clear when you look at the fast, 4.3 lines per second, Two-color (black and red) print outs or the large, clear numbers on the 12 digit display. The CP1200D is not only strong, but smart. Sales tax rates can be stored and accessed with ease. At the end of a busy day, don't forget to cover the CP1200D with the included dust cover to protect it and extend its life.

- Decimal Point Selector Switch
- Round Up/Off/Down Switch
- Grand Total/Rate Set Switch
- Tax Keys
- Item Count Switch

Sign up to receive exclusive Canon savings & offers, new product announcements, product tips and much more!**View a sample**

© 2006 Canon U.S.A., Inc. All rights reserved. Duplication in whole or in part without permission is prohibited. Privacy Statement :: Terms of Use

391 - 45

Eligible for free standard shipping on orders over \$100



[Enlarge](#)



HP Wireless Rechargeable Optical Mouse

Price: \$47.49*

Eligible for free standard shipping on orders over \$100

[Enlarge](#)



HP Wireless Keyboard and Mouse

Price: \$49.99*

Eligible for free standard shipping on orders over \$100

[Enlarge](#)



Targus Bluetooth Wireless Mouse

Price: \$69.99*

Eligible for free standard shipping on orders over \$100

[Enlarge](#)

1-8 of 8 results

Page: 1

Sort by: [lowest price](#) | [highest price](#) | [most popular](#)

* Prices, promotions, specifications, availability and terms of offers may change without notice. Despite our best efforts, a small number of items may contain pricing, typography, or photography errors. Correct prices and promotions are validated at the time your order is placed. Please note these policies apply only to products sold by the HP Home & Home Office Store; reseller offers may vary.

† On your HP Home & Home Office Store credit card, subject to credit approval. Based only on the purchase price of this item. Taxes, shipping costs, additional purchases and other fees are not included in the monthly payment amount. A higher revised monthly payment amount will be calculated at checkout based on shipping preferences and zip code information.

‡ Intel's numbering is not a measurement of higher performance.

Celeron, Celeron Inside, Centrino, Core Inside, Intel, Intel Inside, Intel SpeedStep, Intel Viiv, Intel Xeon, Itanium, Itanium Inside, Pentium, Pentium Inside, the Centrino logo, the Intel logo and the Intel Inside logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

§ 1GB = One billion bytes when referring to hard drive capacity. Actual formatted capacity is less.

J.D. Power and Associates Certified Technology Service and Support Program™, developed in conjunction with SSPA. For more information visit www.jdpower.com or thesppa.com.

[» Return to original page](#)

391-46

[DR-210HT]

Technical Specs

► Registration

\$ 49.99

**At A Glance**

The DR-210HT prints 3.5 lines per second, has a giant display, 2-color printing and a right shift key.

► Larger View

Technical Specs**DR-210HT Technical Specifications****Display**

Digits	12
Type	Digitron
Special	Big Display

Printer

Speed - lines/second	3.5
Print Color	2 Black/Red
Type	Ribbon
Ink Roll	No
Ink Ribbon	RB-02/GB-02

Features

Decimal Selector	0-6
Item Counter	Yes
Independent Memory	Yes
Non-add	Yes
Tax Calculation	Yes
Exchange Calculation	Yes
Automatic Constants	Yes
Independent Add Register	Yes
Grand Total	Yes
MU/MD	Yes
Feed	Yes
Right Shift Key	Yes
Simple Algebraic Logic	No
Round Off	Yes
Round Up	Yes
Cut Off	Yes
ADD Mode	Yes
Profit Margin %	No
Paper	
2-1/4 inch plain	Yes

391-49



Order anytime @ 1-800-843-2489

Cart

Order Status

My Acc

Just what I needed®

| What's New | Services | Outlet | Gift Cards | Shop by Brand | Weekly Ad | Store Loc

TV & Video • Audio / MP3 • PCs • Cameras • Car • Home, Office & Phones • Games & Toys • N



Buy online. Pick up in-store.

Ready in 24 minutes or this gift card's yours. ▶

Search

All products

Monitors

Order anytime

Home > Search: Monitors > PCs > Monitors

Email

Shop by

Type of monitor

Flat-panel LCD (33)

Flat-screen CRT (4)

Widescreen (10)

Price

Under \$200 \$400-\$600 (3)

(17)

Over \$600 (0)

\$200-\$399 (19)

Brand

Acer (18) Sony (2)

Gateway (3) Star Logic (4)

HP (5) ViewSonic (3)

Preview (4) More...

Samsung (9)

Or shop by

Screen size

 View All Monitors

Accessories & Add-ons

Surge Protectors and UPS

Video Cards and Adapters

Showing 21 - 40 of 47 Matching Items

Page 1 2 3 < Previous Next >

Sort by:

Price ▲

Customer rating ▼

Top sellers ▼

compare

Click & I
Monitors

LG Monitor (L1932TQ)

- Flat-panel LCD
- 19" SXGA display
- 1280 x 1024 resolution
- 1400:1 contrast ratio
- 4-millisecond response
- Digital/analog inputs

Price was: \$299.99
You save: -\$10.00

\$289.99

See sale
price in cart

Customer rating

4.5

How to Get It

zip code Out of stock online

Notify me when available

 Get it today: check in-store availability Learn more about free in-store pickup

HP Monitor (VS17E)

- Flat-panel LCD
- 17" SXGA display
- 1280 x 1024 resolution
- Analog input
- Integrated speakers
- 500:1 contrast ratio

\$259.99

See sale
price in cart\$50.00 rebates
available

Customer rating

4.4

How to Get It

zip code View shipping options Get it today: check in-store availability Learn more about free in-store pickup

Star Logic Monitor (11009505)

\$236.99
after \$33.00 savings

- Flat-panel LCD
- 17" widescreen display
- Built-in speakers
- 1440 x 900 resolution

outlet

Customer rating

4.2

How to Get It

zip code View shipping options Not available in stores

outlet

Star Logic Monitor (11004998)

\$129.99
after \$20.00 savings &
\$30.00 rebates

- Flat-panel LCD
- 15" XGA display
- 1024 x 768 resolution
- Wide-angle viewing
- Analog input
- On-screen menu

391 - 50



Order anytime @ 1-800-843-2489
[Cart](#) | [Order Status](#) | [My Account](#) | [Help](#)

Buy online. Pick up in-store.
 Ready in 24 minutes or this gift card's yours. ▶ Search

Brother® IntelliFax-1575MC Plain Paper Fax with Message Center

Home > Home, Office & Phones > Office Electronics > Fax Machines > Product Information for

Email a friend Print

Brother® IntelliFax Plain Paper Fax (PPF1575MC)

BRO PPF1575MC

- Answering machine
- Up to 50-page fax memory
- Copy function
- Caller ID-ready

Price was:
You save:
\$149.94
-\$17.99

You pay:
\$131.95

Notify me when available



How to Get It
 zip code Out of stock online Notify me when available

Not available in stores

Note: This item is shipped directly from the vendor and shipping times may be affected.

[Highlights](#) | [Customer reviews](#) | [How to get it](#) | [Specifications](#) | [Accessories](#) | [Click & Learn](#)

Protect it!

Features

Brother® IntelliFax Plain Paper Fax (PPF1575MC)

Fax features: The IntelliFax-1575MC plain paper fax includes an answering machine, 14.4Kbps modem, full-duplex speakerphone and multi-copy functions.

Ideal for high volume: This fax features a 20-page document feed, 200-

Circuit City Advantage Protection Plan for 2 Years on Brother
PPF1575MC
\$24.98

Accessories

Based on 1 ratings	Features	Ease of use	Print quality
<input type="text"/> 1.0	<input type="text"/> 1.0	<input type="text"/> 1.0	<input type="text"/> 3.0

391 - \$1

[register] [login] [returns] [live customer service]

Order by 1PM for next-day delivery.* [details]



Browse catalog 3 ways!

- [1] Type SEARCH here... ▶ * Advanced Search Tips [2] Select product category... ▶ [3] Select manufacturer...

Over 38,000 office supplies in-stock!

Related Searches
Search results for:
Paper napkin

Ordering Center
Advanced Search

Quick Order

Catalog Home

My Shopping Lists

Please Choose



Time Attendance Software

Web-hosted or Web-enabled solutions Contact us for vendors & pricing.

www.intronics.com

Ads by Google

Product Group: Compact Automatic Electric Letter Opener
Mailroom & Packing Materials > Letter Openers > Electric/Battery Operated

Product Group: Compact Automatic Electric Letter Opener
Mailroom & Packing Materials > Letter Openers > Electric/Battery Operated

[add item(s) to cart]

Quick Order
Quick Order allows you
to order multiple lines by
item number!

[click here]

Top Click [details] below to view full description and large image.
Product No Description

Unit	Mfr	Price	Qty
EA	PANASONIC	\$107.89	<input type="text"/>

Supplies Finder
Supplies Finder locates
the correct supplies for
your printer. All you
have to do is select the
model!

[click here]

Customer Service
[live customer service]
[freq asked questions]
[returns information]
[contact us]
[next-day delivery info]

Departments

Binders & Binding Supplies
Calendars, Planners &
Briefcases

Cash/Check Handling
Computer Hardware, Supplies
& Data Storage

Files & Filing Supplies
Forms, Record Keeping &
Reference

Furniture & Room
Accessories

Janitorial/Maintenance &
Lunchroom Supplies

Labels, Label Makers, Tags &
Stamps

Mailroom & Packing Materials
Office Equipment &
Equipment Supplies

Paper, Envelopes & Mailers
Pens & Desk Supplies
Presentations & Meeting
Supplies

Panasonic BH752A
Compact Automatic Electric Letter Opener,
Gray [details]

[add item(s) to cart]

391-52



[View Cart](#) | [Checkout](#) | [About Us](#) | [Site Map](#)



JOIN ADVANTAGE BY CUSTOMER SERVICE

1-800-560-22

[Home](#) > [Large Office Shredders](#)

[Advanced Search](#)

(0)

[Store Home](#)

[New Items](#)

[Best Sellers](#)

[On Sale](#)

[Contact Us](#)

- > [Personal Small Office Shredder](#)
- > [Mid-Size Office Shredders](#)
- > [Large Office Shredders](#)
- > [Industrial Shredders](#)
- > [Shredders on GSA Contract](#)
- > [NSA/DOD Approved Shredders](#)
- > [Check Signers](#)
- > [Paper Folders](#)
- > [Paper Cutters](#)
- > [Packing Material Machines](#)
- > [Form Bursters](#)
- > [Supplies](#)
- > [GSA Shredder Supplies](#)
- > [Lockable Shred Containers](#)



GSA

Federal Supply Schedule

State Government
& Municipalities



Choose strip cut size *

1/4 inch

ADD TO CART



Mobile, very high performance model for EDP departments and office floors
Can destroy entire computer listings and shred CDs, store cards and credit

STAPLES**391 - 53**

that was easy®

Back to: Monitors & Digital Projectors / LCD (Flat Panel) Monitors

19-20" LCD**Best Sellers****V7 Series 19" Widescreen LCD Monitor R19WPS**

\$249.98 Each

Viewsonic VG2021M 20" LCD Monitor

\$229.98 Each

Comparison Chart

	sort by Name	sort by Delivery	sort by Price			
 Item 651283 Model SP9106	Staples 19" SP9106 LCD Monitor <ul style="list-style-type: none"> • 19" Active Matrix TFT LCD • 1280 x 1024 native resolution • Contrast ratio 700:1 	Expected Delivery1 Business Day	\$229.98 Each  New At Staples	<input type="checkbox"/>	select to compare	Qty. 1 <hr/> Add to Favorites
 Item 636135 Model NCE-901	Cisnet Nascar 19" LCD <ul style="list-style-type: none"> • 19" TFT LCD • Max resolution 1280 x 1024 @ 85Hz • Contrast ratio 600:1 	Expected Delivery5 - 10 Business Days	\$249.99 Each	<input type="checkbox"/>	select to compare	Qty. 1 <hr/> Add to Favorites
 Item 596706 Model EN9410	Envision EN9410 19" LCD Monitor <ul style="list-style-type: none"> • 19" active TFT matrix screen • Up to 1280 x 1024 maximum resolution • Contrast ratio: 500:1 	Expected Delivery1 Business Day	\$249.98 Each	<input type="checkbox"/>	select to compare	Qty. 1 <hr/> Add to Favorites
	Envision 19" LCD Wide Monitor	Expected Delivery1 - 4 Business Days	\$229.98 Each	<input type="checkbox"/>	select to compare	Qty. 1 <hr/>

391 - 64



Mon, Sep 25, 2006

» Return to original page

HP monitors

Flat-panel and CRT monitors for crystal-clear viewing



FREE SHIPPING

on qualifying orders over \$100

» See details



State-of-the-art displays for your viewing experience.

Need a recommendation

» Extended service plans

Monitors : 7 matching results

Narrow your results

Display type	CRT (2) LCD (5)
Price after rebate	Under \$200 (3) \$200-400 (3) \$400-600 (1)
Display size	15 (1) 17 (3) 19 (2) 21 (1)
Brand	Compaq (1) HP (6)

Compaq

Sort by: [lowest price](#) | [highest price](#) | [most popular](#)

1-7 of 7 results

Page: 1

[Check all](#) | [Uncheck all](#)

1.

Compare selected



[Enlarge](#)

[Demo](#)



Compaq ES7600e 17-inch Flat-Screen CRT Monitor

Price: \$149.99

Price after rebates: \$99.99*

(As low as \$20/mo.)

You save: \$50.00 (33.3%)**

- 16" viewable area
- 1280 x 1024 maximum resolution
- 0.25 to 0.28 mm pixel pitch
- External speakers
- One-year limited warranty




Free standard shipping on this item



Save \$50 with mail-in rebate

Tables

Tables



All of these tables have a particleboard top with plastic-laminate surface. Legs come furnished with adjustable leveling glides. Shipped unassembled.

(A) Mini Square and Rectangular Tables with Lower Shelf—With their small size and lower shelf, these tables are perfect as accessory tables. Use them to store your equipment and supplies. All tables have a 2 1/4" high, 18-gauge steel support frame with corner-mounted legs that are made of 1 1/4" sq., 18-gauge steel.

Tables with a gray or walnut color top have a black frame and legs. Tables with an oak color top have a brown frame and legs.

(B) Standard Rectangular Tables—Have a 3" high, 16-gauge steel support frame with corner-mounted legs that are made of 1 1/4" sq., 16-gauge steel. The legs have a chrome-plated finish.

Tables with a gray color top have a gray frame. Tables with an oak color top have a tan frame. Tables with a walnut color top have a black frame.

(C) Adjustable-Height Rectangular Tables—You can adjust the table height from 21" to 34" in 1" increments. All tables have a 1 1/4" high, 14-gauge steel support frame with corner-mounted legs that are made of 1 1/4" sq., 14-gauge steel.


Tables with a gray color top have a navy blue frame and legs. Tables with an oak color top have a black frame and legs.

(D & E) Square and Round Tables with Pedestal Base—No matter where you sit, you'll always have plenty of leg room. All tables have a 2" dia., 16-gauge steel pedestal with a 30" dia. cast iron base. The pedestal and base are black.

Wd. x Dp. x Ht.	Top Thick.	Top Cap., lbs.	Each
(A) Mini Square and Rectangular Tables with Lower Shelf			
24" x 24" x 30"	1 1/4"	350	\$112T21 107.19
30" x 18" x 30"	1 1/4"	350	\$112T22 107.19
30" x 30" x 30"	1 1/4"	350	\$112T23 107.19
48" x 18" x 30"	1 1/4"	350	\$112T24 107.19
(B) Standard Rectangular Tables			
40" x 20" x 30"	1 1/4"	400	\$124T1 125.45
48" x 30" x 30"	1 1/4"	400	\$124T3 135.38
60" x 20" x 30"	1 1/4"	400	\$124T2 136.38
60" x 30" x 30"	1 1/4"	400	\$124T4 157.14
72" x 36" x 30"	1 1/4"	400	\$124T5 192.86
(C) Adjustable-Height Rectangular Tables			
48" x 24" x 24" to 34"	1 1/4"	300	\$507T4 220.00
60" x 30" x 24" to 34"	1 1/4"	300	\$507T5 254.55
72" x 30" x 24" to 34"	1 1/4"	300	\$507T6 287.27
(D) Square Tables with Pedestal Base			
30" x 30" x 29"	1 1/4"	350	\$960T11+ 109.96
36" x 36" x 29"	1 1/4"	350	\$960T12 153.27
(E) Round Tables with Pedestal Base			
30" Dia. x 29" Ht.	1 1/4"	350	\$960T13+ 111.42
36" Dia. x 29" Ht.	1 1/4"	350	\$960T14 153.18
42" Dia. x 29" Ht.	1 1/4"	350	\$960T15 183.73
48" Dia. x 29" Ht.	1 1/4"	350	\$960T16 192.45

* Walnut top is not available. * Base is 22" in dia.

Polyethylene-Top Tables with Folding Legs



You'll find these polyethylene-top tables are not only stain resistant, but also lightweight and easy to clean. Their legs fold up and out of the way, making them easy to transport and store. Furnished with nonmarking plastic foot caps. The tops are white; frame and legs are black (unless noted). Shipped unassembled.

(F & G) Rectangular Tables—All of these tables are waterproof as well as impact and chemical-resistant. Legs are 1" dia., 18-gauge steel. Five braces along the bottom of the table top add support.

Adjustable-height models (G) adjust from 22" to 32" high in 1" increments.

(H) Center-Folding Rectangular Table—This table folds in half and has a built-in carrying handle for easy portability. It's also water-resistant. Legs are 1" dia., 20-gauge steel. Legs and frame are gray.

(J) Round Table—This table is waterproof as well as impact and chemical-resistant. The legs are 1 1/4" dia., 14-gauge steel. Four braces along the bottom of the table top add support.

Wd. x Dp. x Ht.	Top Thick.	Top Cap., lbs.	Each
(F) Rectangular Tables			
48" x 24" x 29"	2 1/4"	250	\$167T21 73.20
72" x 18" x 29"	2 1/4"	250	\$167T22 85.64
72" x 30" x 29"	2 1/4"	250	\$167T51 96.31
96" x 30" x 29"	2 1/4"	250	\$167T52 131.93
(G) Adjustable-Height Rectangular Tables			
48" x 24" x 22" to 32"	2 1/4"	250	\$557T21 95.31
72" x 30" x 22" to 32"	2 1/4"	250	\$557T22 117.42
96" x 30" x 22" to 32"	2 1/4"	250	\$557T23 154.04
(H) Center-Folding Rectangular Table			
72" x 30" x 29"	1 1/4"	600	\$167T7 96.84
(J) Round Table			
60" Dia. x 29" Ht.	2 1/2"	250	\$588T51 183.06

Aluminum Tables with Folding Legs

Made entirely of extruded aluminum, these rust- and corrosion-resistant tables are lighter than our other tables. They will not crack or warp after extended exposure to moisture, heat, and sunlight. Their legs fold up and out of the way making them easy to transport and store.

Table top is anodized aluminum. Made of 1 1/4" dia., 16-gauge aluminum, the legs are dark gray and come furnished with nonmarking plastic glides. Shipped assembled.

Wd. x Dp. x Ht.	Top Thick.	Top Cap., lbs.	Each
60" x 18" x 29"	1 1/4"	1800	\$234T11 5215.63
60" x 30" x 29"	1 1/4"	1800	\$234T12 257.03
72" x 18" x 29"	1 1/4"	1800	\$234T13 230.47
72" x 30" x 29"	1 1/4"	1800	\$234T15 281.25
96" x 18" x 29"	1 1/4"	1800	\$234T17 271.09
96" x 30" x 29"	1 1/4"	1800	\$234T18 338.28

Capacities listed are based on an evenly distributed load.

ADVANCE ENGINEERING CORP.

58 INDUSTRIAL RD. ADDISON, IL 60101

PHONE: (630) 628-3445 FAX: (630) 628-3449

INFO@ADVENGCORP.NET WWW.ADVENCORP.NET

392

Hudson trailer - 1989


2,450⁰⁰

t reacher 1989

trailer \$2640⁰⁰

Gru man 3/10/94

3,100⁰⁰



CONCEPTS FOR THE FUTURE, TODAY

392

OHIO CERTIFICATE OF TITLE

STATE OF OHIO No. 0900169962

COUNTY of BUTLER	ORIGINAL	YEAR	MAKE
IDENTIFICATION NUMBER 1GDJF31M6C3504729	BODY TYPE TK	1982	GMC
	MODEL	ODOMETER 77,175	ODOMETER STATUS ACTUAL
COMMENTS:	PRICE 3,100.00	TAX EX. PU.	DATE ISSUED 03/10/94
31239303	EVIDENCE OH 3100169962		7153
OWNER: OXFORD NATURAL GAS CO 5131 COLLEGE CORNER PK OXFORD, OH 45056	LICENSE EXPIRES 1/31/95	TRANSFER ISSUE TRUCK GVM	REGISTRAR OF MOTOR VEHICLES
PREVIOUS OWNERS: MILLS, USED CARS INC 010001411 6150 HARRISON AVE, CINCINNATI, OH IT IS THE DUTY OF THE OWNER TO KEEP THIS DOCUMENT UP TO DATE.	SECOND LIENHOLDER DATE OF CREATION		
LIEN DISCHARGE	LIEN DISCHARGE		
By: _____ Lienholder	By: _____ Lienholder	By: _____ Deputy Clerk	By: _____ Deputy Clerk
CLERK OF COURTS LIEN CANCELLATION	CLERK OF COURTS LIEN CANCELLATION		
By: _____ Deputy Clerk	By: _____ Deputy Clerk		

RECEIVED IN HAND AND SERVED ON THE 10TH DAY OF MARCH, 1994
7.006698765

(SEAL)

Patrick Baden

DO NOT ACCEPT TITLE SHOWING ANY ERASURES, ALTERATIONS OR MUTILATIONS.

100	200	300	400	500	600	700	800
-----	-----	-----	-----	-----	-----	-----	-----

Conway

As-Price Price: **\$21,455**

Color: Bright White Clear Coat
Interior Color: Camel
Interior: Premium Cloth 40/20/40 Bench Seat
Engine: 5.9L Magna V-8 16V Engine
Transmission: 4 Speed HD Automatic Transmission

STANDARD EQUIPMENT/FEATURES REPLACES BY OPTIONAL EQUIPMENT:
Shift-On-The-Fly Part-Time 4x4 Transfer Case
Solid Axle Link-Loc Front Suspension & Solid Bar
8000-Amp Marketplace Free Battery & 117-Amp AC
Sequential Multi-Port Fuel Injection System
Underhood Service Check and Belt Port Connects
Outlink-Radio Variable Assist Power Steering

Lower Air Dam - Front Bumper
Bright 2.5 Mph Front Bumper w/Step Pads
Long-Life Rear Bumper w/Step Pads - 5000W Tow Capacity
100% Galvanized Steel Exterior Sheet Metal
Clear Coat Paint Finish & Lower Anti-Chip Coating
16x7 Sheet Wheels w/Bright Trim Ring & Center Caps
L7225/75R16C 85W All Season Tires
Carbon Steel 36,000 lbs 3-Section Ladder-Type Frame
Brakes - Power Front Disc & Rear Drum w/Anti-Lock
Dual 6" x 9" Black Exterior Mirrors
Ventilated Rear Quarter Glass

6.5' Double Wall Cargo Bed W/Wine-Peice Steel Floor
Unique Vertical Bed Dividers & Cargo Tie-Down Points
60-Inch Rear Leaf Springs - 6400lb GVM
Full Size Spare Tire - W/Winch Type Carrier
Removable Tailgate W/Cargo Latches
Cargo Lamp / Center High Mounted Stop Lamp

Flush Mounted Tinted Glass / Multiple Door Seats
Deluxe 2-Speed Wiper W/Intermittent Feature
Large Cab Features Most Available Interior Room
Driver-Side Air Bag / Side Door Impact Beams
Side Windrow Deflectors
Fit-Seat-Del-Cloth 40/20/40 Split Rocking Bench
7.5' Front Seat Track Travel
Center Armrest / Business Center Console
Driver & Passenger Side Up & Slide Rr Seat Access

Auxiliary Power Outlet
Dust Front & Rear Cup Holders
Gauges - Fuel / Water / Engine Temp / Oil Pressure
Easy Access Floor Panel
Warning Buzzer - Keys / Headlamps / Seat Belts
Full Floor Carpeting

OPTIONAL EQUIPMENT

Laramie SLT Advantage Package #250
* Premium Cloth 40/20/40 Bench Seats
* w/100th Rear Bench
* Air Conditioning, Non-CFC Refrig.
* Power Windows & Door Locks
* Speed Control & Til Steering
* Light Group & Overhead Console
* Tachometer
* Bright Front & Rear Step Bumper
* Tires: P245/70R16 A/S 65M (6)
* Aluminum Wheels (4)
* Power Exterior Mirrors
Heavy Duty Service Group
* 136 Amp Alt / 750 Amp Battery
* HD Engine Cooling
* Class N Trainer Hitch Receiver
* HD Raster & Adapter Plug
4 Speed HD Automatic Transmission
Anti-Sun Differential
5.9L Magnum V-8 16V Engine
Stainless Rear Window w/Stainless Glass
Engine Block Heater
Tires: P265/70R16 A/T OWL (5)

DESTINATION CHARGE

\$27,491

Dodge Discount *

\$700

TOTAL PRICE: * **\$26,791**

Showroom Prep Available
This vehicle not factory equipped for Snow Plow installation - \$500.00

Ask Your Dealer About
Service Contract On This Vehicle
Or Call 1-800-442-2626

88

PARTS CONTENT INFORMATION

FOR VEHICLES IN THIS CARLINE:

U.S./CANADIAN PARTS CONTENT: 76 %
MAJOR SOURCES OF FOREIGN PARTS CONTENT:
MEXICO: 18 %

FOR THIS VEHICLE:
FINAL ASSEMBLY POINT:
SALTILO, MEXICO

COUNTRY OF ORIGIN:
ENGINE PARTS: UNITED STATES

TRANSMISSION PARTS: UNITED STATES

NOTE: PARTS CONTENT DOES NOT INCLUDE FINAL ASSEMBLY,
MANUFACTURER, OR OTHER NON-PARTS COSTS.

PERFORMANCE LEVEL:


* Peak Horsepower 235 hp @ 4000 rpm
* Peak Torque 330 lb.-ft @ 3000 rpm

Compare this vehicle to others in the FREE FUEL ECONOMY GUIDE available at the dealer.

CITY MPG

12

16



For Comparison Shopping
All Vehicles Classified
STANDARD PICKUP
have been issued mileage ratings
ranging from 12 to 23 mpg
and 16 to 27 mpg for
each model year. For more information
see the Fuel Economy Guide at
www.fueleconomy.gov.

Estimated Annual Fuel Cost:
\$1283

Actual mileage will vary with
options, driving conditions,
driving habits and vehicle's
condition. Results reported to
EPA indicate that the majority
of vehicles with these estimates
will achieve between
10 and 14 mpg in the city,
and between
13 and 19 mpg on the
highway.

© 1997 RAM 1500 4WD PICKUP

8 CYL 5.9L 1386 CID, C.R.

OH 40/20/40

DRW, 4WD, 4 SPD AT, SRS, 50/50


DRIVE, 4WD, 4 SPD AT, SRS, 50/50

- STANDARD FEATURES:**
- STA-TRAC 4X4 TRANSFER CASE
 - SPEED SENSITIVE PWR STEERING
 - FRONT STABILIZER BAR
 - INDEPENDENT FRONT SUSPENSION
 - 2 STAGE MULTI-LEAF RR SPRINGS
 - 100 AMP ALTERNATOR
 - STEEL BELTED RADIAL PLY TIRES
 - SAFETY FEATURES:
 - FOUR WHEEL ANTI-LOCK BRAKES
 - DAYTIME RUNNING LAMPS
 - STEEL SIDE DOOR BEAMS
 - PASSLOCK THEFT DETERRENT
 - CONVENIENCE FEATURES:
 - AM/FM STEREO, SKAS & CLOCK
 - INTERMITTENT WIPERS
 - LIGHT TINT SOLAR GLASS
 - HALOGEN HEADLAMPS

- OPTIONAL FEATURES:**
- BASE COAT/CLEAR COAT PAINT
 - GRAVEL ANTI-CHIP PROTECTION
 - TWO SIDED ZINC COATED GALVANIZED STEEL SHEET METAL
 - DELCO FREEDOM HD BATTERY
 - 34 GALLON FUEL TANK
 - CHROME FRONT BUMPER
 - BLACK LH & RH OUTSIDE MIRRORS
 - SIDE WINDOW DEFOGGERS
 - 8 WIRE TRAILERING HARNESS
 - FOLDING SEAT BACKREST
 - FULL CLOTH HEADLINER
 - 100K MILE TUNEUP MAINTENANCE
 - LONG LIFE RADIATOR FLUID
 - OTHER ADDED FEATURES:
 - RECOVERY HOOKS
 - 3 YEAR/50,000 MILE LIMITED BUMPER-TO-BUMPER WARRANTY

Compare this vehicle to others in the FREE FUEL ECONOMY GUIDE available at the dealer.

CITY MPG



Actual mileage will vary with options, driving conditions, driving habits and vehicle condition. Results reported to EPA indicate that the majority of vehicles with these estimates and mpg in the city and mpg on the highway:

* NOT APPLICABLE

For comparison shopping,
all vehicles classified as
have been issued mileage
ratings ranging from
to mpg city and
mpg highway.

TOTAL OPTIONS

2,595.56

Options Installed by Manufacturer

- MARKETING OPTION PACKAGE - 1SN
REQUIRES A MINIMUM PURCHASE OF:
• CHASSIS CAB
- AIR CONDITIONING-FRONT
- TILT WHEEL AND SPEED CONTROL
- RADIO AM/FM STEREO
- CASSETTE W/SCASK AND CLOCK
- 4 SPEED AUTO TRANS W/OVERDRIVE
AND ELECTRONIC CONTROL
- SNOW PLOW PREP PACKAGE
- LT245/75R16 OOR BW TIRES-REAR
- LT245/75R16 OOR BW TIRES-FRT
- FRONT BENCH SEAT
- GVW RATING - 9,200 LBS
- FEDERAL/NORTHEAST EMISSIONS
- REAR AXLE - 4.10 RATIO
- H.D. TRANSMISSION OIL COOLER
- FRONT LICENSE PLATE MOUNT

1,337.00

FF
2000707-19

This truck has been selected for the GM Mid-Size SUV model. It is not recommended for delivery to the following states: "Alabama, Arkansas, Connecticut, Florida, Georgia, Hawaii, Idaho, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Nevada, New Hampshire, North Carolina, North Dakota, Oregon, Rhode Island, South Carolina, South Dakota, Tennessee, Texas, Utah, Vermont, Washington, West Virginia, Wisconsin, Wyoming".
© 1998 General Motors Corporation

ORDER NO 890023
MODEL NO 750013
SALES CODE E
DEALIN ID 34-118
SHIP TO DE ALAN NO 1A-108


\$24,785.00
\$65.00
\$25,430.00
\$500.00
TOTAL VEHICLE PRICE* \$24,930.00

\$24,785.00
\$65.00
\$25,430.00
\$500.00
MKTG OPTION PKG DISCOUNT -500.00
TOTAL VEHICLE PRICE* \$24,930.00

392
XX

Trailer Couplers

2" Square Receivers and Hitch Inserts



Create a hitch that's right for your load. Start with a 2" square receiver (Style A or B), then choose an insert (Styles C-H) and hitch ball if not included. (Note: Style H inserts can be used with a drawbar eye or a hitch ball.) Our receivers are compatible with all of the inserts shown below. Simply insert the end of the insert into the square end of the receiver, install a hitch ball into the ball mount hole on the insert, and use a hitch pin (Styles K & L) to secure the insert in the receiver. Hitch inserts accept a 1/2" dia. hitch pin (sold separately, except Style G which includes a hitch pin).

Note: For off-road use, reduce stated capacities by 25%.

Styles A & B Receivers—Plate-mount steel receivers. Include mounting hardware. Black powder-coated finish.

Styles C & D Ball-Mount Hitch Inserts—All have a black powder-coated finish. Straight insert accepts hitch balls with 1/2" dia. stud that is 1 1/4" long. Drop/rise inserts let you reverse their position in the receiver so you can achieve a drop or rise height appropriate for your trailer. When repositioned, 2507T21 can drop 2" or rise 2 1/4"; T22 can drop 4" or rise 2 1/4"; T43 can drop 6" or rise 4 1/4"; T23 can drop 8" or rise 6 1/4". Accepts balls with 1" dia. stud.

Style E Ball-Mount Hitch Insert—This angle-flex insert has polyurethane pads on the top and bottom so it can flex vertically within the

receiver—ideal for steep ramps and rough terrain where there may be greater angles between the towing vehicle and trailer. Insert gives you approximately twice the angle flexibility of a regular ball-mount insert. Accepts balls with 1/2" dia. stud. Chrome-plated steel.

Styles F & G Triple-Ball Hitch Inserts—The benefit of three hitch sizes in one. Both include the three most common ball coupler sizes—1 1/4", 2", and 2 1/4" dia. The 1 1/4" dia. hitch ball has a trailer capacity of 6,000 lbs.; the 2" and 2 1/4" balls have a trailer capacity of 10,000 lbs. Balls are chrome-plated steel; shank is solid steel with black powder-coated finish. Adjustable H hitch has 12° of vertical adjustments in 1 1/4" increments. Rotate insert 180° in receiver to gain full adjustment range.

Style H Combination Ball/Eye Hitch Insert—Mate it with ball-hitch couplers and drawbar eyes. It has a lift-head style latch and chrome-plated steel ball. Overall size is 15 1/2" Lg. x 3" Wd. x 8 1/4" Ht. It accepts a drawbar eye with an eye ID of 2"-3" and a max. eye ring thickness of 1 1/4". Black powder-coated finish.

Style I Adapter Plate Hitch Inserts—Have solid shanks and are made of cast steel with black finish. Trailer coupler may be bolted to plate. Choose blank plate to drill your own holes. For units with bolt holes, bolt hole spacing is 3 3/8" Wd. x 1 1/4" Ht. center-to-center.

Style	Trailer Cap., lbs.*	Vertical Cap., lbs.*	No. of Holes	Mounting Plate			Overall Lg.	Each
				Hole Dia.	Lg. x Wd. x Thick.			
Receivers								
A.. Plate Mount	3,500	350	4	(2) 3/8", (2) 1/2"	10 3/8" x 5" x 1/4"		2507T13	\$56.13
B.. Plate Mount	5,000	600	2	1/2"	10" x 4" x 5/16"		2507T15	62.40
Hitch Inserts								
C.. Ball Mount—Straight	Not Rated	Not Rated				8"	2507T24	13.29
D.. Ball Mount—Drop/Rise	6,000	600				11 1/4"	2507T21	19.96
D.. Ball Mount—Drop/Rise	6,000	600				12"	2507T22	22.87
D.. Ball Mount—Drop/Rise	5,000	500				12 1/4"	2507T43	26.60
D.. Ball Mount—Drop/Rise	5,000	500				14 1/2"	2507T23	28.38
E.. Ball Mount—Angle Flex	3,500	350				10"	2507T44	41.18
F.. Triple Ball—Standard						12"	7765T34	66.43
G.. Triple Ball—Adjustable Ht.						19 1/8"	7765T33	154.72
H.. Combination Ball/Eye	7,000	700				15 1/2" x 3"	2507T16	79.43
J.. Adapter Plate Blank	16,000				5" x 4" x 1/16"	7"	2507T45	39.22
J.. Adapter Plate	16,000		4	1/2"	5" x 4" x 1/16"	7"	2507T31	43.14
J.. Adapter Plate	16,000		8	1/2"	7 1/4" x 3" x 1/16"	8 1/4"	2507T32	62.75
Hitch Pins —For up to 7,500 lb. trailer capacity.								
K.. Hitch Pin (1/2" Dia. x 5 1/2" Lg.)							2507T51	6.34
L.. Lockable Hitch Pin w/ two Keys (1/2" Dia. x 6 1/4" Lg.)							6685A52	16.16

* Weight of the trailer plus load. * Weight of the load at the drawbar eye or hitch ball.

† Capacities depend on the load capacity of the hitch ball you select.

■ Capacities shown are for hitch ball coupling. Trailer capacity of coupling to a drawbar eye is 12,000 lbs., vertical capacity is 2,400 lbs.

Hitch Balls

Solid one-piece ball construction gives these balls exceptional strength. You can install balls into the hitch inserts shown on this page. Meet Society of Automotive Engineers (SAE) and Vehicle Equipment Safety Council (VESC) standards. Include nut and washer.

Load Cap., lbs.	Ball Dia.	Stud Size	Stud Lg.	Each	Load Cap., lbs.	Ball Dia.	Stud Size	Stud Lg.	Each		
Zinc-Plated Steel											
2,000	1 1/4"	3/8"-10	1 1/4"	8785T41	\$7.68	2,000	1 1/4"	3/8"-16	1 1/4"	8785T94	\$27.78
2,000	1 1/4"	3/8"-10	2 1/4"	8785T43	8.13	2,000	1 1/4"	1"-14	1 1/4"	8785T95	33.85
2,000	1 1/4"	1"-14	2 1/4"	8785T32	9.75	5,000	2"	1/2"-16	1 1/4"	8785T81	29.98
3,500	2"	3/8"-10	1 1/4"	8785T42	8.23	8,200	2"	1"-14	1 1/4"	8785T82	36.05
3,500	2"	3/8"-10	2 1/4"	8785T21	8.23	8,200	2 1/4"	1"-14	1 1/4"	8785T98	45.58
5,000	2"	1"-14	2 1/4"	8785T55	9.15	10,000	2 1/4"	1"-12	2 1/4"	8785T99	56.75
6,000	2 1/4"	1"-14	2 1/4"	8785T22	13.00						
10,000	2 1/4"	1 1/4"-12	2 1/4"	8785T16	15.35						

Warning: Never exceed capacities.



OXFORD NATURAL GAS

ATLANTA, GA 30339-2606
P.O. Box 15246
Columbus, GA 31905
312-454-4445 or 312-452-4427

1242 East Drive
Lexington, KY 40514-4147
302-265-1111 ext 122-123-124-125

1600 Larue Ave.
Memphis, TN 38103
901-757-1000 ext 111-112-113-114

Mr. Clark	Lorraine	Amphetamine
Residence 12-1200 Ridgefield Rd., 12121 Glendale, Los Angeles, Calif.		get 200 mg. of
No. 1000, Apt. 204	Lorraine, NY 10531	amphetamine, all time
(212) 634-2000 Direct, (212) 634-2000	Post Office 151 or 102-242-1518	prescription, no Rx required

ORDER □

QUOTE

- Oxford Natural Gas 7 513-874-8945
P.O. Box 880
Oxford, Ohio 45056
Attn: Davey Lee

Warranty: Lyne P/L Factory warranty

Termo: _____

Freight:

Tax:

"Futile:

All Prices Plus Tax If Applicable

3-646-7871
Dove

Customer Order Acceptance: _____ Date: _____

BEI Acceptance: _____ Date: _____
Printed Name _____ Date _____
Printed Name _____ Date _____

GMAC LEASE AGREEMENT

Dump truck

LESSOR (and Co-Lessor) (including Address, County, and Zip Code)

OXFORD NATURAL GAS CO.

5181 COLLEGE CORNER PIKE
OXFORD OH 45056

LESSOR (Dealer Name and Address)

MCCLUSKEY CHEVROLET INC

8525 READING RD.

CINCINNATI, OH

45215

This is an agreement to lease the vehicle described below. This is a lease only. This is not a purchase agreement. You do not own the vehicle.

"You" and "Your" refer to Lessee and any Co-Lessee. "We," "Us," and "Our" refer to Lessor named above and anyone to whom this Lease is assigned. "Assignee" refers to anyone to whom this Lease is assigned from time to time. "Lease" refers to this Lease Agreement.

By signing this Lease, you agree to all terms and conditions on the front and back of this Lease. Be sure to read the entire Lease before you sign.

ASSIGNMENT: If this box is checked, General Motors Acceptance Corporation ("GMAC") helped to arrange this Lease and Lessor will assign it to Central Originating Leasing Trust. If this box is checked, GMAC helped to arrange this Lease and Lessor will assign it to _____.
If neither box is checked, Lessor will assign this Lease to GMAC.

The Assignee may designate Vehicle Asset Universal Leasing Trust ("VAULT"), or the trustee for VAULT, as agent to hold title for the benefit of the Assignee on the vehicle's certificate of title and/or registration. Item 34 of this Lease has more information on Lessor's assignment of this Lease.

V E H I C L E D E S C R I P T I O N	New or Used	Year	Make & Model	Body Type	Vehicle Identification Number	Primary Use	Mileage on Odometer
	MISC	96	CHEVROLET KODIAK	KODI	1GBJ7H1P2TJ102526	<input type="checkbox"/> Personal, Family or Household <input checked="" type="checkbox"/> Business or Agricultural	141
Including: <input type="checkbox"/> Automatic Trans. <input type="checkbox"/> Air Cond. <input type="checkbox"/> Stereo Tape <input type="checkbox"/> Cruise Control <input type="checkbox"/> Power Windows <input type="checkbox"/> Power Seats <input type="checkbox"/> Sunroof							
Other Equipment:							
Describe Optional Service Contract or Extended Warranty:							
Mileage limit: _____; Term: _____, If you do not pay the price of any service contract or extended warranty at Lease signing, the price will be subject to Lease Charges.							

1 (a). CAPITALIZED COST	\$ 32302.00
minus Capitalized Cost Reduction	\$ 0.00
equals Net Capitalized Cost	\$ 32302.00
minus Residual	\$ 20286.30
equals Amount to Be Amortized	\$ 12015.70
plus Lease Charges	\$ 10406.54
equals Total of Base Monthly Payments	\$ 22422.24
(b). BASE MILEAGE ALLOWANCE	25,000 miles per year (See items 12 and 20 for more information.)

2. PAYMENT DUE AT LEASE SIGNING	3. NUMBER OF MONTHLY PAYMENTS
\$ 1022.13	48
These amounts make up the Payment Due at Lease Signing:	
(a) Capitalized Cost Reduction	\$ N/A
Cash	\$ N/A
Net Trade-In Allowance	\$ N/A
Other (describe)	\$ N/A
(b) First Monthly Payment in Advance	\$ 467.13
(c) Refundable Security Deposit	\$ 475.00
(d) Title Fee	\$ 80.00
(e) Registration Fee	\$ N/A
(f) License Fee	\$ N/A
(g) Sales Tax	\$ N/A
(h) Excise Tax	\$ N/A
(i) Rental/Use Tax	\$ N/A
(j) Other (describe)	\$ N/A
(k) Other (describe)	\$ N/A

4. MONTHLY PAYMENT	5. TOTAL OF MONTHLY PAYMENTS
\$ 467.13	\$ 22422.24
These amounts make up the Monthly Payment:	
(a) Base Monthly Payment	\$ 467.13
(b) Rental/Use Tax	\$
(c) Personal Property Tax	\$

9. TOTAL OF OTHER CHARGES PAYABLE TO LESSOR

\$ N/A Itemize: N/A

10. PRICE IF YOU PURCHASE at scheduled Lease end:

\$ 20,786.30 plus any related official fees and taxes.

11. LATE CHARGE

If you do not pay a Monthly Payment in full within 10 days after it is due, you will pay a late charge of 5% of the part of the payment that is late. The charge will not exceed \$3 if this Lease is primarily for personal, family, or household purposes.

12. EXCESS MILEAGE CHARGE

(a) Beginning Mileage on Odometer 141 miles

(b) Base Mileage Allowance 100,000 miles
(The Base Mileage Allowance is in addition to the beginning mileage on the odometer)

(c) Total Allowed Mileage on Odometer ((a)+(b)) 100,144 miles

(d) There is an excess mileage charge of 10¢ per mile for each mile on the odometer above the Total Allowed Mileage on Odometer.

See Item 20 of this Lease for more information on excess mileage.

13. CHARGE FOR FINES

Each time we pay a fine imposed on the vehicle during this Lease, you will pay us a charge of \$20 plus the amount of the fine.
(See Item 21.)

14. INSURANCE

A. REQUIRED VEHICLE INSURANCE. You must buy and maintain Public Liability Insurance and Physical Damage Insurance. The policies must be acceptable to us. The policies must not exclude or restrict coverage when you are the driver. The policies must not exclude or restrict coverage when the driver is someone you will allow to drive the vehicle or someone who is likely to drive the vehicle. We require no other types of insurance.

The Public Liability Insurance must (a) cover up to \$50,000 for property damage, \$100,000 for bodily injuries to any one person, and \$300,000 for bodily injuries for any one accident, or (b) have a combined single limit of \$300,000 for bodily injuries and property damage for any one accident. The policy must show the name of the initial Assignee and VAULT, as their interests appear, as additional

393-1



that was easy®

Back to: Furniture / Storage & Organizers

Metal Shelving

	sort by Name	sort by Delivery	sort by Price		
	Hirsh Commercial/Industrial Shelving <ul style="list-style-type: none"> • Units assemble easily with no bolts or screws. • May be assembled vertically or horizontally • Posts and aprons are painted with baked-on enamel 	Expected DeliveryVaries by Item	As low as \$39.99 4 Shelves		
	Safco Boltless Commercial Shelving Unit <ul style="list-style-type: none"> • Assembles in minutes without tools. • Durable black powder-coat finish. • Units may be assembled vertically or horizontally. 	Expected Delivery7 - 14 Business Days	As low as \$139.99 Each		
	Safco Commercial Shelving <ul style="list-style-type: none"> • Repositionable in 1" increments. • Requires Post Kit (Sku 438260) which is not included with purchase of shelves • Durable, dark gray finish. 	Expected Delivery7 - 14 Business Days	As low as \$109.98 5 shelves		
	Tennsco Commercial Shelving <ul style="list-style-type: none"> • Shelves adjust in 1" increments with compression clips. • Set includes shelves, posts, and shelf clips. • Assembly required. 	Expected Delivery1 - 4 Business Days	As low as \$19.99 2 Shelves		
	Safco Industrial Steel Shelving <ul style="list-style-type: none"> • Repositionable in 1" increments • Post kit includes four 85"-high posts which must be ordered with each shelf pack • Durable, dark gray finish 	Expected Delivery7 - 14 Business Days	As low as \$79.99 Each	210-	
	Tennsco Industrial Shelving <ul style="list-style-type: none"> • 750-lb. capacity per shelf (based on 36" x 12" shelf evenly distributed) • Six shelves per carton • Post kit (sku 506256) includes four 87" offset angle posts, two pairs of side braces and one pair of back braces 	Expected DeliveryVaries by Item	As low as \$129.98 6 shelves		
	Safco Industrial Wire Shelving <ul style="list-style-type: none"> • Durable black powder-coat finish resists wear and tear. 	Expected DeliveryVaries by Item	As low as \$99.99 Each		

393-3



that was easy®

Back to: Storage/ Modular Cabinets / Lockers



Image shown is 2 single units grouped together

Tennsco Single-Tier 3 Locker Unit

Safely store items in these heavy-duty lockers

Full length door stiffeners deaden sound and add rigidity when opening or closing the doors

- 3 Lockers included in this set
- Available in gray or sand
- Overall dimensions: 72"H x 36"W x 18"D
- No assembly required
- Compartment dimensions: 72"H x 12"W x 18"D
- Three-point locking system provides added security
- Each locker comes with a hat shelf and coat rod
- Number-plates allow for personal identification and padlock hasps (locks sold separately)
- Vertical louvers on top and bottom of each door provide ventilation
- Optional bases raise lockers 6" off floor for easier access to bottom units
- Weight: 190 lbs.

	sort by Name	sort by Delivery	sort by Price	
 Item 438244 Model TNN102572	Tennsco 3 Wide 72" Single-Tier Lockers, Sand <ul style="list-style-type: none"> • 3 Lockers included in this set • Available in gray or sand • Overall dimensions: 72"H x 36"W x 18"D 	Expected Delivery 1 - 4 Business Days	\$599.99 Locker	Qty. <hr/> Add to Favorites
 Item 438243 Model TNN110220	Tennsco 3-Wide 72" Single-Tier Locker, Gray <ul style="list-style-type: none"> • 3 Lockers included in this set • Available in gray or sand • Overall dimensions: 72"H x 36"W x 18"D 	Expected Delivery 1 - 4 Business Days	\$599.99 Locker	Qty. <hr/> Add to Favorites
 Item 430296	Tennsco Locker Base for Tennsco Lockers, 6" H x 13" W x 18" D, Gray <ul style="list-style-type: none"> • Three bases must be ordered to form a complete base as shown 	Expected Delivery 1 - 4 Business Days	\$36.99 Base Only	Qty. <hr/> Add to Favorites

393-4

Shopping Cart [0 items] | Track My Order | My Account | Help | Store Locator | Co...



HARDWARE | HAND/POWER TOOLS | ELECTRICAL | PLUMBING | LAWN AND GARDEN | CLEANING/PAINT SUPPLIES

Search by keyword or item #

Search**LAWN AND GARDEN**

Home > Lawn and Garden > Wheelbarrow/Yard Carts > Poly Tub

**Q LARGER IMAGE****True Temper® Two Wheel Poly Contractor Wheelbarrow**
Item no: 7067556Our Price:
\$119.99[Browse Search](#)**SAVINGS ALERT**

Take advantage of FREE Shipping to your local Ace! (See Promotion Details)

◀ 1 of 4 ▶

Qty: 1

Add to Cart**Add to Wishlist**BUY NOW! NO PAYMENTS FOR 90 DAYS
on purchases over \$250

AVAILABILITY: In stock, leaves warehouse in 5 - 7 full bus. days. - (Details)

Product Tools:

- Email A Friend

Related Categories

- Poly Tub
- Steel Tub
- Wheelbarrow
- Yard Carts

- See all TRUE HARDWARE

- 9 cu.ft. capacity +16" dual wheels
- Heavy duty undercarriage
- Steel cross braces
- Steel shoes
- Heavy duty H-brace
- Heavy duty bearings
- Wood handles, poly tray
- Replacement handles Ace no. 74847
- Replacement wheel Ace no. 70005
- Bright colors

© Copyright 2008.

[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)

**See product



393-5

[Home](#) | [FREE Catalog](#) | [Log In](#) | [Help](#) | [View Cart](#)


Search:


[Tanks](#) [Rubbermaid®](#) [Buckets & Barrels](#) [Bottles & Labware](#) [Tubing](#) [Bags & Packaging](#) [I](#)
[Home](#) << [Bin Racks/Bins](#) << [Akro-Mils](#)
Cart Contains:

Items = 0 Total = \$0.00

**Product Categories:**

- [Bags/Packaging](#)
- [Bin Racks/Bins](#)
- [Bottles/Labware](#)
- [Buckets/Barrels/Drums](#)
- [Carts](#)
- [CD/DVD Storage](#)
- [Duct/Blowers/Tools](#)
- [Facility Products](#)
- [Food Industry](#)
- [Piper/Pipe Fittings](#)
- [Plastic Fittings](#)
- [Pumps](#)
- [Rubbermaid](#)
- [Safety Products](#)
- [Screws/Knobs/Shovels](#)
- [Sheet/Rod/Shapes](#)
- [Tanks/Accessories](#)
- [Totes/Boxes/Containers](#)
- [Trash Containers](#)
- [Trucks](#)
- [Tubing/Tube Fittings](#)
- [Valves](#)

**Akro-Mils® Storage Bins**

These bins securely stack for parts or tools. Strong and almost unbreakable polyethylene. C handles make it easy to carry or stack. Gray only.

Other Information

Catalog Page Number: P-222
Manufacturer: Akro-Mils

Page Tools

[Print This P](#)
 [Email This I](#)

This product is available in following variations:

Item No.	Description	Sold By	In Stock	Size	List Price
53237	Stackable Storage Bins - Gray Qty 3: 5% off; Qty 6: 10% off; Qty 18: 15% off;	Each	Yes	15-1/4 x 19-7/8 x 12-7/16	\$10.35

Can't find what you need? Let us know, so we can help:

Express Order FormItem Your Email: Qty [Bulk Express Order Form](#)**Your Options and Resources:**

Your Account Edit Your Account Profile Create a New Account	Your Orders View Your Order History/Status View Past Items	Resources Request Literature View Our Help Pages Search Our Knowledgebase	Contact Contact Corporate
--	---	---	---

393-6

United States Plastic Corporation ®


[Print This Page](#) | [Close Window](#)

Web Site: www.usplastic.com Email: usp@usplastic.com

[Home](#) << [Bin Racks/Bins](#) << [Akro-Mits® Bins and Racks](#) << [AkroBins® Polypropylene Stora...](#)

Yellow Storage Bin

Can be suspended from louvered panels. Extra wide stacking ledge assures stability, allows for high stacking. Large label card slot for easy labeling. Reinforced ribs prevent bins from spreading. Finger grips for easy handling of larger bins. Anti-slip stop prevents loaded bins from shifting forward. Measurements are listed as L x W x H.



Product Description

Yellow Storage Bin

Qty 24: 5% off; Qty 48: 10% off; Qty 144: 15% off;

Product Pricing

Price	\$7.27
--------------	---------------

Product Information

Item No.: 52097

In Stock: Yes

Sold By: Each


OD: 10-3/4 x 8-1/4 x 7

Catalog Page Number: P-224

Manufacturer: Akro-Mils

[Print This Page](#)

[Email This Page](#)



Product Group This Item Belongs To: AkroBins® Polypropylene Storage Bins

Can be suspended from louvered panels. Extra wide stacking ledge assures stability, allows for high stacking. Large label card slot for easy labeling. Reinforced ribs prevent bins from spreading. F...

[See More AkroBins® Polypropylene Storage Bins](#)


1390 Neubrecht Rd. Lima, Ohio 45801-3196 Phone: 1-800-809-4217 Fax: 1-800-854-5498

Copyright © 2006, United States Plastic Corporation ®, | [Privacy Policy](#) | [Terms and Conditions](#) |

393-7

IPI Interstate Products, Inc.
"Quality Environmental Solutions"

1-800-474-7294


[Home](#) [Products](#) [Contact Us](#) [Search](#) [Site Map](#) [How to Order](#)
[STORE FRONT](#) [SEARCH STORE](#) [MY SECURED CART](#) [NEED HELP?](#)
PRODUCT CATEGORIES

Spill Containment

Weed Control

Safety Cabinets

Patching & Sealing

Cleaner/Degreaser

Roofing

Facility Products

Fuel Containment

Absorbents

Coatings

Cooling

Drum Storage

Pesticide


Safety Cans

Hard Tanks

Storage Buildings

Ice Control

Done Shopping?


CHECKOUTAny questions? Please
call 1-800-474-7294
 **HACKER SAFE**
 TESTED DAILY 21-SEP
**30 Gal. Manual, Flammable Storage Cabinet****BASKET**Qty In Bas
Order Minn

Qty. In Basket: None

Price: \$449.46

Code: SC-1932

Qty: 1

**ADD TO
BASKET**

- Top 5 Selling**
1. "1" Step Rus
 2. Turf King #3
 3. Triple Threat
 4. 45 gal. Cabl
 5. Belge SafeS

Description:

EAGLE Model 1932 Safety Cabinets are constructed of 18-gauge steel, sides, top, bottom, and doors are double-walled with a 1 1/2" air space between walls. Both vents, with 2" threaded fittings, have fire baffle and cap. Safety Cabinets come in yellow high gloss powder finish with red warning, plus grounding attachment, 3-point key lock, and 2" raised, leakproof door sill. Each shelf is adjustable, supported by 4 brackets, and can support 350 pounds. These Eagle Safety Cabinets are discounted and available in two door manual (Model 1932) and self closing (Model 3010) models. FM approved.

Specifications:

Capacity: 30 Gallons

Shelf Depth: 14.75"

Shelves: 1

Dimensions: 43" x 18" x 44"

Weight: 257 lbs.


Price is for a #1932 Manual Flammable Safety Cabinet.

Freight will be calculated and emailed to you separately for closest availability and freight savings. You must reply to the freight email before we can complete order.

For questions or bulk discounts, please call 1-800-474-7294. Thank you in advance. You must click "ADD TO BASKET" at least once before clicking "Proceed to Checkout"

Interstate Products, Inc. ©2000-2006

393-8



- All welded - ready to use, meets OSHA 1910
- 13 gauge flattened mesh sides
- 12 gauge tops
- 1-1/2" x 3/16" thick corner angles
- Foot pads with pre-drilled holes
- Powder coated safety yellow
- Safety signage in large red letters

Size Options - W x L x H (in.)

- 33 x 38 x 70 - \$499.95 | 82JCCV051
- 60 x 38 x 70 - \$769.95 | 82JCCV102

Please call for shipping costs

Price: \$ 499.95


Stock #: 82JCCV

Size - W x L x H in.: 33 x 38 x 70 | 82JCCV051

Qty:

82JCCX100

~~Standard Combo Gas Cylinder Storage~~



- Combo Gas Cylinder Storage - Vertical & Horizontal Positions
 - Horizontal - 20-4818 - 8 cylinders
 - Vertical - 20010 - 5-10 cylinders
- Size is 62 x 38 x 70
- Lockable main doors with slide bolt hasp
- All welded - ready to use
- 13 gauge flattened mesh sides
- 12 gauge tops
- 1-1/2" x 3/16" thick corner angles
- Foot pads with pre-drilled holes
- Powder coated safety yellow
- Safety signage in large red letters

Please call for shipping costs

Price: \$ 839.95

Stock #: 82JCCX100

Qty:

Standard Safety Cabinet Quality

- Standard cabinets have more steel in the 14-gauge outer door wall than other leading brands 18-gauge
- Standard cabinets have stronger mig welded construction versus spot welded construction of other leading brands
- All standard cabinets have preferred flush mounted paddle handles

06200 | Finish Carpentry

06250 | Prefinished Paneling

TOTAL INCL O&P		DESCRIPTION	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL O&P
						MAT.	LABOR	EQUIP.	TOTAL	
5.53	200	1000 Plastic faced hardboard, 1/8" thick	2 Carp	.500	.032	S.F.	.39	1.14	1.53	2.31
3.51	1200	1/4" thick		.500	.032		.58	1.14	1.72	2.52
4.22	1300	Plastic faced pegboard, 1/8" thick		.500	.032		.77	1.14	1.91	2.73
1.93	1500	1/8" thick		.500	.032		.55	1.14	1.69	2.49
2.51	1600	Wood grained, plain or grooved, 1/4" thick, minimum		.500	.032		.68	1.14	1.82	2.63
11.13	1800	Maximum		.500	.032		.51	1.14	1.65	2.44
2.91	1900	Moldings for hardboard, wood or aluminum, minimum		.425	.038	L.F.	1.08	1.34	2.42	3.41
11.18	2100	Maximum		.500	.032		.35	1.14	1.49	2.27
75.58	2200	Minimum labor/equipment charge		425	.038		.98	1.34	2.32	3.30
	9000		1 Carp	2	4	Job		142	142	236
124	3010	PANELING, PLYWOOD								500
AM	2400	Plywood, prefinished, 1/4" thick, 4' x 8' sheets with vertical grooves. Birch faced, minimum	2 Carp	.500	.032	S.F.	.84	1.14	1.98	2.80
104	2410	Average		.420	.038		1.28	1.35	2.63	3.65
123	2420	Maximum		.350	.046		1.87	1.63	3.50	4.75
200	2430	Mahogany, African		.400	.040		2.39	1.42	3.81	4.99
200	2700	Philippine (Laurel)		.500	.032		1.03	1.14	2.17	3.01
233	2900	Oak or Cherry, minimum		.500	.032		2	1.14	3.14	4.68
4.7	3000	Maximum		.400	.040		3.07	1.42	4.49	5.75
6.6	3200	Rosewood		.320	.050		4.36	1.78	6.14	7.75
225	3400	Tax		.400	.040		3.07	1.42	4.49	5.75
68	3500	Chestnut		.375	.043		4.54	1.52	6.06	7.50
	3550	Pecan		.400	.040		1.96	1.42	3.38	4.52
	3900	Walnut, minimum		.500	.032		2.62	1.14	3.76	4.76
6.18	3950	Maximum		.400	.040		4.96	1.42	6.38	7.80
140	4000	Plywood, prefinished, 3/4" thick, stock grades, minimum		.320	.050		1.19	1.78	2.97	4.26
118	4100	Maximum		.224	.071		5.10	2.54	7.64	9.85
	4300	Architectural grade, minimum		.224	.071		3.78	2.54	6.32	8.35
	4400	Maximum		.160	.100		5.80	3.56	9.36	12.25
200	4600	Plywood, "A" face, birch, V.C., 1/2" thick, natural		.450	.036		1.79	1.26	3.05	4.06
24	4700	Select		.450	.036		1.96	1.26	3.22	4.25
104	4850	Veneer core, 3/4" thick, natural		.320	.050		1.89	1.78	3.67	5.05
105	5000	Select		.320	.050		2.13	1.78	3.91	5.30
135	5200	Timber core, 3/4" thick, natural		.320	.050		2.84	1.78	4.62	6.85
225	5300	Plywood, knotty pine, 1/4" thick, A2 grade		.480	.036		1.55	1.26	2.81	3.80
115	5600	A3 grade		.450	.036		1.96	1.26	3.22	4.25
115	5800	3/4" thick, veneer core, A2 grade		.320	.050		2.01	1.78	3.29	5.15
115	5900	A3 grade		.320	.050		2.26	1.78	4.04	5.45
155	6100	Aromatic cedar, 1/4" thick, plywood		.400	.040		1.99	1.42	3.40	4.54
155	6200	1/4" thick, particle board		400	.040		.96	1.42	2.38	3.42
155	6300	Minimum labor/equipment charge	1 Carp	2	4	Job		142	142	236

06260 | Board Paneling

TOTAL INCL O&P		DESCRIPTION	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL O&P
						MAT.	LABOR	EQUIP.	TOTAL	
111	4010	PANELING, BOARDS								400
	6400	Wood board paneling, 3/4" thick, knotty pine	2 Carp	.300	.053	S.F.	1.40	1.90	3.30	4.68
	6500	Rough sawn cedar		.300	.053		1.79	1.90	3.69	5.10
	6700	Redwood, clear, 1" x 4" boards		.300	.053		4.18	1.90	6.08	7.75
	6800	Aromatic cedar, closet lining, boards		275	.058		3.22	2.87	5.29	6.95
	9000	Minimum labor/equipment charge	1 Carp	2	4	Job		142	142	236

06270 | Closet/Utility Wood Shelving

TOTAL INCL O&P		DESCRIPTION	DAILY OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS				TOTAL INCL O&P
						MAT.	LABOR	EQUIP.	TOTAL	
100	0010	BELLYING								200
	0020	Pine, clear grade, no edge band, 1" x 8"	1 Carp	.115	.070	L.F.	1.81	2.47	4.28	6.10
	6100	1" x 10"		.110	.073		2.31	2.59	4.90	6.80
	6300	1" x 12"		.105	.076		3.10	2.71	5.81	7.90

For expanded coverage of these items see Means Interior Cost Data 2006


[Home](#) | [Order Form](#) | [Compare Items](#) | [Your Account](#) | [Help](#)
[Repair Parts](#) [Services](#) [Resources](#) [Company Info](#) [Contact Us](#) [Find A Branch](#) [Worldwide](#)


Catalog No. 397 (PDF)

Search

Keyword(s)

Go

YOUR ACCOUNT

Robert Morrison

[Personal Lists](#)
[Item History](#) NEW
[Order History](#)

Item Details


Material Handling > Cabinets > Commercial & Industrial Cabinets

CABINET, SECURITY

Welded Security Cabinet, Shelf Capacity 1000 Pounds, Number of Shelves 4, Overall Height 84 Inches, Overall Width 36 Inches, Overall Depth 18 Inches, Gray

Item #:

Grainger Item #	4TX83
Your Price (ea.)	\$677.50
Brand	EDSAL
Mfr. Model #	VC1503G
Ship Qty. (2)	1
Sell Qty. (Will-Call) (2)	1
Ship Weight (lbs.)	309.0
Usually Ships** (2)	From mfr. w/in 6 bus. days
Catalog Page No.	2162 (2)



Qty.

Tech Specs	Additional Information	Notes & Restrictions	MSDS	Required Accessories	Optional Accessories	Alternate Products	Repair Parts
Cabinet Type	Security						
Shelf Capacity (Lbs.)	1000						
Number of Shelves	4						
Overall Height (In.)	84						
Overall Width (In.)	36						
Overall Depth (In.)	18						
Color	Gray						
Includes	Locking Handle						
Cabinet Material	Tough 18-gauge, All-welded Steel						
Locking System	3 Point						
Shelf Type	Adjustable on 4 inches Centers						
Finish	Powder Coat						
Application	For Use With Security Cabinet						

393-11

**USA BLUEBOOK**

Your Complete Source for Industrial & Maintenance Supplies

1-800-548-1234

Fax: (847) 689-3030

[Item Lookup](#) [Order Page](#)[Submit](#)[All Catalog Sections](#)**Search Tips:**

- Narrow results by using a Catalog Category above.
- Start off simple and add words to narrow search.

**Search Unsuccessful? Call us at 800-548-1234
6am-6pm CST (M-F)**[Compare](#) [Utility](#) [Help](#)**RESULTS BELOW:**

Image	Item Number	Description	Compare	Price
	49968	Traffic Barricade (Type 1) Wood w/ Eng. Grade Orange/White	<input type="checkbox"/>	\$ 55.98 EA

[Add to Compare](#)

X 6 = \$335.88

393-12



1-800-548-1234

Fax: (847) 689-3030


[Item Lookup](#) [Order Page](#)

[All Catalog Sections](#)

Search Tips:

- **Narrow results by using a Catalog Category above.**
- **Start off simple and add words to narrow search.**

**Search Unsuccessful? Call us at 800-548-1234
6am-6pm CST (M-F)**

[Compare Utility Help](#)

RESULTS BELOW:

Image	Item Number	Description	Compare	Price
	50001	Barricade Light 2 pack 6 V, 3-way Stainless Switch	<input type="checkbox"/>	\$ 36.16 PK <i>X 3 10.84</i>
	50002	Barricade Light, 10 pack 6V,3-Way Stainless Switch	<input type="checkbox"/>	\$ 172.00 PK
	50007	Barricade Light Replacement 7" Lens (1 side)	<input type="checkbox"/>	\$ 1.49 EA
	50012	Barricade Light Optional Bolt Protectors	<input type="checkbox"/>	\$ 1.08 EA
	50017	Barricade Light Extra 6 Volt Flashing Bulbs	<input type="checkbox"/>	\$ 1.48 EA

394 - 1


Shopping Cart [0 items] | Track My Order | My Account | Help | Store Locator | Call


[HARDWARE](#) | [HAND/POWER TOOLS](#) | [ELECTRICAL](#) | [PLUMBING](#) | [LAWN AND GARDEN](#) | [CLEANING/PARTS SUPPLIES](#)

Search by keyword or item #

Search**HAND/POWER TOOLS**

Home > Power Tools > Cordless Drills

**LARGER IMAGE****Dewalt® Cordless Drill Driver Kit (DC983KA)**

Item no: 2017127

Our Price:
\$184.99[Browse Search](#)**SAVINGS ALERT**

Take advantage of FREE Shipping to your local Ace! (See Promotion Details)

◀ 8 of 28 ▶

Qty: 1

[Add to Cart](#)[Add to Wishlist](#)
 BILL ME LATER
BUY NOW! NO PAYMENTS FOR 90 DAYS
on purchases over \$250AVAILABILITY: In stock, leaves warehouse in 5 - 7 full bus. days. - [\(Details\)](#)

- 1/2" ratcheting chuck lock
- 3 speed VSR 0-450/0-1,400/0-1,800 rpm
- 450 inch lbs. of torque
- Anti-slip comfort grip
- Includes 1 hour charger, 2 "XR Pack" extended run time batteries, double ended screwdriver bit & carrying case
- Replacement battery Ace No. 2133122
- 14.4 Volt

Product Tools:

- Installing Repl
- Power Tools
- Email A Friend

Related Categc

- Benchtops
- Circular Saws
- Corded Drills
- Cordless Drill
- Grinders
- Impact Wrenc
- Jig / Reciproci
- Multi-Tool Kits
- See all DeWa

© Copyright 2005.

[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)

**See product



394-2**CONSTRUCTION
COMPLETE**[SHOPPING CART](#) | [TRACK YOUR ORDER](#) | [CONTACT US](#)**Call Toll Free 800-889-**

TEL. 800 889 0661 FAX. 718 228 4959

SEARCH**PARTS****CATEGORIES**

You are here: Home > Concrete & Masonry Equipment > Plate Compactors, Rollers, Soil Rammer Tamers > Single Direction Plate Compactors - Gas Powered



> Back to browsing products

<< Lower Price Higher Price >>

Wacker WP1540A Plate Compactor**SALE Price: \$1,988.97**


(list price \$2,339.00)

Lease this item for ONLY \$94.06/month

+ ADD TO CART

* Usually ships SAME DAY *

* Delivery normally takes 2-4 business days to arrive *

**Click To Enlarge****FAST & FREE SHIPPING****Description** **Specification** **Accessories/Supplies** **Warranty****Description**

Wacker WP1540A vibratory plate compactors are designed for compaction of granular soil in narrow trenches. These plates compact curbs, gutters, around tanks, forms, columns, footings, guard railings, drainage ditches and sewer works and building construction.

Wacker WP1540A Plate Compactor**WP1540A Vibratory Plate Compactor Features:**

- Lightweight, high strength aluminum components including the engine console and beltguard have been combined for reduced weight and easy machine handling.
- Straight, center-mounted guide handle offers superior maneuverability and can be lowered within inches of the surface to operate under obstacles and form work.
- High inertia clutch with adjustable shims ensures smoother operation, longer belt life, and simplified belt adjustment.

WP1540A Vibratory Plate Compactor Complete Specifications (Compare Specifications with Similar Equipment)

Motor (HP)	5.5	Frequency (RPM)	4900	Engine
Plate Width (in)	15.5	Centrifugal Force (lbs)	3375	Weight

Accessories/Supplies

Web Id	Item Name	Price	Quantity
WKR0059	Wacker Water Tank Kit	\$164.00	[1] <input type="button" value="Remove"/>
WKR0061	Wacker WP1540A Wheel Kit	\$209.00	[1] <input type="button" value="Remove"/>

394-3**CONSTRUCTION
COMPLETE**[SHOPPING CART](#) | [TRACK YOUR ORDER](#) | [CONTACT](#)**Call Toll Free 800-889-**

TEL. 800 889 0661 FAX. 718 228 4959

SEARCH**PARTS****CATEGORIES**

You are here: Home > Concrete & Masonry Equipment > Plate Compactors, Rollers, Soil Rammer Tamers > Tamers & Jumping Jacks - Gas Powered

> Back to browsing products

<< Lower Price Higher Price >>

Wacker BS 50-4 Rammer Tamper**SALE Price: \$2,899.97**


(list price \$3,525.00)

Lease this item for ONLY \$137.14/month

+ ADD TO CART

* Usually ships SAME DAY *

* Delivery normally takes 2-4 business days to arrive! *

**Click To Enlarge****FAST & FREE SHIPPING** EMAIL TO A FRIEND BOOKMARK**Request** VIEW SIMILAR**Description** **Specification** **Accessories/Supplies** **Warranty****Description**

The Wacker BS 50-4 jumping jack tamper rammer has set the standard in the construction industry. Wacker tamper rammer powered by the exclusive WM 80. WACKER's rugged jumping jacks are designed for maximum production and durability.

Wacker BS 50-4 Rammer Tamper**BS 50-4 Tamper Rammer Features:**

- Automatic shutoff feature will shut down the unit if left idling for an extended period of time, reducing emissions and carbon
- Rugged rammers designed for the compaction of cohesive, mixed and granular soils in confined areas
- A unique three-stage air filtration system provides a virtually dust-free engine for longer life and improved durability. A filter is the operator when the air filter needs to be changed.

BS 50-4 Tamper Rammer Complete Specifications (Compare Specifications with Similar Equipment)

Engine	Wacker 4-Stroke	Blows Per Minute	680	Shoe Size (in)
Motor (HP)	3.1	Impact Force (lbs)	3300	Weight

Accessories/Supplies

Web Id	Item Name	Price	Quantity
FREETEE	ConstructionComplete FREE TEE SHIRT		<input type="text" value="1"/>
	For a limited time, get a FREE ConstructionComplete.com T-shirt with your next purchase of \$200.00 or more*. Taking advantage of this special offer is easy. Simply add the shirt to the shopping cart when checking out OR mention it to your sales representative when calling		
Warranty			

394-4[Shopping Cart \[0 items\]](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)[HARDWARE](#) | [HAND/POWER TOOLS](#) | [ELECTRICAL](#) | [PLUMBING](#) | [LAWN AND GARDEN](#) | [CLEANING/PAINT SUPPLIES](#)

Search by keyword or item #

HAND/POWER TOOLS[Home](#) > [Sockets / Wrenches](#) > [Pipe Wrenches](#)**Ridgid® Pipe Wrench**Our Price:
\$19.99 to 59.99[Browse Search](#) **SAVINGS ALERT**

Take advantage of FREE Shipping to your local Ace! (See Promotion Details)

◀ 3 of 4 ▶

Size

18-in - \$41.99

Qty: 1

Product Tools:

- Learn About F
- Email A Friend

Related Category

- 1/2in Dr Socke
- 1/4in Dr Socke
- 3/4in Dr Socke
- 3/8in Dr Socke
- Adjustable Wr
- Flat Wrenches
- Pipe Wrenches
- Pneumatic So

[See all RIDGE](#)

- Cast iron I-beam
- Meets federal specification G-O-G-W-651E; type 2; class 3A
- Pipe Capacity 1-1/2"

[LARGER IMAGE](#)

BILL ME LATER BUY NOW! NO PAYMENTS FOR 90 DAYS
on purchases over \$250


AVAILABILITY: In stock, leaves warehouse in 5 - 7 full bus. days. • [\(Details\)](#)

© Copyright 2006.

[Home](#) | [Store Locator](#) | [Careers @ Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)

**See product



Product Details**394-5****ANSUL.**[View Large Image](#)**REDL FIRE EXTINGUISHER 20LB PURPLE K****Product No:** ANSU416309**Brand/Manufacturer:** ANSUL INC**UOM:** EA**Availability:** IN STOCK**\$376.04**


These dry chemical extinguishers are designed for the protection of ordinary and high-risk hazards. This hand portable extinguisher is used in industries where the occurrence or possibility of fire is high. The RED LINE extinguisher has set the standard for reliable fire protection in many industries and applications including refining, petrochemical, oil and natural gas production, mining, transportation, utilities, metal processing, paint process areas, welding areas, material storage areas and many others. DOT and USCG approved with proper bracket. Meets or exceeds requirements of ANSI/UL 299 and 711.

 [PRINT](#) [CANCEL](#)

394-6

[Shopping Cart \[0 Items\]](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)[HARDWARE](#) | [HAND/POWER TOOLS](#) | [ELECTRICAL](#) | [PLUMBING](#) | [LAWN AND GARDEN](#) | [CLEANING/PAINT SUPPLIES](#)

Search by keyword or item #

CLEANING/PAINT SUPPLIES[Home](#) > [Cleaning / Paint Supplies](#) > [Ladders](#) > [Aluminum / Steel Step Ladders](#)[LARGER IMAGE](#)**Werner® Aluminum Stepladder (150b)**

Item no: 11080

Our Price:
\$34.99[Browse Search](#)**SAVINGS ALERT**

Take advantage of FREE Shipping to your local Ace! (See Promotion Details)

◀ 11 of 13

Qty: 1

Product Tools:

- Learn About L
- Ladder Safety
- Email A Friend

BILL ME LATER BUY NOW! NO PAYMENTS FOR 90 DAYS
on purchases over \$250

Related Categories

AVAILABILITY: In stock, leaves warehouse in 5 - 7 full business days. - [\(Details\)](#)

• Aluminum / St

• See all WERN

- 2'
- Type I; 300 lb. duty rating
- Plastic top
- 6" x 12" platform
- Slip resistant full-sized steps
- Bottom step has double channel braces
- Vinyl foot pads riveted to side rails

© Copyright 2006.

[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)

**See product

394-7



1-800-892-3622
1-800-838-6902 (fax)
www.instaware.com | support@instaware.com

#428 Aluminum Step Ladder, 6 Foot, ANSI Type II

by Davidson Ladders, Inc.

List Price:	\$145.49
Our Price:	\$85.58
You Save:	\$59.91
Product ID:	DADD221206SBX
Sold As:	1 EA
Availability:	47 In Stock

Usually ships within 1 to 2 business days.



View Details



This item is not eligible for Free Super Saver Shipping.

Companion Products

Buy companion products together today!

+ #429 Aluminum Two-Step Stool, Side Locks, 16-3/8w x 20 spread x 26h.
\$39.30

+ #566 Aluminum Euro Platform Ladder, 3 Foot, ANSI Type III, 18-3/8w x 31 spread
\$75.47

+ #566 Aluminum Euro Platform Ladder, 4 Foot, ANSI Type III, 18-3/8w x 31 spread
\$79.64

Product Details

#428 Six-Foot Aluminum Step Ladder • Select ladder of proper duty rating to support combined weight of user and materials • Meets or exceeds ANSI and OSHA safety codes • ANSI Type II, Commercial, 225-lb. duty rating • For painters and other tradespeople; with slots for small hand tools Yellow molded plastic top holds quart paint can. Extra large automatic pail shelf with retaining edge. Full 3" U-channel serrated steps. Angle bracing on bottom step and all back bars. 20-7/16w x 42-1/4 spread. WARNING: Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. 6 Feet High Shpg. wt. 12 lbs.

Products are sometimes shown with optional equipment - material choices and/or finishes may affect pricing for furniture.

394-8

[Home](#) | [Search](#) | [Customer Support](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)
[Shopping Cart \[0 items\]](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)




[HARDWARE](#) | [HAND/POWER TOOLS](#) | [ELECTRICAL](#) | [PLUMBING](#) | [LAWN AND GARDEN](#) | [CLEANING/PAINT SUPPLIES](#)

Search by keyword or item #

Search**CLEANING/PAINT SUPPLIES**

Home > Cleaning / Paint Supplies > Ladders > Fiberglass Step

[LARGER IMAGE](#)**Werner® Fiberglass Stepladder (6008)**

Item no: 18971

Our Price:
\$99.99[Browse Search](#)**SAVINGS ALERT**

Take advantage of FREE Shipping to your local Ace! (See Promotion Details)

◀ 7 of 11 ▶

Qty: 1

[Add to Cart](#)[Add to Wishlist](#)

Product Tools:

- Learn About L
- Email A Friend

BILL Me Later **BUY NOW! NO PAYMENTS FOR 90 DAYS**
on purchases over \$250

AVAILABILITY: In stock, leaves warehouse in 5 - 7 full business days. - [\(Details\)](#)

Related Categories

- Attic Ladders
- Extension Lad
- Fiberglass Ste
- Wood Step
- See all WERN

This item can be purchased on-line, however, due to shipping restrictions, **DELIVERY IS ONLY AVAILABLE TO YOUR LOCAL ACE STORE.**

- Serrated aluminum steps
- Pinch-proof steel plated spreaders
- Tool tray top
- Ladder top slotted for paint tray
- Paint can hanger
- Plated steel braces on bottom steps and rear horizontal
- Blue
- UL & ANSI approved
- 8' Tall

[back to top ▲](#)

© Copyright 2006.

[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)

**See product

394-9

Shopping Cart: 0 Items | Order Tracking |

BuyAutoTruck

Accessories.com

Exterior Accessories**Interior Accessories****Contractor Accessories****Towing and Cargo****FREE SHIPPING!**on orders
over \$100*

* For FedEx ground service within the Continental US on oversized items.

Vehicle Product Search:

Select Make...



Select Model...



Year...

**SEARCH**

TO VIEW ALL PRODUCTS
FOR YOUR VEHICLE
YOU MUST SELECT:
MAKE, MODEL & YEAR

This search is for Vehicle
Specific Products - Click
Here to see ALL products

Exterior Accessories

- Body Restyling
- Grille & Brush Protection
- Lighting
- Nerf Bars & Running Boards
- Shields & Visors
- Truck Bed Accessories
- Truck Tool Boxes
- More Exteriors ...

Interior Accessories

- Alarms & Security
- Barrier Gates & Dividers
- Clocks & Compasses
- Electrical
- Floor Mats & Liners
- Interior Lighting
- Restyling
- Sun Shields & Visors
- More Interiors ...

Contractor Accessories


- Cab Protection
- Fuel Pumps & Accessories
- Fuel Transfer Tanks
- Rack Systems
- Storage Security
- Wheels & Rims
- More Contractors ...

Towing and Cargo

- Cargo Management
- Hitches
- Towing Accessories
- Towing Electrical
- Trailer Accessories
- More Towing ...

Topsides

Results 1 - 4 of 4 products under this category.




Delta Pro Aluminum Topsides
Reg: \$847.95
As Low As: \$472.95



Delta Pro Steel Topsides
Reg: \$785.95
As Low As: \$438.95



Jobox Aluminum Topsides
Reg: \$681.95
As Low As: \$363.95



Jobox Steel Topsides
Reg: \$651.95
As Low As: \$363.95

**Jump To Page: 1****Home**

Can Storage Maintenance

394-10



Type II Safety Cans

Type II Safety Cans are made of galvanized steel and help reduce the danger of explosion when dispensing flammable liquids thru a flexible metal spout. Cans have a brass flame arrestor in filler opening and pour spout. Meets OSHA requirements.

Type I Red Safety Can STOCK # EACH

1-Gallon	42611	\$ 55.87
2-Gallon	42614	57.24

Type II Yellow Diesel Can STOCK # EACH

1-Gallon	42815	\$ 58.03
2-Gallon	42816	57.24



Type I Safety Cans

Type I safety cans are ideal for safer carrying and storing of gasoline and flammable liquids. One, two and five-gallon models are made from galvanized steel and are equipped with brass pour spout and flame arrestor. Meets OSHA requirements.

Type I Red Safety Can STOCK # EACH

1-Gallon	42600	\$ 23.80
2-Gallon	42604	25.37
5-Gallon	42608	28.20

Type I Yellow Diesel Can STOCK # EACH

1-Gallon	42617	\$ 23.80
2-Gallon	42818	25.37
5-Gallon	42619	28.20



Waste Drums

These are essential where solvents and wiping rags are used. Can be closed when not in use. Operated by hand or foot lever. Cover opens and closes automatically when released. Popular 10-gallon size. Requirements: 21-1/2" high, 18 lbs.

42620 \$ 59.36

3030

Phone 1-800-548-1234



ShopPro® Disposable Shop Towels

- Much better than laundryed shop towels!
- Only 13¢ each!

These super absorbent shop towels do a great job of soaking up water and oil. They are extremely durable and provide a consistent cleaning each and every time. Towels are white and measure 13.8" L x 14" W. Sold in cases of 200.

ShopPro Shop Towels, Case of 200 45621 \$ 26.84

394-11[Shopping Cart \[0 items\]](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)[HARDWARE](#) | [HAND/POWER TOOLS](#) | [ELECTRICAL](#) | [PLUMBING](#) | [LAWN AND GARDEN](#) | [CLEANING/PAINT SUPPLIES](#)

Search by keyword or item #

[Search](#)**HAND/POWER TOOLS**[Home](#) > [Sockets / Wrenches](#) > [Pipe Wrenches](#)**Ridgid® Pipe Wrench**

Our Price:

\$19.99 to 59.99

[Browse Search](#) **SAVINGS ALERT**

Take advantage of FREE Shipping to your local Ace! (See Promotion Details)

◀ 3 of 4 ▶

Size

24in - \$59.99

Qty: 1

[Add to Cart](#)[Add to Wishlist](#)

Product Tools:

- Learn About F
- Email A Friend

Related Categories

- 1/2in Dr Sockt
- 1/4in Dr Sockt
- 3/4in Dr Sockt
- 3/8in Dr Sockt
- Adjustable Wr
- Flat Wrenchet
- Pipe Wrenches
- Pneumatic So

[- See all RIDGE](#)

- Buy Now** BUY NOW® NO PAYMENTS FOR 90 DAYS
 Later* on purchases over \$250
- AVAILABILITY: In stock, leaves warehouse in 5 - 7 full business days. - [\(Details\)](#)

- Cast iron I-beam
- Meets federal specification G-G-G-W-651E; type 2; class 3A
- Pipe Capacity 1-1/2"

[LARGER IMAGE](#)

© Copyright 2006.


[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)

**See product



394-12[Shopping Cart \[0 items\]](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)[HARDWARE](#) | [HAND/POWER TOOLS](#) | [ELECTRICAL](#) | [PLUMBING](#) | [LAWN AND GARDEN](#) | [CLEANING/PART SUPPLIES](#)

Search by keyword or item #

Search**LAWN AND GARDEN**[Home](#) > [Lawn and Garden](#) > [Hand Trucks](#) > [Hand Truck](#)[LARGER IMAGE](#)**Gleason-Hand Trucks P-Handle Hand Truck (40119)**

Item no: 74821

Our Price:
\$94.99[Browse Search](#)**SAVINGS ALERT**Take advantage of **FREE Shipping to your local Ace!** (See Promotion Details)

1 of 14

Qty: 1

Add to Cart**Add to WishList** **Bill Me Later**BUY NOW NO PAYMENTS FOR 90 DAYS
on purchases over \$250AVAILABILITY: In stock, leaves warehouse in 5 - 7 full bus.
days. - [\(Details\)](#)

Product Tools:

- [Email A Friend](#)

Related Category

- [Hand Truck](#)
- [Lifting Straps](#)- [See all GLEASON TRUCKS](#)

- 600 lb. capacity
- 10" x 4" pneumatic wheels (Replacement Ace No. 72219)
- 8" x 14" toe plate
- 50-1/2" high
- P-handle

© Copyright 2006.

[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)

**See product

394-13

[Shopping Cart \[0 items\]](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)

[HARDWARE](#) | [HAND/POWER TOOLS](#) | [ELECTRICAL](#) | [PLUMBING](#) | [LAWN AND GARDEN](#) | [CLEANING/PAINT SUPPLIES](#)

Search by keyword or item #

Search**HAND/POWER TOOLS**

Home > Sockets / Wrenches > Adjustable Wrenches

**Stanley Adjustable Wrench**

Our Price:

8" → \$18.99 to 21.99 ← 10"

[Browse Search](#)**SAVINGS ALERT**

Take advantage of FREE Shipping to your local Ace! (See Promotion Details)

◀ 2 of 9 ▶

Size

Please select a size

Qty: 1

Add to Cart**Add to Wishlist**
 Bill Me Later* BUY NOW! NO PAYMENTS FOR 90 DAYS
on purchases over \$250

AVAILABILITY: In stock, leaves warehouse in 5 - 7 full bus. days. - (Details)

Product Tools:

- Email A Friend

Related Categories

- 1/2in Dr Sockt
- 1/4in Dr Sockt
- 3/4in Dr Sockt
- 3/8in Dr Sockt
- Adjustable Wr
- Flat Wrenches
- Pipe Wrenches
- Pneumatic So

- See all Stanley

- Precision-machined face with etched measurement scale in English
- Non-slip bi-material cushion grip
- Rust resistant phosphate coating
- Strong chrome vanadium steel
- EXCEED ANSI specs
- Hang hole in handle
- Carded

© Copyright 2006.

[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)


**See product

394-14

[Shopping Cart \(0 items\)](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)



HARDWARE | **HAND/POWER TOOLS** | **ELECTRICAL** | **PLUMBING** | **LAWN AND GARDEN** | **CLEANING/PAINT SUPPLIES**

Search by keyword or item #

卷之三

HAND/POWER TOOLS

[Home](#) > [Hand / Power Tools](#) > [Shop Vac](#) > [Wet/Dry Vacuums](#)



[Q LARGER IMAGE](#)

Shop-Vac® Ultra Plus (962-10-00)

Item no: 2114585

[Browse](#) [Search](#)

Our Price:
\$79.99



Take advantage of FREE Shipping to your local Ace! (See Promotion Details.)

◀ 6 of 12 ▶

Sty. 1

Add to Cart

Add to Wishlist

 BUY NOW! NO PAYMENTS FOR 90 DAYS
on purchases over \$250

AVAILABILITY: In stock, leaves warehouse in 5 - 7 full bus. days. - (Details)

Product Tools

- Email A Friend

Related Categories

- Wet/Dry Vacu

• See all SHOP

- 4.0 HP; 10 gal.
 - 18' cord
 - Features: filter cartridge; carrying handles; casters visible on/off switch; automatic shut off for wet pick up; on board cord storage; dent resistant plastic tank with drain plug
 - Air baffle system deadens sound
 - Includes 8' x 1-1/4" hose, 2 - 1-1/4" extension wands, 8" nozzle/squeegee insert, gulper nozzle, crevice tool, hose holder, concentrator nozzle, elbow grip, disposable filter bag
 - 4 year manufacturer's warranty

© Copyright 2006.

[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)




^{**}See product

Ph. 80 7-29-43 394-15

Pipe Wrenches

Ridgid Heavy Duty Pipe Wrenches



Count on these premium wrenches for jam-free operation. Made of cast iron with I-beam handle. **Standard Jaws**—ideal for pipe and conduit work. A hook jaw with alloy steel teeth floats on spring suspension for an instant grip and release. Hook jaw and heel jaw are replaceable. **Hex Jaws**—smooth jaws provide a multisided grip on square nuts, hex nuts, valve packing nuts, unions, and drain nuts. Hook jaw is replaceable; heel jaw is not. **Straight style** wrenches are ideal for loosening and tightening pipe fittings and rigid conduit. Meet Fed. Spec. GGG-W-651. **End style** wrenches work like straight style, but with an angled head for work in close quarters. Meet Fed. Spec. GGG-W-651. **Offset style** wrenches are similar to end style, but are especially effective for overhead work.

Note: Replacement parts fit straight, end, and offset style wrenches.



O'all Lg. Jaw Cap.	WRENCHES			REPLACEMENT PARTS									
	Straight Style Each	End Style Each	Hook Jaws Each	Heel Jaws & Pin Each	Coll & Flat Springs Each	Nuts Each							
Standard Jaws													
6"	1/4"	5357A121	\$14.50	5357A141	\$16.41	5357A181	\$8.82	5357A201	\$14.13	5357A141	\$2.68	5357A261	\$2.57
8"	1"	5357A122	15.51	5357A142	19.09	5357A182	8.90	5357A202	5.04	5357A242	2.79	5357A262	2.68
10"	1 1/4"	5357A123	20.40	5357A143	25.42	5357A183	10.01	5357A203	6.65	5357A243	3.00	5357A263	2.79
12"	2"	5357A124	23.63	5357A144	29.55	5357A184	13.30	5357A205	8.53	5357A244	3.32	5357A264	3.32
14"	2 1/2"	5357A125	26.86	5357A145	30.02	5357A176	15.65	5357A206	8.53	5357A131	3.70	5357A265	3.70
16"	2 1/2"	5357A126	30.45	5357A146	43.90	5357A177	22.09	5357A206	11.48	5357A132	6.65	5357A266	6.42
18"	2 1/2"	5357A127	32.00	5357A147	75.94	5357A178	34.43	5357A207	17.54	5357A133	7.45	5357A267	8.04
20"	2 1/2"	5357A128	127.72	5357A148	161.21	5357A188	72.24	5357A208	26.86	5357A248	9.66	5357A268	14.15
24"	2 1/2"	5357A129	192.54			5357A189	107.68	5357A209	46.39	5357A249	11.48	5357A269	22.95
30"	2 1/2"	5357A130	303.22			5357A172	169.56	5357A173	75.73	5357A174	19.15	5357A175	40.23
Offset Style									Flat Springs				
14"	2"	5357A163	\$47.84	5357A191	19.00	5357A205	8.53	5357A194	\$3.50	5357A265	3.70		
18"	2 1/2"	5357A166	70.52	5357A192	27.00	5357A206	11.48	5357A195	8.00	5357A266	5.42		
24"	3"	5357A167	111.60	5357A193	42.39	5357A207	17.54	5357A196	8.29	5357A267	8.04		

* Does not meet Fed. Spec. GGG-W-651.

Aluminum-Handle Pipe Wrenches

As durable as iron wrenches of the same size, but lighter in weight due to cast aluminum handles. Full floating hook jaw and spring suspension prevent jamming and kicking. Meet Fed. Spec. GGG-W-651.

Straight style wrenches have forged-steel jaws. End style and offset style wrenches work well in tight areas. Jaws are hardened alloy steel. Value wrenches are an economical alternative to Ridgid brand. Made in Spain.

O'all Lg. Jaw Cap.	RIDGID BRAND			VALUE			
	Straight Style Each	End Style Each	Offset Style Each	Straight Style Each	End Style Each	Offset Style Each	
10" ... 1 1/4" ... 5591A44	\$32.43	5764A31*	\$35.22	5356A11	\$25.35		
14" ... 2" ... 5591A46	44.03	5764A33*	49.85	5356A12	32.71		
18" ... 2 1/4" ... 5591A47	54.74	5764A35*	61.98	52905A61	\$59.37	5356A13	42.23
24" ... 3" ... 5591A48	86.93	5764A37*	97.93	52905A62	73.72	5356A14	65.08
36" ... 5" ... 5591A49	149.64			52905A63	123.83	5356A15	114.96
48" ... 6" ... 5591A51	294.73					5358A16	228.77

* Does not meet Fed. Spec. GGG-W-651.

Value-Line Straight-Style Pipe Wrenches

These high-quality imported tools are the economical choice for general purpose use with pipe and fittings. All are made of steel, have I-beam shaped handles for strength, and heat-treated jaws for extended life. Meet Fed. Spec. GGG-W-651.

O'all Lg.	Jaw Cap.	Straight Style Each	O'all Lg.	Jaw Cap.	Straight Style Each		
8"	1"	7358A11	\$6.42	14"	2"	7358A14	\$12.23
10"	1 1/2"	7358A12	8.21	16"	2 1/2"	7358A15	17.74
12"	2"	7358A13	10.21	24"	3"	7358A16	31.24

Monkey Wrenches

Also known as engineers' wrenches, these adjustable tools feature smooth, non-marring jaws. Made of chrome-plated forged steel.

O'all Lg.	Jaw Cap.	Each	
9"	2 3/4"	5382A1	\$24.90
11"	3"	5382A2	29.44
15"	3 1/4"	5382A3	46.80
18"	4 1/2"	5382A4	55.35

Ridgid Self-Adjusting Pipe Wrenches

Spring-loaded, serrated jaws clamp down automatically for a snug fit on pipe or nuts. Great for tight spaces. Made of cast iron, except 5355A19 is aluminum. Jaws are forged steel.

O'all Lg.	Jaw Cap.	Each	
10"	3/4"-1 1/4"	5355A14	\$22.99
14"	1"-2"	5355A16	28.32
18"	2"-3"	5355A18	56.74

Combination Pipe Wrench

Also known as an engineers' pipe wrench, this 3-in-1 tool combines a valve wheel wrench with a pipe wrench that has a flat face for use as a hammer. Ideal for refinery and chemical plant use, it supplies leverage to open stubborn hand-operated valve wheels. Handle is ductile iron; jaws are heat-treated forged alloy steel.

Pipe Wrench O'all Lg.	Jaw Capacity	Valve Wheel Wrench Opening	Each
9 1/2"	1"	3/4"	51425A25 \$83.00

394-16

SUMMER SPECIALS

FREE

DELIVERY!

CARQUEST EXCLUSIVES

1, 2, 3, 4, 5, 6, 7, 8, 10
Air Compressors
Air Hose, Air Tools
Air Tools
Battery/Battery Testing
Breaker/Front End
Cleaning
Diagnostics/Testing
Drill Machines
Drummers
Gloves
Hand Tools
Headlamp Alignment
Heating/Cooling/A/T
Wiring
Lighting
Oil/Lube
P.M. Solutions
Power Tools
PSI/Calibration
Service Spacers
Shop Tool Supplies
Specialty Tools
Tire/Wheel
Tool Storage
Welding
Work Benches

SUPERKNIFE**NEW!****SMITH & WESSON**

The Ultimo Utility Knife
Features: 1-step blade change;
just press the thumb stud to
release, accepts standard or
contractor-grade utility knife
blades; 1 piece blade holder to
ensure the blade will be held
tightly under pressure.

SPE 22-0057 **\$9.99****Cuttin' Horse**

Features: Zytel handle, 3.00" x
4.00" Teflon coated steel blade, and
measures 3 5/8" closed. Includes
pocket clip.

SPE CH4000LBCP **\$9.99****LED/Xenon Flashlights****SMITH & WESSON****Galaxy 3 LED**

Features up to 30 hours of continuous battery life, uses
2 included AAA batteries, economical, durable and
compact, visible for over one mile, shatterproof.
LED diodes last over 110,000 hours, ideal
for paths, mags, charts, and
key locks.

SWN SW900BK

\$14.99**LONDON Leasing**

If you want it,
here's an easy way to pay for it...
S&L Cash or Bank Credit for Other Needs
P&M Financing + Low Monthly Payments
You Own the Equipment at Lease End

Leasing Information

CARQUEST offers monthly rates or
no monthly in the cost of financing for
business only. Credit worthy customers
may also advantage of competitive
rates through CARQUEST lease. These
are \$1,000 minimum, but there can be
flexible in both minimum. Hand tools
cannot be purchased by lease unless
coupled with storage units or other hand
tools. Terms are available from 24
through 60 months, depending on lease
rate. All leases require 2 payments
as down to start lease. Terms and
conditions are as follows. Contact
your CARQUEST Sales for information
on our LONDON Leasing at:

1-800-691-7833**Sale/Promo**

Participation in the CARQUEST Tools &
Equipment Leasing Program is by a
CARQUEST Auto Parts Store or distributor.
Generally, an advertiser may
not be available because of either
absentee ownership, or because
of non-existent interest per rental.
We strive to keep to eliminate areas of
would-be concern, but in the event you
do not qualify for participation in the
program, please contact your
nearest CARQUEST store with
any questions and have them refer to your
local distributor or contact us directly.
The CARQUEST Tools & Equipment
Leasing Program is open to individuals
and business entities in the U.S.A.,
Canada, Mexico, Australia, New Zealand,
U.K., Ireland, France, Germany, Italy,
Spain, Portugal, Sweden, Norway,
Finland, Poland, Czech Republic,
Hungary, Belgium, Luxembourg,

Galaxy 9X Flashlight

Twin switch technology for fast, easy selection between
Xenon and LED modes; gripped grip for secure
grip; constructed of precision machined
6063 anodized aluminum for
superior corrosion
resistance and
durability; Xenon
bulb with 66
lumens for long range,
focused beam, and
includes six AA Nylon holder with
battery storage. Includes (2) 3 Volt
lithium batteries.

SWN SW900XWT

\$33.95**DRILL-OUT® SET**

Broken bolt and nail extractor
set with a specially designed
drill tip that won't walk or
wander. Includes: #5, #6
or M3, #8 or M4, #10,
#12 or M5, 1/4" or M6,
5/16" or M8, 3/8" or M10
and 1/2" or M12 bits.

H-80703

\$71.95**Wheel Battery Chargers/Starters**

All CARQUEST Wheel Chargers feature integrated
reverse polarity protection. Set includes:
12V 1000mA, 12V 1000mA, 12V 1000mA
and 12V 1000mA.

Shop-Duty Professional 425/21-41 110-2 Lead
CJ-1000A 6 A/cd 12V 1000mA, FCC ID: 2AB5A, 200 Amp

Portable Generators

5000 Watt - 6250 Watt Max
13 HP Tecumseh
engine, 5 gal. tank,
Inlet: Outlets
(4) 120V
(1) 120/240V locking

Run Times
7.6 Hours (avg)

CLM PM053312

\$689

3000 Watt - 6250 Watt Max
13 HP OHV Briggs & Stratton
engine, 5 gal. tank,
Outlets: (4) 120V (1) 120/240V locking

Run Times
12 Hours (avg)

CLM PM0404507

\$765

7000 Watt - 8750 Watt Max
13 HP Honda GX engine,
8 gal. tank. Outlets: (4) 120V
(1) 120/240V locking

Run Times
10 Hours (avg)

CLM PM0497000

\$1159*

Lease \$59.80/mo. (non-tx)

11,000 Watt - 13,750 Watt Max

20 HP GX V-Twin Honda engine. Electric start, 8 gal. tank.
Outlets: (4) 120V (4) 240V
(1) 120/240V
Lang-Engines

Run Times
7 Hours (avg)

CLM PM0601100

\$2319*

Lease \$84.41/mo. (non-tx)

*CA Pricing Also Available.

CARQUEST

CARQUEST

CARQUEST

CARQUEST

CARQUEST

CARQUEST


[Home](#) | [Order Form](#) | [Compare Items](#) | [Your Account](#) | [Help](#)
[Repair Parts](#) [Services](#) [Resources](#) [Company Info](#) [Contact Us](#) [Find A Branch](#) [Worldwide](#)

[Catalog No. 397 \(PDF\)](#) [Search](#)

Keyword(s)

YOUR ACCOUNT
Robert Morrison
[Personal Lists](#)
[Item History](#) NEW
[Order History](#)
[MORE ▾](#)

Item Details

[Pneumatics & Hydraulics](#) > [Air Compressors and Vacuum Pumps](#) > [Portable Electric Air Compressors](#)
Compressor,Air,2.0 HP

Electric Oil Free Air Compressor, Running Motor HP 2.0, Direct Drive, Tank Capacity 20 Gallons, Rated ASME, Voltage @ 60 Hz 115, Current Drawn 15 Amps, Free Air Flow @ 90 PSI 5.8 CFM, @ 125 PSI 4.5 CFM, Maximum Pressure 135 PSI, Tank Type Horizontal, Outlet 1/4 Inch FNPT, Length 33 Inches, Height 31 Inches, Width 16 Inches

Grainger Item # 3JR71

Your Price (ea.) \$269.00

Brand WESTWARD


Mfr. Model # 3JR71

Ship Qty. 1

Sell Qty. (Will-Call) 1

Ship Weight (lbs.) 107.0

Usually Ships** Today

Catalog Page No. 1433

Qty.

Plug,Coupler,1/4 In

 Grainger Item #: 2X169
 Your Price (ea.) \$1.03
 Brand: DYNAQUIP
 CONTROLS

Qty.

See more like this below

Tech Specs	Additional Information	Notes & Restrictions	MSDS	Required Accessories	Optional Accessories	Alternate Products	Repair Parts
Item		Portable Air Compressor					
Running Motor HP		2.0					
Free Air CFM @ 90 PSI		5.8					
Free Air CFM @ 125 PSI		4.5					
Max. Pressure (PSI)		135					
Voltage		115					
Amps AC		15.0					
Tank (Gal.)		20					
Tank Type		Horizontal					
(F)NPT Outlet (In.)		1/4					
Length (In.)		33					
Width (In.)		16					
Height (In.)		31					




FOR THE ONES WHO GET IT DONE

[Home](#) | [Order Form](#) | [Compare Items](#) | [Your Account](#) | [Help](#)
[Repair Parts](#) [Services](#) [Resources](#) [Company Info](#) [Contact Us](#) [Find A Branch](#) [Worldwid](#)

[Catalog No. 397 \(PDF\)](#) [Keyword\(s\)](#)
[Search](#)

YOUR ACCOUNT**Robert Morrison**
[Personal Lists](#)
[Item History](#) NEW
[Order History](#)
[Logout](#) [Edit Profile](#)
Item Details
[Pneumatics & Hydraulics](#) > [Hoses](#) > [Multipurpose Air Hose](#)
Hose,Air
General Duty Multi Purpose EPDM Air Hose, Inside Diameter 1/2 Inch, OD 0.787 Inch, Fitting Size 1/2 NPT, Maximum Pressure 200 PSI, Color Black, Length 25 Feet, Coupled Assembly

Grainger Item #	3JT73
Your Price (ea.)	\$21.03
Brand	SPEEDAIRE BY DAYTON
Mfr. Model #	56957512733901
Ship Qty. ?	1
Sell Qty. (Will-Call) ?	1
Ship Weight (lbs.)	4.8
Usually Ships** ?	Today
Catalog Page No.	1558 E



Qty.

Plug,Coupler,1/4 In

Grainger Item #: 2X160
 Your Price (ea.) \$1.03
 Brand: DYNQUIP
CONTROLS

Qty.

See more like this below [?](#)

Tech Specs	Additional Information	Notes & Restrictions	MSDS	Required Accessories	Optional Accessories	Alternate Products	Repair Parts
Item		Air and Multipurpose Hose					
Type		Coupled Assembly					
Hose Inside Dia. (In.)		1/2					
Hose Length (Ft.)		25					
Fitting Size (In.)		1/2 MNPT					
Hose Outside Dia. (In.)		0.787					
Color		Black					
Max. Pressure (PSI)		200					
Temp. Range (F)		-20 to 180					
Safety Factor		4:1					
Cover Material		EPDM					

** The "Usually Ships" reflects when an item is generally expected to ship from Grainger based on its stocking location. Real-time availability information will be shown during the checkout process and on the e-mail order confirmation (for U.S. and Puerto Rico - US customers only). Please allow additional delivery time for international orders.

We Also Carry


394-19

A&S Company, World's Leading Supplier of Metal Detectors and Accessories

Order line and info 1-800-301-6151 or (408) 248-1233

• Fisher Metal Detectors
Oldest Name In Business, Since 1931

• Fisher M-97 Valve Box Locator



M-97 with 8 inch coil : Retail price is \$575 A&S Price: Please Call 1-800-301-6151

The Fisher M-97 is specially designed for finding buried or paved over valves, boxes, or manhole covers, or any other concealed metallic object. It also locates targets made of aluminum, brass and lead. The M-97 features push button tuning allowing the user to quickly and easily maintain optimum sensitivity for easy pinpointing of buried metallic objects. Plus, the M-97 offers auto-tune circuitry and a waterproof search coil. New to the M series is the ease with which the M-97 can be stored. Just compact the lower stem, twist the search coil 90 degrees, and fold the search coil flat. The M-97 fits easily into the optional carrying case. In the Fisher tradition, the M-97 is affordable, tough, and simple to use while providing maximum performance. A two year^{**} limited warranty comes standard with the unit.

M-97 VALVE, PEDESTAL & BOX LOCATOR

The Fisher M-97 is specially designed for finding buried or paved over valves, boxes, or manhole covers, or any other concealed metallic object. It also locates targets made of aluminum, brass and lead.

The M-97 features push button tuning allowing the user to quickly and easily maintain optimum sensitivity for easy pinpointing of buried metallic objects. Plus, the M-97 offers auto-tune circuitry and a waterproof search coil. New to the M series is the ease with which the M-97 can be stored. Just compact the lower stem, twist the search coil 90 degrees, and fold the search coil flat. The M-97 fits easily into the optional

394-20
**Safe Environments
World Wide**

[0 Iter]

[HOME](#) | [WHAT'S NEW?](#) | [SPECIALS](#) | [REVIEWS](#) | [CATALOG](#) | [FEATURES](#) | [ABOUT US](#)
[Top » Catalog » Gas Leak Detectors](#)
[Log In](#) | [My Account](#) | [Cart](#)
Search Catalog:

All Categories

**Categories****Gas Leak Detectors**

Displaying 1 to 12 (of 12 products)

Result Pages: 1

Product Name+	Model	Buy Now	Price	
Combustible Gas Detector Pen-Style (PNG2000) with Pocket Clip & Wrist Strap	PNG2000	0 <input type="radio"/> Qty Discounts	\$129.95 \$99.00	
Combustible Gas Leak Detector (CD100A) with 18" Goose Neck Sensor and Ruggedized Housing	CD100A	0 <input type="radio"/> Qty Discounts	\$239.95 \$172.55	
Combustible Gas Leak Detector (CD200) with 18" Goose Neck Sensor, Adjustable Alarm & Hard Case	CD200	0 <input type="radio"/> Qty Discounts	\$299.95 \$233.55	
Combustible Gas Leak Detector (NGD268) with 12" Goose Neck Sensor and Built-In Battery Charger	NGD268	0 <input type="radio"/> Qty Discounts	\$249.95	
Compact Portable Gas Detector with Digital Display (DNGD168) with Built-In Battery Charger	DNGD168	0 <input type="radio"/> Qty Discounts	\$349.00	
Methane (natural gas), Butane & Propane Gas Detector (HS80501) 110vAC Plug-in Unit	HS80501	0 <input type="radio"/> Qty Discounts	\$47.95 \$39.99	01
Methane, Propane and Carbon Monoxide Detector (HS80504) 110vAC Plug-in Unit	HS80504	0 <input type="radio"/> Qty Discounts	\$65.95 \$58.75	02
Mini Digital Combustible Gas Detector (PNGD170) and CO Alarm with Belt Clip, Charger & Alarms	PNGD170	0 <input type="radio"/> Qty Discounts	\$519.95 \$399.75	03
Refrigerant Gas Leak Detector (RLD1) with Hard Case	RLD1	0	\$327.55 \$279.77	04
Refrigerant Gas Leak Detector Pen-Style (PRL3000) with Pocket Clip	PRL3000	0	\$99.00	05
Ultrasonic Leak Detector (ULD500) with Headphones	ULD500	0	\$327.55 \$279.95	
UV Light Leak Detector (53512) with Safety Goggles	53512	0	\$59.95 \$49.55	

Displaying 1 to 12 (of 12 products)

Result Pages: 1


[Home](#) | [Order Form](#) | [Compare Items](#) | [Your Account](#) | [Help](#)
[Repair Parts](#) [Services](#) [Resources](#) [Company Info](#) [Contact Us](#) [Find A Branch](#) [Worldwide](#)


Catalog No. 397 (PDF)

[Search](#)

Keyword(s)

[Go](#)

YOUR ACCOUNT

Robert Morrison

Personal Lists

Item History [NEW](#)

Order History

More ▾

Keyword(s)

[Search Within Results](#)

or

[New Search](#)**2006 Fall Product Guide**

The products you need to keep your facility running this Fall are here.

> View the Dayton 2006 Fall Product Guide

► [Search for Repair Parts](#)

A Please select at least 2 items for comparison (use the check boxes to select items).

You searched > 4Z909

Results Displayed: 1 - 2 of 2

Page 1 of

[Compare Items](#)[Add to Order](#)[Add to Personal List](#)[Clear](#)

Sort Table By: Default

Catalog
397
Page

Item #	Qty.	Notes	Description	Brand Mfr. Model #	Ship Qty.	Usually Ships**	Your Price
<input type="checkbox"/>		N	Heavy Duty Bench Grinder, Wheel Diameter 8 Inches, Power Rating 3/4 HP, Maximum Speed 3450 RPM, Arbor Wheel 5/8 Inch, Current Rating 7 Amps, Single Phase	DAYTON 4Z909C	1	Today	\$204.25 327
<input type="checkbox"/>	Discontinued	N	Grinder Combo 5a725 4z909 4x868 4z154 6z851 Combo	APPROVED VENDOR MULTIPLE	1	Discontinued	N/A

7E985

[Compare Items](#)[Add to Order](#)[Add to Personal List](#)[Clear](#)

Results Displayed: 1 - 2 of 2

Page 1 of

You searched > 4Z909

Note: Items with Notes & Restrictions are marked with N

* Grainger product may not be exact match

** The "Usually Ships" reflects when an item is generally expected to ship from Grainger based on its stocking location. Real-time availability information will be shown during the checkout process and on the e-mail order confirmation (for U.S. and Puerto Rico - US customers only). Please allow additional delivery time for international orders.


[Home](#) | [Order Form](#) | [Compare Items](#) | [Your Account](#) | [Help](#)
[Repair Parts](#) [Services](#) [Resources](#) [Company Info](#) [Contact Us](#) [Find A Branch](#) [Worldwide](#)

[Catalog No. 397 \(PDF\)](#)
[Search](#)

YOUR ACCOUNT
Robert Morrison
[Personal Lists](#)
[Item History](#) NEW
[Order History](#)
[more >](#)

Item Details

[Tools](#), [Outdoor Equipment & Auto Shop](#) > [Vises](#) > [Vises](#)
VISE,BENCH

Bench Vise, Jaw Width 6 1/2 Inches, Maximum Opening 5 1/2 Inches, Throat Depth 3 11/16 Inches, Pipe Capacity 1/8 to 2 1/2 Inches, Utility Workshop

[Grainger Item #](#)

4TK29

[Your Price \(ea.\)](#)

\$109.95

[Brand](#)

WILTON

[Mfr. Model #](#)

676

[Ship Qty.](#)

1

[Sell Qty. \(Will-Call\)](#)

1

[Ship Weight \(lbs.\)](#)


41.9

[Usually Ships**](#)

Today

[Catalog Page No.](#)

1164



Qty.



Hose,Air

Grainger Item #: 62787
Your Price (ea.) \$24.03
Brand: SPEEDAIRE BY DAYTON

Qty.

See more like this below

Tech Specs	Additional Information	Notes & Restrictions	MSDS	Required Accessories	Optional Accessories	Alternate Products	Repair Parts
------------	------------------------	----------------------	------	----------------------	----------------------	--------------------	--------------

Type	Utility Workshop
Jaw Width (in.)	6 1/2
Throat Depth (in.)	3 13/16
Pipe Capacity (in.)	1/8 to 2 1/2
Base	180 Degrees Swivel
Jaw Material	Replaceable, Serrated Hardened Steel for a Tight Grip

** The "Usually Ships" reflects when an item is generally expected to ship from Grainger based on its stocking location. Real-time availability information will be shown during the checkout process and on the e-mail order confirmation (for U.S. and Puerto Rico - US customers only). Please allow additional delivery time for International orders.

We Also Carry


394-23

Search



| E-mail | Site Map | En Espanol



Dealer Locator

Products

New
Chain Saws
Accessories
Augers / Drills
Blowers / Sprayers
Construction Tools
Edgers
Hand Tools
Hedge Trimmers
Pole Pruners
Multi-Task Tools
Protective Apparel
Trimmers /
Brushcutters
Saw Chain / Guide
Bars

What's New

Press Office

Information

Corporate

Employment

Events

STIHL Outfitters

FAQ

Newsletter

Contact Us

MS 270 STIHL WOOD BOSS® Chain Saw

STIHL® Wood Boss®

This mid-sized saw is excellent for firewood cutters. Standard features include a heavy-duty air filter as well as an advanced anti-vibration system to help reduce operator fatigue.

Standard Features

- Advanced anti-vibration system
- Toolless fuel and oil caps with retainers
- Carburetor preheat shutter for summer/winter operation
- IntelliCarb™ compensating carburetor
- MS 270 is 1.3 lbs. less than the MS 290
- Click to view the standard features that are common to many Stihl chain saws

CHAIN SAW MODELS:

MS 390

\$440.-

MS 270 STIHL WOOD BOSS® Chain Saw

DISPLACEMENT 50.0 cc (3.05 cu. in.)

ENGINE POWER 2.5 kW (3.4 bhp)

WEIGHT (Powerhead only) 5.3 kg (11.7 lbs.)

FUEL CAPACITY 520 cc (17.6 oz.)

CHAIN OIL CAPACITY 280 cc (9.5 oz.)

OILOMATIC® CHAIN .325" RM2 or .325" RMC3

GUIDE BARS 40 to 45 cm (16" to 18")
AVAILABLE

STIHL recommends #3634 (26 RMC3-67) OILOMATIC® saw chain and 16" 3003-000-6813 Ematic™ guide bar combination..

An exceptionally smooth running mid-sized chain saw.



Chain Saw Features



Chain Saw Accessories




Chain Saw Protective Apparel



Chain/Guide Bar Replacement



Comparison Chart



STIHL Limited Warranty

IMPORTANT INFORMATION

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the owner's manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standards B 175.1. Your owner's manual contains safe operating procedures and advantages of using the STIHL Quicksstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains.

STIHL recommends the use of green reduced kickback bars and green low kickback chains on all STIHL chain saws.


[Home](#) | [Order Form](#) | [Compare Items](#) | [Your Account](#) | [Help](#)
[Repair Parts](#) [Services](#) [Resources](#) [Company Info](#) [Contact Us](#) [Find A Branch](#) [Worldwide](#)


Catalog No. 397 (PDF)

[Search](#)

Keyword(s)

[Go](#)**YOUR ACCOUNT****Robert Morrison**
[Personal Lists](#)
[Item History](#) NEW
[Order History](#)
[Logout](#)**Item Details**

Tools, Outdoor Equipment & Auto Shop > Pipe Threading Equipment > Pipe Threaders

Pipe Thread Ratchet

Exposed Pipe Thread Ratchet, Threader Set, With Handle and Dies, 1/2-2 Inches Capacity

Grainger Item #

4A508

Your Price (ea.)

\$632.00

Brand

RIDGID

Mfr. Model #

12-R

Ship Qty. [?](#)

1

Sell Qty. (Will-Call) [?](#)

1


Ship Weight (lbs.)

34.1

Usually Ships** [?](#)

Today

Catalog Page No.

1126 [PDF](#)

Qty.

[Enlarge Image](#)

Cutter,Pipe

Grainger Item #: 4A508
Your Price (ea.) \$133.95

Brand: RIDGID

Qty.

[Add to Order](#)[Add to Personal List](#)See more like this below [View](#)[Add to Order](#)[Add to Personal List](#)

Tech Specs	Additional Information	Notes & Restrictions	MSDS	Required Accessories	Optional Accessories	Alternate Products	Repair Parts
------------	------------------------	----------------------	------	----------------------	----------------------	--------------------	--------------

Item Exposed Ratchet Threader Set

Capacity 1/2, 3/4, 1, 1 1/4, 1 1/2 and 2 Inches NPT

Includes 6 Die Heads, Ratchet and Handle

[View Catalog Page](#) [View Printable Page](#)

** The "Usually Ships" reflects when an item is generally expected to ship from Grainger based on its stocking location. Real-time availability information will be shown during the checkout process and on the e-mail order confirmation (for U.S. and Puerto Rico - US customers only). Please allow additional delivery time for international orders.

We Also Carry

Reamer,Spiral Pipe

Grainger Item #: 4A012



Wrench,Straight Pipe

Grainger Item #: 6M653



Wrench,Circular Pipe

Grainger Item #: 6A914




HANDBY ROLL,ISO.1 GRIT

Grainger Item #: 2D143

394-26

Storage Safety



Wall Cases


- 16-label kit included
- Corrosion-resistant

These cases are made from rugged ABS plastic. A rubber door seal keeps out dust and moisture to protect the door hinges and your stored equipment. Mount one outside for your operators to store items such as gloves, flashlights, clipboard and paperwork. Ultraviolet inhibitors have been added to protect during use outside.

You can customize the case with one of the 16 adhesive labels included with each case. The label kit titles include: BioSafety Products, Fire Blanket, Hearing Protection, Hand Protection, Maintenance Supplies, Safety Documents, MSDS, Personal Protection Equipment (PPE), Respirator Fit Test Equipment, Instruments, Respirator Storage, Disposable Respirators, Lockout/Tagout, Safety Glasses, Visitor Specs, Spill Kit, First Aid.

• Cases include a custom label kit and one shelf. Mounting hardware is not included.

COLOR	EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS	STOCK #	EACH
Black	14" W x 18" H x 9 1/2" D	12" W x 16" H x 7 1/2" D	71502	\$ 89.05
Black	14" W x 21" H x 9 1/2" D	12" W x 19" H x 7 1/2" D	71503	94.53
Black	14" W x 21" H x 9 1/2" D	12" W x 19" H x 7 1/2" D	71504	94.63
Black	14" W x 21" H x 9 1/2" D	12" W x 19" H x 7 1/2" D	71505	94.53
Black	14" W x 21" H x 9 1/2" D	12" W x 19" H x 7 1/2" D	71506	94.53
Black			71507	9.95
Black			71508	5.50



X 2

Universal SCBA Wall Case

This wall case protects SCBA's against damage from plant environments. It is made of corrosion resistant ABS with ultraviolet inhibitors. Non-metallic hinge and latches prevent rust while a rubber door seal protects equipment from dust and moisture. Comes complete with window, graphics shelf and bracket. Inside dimensions are 12" W x 17" L x 7 1/2" D.


Universal Wall Case 71464 \$ 233.33

Universal SCBA Carrying Case with Wheels

• Most SCBA's
• Enclosed by Pelican

This heavy-duty case is perfect for storing SCBA between uses. The built-in handle and wheels make it easy to transport SCBA to job sites. Case has a lifetime warranty and is watertight to 30 ft. Each case includes pluck-and-pluck foam so you can secure your case however you like. The way the factory says it: "Inside dimensions are 10" L x 10 1/2" D."

SCBA Case 42702 \$ 182.14



Case with integral wheel design

1-888-3030

Phone 1-800-548-1234

www.usahirebook.com

394-27
[Investor Relations](#) | [Corporate Information](#) | [Store Locator](#)
[Do It Yourself](#)[Get In The Zone!](#)[Find A Repair Shop](#)[For The Pro](#)**CURRENT VEHICLE**[Choose a Vehicle](#)**STORE SHOPPING LIST**

Send a list to your store.

ONLINE SHOPPING

Shop online!

[Home](#) > [Shopping](#) > [Specialty \(Tools\)](#)
Login**MyZone****► Shopping**

- › [Browse By Part Name](#)
- › [Part Number Search](#)
- › [Component Locations](#)
- › [Specifications](#)

Repair Info**In Our Stores****Customer Service**[AutoZone.com](#)[Return Policy](#)***Grease Gun Specialty (Tools)***

Item	Part No.	Unit Price	Available Store
Great Neck 3 PC Grease Gun Set	25891	\$15.99	1/ Add to List

Store Availability

- Normal Stock** - This item is normally stocked at your local AutoZone.
- Special Order** - This item isn't normally stocked at your local store. Contact your local AutoZone for ordering information. Shipping charges may apply.
- Not Available** - Temporarily unavailable. Please check back soon.

Online Availability

- Normal Stock** - Ships within Days.
- Special Order** - Ships within Days.
- Not Available** - Temporarily online. Please check back soon.

Unless otherwise noted, this product comes with AutoZone's standard warranty. Core value is the amount you pay for a core charge for a part. Total price is equal to unit price plus core value multiplied by quantity.

If you have questions concerning your online purchase or your shopping list, read the [AutoZone.com FAQs](#).

© 2001-2006 AutoZone, Inc. All Rights Reserved.

AutoZone.com
[Secure Shopping](#) | [Terms & Conditions](#) | [Site Map](#)



[Home](#) | [Shopping Cart](#) | [Track](#) | [Login](#) | [About Us](#) | [Policies](#) | [Specials](#) | [Help](#)
Center

PRODUCT SEARCH :

Go!

394-28

800-654-8003
ORDER TOLL FREE

CUTTING TOOLS

HOB SITE STORAGE

BARE TOOLS

SAFETY

THREADING

ELECTRICAL

HAND TOOLS

POWER TOOLS

Greenlee

32825

Ridgid 32825-2-A HD 3-Wheel Pipe Cutter



Heavy-Duty Pipe Cutters
fact, clean pipe cutting by hand or power. Extra-long
shank protects adjustment threads, while an
extra-large handle is provided for quick, easy
adjustment. Can be converted to 3-wheel cutter by
replacing rollers with cutter wheel, or the 2A and
4S can be ordered as 3-wheel model for use in
areas where a complete turn is not possible.

\$123.33

IN STOCK NOW!

Specs

Close Up

Pkg Qty:

1

All items NEW and NOT refurbished unless otherwise indicated

Weight:

7.15 lbs

- Greenlee
- Ridgid
- Dewalt
- Milwaukee
- Makita
- Ramset
- Bosch
- Pacific Laser Systems
- Knaack
- Weatherguard
- Panasonic
- Porter Cable
- Hitachi
- Rubberrmaid
- Werner Ladders

[View All ...](#)



\$405.64

Add to cart

Ridgid

32825

Ridgid

\$59.05

Add to cart



\$77.39

Add to cart

Ridgid

32825

Ridgid

\$99.04

Add to cart



\$99.04

Add to cart

32825

\$3100

10083

\$4055

41055

\$42950

394-29

Larin 3 Ton Hydraulic Floor Jack	GJ- 6000	\$59.99	<input checked="" type="checkbox"/>	Add to List
-------------------------------------	-------------	---------	-------------------------------------	-----------------------------



Larin 4 Ton Bottle Jack	JS-4	\$15.99	<input checked="" type="checkbox"/>	Add to List
----------------------------	------	---------	-------------------------------------	-----------------------------



Larin 4 Ton Jack Stands	JS-4	\$24.99	<input checked="" type="checkbox"/>	Add to List
----------------------------	------	---------	-------------------------------------	-----------------------------



Larin 5000 Lbs Floor Jack	DQY- 5001	\$34.99	<input checked="" type="checkbox"/>	Add to List
------------------------------	--------------	---------	-------------------------------------	-----------------------------



Larin 6 Ton Hydraulic Bottle Jack	BJC-6	\$21.99	<input checked="" type="checkbox"/>	Add to List
---	-------	---------	-------------------------------------	-----------------------------



Larin 6 Ton Jack Stands	JS-6	\$39.99	<input checked="" type="checkbox"/>	Add to List
----------------------------	------	---------	-------------------------------------	-----------------------------



Larin Aluminum Frame Racing Jack	ASJ- 2.5	\$49.98	<input checked="" type="checkbox"/>	Add to List
-------------------------------------	-------------	---------	-------------------------------------	-----------------------------



Reece Swivel Mount Side Wind Trailer Jack	74410	\$41.99	<input checked="" type="checkbox"/>	Add to List
---	-------	---------	-------------------------------------	-----------------------------



Test Rite Products Corp 2 Ton Jack kit	AG02855G	\$29.99	<input checked="" type="checkbox"/>	Add to List
---	----------	---------	-------------------------------------	-----------------------------


[Home](#) | [Order Form](#) | [Compare Items](#) | [Your Account](#) | [Help](#)
[Repair Parts](#) [Services](#) [Resources](#) [Company Info](#) [Contact Us](#) [Find A Branch](#) [Worldwide](#)


Catalog No. 397 (PDF)

Search

Keyword(s)

Go**YOUR ACCOUNT****Robert Morrison**
[Personal Lists](#)
[Item History](#) NEW
[Order History](#)

more

Item Details

Tools, Outdoor Equipment & Auto Shop > Maintenance Tools > Battery Chargers and Boosters

Charger,Battery

Battery Charger, Charge Time for 12V Battery 1/2-3/4 Hours, Charge Time for 6V Battery 1/2-1 Hours, Manual (M) or Automatic (A) 6/12 Volts, UL Rated Current @ 12V 0 to 60 Amps, UL Rated Current @ 6V 0 to 60 Amps, UL Rated Starting Current 250 Amps, Battery Capacity 12 Amp Hour, Overall Height 33 Inches, Overall Width 16 1/4 Inches, Overall Depth 14 Inches

Grainger Item # 3LE84

Your Price (ea.) \$447.25

Brand DAYTON

Mfr. Model # 3LE84N

Ship Qty. 1

Sell Qty. (Will-Call) 1

Ship Weight (lbs.) 48.0

Usually Ships** Today

Catalog Page No. 1230



Qty.

[Enlarge Image](#) [Add to Order](#) [Add to Personal List](#)

GLOVE,LEATHER,XL,PR

Grainger Item #: 1GD12

Your Price (pr.) \$5.98

Brand: CONDOR

Qty.

[Add to Order](#) [Add to Personal List](#)

See more like this below

Tech Specs	Additional Information	Notes & Restrictions	MSDS	Required Accessories	Optional Accessories	Alternate Products	Repair Parts
------------	------------------------	----------------------	------	----------------------	----------------------	--------------------	--------------

Item Battery Charger and Engine Starter

Type Manual to Automatic with Test

UL Rated Amps 6V 0 to 60

UL Rated Amps 12V 0 to 60

UL Rated Amps Start 250

Amp Hours 12

Taper to Amps 0

Manual (M)/Automatic (A) 6/12V (M) to (A)

Charge Time (Hours) 6V 1/2 - 1

Charge Time (Hours) 12V 1/2 - 1

AC Cord 6 Feet (1.82meters), 3 Conductor

Input (Amps) 12

Overall Width (In.) 16 1/4

Overall Height (In.) 33

Overall Depth (In.) 14

Application For Heavy Duty Diesel Service Stations, Maintenance Shops, Farms and Fleets

394-31


[Home](#) | [Order Form](#) | [Compare Items](#) | [Your Account](#) | [Help](#)
[Repair Parts](#) [Services](#) [Resources](#) [Company Info](#) [Contact Us](#) [Find A Branch](#) [Worldwide](#)
[Catalog No. 397 \(PDF\)](#)
[Search](#)

YOUR ACCOUNT
Robert Morrison
[Personal Lists](#)
[Item History](#) **New**
[Order History](#)
[Logout](#)

Item Details

[Tools, Outdoor Equipment & Auto Shop](#) > [Plumbing Equipment](#) > [Pipe Stands and Vises](#)
Pipe Tristand Vise

Pipe Tristand Vise, 1/8-6 Inches Capacity, Fold Up

Grainger Item #

4VX15

Your Price (ea.)

\$426.50

Brand

RIDGID

Mfr. Model #

460

 Ship Qty. [?](#)

1

 Sell Qty. (Will-Call) [?](#)

1


Ship Weight (lbs.)

48.0

 Usually Ships** [?](#)

Today

Catalog Page No.

 1128 [?](#)

We Also Carry
 Qty.

[Enlarge Image](#)

Pipe Adjustable Stand

Grainger Item #: 4CX07

Your Price (ea.) \$75.60

Brand: RIDGID

Qty.

See more like this below

[View Catalog Page](#) [View Printable Page](#)


** The "Usually Ships" reflects when an item is generally expected to ship from Grainger based on its stocking location. Real-time availability information will be shown during the checkout process and on the e-mail order confirmation (for U.S. and Puerto Rico - US customers only). Please allow additional delivery time for international orders.

We Also Carry


Pipe Threading Machine



Pipe Threader Guard/Chuck



Pipe Threading Head



Roller Head Pipe Slatter

394-32

PlantPRO® Engine Driven Pumps


PlantPRO® engine driven trash & centrifugal pumps represent an outstanding value in quality, performance & price. From 1" to 4" and 2 hp to 16 hp, you will find a pump that meets your needs and spares your budget.

**PlantPRO®
2" Trash Pumps**

- cast iron construction
- 1" solids handling
- flows to 10,800 gph
- removable volute for easy cleanout

The PlantPRO® 2" trash pumps offer true 1" solids handling capability at a modest price. Choose from the economical B&S 13 hp or the durable & quiet B&S Industrial Plus* 5 hp engine.

Hose kit can be installed in field. Hose adapters & strainer are included. See our Hose section for suction & discharge hoses, quick connect adapters and other hose accessories.




HP	ENGINE	WT (LBS)	STOCK #	EACH	SHIPS MOTOR FREIGHT
13	B&S	76	72440	\$ 451.50	
13	B&S Intek	110	72442	674.24	
13	Honda	104	72441	881.33	
			72460	78.45	

*Electric start models.

**PlantPRO®
3" Trash
Pumps**

- cast aluminum construction
- quick release wear housing
- flows to 20,880 gph
- cast iron replaceable wear parts
- handles 1.5" solids



ENGINE	WT (LBS)	STOCK #	EACH	SHIPS MOTOR FREIGHT
B&S	143	72446	\$ 1,078.78	
B&S Intek	174	72447	1,179.92	
Honda	153	72448	1,276.24	
Honda*	185	72449	1,468.88	
		72460	78.45	



*Electric start models.

Conversion
Factor:

Ft. of Head	= psi
2.31	

7-889-3030

Phone 1-800-548-1234

**PlantPRO®
4" Trash Pumps**

- Heavy-duty cast aluminum
- Cast iron wear parts
- Dolly with 16" wheels included
- Economy 13 hp or premium 16 hp models
- Handle 2" solids

With PlantPRO® 4" trash pump you have a choice between an economical 13 hp B&S I/P* recoil start or a premium pump with an electric start B&S Vanguard OHV engine. Both pumps will handle 2" solids and are mounted on a dolly with 16" ball-bearing wheels. Flows to 31,800 gpm (13 hp) and 37,800 gph (16 hp) can handle pumping tasks from main breaks to sewer bypass.

Hose adapters & strainer are included. See our Hose section for suction & discharge hoses, quick connect adapters and other hose accessories.

HP	ENGINE	WT (LBS)	STOCK #	EACH	SHIPS MOTOR FREIGHT
13	B&S Vanguard	238	72454	\$ 1,738.77	
13	Honda*	299	72456	2,686.12	
16	B&S Vanguard	294	72458	2,806.52	

* Electric start models, battery not included.

PlantPRO®

Submersible Effluent Pumps

394-22

NEW!

Coulds Model 1DW Submersible Effluent Pumps

in 304 stainless steel construction

designed for continuous duty

can handle up to 3/8" spherical solids

Coulds 1DW series 1-1/2" submersible dewatering pumps are built tough for long life - excellent for gray water applications. All stainless steel housing with stainless steel volute, mounted on a stainless steel shaft. Upper and lower bearings are heavy-duty ball bearings. Silicon carbide seals are standard on all models. Available in sizes from 1/3 hp to 1 hp. Built-in thermal overload protection on all three phase models. Check out the curves now and see which best fits your needs.

See Level & Pressure section for a selection of float switches and control panels

Pump type: submersible dewatering pump

104°F max

Solid handling: 3/8" spherical max

Construction: 304SS housing, volute & impeller, SS shaft & fittings

Impeller: open w/back pump out vanes, dynamically balanced

Bearings: upper & lower single-row ball, oil lubricated

Seal: single mechanical silicon carbide, Buna-N elastomers


Motor: top 1-1/2" vertical NPT (F)

Power cord: oil-filled (single and 3 ph); capacitor start, thermal

overload protection (single ph only)

Agency listings: 20-ft with molded plug (single ph); bareleads (3 ph)

UL, CSA, ISO 9001 registered



Barnes BP314/324 Series Effluent Pumps


- Handles 3/4" solids
- Continuous-duty motor

Barnes BP314/324 series effluent pumps are built to last with upper & lower ball bearings, continuous-duty motor, mechanical seal, cast iron housing and stainless steel hardware. Choose from 115 or 230-volt models with or without automatic float switch feature. Automatic models use a vertical, snap-action float with 15-ft cord and piggyback plug. See our Level section for compatible float switches and control panels.

Shown with optional vertical float switch



Pump type: submersible effluent
Solids handling: 3/8" spherical
Construction: cast iron housing, polypropylene impeller, stainless shaft & fittings, Buna-N
Impeller: 2-vane open, dynamically balanced with stainless steel insert
Bearings: upper & lower single-row ball, oil lubricated
Seal: single mechanical carbon/ceramic in oil
Motor: permanent split capacitor, oil-filled, thermal overload, 1750 rpm
Max liquid temp: (BP314) 77° continuous; (BP324) 104°F continuous
Discharge: 2" vertical NPT (F)
Power cord: 15-ft quick disconnect



See

Page 905

for a selection of
Pump Basins and
Accessories



Conversion
Factor

Fl. of Head
2.31 = psi

7-389-3030

Phone 1-800-548-1234

www.usabluebook.com

USABlueBook 883

394-34

USA BlueBook
YOUR Complete SOURCE for Work Tools & Job Supplies

[Home](#)



[View Safety Data/MSDS](#)

[View Performance Specs](#)

[!\[\]\(dc0370f416bb38a795452fa4e98861c2_img.jpg\) Get Acrobat Reader](#)

Partner K700 14" Cutoff Saw

Accessory: 71392

Accessory: 71390 **Stock #: 71389**

Accessory: 71391

[Catalog #117 Page 1131 \(PDF\)](#)

\$ 1023.35 EA **Catalog Price:**
\$1,023.35

Enter Qty (EA):

[Item Lookup](#)

[Shopping Cart reflects possible Quantity Breaks. View PDF Page for product details & alternatives.](#) [Order Page](#)

Notes:**Partner Active III Cut-Off Saws****Lighter weight, more power****Active air filtration system****Easy start**

Partners K650 and K700 power cut-off saws Incorporate all of the features that operators have requested. Lightweight ergonomic design and a powerful 4.5 hp 2-cycle engine with decompression valve for 50% easier starting make this tool a dream to operate in tight places. For convenience, the 0.70-gallon fuel tank has a sight level indicator for checking fuel level instantly, and the cutting arm is reversible from center to offset positioning for closer cuts next to walls.

Cut-off saws operate under harsh conditions, and Partner saws are designed to maximize protection to the internal components. The engine is protected with a 3-stage air filtration system that increases filter life 4 to 8 times. The first stage utilizes the centrifugal force from the cooling fan to separate up to 80% of the dust particles. In the second stage the intake air passes through three layers of oil-impregnated plastic foam. The final stage is a pleated paper filter that provides additional assurance that

394 - 35

Voice: +1-888-728-7685
Fax: +1-877-546-6165[HOME](#) | Your Shopping Cart is Empty.[TRAFFIC SIGNS](#)

- REGULATORY SIGNS
- PARKING SIGNS
- WARNING SIGNS
- PEDESTRIAN SIGNS
- CONSTRUCTION SIGNS
- STREET NAME SIGNS
- RECREATIONAL SIGNS
- GUIDE SIGNS
- SPECIAL SERIES
- INTERSTATE SHIELDS
- CUSTOM PRODUCTS
- MESH SIGNS



[SITE MAP](#) [QUESTIONS?](#) [REQUEST QUOTATION](#) [ORDER STATUS](#)

SKU	Description	Price	Quantity
OWZ-Stand	(Case of 10) Telescopic - Folding Sign Stand for Rigid Signs - Works with 36" x36" and 48" x48" Signs	\$1,650.00	<input type="text" value="1"/>

Our Billing Page is Secure and Accepts All Major Credit Cards

[SEARCH PRODUCTS](#)

⑥ Description ⑦ SKU

[Privacy Policy](#) | [Terms and Conditions of Sale](#)
Copyright © 2008 Rice Signs LLC. All Rights Reserved.

Landscaping Tools & Weed Control**Hooks and Forks**

Style A—The bent tines are perfect for cultivating as well as handling garbage.



Styles B and E—These food-grade tools meet USDA and FDA standards for use in food-processing, meat-packing, and dairy plants. They're lightweight, nonsparking, and resistant to chemicals and corrosion. Color is white.

Style C—Furnished with thick, pointed tines for digging.

Style D—The choice for lifting and pitching, these forks have long, thin tines.

No.	Time	Handle	Material	Lg.	Dia.	Each
No.	Spacing	O'all Wd.	Style			
(A) Cultivating/Refuse Hooks with Steel Tines						
4	5"	1 1/8"	Straight	Wood	.54" ... 1 1/8" ..	6246A13 ... \$33.70
4	6 1/2"	1 1/4"	Straight	Wood	.54" ... 1 1/8" ..	6246A12 ... 27.30
4	9"	2 1/2"	Straight	Wood	.60" ... 1 1/8" ..	6246A11 ... 51.70
(B) Hygienic Hook with Polypropylene Tines						
4	7" * 1 1/8"	7 1/2"	Straight	Fiberglass	.51" ... 1 1/8" ..	4506T41 ... 58.25
(C) Digging Fork with Steel Tines						
4	11 1/2" * 2 1/4"	7 1/2"	D	Wood	.30" ... 1 1/2" ..	6363A12 ... 42.20
(D) Bulk-Material Forks with Steel Tines						
4	12 1/2" * 3"	9"	Straight	Wood	.48" ... 1 1/2" ..	6231A1 ... 51.19
5	12 1/2" * 2 1/4"	10"	Straight	Wood	.54" ... 1 1/2" ..	6231A5 ... 55.74
8	12 1/2" * 2"	10"	Straight	Wood	.48" ... 1 1/2" ..	6231A7 ... 44.95
10	13 1/2" * 1"	10"	D	Wood	.30" ... 1 1/2" ..	6236A3 ... 104.80
12	16" * 1 1/2"	15 3/4"	D	Wood	.30" ... 1 1/2" ..	6234A2 ... 115.20
(E) Hygienic Fork with Polypropylene Tines						
5	10 1/2" * 1 1/8"	10 1/2"	D	Polypropylene	.38" ... 1 1/8" ..	4506T42 ... 88.28

* Length listed is after the bend. Length before the bend is 4".

**Rakes**

F Lawn/Leaf Rakes—Flexible steel tines make it easy to collect lightweight materials such as leaves and lawn clippings.

G Bow Rake—This traditional garden rake has curved tines.

H Straight Rake—In addition to the slightly curved tines, this rake has a straight top grading edge for spreading and leveling materials.

J Landscape Rakes—These sturdy, lightweight rakes have an angled grading edge on one side and rounded tines on the other for smooth raking action.

K Asphalt Rake with Steel Tines—To protect the wood handle from hot tar, this asphalt rake has an 18" long steel shank that connects the blade to the handle.

L Asphalt Rake with Aluminum Tines—Also known as a lute rake, this rake has one serrated edge and one smooth edge for leveling and finishing asphalt.


M Concrete Rake—With its solid blade, this rake is designed for spreading and leveling freshly poured concrete.

Blade	No. of	Handle					
Material	Wd.	Ht.	Tines	Material	Lg.	Dia.	Each
F..Steel.....	8" .12"	9	Steel	.48" ... 1 1/8" ..	7142T18...	\$8.57	
F..Steel.....	24" .17 1/2"	.24	Wood	.54" ... 1 1/8" ..	7142T14...	12.69	
G..Steel.....	16" .31 1/4"	.15	Wood	.60" ... 1 1/8" ..	7500T2...	28.24	
H..Steel.....	17" .31 1/4"	.16	Wood	.66" ... 1 1/8" ..	7500T4...	33.87	
J..Aluminum	24" .49 1/4"	.24	Aluminum	.66" ... 1 1/8" ..	7058T1...	42.85	
J..Aluminum	38" .49 1/4"	.36	Aluminum	.66" ... 1 1/8" ..	7058T3...	50.81	
J..Aluminum	48" .49 1/4"	.48	Aluminum	.66" ... 1 1/8" ..	7058T5...	58.75	
K..Steel.....	16" .4"	.14	Wood	.60" ... 1 1/8" ..	6245A1...	65.00	
L..Aluminum	36" .3 1/2"	.24	Aluminum	.82" ... 1 1/8" ..	6323A19...	47.62	
M..Steel.....	20" .4"		Wood	.60" ... 1 1/8" ..	6324A21...	30.52	

Tampers

Use these tools to flatten or firmly pack down soil, sand, asphalt, and more. Both have a steel base and straight handle.

Base Size	Handle		Each
	Lg.	Dia.	
With Wood Handle			
10" x 10" .42"	1 1/2"	.6301A2	\$33.78
With Steel Handle			
10" x 10" .44"	1 1/4"	.6263A22	34.65

**Hoes**

All have a steel blade and straight wood handle.

N Standard Hoe—Furnished with a solid blade.

P&Q Mixing Hoes—Holes in the blade allow materials to flow through making it easy to mix mortar, concrete, plaster, and other similar products. Style P has a short handle for use in tight spaces.

R Scraper/Hoe—Also known as a scuffle hoe, this hoe has a solid, angled blade that you push or pull along a flat surface for cutting and scraping.

Blade Wd.	Blade Ht.	Handle Wd.	Handle Lg.	Handle Dia.	Each
(N) Standard Hoe	10"	6"	.66"	1 1/8" ..	6267A5 ... \$49.25
(P) Mixing Hoe	7"	4 1/2"	18"	1 1/8" ..	6267A3 ... 18.48
(Q) Mixing Hoe	7"	4 1/2"	54"	1 1/8" ..	6267A4 ... 30.80
(Q) Mixing Hoe	10"	6"	.66"	1 1/8" ..	6267A6 ... 51.84
(R) Scraper/Hoe	7"	4"	.60"	1 1/4" ..	6268A11 ... 37.00

Weed Control Landscape Fabric

Keep nasty weeds out of sight with this black polyethylene fabric. It prevents weed growth, yet allows water, air, and gases to flow through.

Anchoring pegs secure the fabric in place. They're made of black plastic and measure 4 1/4" long.

Roll Width	25-ft. Lg. Roll Each	50-ft. Lg. Roll Each	100-ft. Lg. Roll Each
3 ft.	... 63255T1 ... \$10.23	63255T2 ... \$15.19	63255T3 ... \$29.40
4 ft.		63255T4 ... 20.35	63255T5 ... 39.44
6 ft.		63255T6 ... 30.79	63255T7 ... 59.58
Anchoring Pegs (Pkg. of 10)			63255T23 Per Pkg. \$2.38

Weed, Grass, and Total Vegetation Killers

Need to clear your soil of unwanted plants and weeds? Then choose one of these nonselective herbicides. They will cause your vegetation to wither and die within 5 to 7 days.

Weed and Grass Killer

This herbicide is designed for spot treatment. It kills all green plants, including the roots. The soil can be reseeded 7 days after treatment.

Concentrate makes 21 gallons.

Size	Case Qty.	Partial Case	Full Case
32-oz. Pump Spray (Ready-To-Use)	12	75575T14	\$6.61
32-oz. Concentrate	1	75575T19	29.83

Heavy Duty Total Vegetation Killer


Designed for long-term control, this pelleted herbicide contains sodium chlorate and sodium metaborate to clear all vegetation. The soil can be reseeded one year after treatment. Furnished in a 25-lb. bag. 7530T5

Each \$81.45

Photo II 29 394-37

Push Brooms

For replacement handles, see page 1908.



About Brooms

Smooth-surface brooms sweep away fine to medium dust and dirt on nonporous surfaces such as tile, wood, linoleum, and smooth concrete. Often, smooth-surface brooms have *frayed bristles* with mechanically split, or flagged, tips for superior sweeping of fine particles. Do not use frayed bristles with sweeping compounds or oily surfaces because they could mat.

Semi-smooth-surface brooms handle heavier debris on surfaces such as sidewalks and driveways.

Rough-surface brooms move heavy, wet, and hard-to-move debris on asphalt and rough concrete such as street pavement.

Standard Push Brooms

All brooms include a 60" long handle. Those 24" and wider include a clamp-style brace for handle support, unless noted.

Smooth-Surface Push Brooms



Brooms include a $1\frac{1}{16}$ " dia. threaded handle. **Frayed Polystyrene**—Long lasting polystyrene resists most common solvents. All have a wood handle, hardwood block, and blue bristles.

Frayed Polypropylene—More durable and resistant to acids, solvents, and chemicals than polystyrene. All include a black, plastic-coated steel handle with an aluminum tip, beige foam plastic block, and gray bristles.


Horsehair—Soft and resilient bristles are best for sweeping fine particles. All include a wood handle, hardwood block, and black bristles.

Broom Bristle **Broom Bristle**
Wd. Lg. Wd. Lg. Each

Frayed Polystyrene				Frayed Polypropylene (Cont.)			
14"	2 $\frac{3}{4}$ "	7313T14	\$14.29	24"	3"	7502T22*	\$21.85
16"	2 $\frac{3}{4}$ "	7313T13	15.09				
18"	2 $\frac{3}{4}$ "	7313T16	15.43	14"	3"	7167T2	20.93
24"	2 $\frac{3}{4}$ "	7313T17	20.40	16"	3"	7167T6	22.63
30"	2 $\frac{3}{4}$ "	7313T18	29.89	18"	3"	7167T4	24.05
36"	2 $\frac{3}{4}$ "	7313T19	35.11	24"	3"	7167T5	31.12
18"	3"	7502T21	20.13	30"	3"	7167T7	39.66
				36"	3"	7167T8	53.34

* Does not include a clamp-style brace.

Semi-Smooth-Surface Push Brooms



Brooms include a $1\frac{1}{16}$ " dia. threaded wood handle and a hardwood block. Bristle color is black.


Tampico—Resists solvents and heat.

Tampico/Horsehair/Polypropylene—The 14" through 24" wide brooms have a border blend of soft horsehair and durable polypropylene bristles to pick up fine dust, while the center has tampico bristles to dislodge heavier dirt; the 30" and 36" wide brooms have only a blend of horsehair and polypropylene.

Broom Bristle **Broom Bristle**
Wd. Lg. Wd. Lg. Each

Tampico				Tampico/Horsehair/Polypro.			
14"	3"	7169T12	\$17.50	14"	2 $\frac{3}{4}$ "	7168T2	\$18.69
18"	3"	7169T14	20.40	16"	2 $\frac{3}{4}$ "	7168T3	18.17
24"	3"	7169T15	24.95	18"	2 $\frac{3}{4}$ "	7168T4	18.89
30"	3"	7169T16	31.93	24"	2 $\frac{3}{4}$ "	7168T5	24.03
36"	3"	7169T17	34.72	30"	2 $\frac{3}{4}$ "	7168T6	35.20
				36"	2 $\frac{3}{4}$ "	7168T7	39.60

Rough-Surface Push Brooms



Brooms include a $1\frac{1}{16}$ " dia. wood handle and a hardwood block.

Standard—Also known as garage brooms, use these to sweep heavy soils and debris. Handle is threaded.

Long Bristled—Also known as street brooms, these will stand up to the heaviest debris. Featuring our longest bristle length, they move large, bulky trash. Handle is tapered.

Palmyra bristles are economical with medium stiffness. They are reddish-brown. **Bassine** bristles are thicker than Palmyra and very stiff. **Polypropylene** bristles are very stiff and resistant to acids, solvents, and chemicals. Standard polypropylene bristles are maroon; long bristles are black.

Broom Bristle **Broom Bristle**
Wd. Lg. Wd. Lg. Each

Standard Palmyra				Long-Bristled Palmyra			
16"	4"	7172T61	\$15.24	14"	6 $\frac{1}{4}$ "	7179T3	\$16.65
18"	4"	7172T62	16.82	16"	6 $\frac{1}{4}$ "	7179T4	18.72
24"	4"	7172T63	19.56	18"	6 $\frac{1}{4}$ "	7179T41	19.04
30"	4"	7172T64	25.35	24"	6 $\frac{1}{4}$ "	7179T42*	23.23
36"	4"	7172T65	26.86				

Long-Bristled Bassine

Long-Bristled Polypropylene

18" ... 3 $\frac{1}{4}$ " ... 7174T14 ... 19.78

24" ... 3 $\frac{1}{4}$ " ... 7174T15 ... 22.56

30" ... 3 $\frac{1}{4}$ " ... 7174T16 ... 29.91

36" ... 3 $\frac{1}{4}$ " ... 7174T17 ... 31.94

Long-Bristled Polypropylene

18" ... 6" ... 7152T45 ... 25.79

24" ... 6" ... 7152T46 ... 26.85

Long-Bristled Bassine

18" ... 6" ... 7152T46* ... 25.79

24" ... 6" ... 7152T46* ... 26.85

• Does not include a clamp-style brace.

Heavy Duty Push Brooms

A black, all-steel handle welded to a steel brace and mounted on a wood block makes these our most durable push brooms. Handle is 58" long and 1" dia. **Semi-smooth surface brooms** have black tampico bristles. **Rough-surface brooms** have brown palmyra bristles.

Broom **Semi-Smooth Surface** **Rough Surface**

Broom	Bristle	Each	Bristle	Each		
18"	3"	7723T11	\$40.10	4"	7723T21	\$33.56
24"	3"	7723T12	42.12	4"	7723T22	35.19
30"	3"	7723T13	49.33	4"	7723T23	43.94
36"	3"	7723T14	54.13	4"	7723T24	47.50

Adjustable-Angle Push Brooms

Get better access to tight and confined areas. Brooms have a steel-backed polypropylene block with a steel swivel socket to attach the handle at various angles. Simply adjust the handle to the angle you need and secure with the included threaded steel bolt. Include a 59" long, 1" dia. two-piece steel and wood handle. Bristles are black polypropylene and resist acids, solvents, and chemicals.

Broom **Semi-Smooth Surface** **Rough Surface**

Broom	Bristle	Each	Bristle	Each		
14"	3"	7208ST41	\$16.62	3 $\frac{1}{2}$ "	7089ST61	\$16.27
18"	3"	7208ST42	18.17	3 $\frac{1}{2}$ "	7069ST62	17.83
24"	3"	7208ST43	20.42	3 $\frac{1}{2}$ "	7069ST63	19.90
Replacement Handle				7208ST5	Each \$6.40	

Dura-Block Push Brooms

A durable, rust-resistant steel strip locks in bristles without the added weight of wood and plastic blocks. Brooms include a 60" long, 1 $\frac{1}{16}$ " dia. black steel handle with a bolt and wing nut connector. **Smooth-surface bristles** are maroon PVC. **Semi-smooth-surface bristles** are green polypropylene; **rough-surface bristles** are black polypropylene. All are resistant to acids, solvents, and chemicals.

Broom **Smooth Surface** **Semi-Smooth Surface** **Rough Surface**

Broom	Smooth Surface	Semi-Smooth Surface	Rough Surface	Each	
18"	3"	7357T221	7352T221	7339T11	\$19.06
24"	3"	7357T222	7352T222	7339T12	21.16
30"	3"	7357T223	7352T223	7339T13	31.56
36"	3"	7357T224	7352T224	7339T14	34.27

Repl. Handle for 18" and 24" Brooms

Repl. Handle for 30" and 36" Brooms




7357T17 Each \$8.02

7357T18 Each \$12.19

• Does not include a clamp-style brace.

• Does

394-38

<input type="checkbox"/>		N Sledge Hammer, Handle Type Fiberglass With Super Grip, Head Type Double Face, Overall Length 14 In, Handle Length 12 In, Head Weight 4.0 Pounds, Flat	NUPLA 27045	1	Today	\$33.80	119*
	4A109						
<input type="checkbox"/>		N Sledge Hammer, Handle Type Fiberglass With Super Grip, Head Type Double Face, Overall Length 14 In, Handle Length 12 In, Head Weight 3.0 Pounds, Flat	NUPLA 27035	1	Today	\$32.95	119*
	6D011						
<input type="checkbox"/>		N Sledge Hammer, Handle Type Rubber/Steel Unbreakable, Overall Length 33 1/2 In, Handle Length 30 In, Head Weight 14 lb, Forged Alloy Steel Head, Flat F	WILTON HVS1430	1	Today	\$79.95	119*
	5LK43						
<input type="checkbox"/>		N Hammer, Head Length 7 Inches, Hammer Weight 5 lb, Overall Length 20 Inches, Face Soft, High Visibility Orange, Dead Blow	STANLEY 57-550	1	Today	\$89.55	119*
	6R341						
<input type="checkbox"/>		N Sledge Hammer, Head Type Brass, Handle Type Fiberglass With Super Grip, Overall Length 12 In, Handle Length 10 In, Head Weight 3.25 lb	NUPLA 30040	1	Today	\$92.95	119*
	5LV04						
<input type="checkbox"/>		N Sledge Hammer, Handle Type Fiberglass With Super Grip, Head Type Double Face, Overall Length 32 In, Handle Length 29 In, Head Weight 8.0 Pounds, Flat	NUPLA 27808	1	Today	\$46.95	119*
	3MD39						
<input type="checkbox"/>		N Sledge Hammer, Handle Type Rubber/Steel Unbreakable, Handle Length 30 Inches, Head Weight 8 Pounds, Forged Alloy Steel Head	WILTON HVS830	1	Today	\$59.95	119*
	5LK46						
<input type="checkbox"/>		Soft Face Hammer, Head Length 8 Inches, Hammer Weight 11.5 Pounds, Overall Length 36 Inches, High Visibility Orange Compo Cast Sledge, Dead Blow	STANLEY 57-554	1	Today	\$190.00	119*
	6R344						

Results Displayed: 1 - 15 of 36

Go to Page:

 | Page 1 of 3

You searched > Tools, Outdoor Equipment & Auto Shop > Hammers, Sledges, Mallets & Axes > Sledges

Note: Items with Notes & Restrictions are marked with 


* Grainger product may not be exact match

** The "Usually Ships" reflects when an item is generally expected to ship from Grainger based on its stocking location. Real-time availability information will be shown during the checkout process and on the e-mail order confirmation (for U.S. and Puerto Rico - US customers only). Please allow additional delivery time for international orders.

394-39 Phs YG = 29

Wedges & Flange Spreaders

Wedges




Wedges can be driven into narrow openings to hold or separate wood and other soft materials.

ABS Plastic Wedges—Resist severe shocks and will not chip like metal wedges. They are lightweight and work well in sub-zero temperatures.

Steel Wedges—Ideal for use in the lumber industry, including splitting operations. Made of forged carbon steel.

	Blade Lg.	Wd.	Ht.	Wt.	Each
ABS Plastic Wedges					
5 1/8"	2 1/2"	1"		5 oz.	5868A91 \$4.63
7 1/2"	3"	1 1/4"		9 oz.	5868A92 7.33
10"	3"	1"		10 oz.	5868A93 7.45
12"	3 1/2"	1 1/4"		1 lb.	5868A94 10.33
Steel Wedges					
7 1/8"	2 1/8"	1 1/2"		3 lbs.	5948A1 7.54
8 1/8"	2 3/8"	1 5/8"		4 lbs.	5948A2 7.80
9"	2 7/8"	1 7/8"		5 lbs.	5948A3 10.91
9 1/8"	2 7/8"	1 1/4"		6 lbs.	5948A4 13.73
11"	3"	2"		8 lbs.	5948A5 21.10

Pipe Flange Wedges




Use these wedges for breaking open pipe flanges in refineries, as well as for pipeline maintenance. Offered in carbon steel and nonsparking beryllium copper (see page 2712 for additional nonsparking wedges). All weigh 1 1/2 lbs.

Style A—Has slightly concave wedging surfaces for interlocking when used in pairs.

Style B—Has a curved shape.

	Blade Lg.	Wd.	Tip Thick.	Each
Carbon Steel				
A	11"	7/8"	3/32"	5775A1 \$10.75
B	12"	13/16"	1/16"	5952A1 11.91
Beryllium Copper				
A	11"	7/8"	3/32"	58725A67 60.27
B	12"	13/16"	1/16"	58805A67 61.92


Pallet Buster



Easily disassemble pallets and skids that could be recycled or used as firewood. This high-leverage pallet buster is safer than chain saws, axes, and sledges. It has a ductile iron breaker head and a 1 1/4" square tubular steel handle. Position the forks in pallet slots, and push the handle down. The breaker head provides prying leverage. There is 1 1/8" space between forks. Weighs 7.8 lbs.

(A)	(B)	(C)	Each
5"	2 3/4"	41"	58585A65 \$71.67

Ratchet-Action Flange Spreaders




Slip these lightweight, easy-to-use spreaders over pipe flanges to separate stubborn connections. They're safe to use—no more hammer blows, chisels, flying wedges, or sparks.

Spreaders have two 3/4" pins that fit into the bolt holes on your flanges. Pressure applied to the ratchet handle forces a circular cam wedge between flanges to separate them. Use spreaders on standard raised-face flanges. **Multi-range** spreader is also suitable for large-diameter flanges with 750° F working steam pressure. All come with a female square-drive reversible ratchet.

Standard Range—150-lb. flanges up to 20" pipe size; 300-lb. flanges up to 6" pipe size. The spreader and the ratchet are furnished in a metal carrying case.

Multi-Range—For standard raised-face flanges: 150-lb. flanges 12" to 24" pipe size; 300-lb. flanges to 24" pipe size. For large-dia. flanges, working steam pressure @ 750° F: 150-lb. flanges 26" to 72" pipe size; 300-lb. flanges 26" to 42" pipe size. The spreader is furnished in a metal case.

Deluxe Range—400-lb. flanges up to 24" pipe size; 600-lb. flanges up to 20" pipe size; 900-lb. flanges up to 16" pipe size; 1500-lb. flanges up to 8" pipe size; 2500-lb. flanges up to 5" pipe size. The spreader is furnished in a metal case.



Ratchet Size	Each
3/4"	59115A1 \$662.83
1"	59115A2 922.50
1 1/4"	59115A3 941.25

Plastic Utility Wedges



Made of plastic, these wedges allow you to level, align, or pry apart materials without damage.


Three-Piece Sets—Include a 5" Lg. x 7/8" Wd. x 1/2" Ht. short wedge, a 7" Lg. x 1" Wd. x 5/8" Ht. long wedge, and a 7" Lg. x 2" Wd. x 5/8" Ht. curved tip wedge. **Polyethylene wedge set** is for working with soft and brittle materials. **Polycarbonate wedge set** is for hard materials such as wood and fiberglass.

ABS plastic wedge is ideal for larger, heavier materials such as framework and doors. Size is 14" Lg. x 1 1/4" Wd. x 1 1/4" Ht.

Per Set

Three-Piece Polyethylene Set	6036A22 \$4.32
Three-Piece Polycarbonate Set	6036A21 6.48
ABS Plastic Wedge	6036A11 6.48


Hex Bolt Flange Spreaders



High-quality, alloy-steel spreaders are heat-treated to handle tough jobs without distortion or breakage. These compact, lightweight units are perfect for use on standard pipe and ring-type joint flanges. They're easy to use—remove bolt from flange to insert support rod, and turn the hex bolt to drive the spreader. Note: A spreader is required on each side of the flange for even distribution of pressure.

Pipe Size Range	300-lb. Flange	Hex Screw Size	Each
150-lb. Flange	300-lb. Flange	Size	
2" to 6"	3/4" to 2 1/2"	1 1/4"	59135A22 \$215.98
5" to 16"	2 1/2" to 6"	1 1/4"	59135A24 223.51
14" to 42"	10" to 22"	1 1/4"	59135A26 282.57
22" to 42"	16" to 36"	1 1/4"	59135A28 386.80

T-Handle Flange Spreaders



Make gasket replacement fast and easy, even in hard-to-reach locations. Spreaders exert extreme pressure smoothly and evenly with minimal operator effort. To use, place hooks in flange bolt holes and turn the T-handle. Units allow you to part flanges quickly and hold them in perfect alignment without damaging flange faces. Use in pairs for even distribution of pressure.

Capacities are for standard raised-face flanges.


PIPE SIZE RANGE			
Cast-Iron Flange	Steel Flange		
125-lb.	250-lb.	150-lb.	
2" to 20"	1" to 12"	2" to 20"	3/4" to 12" 59125A1 \$241.83
16" to 48"	12" to 30"	18" to 24"	12" to 24" 59125A2 473.55

Photo # 29 394-2840

Hammers, Hatchets & Axes

For replacement handles, see page 2724.

Nail Hammers



Hit the nail on the head with any one of these hammers. All have a polished head (except where noted). Choose hammers with a **straight claw** for ripping and prying; hammers with a **curved claw** for removing nails. Hammers with a **milled (serrated) face** prevent the head from slipping when striking.

Style A have a hickory handle that's replaceable.

Style B have a solid fiberglass handle that reduces vibration and wear as well as tolerates overstriking. They also have a safety cushion grip (except where noted) that allows you to maintain a firm grasp. Handles are replaceable.

Style C have a graphite-core handle with a molded




polycarbonate casing that reduces shock and tolerates overstriking. They also have a ribbed cushion grip for added shock reduction. The handles are not replaceable.

Style D have a cushion grip that reduces shock. The handles are not replaceable.

Style E has a lightweight titanium head that delivers the driving force of heavier-weight steel hammers, without the fatigue. The head boasts a magnetic nail holder. Handles are replaceable.


Style F have a unique head design that puts the weight and power up front for easy nailing. Handles have a cushion grip to reduce shock. Handles are not replaceable.



Head Wt., oz.	O'all Lg.	Striking Face	Straight Claw Each	Curved Claw Each
(A) Forged Steel Head with Hickory Handle				
10	11"	Smooth	5874A3	\$14.26
13	12½"	Smooth	5852A3	15.47
16	13"	Smooth	5874A7	9.16
16	13"	Smooth	5852A5	9.16
20	13"	Smooth	5874A1	15.68
20	14"	Smooth	5874A4	17.27
20	14"	Milled	5874A8	18.71
20	16"	Smooth	5874A6	17.59
20	16"	Milled	5874A9	19.02
24	17"	Milled	5874A17	21.83
32	17½"	Milled	5874A19	27.29
(B) Forged Steel Head with Fiberglass Handle				
13	13"	Smooth	5924A62	26.19
16	13½"	Smooth	5924A63	30.35
20	14"	Smooth	5924A11	23.17
20	16"	Milled	5924A14	24.70
24	17"	Milled	5924A15	27.76
(C) Forged Steel Head with Graphite-Core Handle				
16	13¼"	Smooth	1580A33	17.31
20	13½"	Smooth	1580A34	20.61
■ Has a painted head. • Has a smooth cushion grip.				

Head Wt., oz.	O'all Lg.	Striking Face	Straight Claw Each	Curved Claw Each
(D) One-Piece Forged Steel with Cushion-Grip Handle				
12	11"	Smooth	6062A1	\$21.26
16	13"	Smooth	6062A2	21.26
20	13½"	Smooth	6062A3	24.36
20	13½"	Milled	6062A6	28.87
22	16"	Smooth	6062A11	30.04
22	16"	Milled	6062A12	31.87
24	16"	Smooth	6062A14	32.58
24	16"	Milled	6062A16	33.96
25	18"	Smooth	6062A47	33.12
25	18"	Milled	6062A67	34.48
30	16"	Milled	6062A22	36.96
(E) Titanium Head with Hickory Handle				
14	17"	Milled	6598A19	109.58
(F) Weight-Forward One-Piece Forged Steel with Cushion-Grip Handle				
17	16"	Smooth	4508A12	33.38
17	16"	Milled	4508A14	35.57
21	16"	Smooth	4508A16	34.11
21	16"	Milled	4508A18	36.29

Riveting and Setting Hammers



One-Piece Steel Carpenters' Hatchets

It's like two tools in one! You'll get a hammer face on one side of the head for driving nails and stakes; a hatchet on the other side for cutting, splitting, and trimming. Tools are one-piece forged steel with a fully polished head and a cushion grip to reduce shock.



Hammer Head Wt., lbs.	Striking Face	Cutting Edge Lg.	O'all Lg.	Each
1¼	Milled	3½"	16¾"	5966A3 \$41.55
1½	Smooth	3½"	13"	5966A2 38.80

Axes

Utility Ax Head Wt., lbs.	Cutting Edge Lg.	O'all Lg.	Each
Utility Ax	1¼	3"	14" 5784A2 \$14.64
Lumberjack Ax	3½	4¾"	36" 5960A2 23.33

Pick-Head Fire Axes

Our traditional firefighters' axes have a bright red forged steel head with sharpened cutting edge. Handle is hickory and can be replaced.

Head Wt., lbs.	Cutting Edge Lg.	O'all Lg.	Each
2¾	4½"	28"	6084A14 \$35.95
6	5"	36"	6084A12 46.94



394-41

[Shopping Cart \[0 Items\]](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)



[HARDWARE](#) | [HAND/POWER TOOLS](#) | [ELECTRICAL](#) | [PLUMBING](#) | [LAWN AND GARDEN](#) | [CLEANING/PAINT SUPPLIES](#)


[Edit Account Info](#) | [>Returns](#) | [Plumbing Tools](#) | [Shower Heads](#) | [Valves](#)

Search by keyword or item #

Search

LAWN AND GARDEN

[Home](#) > [Lawn and Garden](#) > [Long Handle / Cutting Tools](#) > [Post Hole Digger](#)



[LARGER IMAGE](#)

Ames® Eagle® Post Hole Digger - 2 Pack (1707400)

Item no: 72390

Our Price:
\$30.58

[Browse Search](#)

SAVINGS ALERT

Take advantage of FREE Shipping to your local Ace! (See Promotion Details)

◀ 2 of 10 ▶

Qty: 1

[Add to Cart](#)

[Add to Wishlist](#)

[Product Tools](#)

- [Email A Friend](#)

[Related Categories](#)

BILL Me later BUY NOW! NO PAYMENTS FOR 90 DAYS
on purchases over \$250

- [D-Handle Spades](#)
- [Farm Forks](#)
- [Hand Garden](#)
- [Hoes](#)
- [Hooks / Knives](#)
- [Long Handle Garden Shovel](#)
- [Long Handle E-Style Shovel](#)
- [Metal Rakes](#)

AVAILABILITY: In stock, leaves warehouse in 5 - 7 full business days. • [\(Details\)](#)

- 7 x 5-1/2"; 5-1/2" spread Atlas (homeowner) blade
- 44" No. 3 wood handles
- Natural steel head
- Bulk
- 2 Pack

- [See all AMES](#)

© Copyright 2005.

[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)

[**See product](#)



394-42[Shopping Cart \(0 items\)](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)[HARDWARE](#) | [HAND/POWER TOOLS](#) | [ELECTRICAL](#) | [PLUMBING](#) | [LAWN AND GARDEN](#) | [CLEANING/PAINT SUPPLIES](#)[HOME IMPROVEMENT](#) | [BUILDING](#) | [EQUIPMENT](#) | [HOME ASSESSMENT](#) | [PACIFIC](#) | [PLUMBING TOOLS](#) | [SHELVING](#) | [STOLES](#)

Search by keyword or item #

Search**LAWN AND GARDEN**[Home](#) > [Lawn and Garden](#) > [Long Handle / Cutting Tools](#) > [Long Handle Round Pt Shovel](#)[LARGER IMAGE](#)**Viper Round Point Shovel (1330000)**

Item no: 7134653

Our Price:
\$23.99[Browse Search](#)**SAVINGS ALERT**

Take advantage of FREE Shipping to your local Ace! (See Promotion Details)

4 4 of 8 ▶

Qty: 1

[Add to Cart](#)[Add to Wishlist](#)

Product Tools:

- Learn About C
- Email A Friend

 BILL ME LATERBUY NOW! NO PAYMENTS FOR 90 DAYS
on purchases over \$250

Related Categories

- Long Handle F
- See all Viper

AVAILABILITY: In stock, leaves warehouse in 5 - 7 full business days. • [\(Details\)](#)

- Head blade 3.75" x 11.75"
- Handle length 47"
- 16-gauge steel head blade
- Round point shovel
- New innovative fiberglass tool, will not splinter or crack
- Triangular textured handle for better grip and less fatigue
- 25% stronger than standard fiberglass and 10% lighter
- 40% stronger than wood handles
- Bulk

© Copyright 2006.

[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)

**See product

3 94 - 43

[Shopping Cart \[0 items\]](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Co...](#)



[HOME](#) | [ABOUT ACE](#) | [CONTACT US](#) | [HELP](#) | [STORE LOCATOR](#) | [C...](#)

The helpful place.

[HARDWARE](#) | [HAND/POWER TOOLS](#) | [ELECTRICAL](#) | [PLUMBING](#) | [LAWN AND GARDEN](#) | [CLEANING/PAINT SUPPLIES](#)

Search by keyword or item #

Search

LAWN AND GARDEN

[Home](#) > [Lawn and Garden](#) > [Long Handle / Cutting Tools](#) > [Spades](#)



Ames® Kodiak® D-Handle Drain Spade

Our Price:
\$33.99 to 34.99

[Browse Search](#)

SAVINGS ALERT

Take advantage of FREE Shipping to your local Ace! (See Promotion Details)

◀ 2 of 3 ▶

Size

Please select a size . . .

[Product Tools:](#)

- Learn About C
- Email A Friend

Qty: 1

Add to Cart

Add to Wishlist

[Related Categories](#)

- Spades
- See all AMES

BUY NOW! NO PAYMENTS FOR 90 DAYS
on purchases over \$250

AVAILABILITY: In stock, leaves warehouse in 5 - 7 full bus. days. - [\(Details\)](#)

- Armor "D" handle
- 14 ga.
- Forward turned step

[LARGER IMAGE](#)

© Copyright 2006,

[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)



**See product

394-44

Cart Summary


- o Your Cart is Empty
- o View Cart

Search

Search

Go**Navigation**

- o Products
 - o Cathodic Protection & Grounding
 - o Plastic Pipe Tools
 - o Steel Pipe Tools
 - o Rycom Locators
 - o Brief Relief
 - o Piercing Tools
 - o Marking
 - o Gas Detection
 - o Multimeters & Pyrometers
 - o Water Leak Detectors
 - o Probe/Hammer Bars
 - o Pressure Gauges
 - o Pelican Flashlights
 - o Clamp Installation Tools
 - o Chains, Straps, Acc.
 - o Trench Shielding
 - o Valves
 - o Tracer Wire
 - o Copperhead Wire
 - 1430BHS500
 - 1430GHS500
 - 1430YHS500
 - 1230BHS500
 - 1230GHS500
 - 1230YHS500
 - 1030BHS500
 - 1030GHS500
 - o Meter Connections

**1230YHS500**

Direct Burial #12 AWG Solid (.0808" diameter), steel core soft drawn high strength tracer wire, 380# average tensile break load, 30 mil high molecular weight-high density yellow polyethylene jacket complying with ASTM-D-1248, 30 volt rating.

- has 2X the breaking strength of conventional tracer wires with solid copper conductors.
- has 2X the impact resistance of conventional tracer wires with solid copper conductors.

Weight: 12 lb

\$49.00

1



Ecommerce
Powered by NETSUITE

4657	Complete	\$17.88 0
4657-B	Blade only	\$7.42 0



Click To Add
Selected Items
To Your Cart

- Or -

Click To View
Items Already
In Your Cart

394-45

Heavy Duty PVC Pipe Cutter:



- Cuts up to 1" PVC pipe - all schedules!
- Cuts up to 1" CPVC pipe
- Stainless steel blade and ratchet

Part #	Description	Price & Quantity
4676	Complete	\$24.08 0
4676-B	Blade only	\$12.65 0
4676-RK	Repair kit *	\$7.80 0

Click To Add
Selected Items
To Your Cart

- Or -


Click To View
Items Already
In Your Cart

* Repair kits include screws and springs to "tune up" the cutter.

Large PVC Pipe Cutter



MM65 heavy duty PVC cutter

Craftsman Rapid Tiller**\$9.99**Rebate detailsIn Stock for DeliveryBuy Online - Pick up in Store EligibleCraftsman 7 hp Tine Tiller**\$679.99 \$749.99**

Save \$70.00

In Stock for DeliveryBuy Online - Pick up in Store EligibleCraftsman 6.5 hp Tine Tiller**\$599.99 \$699.99**

Save \$100.00

In Stock for DeliveryBuy Online - Pick up in Store EligibleCraftsman 6 hp Tine Tiller**\$549.99 \$649.99**

Save \$100.00

In Stock for DeliveryBuy Online - Pick up in Store EligibleCraftsman 5.5 hp Tine Tiller**\$299.99 \$349.99**

Save \$50.00

In Stock for DeliveryBuy Online - Pick up in Store Eligible Check to compareCraftsman Gas Mini-Tiller/Edger**\$289.99 \$309.99**

Save \$20.00

In Stock for DeliveryBuy Online - Pick up in Store EligibleCraftsman Electric Mini-Tiller**\$249.99 \$269.99**

Save \$40.00

In Stock for DeliveryBuy Online - Pick up in Store EligibleCraftsman Rear Mount Tiller**\$1,049.99**In Stock for DeliveryBuy Online - Pick up in Store EligibleMantis Electric Mini Tiller/Cultivator**\$299.99**In Stock for DeliveryMantis Gas Mini Tiller/Cultivator, 2-Cycle**\$299.98**

Great Price

In Stock for Delivery Check to compare

394-47

The Helpful place.

[Shopping Cart \[0 items\]](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)
[Data Sheets](#) | [Parts](#) | [Customer Support](#) | [Home Improvement](#) | [Safety](#) | [About ACE](#)
[Customer Support](#)
[FAQ](#)
[Feedback](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)
[My Account](#)
[Track My Order](#)
[Customer Support](#)
[Parts](#)
[Data Sheets](#)
[Feedback](#)
[FAQ](#)
[Contact Us](#)
[Help](#)
[Store Locator](#)


PVC Pipe Cutters from the FAMOUS Internet PLUMBING SUPPLY

Page 3 of 3

394-48**This PVC Pipe Cutter Features:**

- Cuts up to 2" PVC pipe
- Ratchet action for quick cuts
- Virtually perfect right angle cuts
- Hardened steel blade
- Dozens of other uses

Part #	Description	Price & Quantity
4678	65MM Cutter and blade complete	\$88.29 0
CP65	Blade for 65MM cutters	\$27.79 0
4678-B	Blade for MEGA-9 cutters (old style)	\$27.80 0

Large PVC Pipe Cutter

MM65 heavy duty PVC cutter

394-49


Customer Support
[REGISTER](#) [CART](#) [Log In](#) [Keyword Search](#)

Not registered yet? Register today.

Get 10% OFF Your Entire Online Order – Oct. 5-9 Only [LEARN MORE](#)

You are here > Home > Shop > Outdoor Power Equipment > Hedge Trimmers & Access. > Echo HC-150 20 In. Double Sided Hedge Clipper

[Back to browsing products](#) [EMAIL TO A FRIEND](#)



Echo
HC-150 20 In. Double Sided Hedge Clipper
Model HC150sp

Price: \$269.00/ea

 Only \$11 per month when purchased with The Home Depot Consumer Credit Card. [Monthly payment details](#)

Quantity: 1 [ADD TO CART](#)

[ADD TO WISHLIST](#) [ADD TO PLACARD](#)

 [Enlarge Image](#)

- Learn About Shipping Options and Estimates
- Recipient must be present at the time of delivery
- Product cannot be shipped to the following countries
- Special return rules apply to this product
- Local store prices may vary from those displayed online

Description	Specifications	Product Reviews	Warranty	
<p>The HC-150 is perfect for taming overgrown shrubs and for preventive pruning. It features the light-weight and powerful high-output 21.2cc engine with dual piston rings. Its 20" Razor Edge blades are crafted from hardened steel and laser cut for smooth one pass cutting. The HC-150 is backed by a full two year consumer warranty and includes operator's manual and engine oil. All ECHO engines are certified with the longest engine durability rating.</p> <ul style="list-style-type: none"> • 21.2cc Engine, 20" Blade • Longest Certified Engine Durability • Razor Edge™ 20 In. Hardened Steel, Precision Laser Cut Blades for Easy Cutting and Long Blade Life • Heavy-duty air filter for extended maintenance intervals • 2 Year Consumer Warranty <p>Internet/Catalog #100069998 Store In-Stock SKU # 306608</p>	<div style="border: 1px solid black; padding: 5px; width: 150px; height: 150px; margin-bottom: 10px;"></div> <p>SPECIAL OFFER</p> <div style="border: 1px solid black; padding: 5px; background-color: #f0f0f0; display: inline-block;">  12 Month No Interest of \$269 </div>			

YOU MAY ALSO LIKE

http://www.homedepot.com/prel80/HDUS/EN_US/diy_main/pg_diy.jsp?prod_id=100022... 10/6/2006

394-51

 [Find products & services nearby](#) [REGISTER](#) [CART](#) [Search Keyword](#)


[SHOP](#) [GIFT CENTER](#) [KNOW-HOW](#) [SERVICES](#) [PROMOTIONS](#) [CUSTOMER SUPPORT](#) [SIGN IN](#)

Not registered yet? Register today.

Get 10% OFF Your Entire Online Order - Oct. 5-9 Only [LEARN MORE](#)

You are here > Home > Shop > Search Results for "chain" > Crown Bolt LLC Chain Tow with Grab Hooks

[Back to browsing products](#) [E-MAIL TO A FRIEND](#)




**Crown Bolt LLC
Chain Tow with Grab Hooks
Model 00422**

Price: \$43.45/pk

Temporarily Unavailable Online - Check
We're sorry, this item is temporarily unavailable.
Check your nearest store for availability or come back later.
Local store prices may vary from those displayed online.

[Enlarge Image](#)

Description	Specifications	Product Reviews	Warranty	SPECIAL OFFER
Tow Chain, 5/16 In. x 20 Ft. Transport grade system 7 chain with clevis grab hooks. Yellow chromate finish. Working load limit 4700 LB.				12 Month No Interest Offer of \$299
<ul style="list-style-type: none"> Great To Keep In The Car Or Truck. Working Load Limit 4,700 Lbs. Yellow Zinc Finish Clevis Grab Hooks. <p>Internet/Catalog #100349312 Store In-Stock SKU # 529425</p>				

YOU MAY ALSO LIKEAO Safety
Chemical/splash Safety GogglesPorter-Cable
3HP 4.5Gal Job Boss CompressorDeWalt
18 V Cordless

394-52

**Menu****View Cart**
**FIREFIGHTER
EQUIPMENT
POLICE EQUIPMENT**
**VEHICLE LIGHTS, SIRENS
& PARTS**
**FLASHLIGHTS,
LANTERNS, & CHARGERS**
BADGES**BOOTS & SHOES****ABOUT US****CLEARANCE DEPT.** **48" STREETHAWK Lightbar**

(Click on photo for enlargement)

NEWSLETTER SIGNUP

- Choice of Dome Colors - Must Specify

CONTACT Choice of Hook Kit or Permanent Mount - Must

Specify & State Make & Model of Vehicle


**FEDERAL SIGNAL
CORPORATION**
Emergency Products

Numerous other lengths available in addition to those below. Please call for details.

Model #SHL4801 Features:

- Four 95 FPM Rotators
- Two Diagonal Mirrors

\$ 555.00

Qty: 1

Add to Cart**Model #SHL 4804 Features:**

- Two 95 FPM Rotators
- Two 175 FPM Rotators
- Two Diagonal Mirrors
- Two Front Flashing Lights
- Two Rear Flashing Lights
- Two Alley Lights

\$ 715.00

Qty: 1

Add to Cart**View Cart****Common Replacement Parts for Streethawk Lightbars**
**Dome, Streethawk - outboard
Specify: Clear, Red, Amber, Blue, Green**
\$47.00

Qty: 1

Color: Clear

Add to Cart
**Dome, Streethawk - Center
Specify: Clear, Red, Amber, Blue**
\$43.50

Qty: 1

Color: Clear

Add to Cart
**Lens, Lower Level - #SSL
Amber, Blue, Clear, Red**
\$5.50

Qty: 1

Color: Amber

Add to Cart

394-52

ArizonaTools.com

Customer Service: 800-429-3289

[Advanced Search](#)[SEARCH](#)**Product Categories**

- [■ Homepage](#)
- [■ Automotive Tools, Auto Equipment & Diagnostics](#)
- [■ Jumper Cables - Booster cables](#)

[« Go Back](#)

Use our secure online checkout, or call us at
800-429-3289

Mize 12' 2-Gauge Jumper Cable (600-Amp) Customer Review


The jumper cable's excellent quality was beyond my expectations. They stay cool, no

Got a Comment?

We'll try to get back with you same-day.

[CONTACT US](#)**Product Details**[Price](#)

[Homepage](#) » [Automotive Tools, Auto Equipment & Diagnostics](#) » [Jumper cables - Booster cables](#)

Mize 12' 2-Gauge Jumper Cable (600-Amp)

Item Number: MIZEWTL212

★★★★★ (6 Reviews)

Mfg List Price: \$55.95

Our Price: \$39.97

[Add to Cart](#)

In Stock - Same Day Shipping

Mize 12' 2-Gauge Jumper Cable (600-Amp)

Mize Wire is the name for top quality jumper cables (also called Booster Cables). These are 12' 2-Gauge Jumper Cables, rated for 600-Amp commercial use. Made with tangle free fine strand twin lead copper wire that remains flexible to -70 degrees Fahrenheit. You know these are top quality cables just from the feel. Each jumper cable is equipped with Co.'s patented BH600 (600 amp) handles. The handles are made heavy, so they won't twist or mis-align. The patented teeth and spring assembly, called the 'little croc', really grab. The hinge point is engineered to provide maximum leverage so they're easier to open. Comes in an attractive box. These jumper cables are designed to work with side mount and standard batteries.

Manufacturer: Mize Wire [[Warranty Information](#)]**Shipping Weight:** 9.00 pounds [[Estimate Shipping Cost](#)]

Load Binders & Cargo Nets

Ratchet-Action Load Binders/Jacks

One-person operation without kickbacks is a breeze. These binders have a screw design that allows for push-pull ratchet action and a double-acting, spring-loaded pawl. Chain takeup is the length of chain that is adjusted by the load binders.


Hook End—Bind loads on heavy equipment in transit and during construction activities. Binders are all steel with a rust-resistant ratchet spring and forged grab hooks. Meet D.O.T. 393.102 specifications and CVSA (Commercial Vehicle Safety Alliance) cargo-securing, tie-down guidelines.

Clevis End—It ratchets in either direction, so you can push apart and pull together structural members, steel plates, walls, and more. Welded screw-style ends prevent overextension.

Eye End—Pull bearings, pulleys, gears, and wheels. Each end has a $1\frac{1}{16}$ " ID screw eye with reversible ratchet in the center. Spring-actuated pawls in the ratchet make them easy to use.


For Chain Size		Grade 40	Grade 70	Work Load Limit, lbs.	Length Min.	Length Max.	Chain Takeup	Handle Length	1-3 Each	4-Up
High Test Transport										
Hook End Forged Steel										
5/16"-3/8"		8,000	22.94"	30.94"	8"	14"	2967T5	\$59.50	\$64.54	
3/8"-1/2"		15,000	25.25"	33.25"	8"	14"	2967T3	63.38	58.10	
3/8"-1/2"		9,200	38"	60"	22"	14"	2967T7	170.50	152.86	
1/2"-5/8"		16,000	26.38"	34.38"	8"	14"	2967T6	115.07	103.94	
Clevis End (No Hooks) Cold-Rolled Steel										
8,000/15,000		20"	28"	8"	12"	2968T14	90.89	79.54		
Eye End (No Hooks) Forged Steel		40,000	23"	37"	14"	26"	2979T24	.364.63	320.44	

Pushing/pulling.



X 2

Lever-Action Load Binders



Pull the handle to take up slack in chain so you can secure machinery, cargo, and equipment on trucks or in your facility. All except economy binder meet D.O.T. 393.102 specifications and CVSA (Commercial Vehicle Safety Alliance) cargo-securing, tie-down guidelines. Chain takeup is the length of chain adjusted by the load binder.

Standard Cast Iron—Forged, snub-nose hooks and swivels make adjustments easy.

Standard Forged Steel—A ball-and-socket joint allows straight pull

Grade 30 Proof Coil	Grade 40 High Test	Grade 70 Transport	Work Load Limit, lbs.	Length Min.	Length Max.	Chain Takeup	Handle Length	1-3 Each	4-Up
Standard Cast Iron									
1/4"	1/4"		2,600	13"	15 1/2"	2 1/4"	11 1/4"	2968T51	\$24.97 \$22.80
5/16"	3/8"		5,400	18"	22 1/4"	4 1/2"	16"	2968T52	50.52 45.47
3/8"-1/2"	3/8"	5/16"	5,400	18 1/4"	23"	3 3/4"	18"	2968T43	60.80 54.72
Standard Forged Steel									
1/4"	1/4"		2,600	12 3/4"	16"	3 1/4"	11 1/4"	2968T4	26.32 23.50
5/16"-3/8"	5/16"	5/16"	5,400	17 3/4"	22 1/4"	4 1/2"	16 1/4"	2968T5	49.21 43.87
3/8"-1/2"	3/8"-1/2"		9,200	21 1/4"	25 3/4"	4 1/2"	18 11/16"	2968T2	63.65 58.27
1/2"-5/8"	1/2"-5/8"		13,000	25"	29 3/4"	4 1/4"	21"	2968T3	118.34 107.75
Release-Eze Forged Steel									
3/8"	5/16"		4,700+	19 1/4"	23 3/4"	4 1/2"	12 1/2"	2968T9	47.96 42.91
Economy Cast Steel			400	7"	10 1/2"	3 1/4"	9 1/4"	3098TG7	17.89 15.55

* Work load limit is 5,400 lbs. when used with $\frac{3}{4}$ " Grade 40 chain.

Quick-Mount Cargo Nets

Stretch this netting across shelving, cabinets, benches, workstations, and other small, confined spaces to keep materials contained. Made of rot- and mildew-resistant polyester, it has stitched loops and polypropylene hemmed edges for added strength. Mesh size is $1\frac{1}{4}$ " x $1\frac{1}{4}$ ". Install with the included adhesive pads or screws. Color is black.

Four-point attachment includes four adhesive pads and screws. **Two-point attachment** includes two adhesive pads and screws to use netting hammock style or folded in half.

Length, Min.-Max. **Width** **Each**

Four-Point Attachment			
2 1/2'-3'	1'	44115T2	\$14.88
4'-5'	1'	44115T1	17.17

Two-Point Attachment			
3 3/4'-5'	2'	44115T3	19.88

Warning: Never exceed work load limits. Never use the items on this page for lifting applications.

McMASTER-CARR

Ventilating Mesh Tarps

Also known as cargo nets, these tarps are UV resistant and have a 2" wide web-reinforced hem that's made of black polypropylene. All have brass grommets on each side spaced approximately 2 feet apart.

Polyethylene mesh tarps have $1\frac{1}{4}$ " x $1\frac{1}{4}$ " mesh openings and $\frac{5}{8}$ " ID grommets. Color is black.

Polyester mesh tarps have $1\frac{1}{4}$ " x $1\frac{1}{4}$ " mesh openings and $\frac{3}{8}$ " ID grommets. Color is white.

Size	Each	
Polyethylene Mesh		
5'8" x 7'8" .4463T21	\$22.08	
7'8" x 9'8" .4463T31	36.80	
9'8" x 11'8" .4463T41	55.20	
9'8" x 15'8" .4463T51	73.60	
9'8" x 17'8" .4463T61	82.80	
11'8" x 19'8" .4463T42	110.40	
11'8" x 25'8" .4463T52	124.80	
13'8" x 15'8" .4463T72	103.04	
15'6" x 23'8" .4463T82	153.60	
Polyester Mesh		
6' x 8' .7871T51	\$39.08	
8' x 10' .7871T33	65.12	
8' x 12' .7871T52	78.16	
10' x 12' .7871T53	97.68	
10' x 16' .7871T54	130.26	
10' x 20' .7871T55	162.82	
12' x 16' .7871T57	156.32	
12' x 24' .7871T59	234.46	
20' x 20' .7871T63	319.25	

1411

394-56
**NATIONAL TOOL
WAREHOUSE**

SEARCH BY KEYWORD

GO

ADVANCED SEARCH?

PRODUCT CATEGORIES

- Abrasives
- Adhesives, Sealers & Plastic Repair
- Air Compressors & Air Management
- Air Conditioning Equipment
- Air Tools
- Appearance & Paint Finishing
- Battery/Electrical Systems
- Body Shop Tools & Equipment
- Brake, Tire & Suspension
- Cooling System Equipment
- Dent Repair Tools
- Diagnostic Equipment
- Engine Tools
- Fastener & Rivet Tools
- Glass Installation
- Hand Tools
- Lifting Equipment
- Lubrication Equipment
- Masking Systems
- Paint & Solvents
- Power Tool Accessories
- Power Tools
- Promotional Items
- Putters
- Repair Shop Equipment & Supplies
- Safety Products
- Spray Guns & Accessories

Sign In

Your Account | Shopping Cart

**FRE
FOR C
CLICK**
HOME**NEW PRODUCTS****SPECIALS****BY MANUFACTURER****MY ACCOUNT****CUSTOMER SERVICE****POLICIES****RETURNS**


Hand Tools >> Sockets, Ratchets & Drive Tools >> 1/2" Drive - Chrome Sockets >> Ratchets >>

SK Hand Tool**1/2" Drive Professional Reversible Ratchet - 15" Long**

PROFESSIONAL TOOLS

NTW #: SKT-40170

Manufacturer Price: \$88.98**NTW Price: \$45.62****You Save: 49%****Quantity: 1**

[View Large Photo](#)

<< print-friendly

Product Details:

1/2" Drive Professional Reversible Ratchet - 15" Long

- Smooth ratchet action, completely enclosed head, SuperKrome® finish
- 36 Tooth Head

Weight: 2.01 lb**E-Mail this product to a friend.**

Your E-mail address:

Friend's E-mail address:

SUBMIT

PROFESSIONAL TOOLS

In order to meet the changing needs of professional tool users, SK continues to develop new products. Since 1985, our product line has grown by more than 300 percent - from 750 items to over 3000 individual tools and sets. From wrenches, sockets and drive tools to screwdrivers and pliers, we offer the wide variety of tool styles and expanded size ranges required by today's professional tool user.

3 94 - 57

PVC Pipe Cutters

- we are the largest and most popular Internet mail order plumbing supplier since 1995 -
 to home page - to email us - to how to order - to customer testimonials - to FAQ's - to shipping FAQ's - to return policy

Find plumbing supplies starting with: A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

to PVC repair (expansion) couplings - to PVC fittings
 to inside plastic pipe fitting saver cutter tool - to PVC ball valves
 to pipe inspection/location system to drain jet cleaning equipment - to cast iron pipe cutters
 to Reed pipe tools - to tub drain removal tools - to pipe repair kit
 to portable pipe threaders from Wheeler-Rex

These value-priced, quality PVC tubing cutters make quick work of a tough job. No plumber's tool box is complete without one of each size. Let PlumbingSupply.com be your source for plumbing tools

Soft Pipe Tubing Cutter:



- For cutting soft vinyl tubing and hose
- PVC handle

Part #	Description	Price & Quantity
4682	Complete	\$8.99 0
4682-B	Blade only	\$7.79 0

Order 100 or more for greater savings!



- Or -



PVC Pipe Tubing Cutter:

- Cuts up to 1" PVC pipe - all schedules!
- Cuts up to 1" CPVC pipe

Part #	Description	Price & Quantity

394-58[Shopping Cart \[0 items\]](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)[HARDWARE](#) | [HAND/POWER TOOLS](#) | [ELECTRICAL](#) | [PLUMBING](#) | [LAWN AND GARDEN](#) | [CLEANING/PAINT SUPPLIES](#)[Bath Accessories](#) | [Cabinets](#) | [Flooring Tools](#) | [Screws/Nails](#) | [More...](#)

Search by keyword or item #

Search**LAWN AND GARDEN**[Home](#) > [Lawn and Garden](#) > [Long Handle / Cutting Tools](#) > [Long Handle Round Pt Shovel](#)[LARGER IMAGE](#)**Viper Square Shovel (1330100)**

Item no: 7134679

Our Price:
\$23.99[Browse Search](#) **SAVINGS ALERT**Take advantage of **FREE Shipping** to your local Ace! (See [Promotion Details](#))

◀ 5 of 8 ▶

Qty: 1

[Add to Cart](#)[Add to Wishlist](#) **BILL Me Later*****BUY NOW! NO PAYMENTS FOR 90 DAYS**
on purchases over \$250AVAILABILITY: In stock, leaves warehouse in 5 - 7 full bus. days. - [\(Details\)](#)

Product Tools:

- Learn About E
- Email A Friend

Related Categories

- Long Handle F
- See all Viper

- Head blade 9.75" x 11.5"
- Handle length 47"
- 16-gauge steel head blade
- Square shovel
- New innovative fiberglass tool, will not splinter or crack
- Triangular textured handle for better grip and less fatigue
- 25% stronger than standard fiberglass and 10% lighter
- 40% stronger than wood handles
- Bulk

© Copyright 2006.

[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)

**See product

Photo #? 394-59


[Home](#) | [Order Form](#) | [Compare Items](#) | [Your Account](#) | [Help](#)
[Repair Parts](#) [Services](#) [Resources](#) [Company Info](#) [Contact Us](#) [Find A Branch](#) [Worldwide](#)


Catalog No. 397 (PDF)

[Search](#)[Keyword\(s\)](#)[Go](#)**YOUR ACCOUNT****Robert Morrison**
[Personal Lists](#)
[Item History](#) NEW
[Order History](#)
[View Details](#)**Item Details**

Tools, Outdoor Equipment & Auto Shop > Prying Tools > Nail Pullers, Wrecking and Pry Bars

Pry Bar

Digging Pry Bar, Handle Length 72 Inches, Fiberglass with 7 3/4 Inches X 1 1/2 Inches, 6 Feet Bar with Wedge

[Grainger Item #](#)

3MD43

[Your Price \(ea.\)](#)

\$74.95

[Brand](#)

NUPLA

[Mfr. Model #](#)

69301

[Ship Qty.](#) [?](#)

1

[Sell Qty. \(Will-Call\)](#) [?](#)

1

[Ship Weight \(lbs.\)](#)

7.6

[Usually Ships**](#) [?](#)

Today

[Catalog Page No.](#)1236 [?](#)**We Also Carry**

Qty.

[Enlarge Image](#)
[Add to Order](#) [Add to Personal List](#)
SHOVEL, ROUND POINT
 Grainger Item #: 3MD52
 Your Price (ea.) \$44.95
 Brand: NUPLA

Qty.


[Add to Order](#)[Add to Personal List](#)

See more like this below

Tech Specs	Additional Information	Notes & Restrictions	MSDS	Required Accessories	Optional Accessories	Alternate Products	Repair Parts
Item		Digging Bar with Wedge					
Type		Digging					
Overall Length (in.)		72 1/2					
Material		Fiberglass					
Features		Fiberglass Handle					

[View Catalog Page](#) [View Printable Page](#)

** The "Usually Ships" reflects when an item is generally expected to ship from Grainger based on its stocking location. Real-time availability information will be shown during the checkout process and on the e-mail order confirmation (for U.S. and Puerto Rico - US customers only). Please allow additional delivery time for international orders.

We Also Carry

394-60[Shopping Cart \[0 items\]](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)[HARDWARE](#) | [HAND/POWER TOOLS](#) | [ELECTRICAL](#) | [PLUMBING](#) | [LAWN AND GARDEN](#) | [CLEANING/PAINT SUPPLIES](#)[Bath Accessories](#) | [Faucets](#) | [Plumbing Tools](#) | [Standard Tools](#) | [Shop](#)

Search by keyword or item #


Search**LAWN AND GARDEN**[Home](#) > [Lawn and Garden](#) > [Long Handle / Cutting Tools](#) > [Bow Rakes](#)**Viper Bow Rake (1883800)**

Item no: 7134687

Our Price:
\$24.99[Browse Search](#) **SAVINGS ALERT**

Take advantage of FREE Shipping to your local Ace! (See Promotion Details)

◀ 4 of 4 ▶



Qty: 1

[Add to Cart](#)[Add to Wishlist](#)

Product Tools:

- [Learn About C](#)
- [Email A Friend](#)

 BILL ME LATERBUY NOW! NO PAYMENTS FOR 90 DAYS
on purchases over \$250

Related Categories

- [Bow Rakes](#)
- [See all Viper](#)

AVAILABILITY: In stock, leaves warehouse in 5 - 7 full business days. - [\(Details\)](#)

- 16 tines
- Handle length 51"
- 16-gauge steel head blade
- New innovative fiberglass tool, will not splinter or crack
- Triangular textured handle for better grip and less fatigue
- 25% stronger than standard fiberglass and 10% lighter
- 40% stronger than wood handles
- Bulk

[Q LARGER IMAGE](#)

© Copyright 2006.

[Home](#) | [Store Locator](#) | [Careers@Ace](#) | [Helpful Hardware Club](#) | [About Us](#) | [HelpDesk](#) | [Privacy](#)

**See product



394-61



Chapman Electric Supply, Inc.

[Home](#) | [Search](#) | [Cart](#) | [My Account](#) | [Help](#) | [Contact Us](#) | [Rebate Forms](#) | [Site Map](#)
Product Categories[Air King Ventilation Products >>](#)[Makita Tools >>](#)• [Makita Cordless Tools >>](#)• [Makita O.P.E. Tools >>](#)• [Makita Pneumatic Tools >>](#)• [Makita Metal Working Tools >>](#)• [Makita Hammer Tools >>](#)• [Makita Drill and Fastening Tools >>](#)• [Makita Sander Tools >>](#)• [Makita Woodworking Tools >>](#)• [Makita Saw Tools >>](#)○ [Makita Circular Saws](#)○ [Makita Table Saws](#)○ [Makita Miter Saws](#)○ [Makita Jig Saws](#)○ [Makita Reciprocating Saws](#)**Makita JR3030T Recipro Saw (Variable Speed)**

[JR3030T]

\$175.00

Quantity Per Pack:

1

- Powerful 8 AMP motor for continuous operation
- Large variable speed trigger with lock-on button
- Long 1-1/8" stroke length (0 - 2,600 SPM) for faster cutting
- All ball and needle bearings for longer tool life
- Externally accessible brushes for easy maintenance
- Heavy-duty shoe features "Tool-less" adjustment
- Internal dust blower system cleans debris from the line of cut for better visibility and accuracy
- D-shaped handle design provides control and comfort in all cutting positions
- Accepts standard 1/2" shank blades
- Blade can be inverted for near flush cutting
- Cast aluminum gear housing is built job site tough
- Lightweight for operator comfort; weighs only 7.7 lbs.
- Double insulated

[Click to enlarge](#)

For more information, please visit this products webpage.

[Add To RFQ](#)[Add To Cart](#)

C

S

U

Pa

P

OIL

C

L

PR

B

Lin

Te

He

Co

T



Email Address

[Log In](#)

Password

[Forgot Pa](#)

Auto-Login [?](#)

[G-Net](#)

[Place Order](#)

[Catalog Info](#)

[Company Info](#)

[Our Capabilities](#)

[Hot Deals](#)

Product Search: (Tips)



[Home > Product Detail >](#)

Product Detail

Product Group: Power Tools and Accessories

Classification: Electric Power Tools

Description: 4 120V 11000RPM ANGLE GRINDER MAKITA PART NO. 9553NBKX



[Enlarge](#)

Rec

Manufacturer: Makita

Manufacturer #: 9553NBKX

RPM: 11,000

Amps: 5

Wheel Size: 4

Item #: MPT-30861B

Your Price: \$75.00 EA

Availability: 9 in Stock

[Additional Product Info](#)



1709



\$

H

\$

1/

394-63



The helpful place.

[Shopping Cart \[0 items\]](#) | [Track My Order](#) | [My Account](#) | [Help](#) | [Store Locator](#) | [Contact Us](#)

Search by keyword or item #

[Home](#) > [Hand / Power Tools](#) > [Measuring Tools](#) > [Tape Rule - Long](#)

HAND/POWER TOOLS

Lufkin® Speedwinder Tape Rule (Hyt-100)

Item no: 20524

Our Price:
\$36.99

* **SAVINGS ALERT!**

Take advantage of FREE Shipping to your local Ace! (See Promotion Details)

[Browse Search Results](#)

◀ 1 of 8 ▶

Product Tools:

• Email A Friend

Related Categories

Buy Now: NO PAYMENTS FOR 90 DAYS
With Letter on purchases over \$250

AVAILABILITY: In stock, leaves warehouse in 5 - 7 full bus. days. - [\(Details\)](#)

- Bevels
- Butt Markers
- Calipers/Compasses
- Carpenter's/Railroad Chalk
- Chalk Lines
- Electronic Measures
- Folding Rules
- Framing Squares/Layout Tools

- See all COOPER TOOLS

- 3/8" x 100'
- Easy to read blade
- Rapid rewind
- High impact, high visibility, self standing blaze orange case

394-64[Sku Index](#)[Site Index](#)[Resources](#)[Information](#)

GeneratorJoe®

[PowerPixie™](#)[Home](#)[Company](#)[Contact Us](#)[Order Tracking](#)[Login/Register](#)[Help](#)[Specials](#)[Rent](#)[Lease](#)[New/Used Available Now](#)[We Buy](#)[Competition](#)[Fin](#)

Telephone: (707) 539-9003 - California - Pacific Time Zone - Mail: sales@generatorjoe.net

Cage 1U5V7 - TIN/EIN #943026355 - Duns #054590203 - GSA GS-07F-5964R - A small business owned by a service connected dis

[Diesel Generators](#)

Products

[Portable Gasoline](#)[Portable Diesel](#)[Portable LP Multi Fuel](#)[Portable Three Phase](#)[RV Generators](#)[Commercial Mobile](#)[PTO & Two Bearing](#)[Home - Comm 1 Phase](#)[Home - Comm 3 Phase](#)[Indust. Diesel 1 Phase](#)[Indust. Diesel 3 Phase](#)[Indust. LP/NG 1 Phase](#)[Indust. LP/NG 3 Phase](#)[Mobile 1/3 Phase](#)[Marine Diesel 1 Phase](#)[Marine Diesel 3 Phase](#)[Marine Gasoline](#)[Welder Generators](#)[Mobile Lighting](#)[Container Clipon](#)[Transfer Switches](#)[Fuel & Water Cans](#)[Fuel Tanks](#)[Trailers](#)[Lubes/Consumables](#)[Storage Containers & Buildings](#)[Gift Certificates](#)

Information

[About Generators](#)[Generator Size](#)[Transfer Switch Info](#)

Browse Results - Select a Product

[Honda](#)

Honda, , 0.7 kW
 (0.7 KVA), SKU
 HOPR-001G001,
 Model EX 700C
 NOT FOR SALE
 Honda OHV,
 single phase,
 gasoline fueled,
 air cooled, 3600
 RPM, recoil start

0.7 kW

**Our Price \$710.95**[View](#)[Compare](#)**Our Price \$789.95**[View](#)[Compare](#)

Honda, , 1 kW
 (1 KVA), SKU
 HOPR-001G002,
 Model EU1000
 NOT FOR SALE
 Honda OHV,
 single phase,
 gasoline fueled,
 air cooled, 3600
 RPM, recoil start

1 kW

**Our Price \$1,079.95**[View](#)[Compare](#)

Honda, , 2 kW
 (2 KVA), SKU
 HOPR-002G003,
 Model EU2000i
 NOT FOR SALE
 Honda OHV,
 single phase,
 gasoline fueled,
 air cooled, 3600
 RPM, recoil start

2 kW



Honda, , 2.5 kW
 (2.5 KVA), SKU

Our Price \$599.95

394-65

NorthernTool.com + 1-800-221-0516

My Account Order Status Wish List Help

MY SHOPPING CART

SEARCH

GO

CATEGORIES

BRANDS

SALE

CATALOG

STORES

[Home](#) > [Automotive](#) > [Engine Hoists + Stands](#) > Item# 149809

Ingersoll Rand Wire Rope Puller, Model# P15D34HA

Only \$69.99
 Item# 149809
Guaranteed Lowest Price

Print

Description Warranty

1000-lb. capacity puller has steel frame and handle, alloy steel load hook, one-piece cast aluminum drum, and solid steel drive and holding dog. 4:1 design factor lifting. Long lasting gears through extra heavy "bulldog" tooth design. 2000-lb. double pull capacity. For low and medium duty pulling and lifting jobs.

 Only
 + ADD TO CART

Temporarily Backordered usually ships in 2 to 5 days
Ship Wt. 10.0 lbs

Calculate Shipping



- Larger Image
- More of this Brand

EMAIL DEALS: WEEKLY EXCLUSIVES, SALES + SPECIALS

 Email Address First Name ZipCode SIGN UP

[Home](#) | [Affiliates](#) | [Company Info](#) | [Contact Us](#) | [Government](#) | [Order Security](#) | [Privacy Policy](#) | [Site Map](#) | [Terms + Conditions](#) | [Canada](#) | [UK](#) | [Se Habla Espanol](#)

Buy Online or Call 1-800-221-0516



394-66


METROTECH®

ISO 9001 CERTIFIED

[MY PROFILE](#)[PURCHASE ONLINE](#)[TRAINING](#)[TECH](#)

- [HOME](#)
- [PRODUCTS](#)
- [ACCESSORIES](#)
- [INDUSTRY](#)
- [KNOWLEDGE BASE](#)
- [ABOUT US](#)
- [CONTACT US](#)
- [SITE MAP](#)


PRODUCTS
**480**

Pipe & Cable Locator

Select Items to purchase and press submit →

[SUBMIT](#)**SEARCH**

Select by Product



Select by Industry

**PRODUCTS OVERVIEW****DISTRIBUTOR SEARCH****Base Model**

- Transmitter, Receiver, Conductive Attachment, Ground Rod, and Operating Manual.**
Price : USD 750.00

Other Popular Kits

Currently, no optional equipment is available for this product.

Accessories

- 4810 Inductive Probe**
Part Number: 4810
Inductive Probe for 480 and 480B
Used With: 480, 480B
Price : USD 385.00
- 4820 MetroClamp**
Part Number: 4820
4" (100mm) Inductive Transmitter Coupler
Used With: 480, 480B, 510, 810
Price : USD 305.00
- 4890 MetroClamp**
Part Number: 4890
8" (200mm) Inductive Transmitter Coupler
Used With: All 9800XT Series: 9860DLXT, 9860DFXT, 9860RLXT, 9860RFXT, 9890DLXT, 9890DFXT, 9890RLXT, 9890RFXT; Also used with 480, 480B, 510, 530, 810, 810Dx, 850
Price : USD 890.00
- Conductive Attachment for single frequency locator**
Part Number: 800B004
Conductive Attachment for Transmitter. Consists of Direct Connector Leads and "L" Ground Spike.
Used With: 480, 480B, 510, 530, 810, 810Dx, 850
Price : USD 36.00
- Conductive Leads only RCA plug**
Part Number: 4008108
Conductive Leads for Transmitter. Consists of Direct Connection Lead

10520 | Fire Protection Specialties

10 SPECIALTIES

	10525 Fire Prot. Specialties	DAILY CREW OUTPUT	LABOR HOURS	UNIT	2006 BARE COSTS			TOTAL AMOUNT PER UNIT
					MAT.	LABOR	EQUIP.	
200	5000 Hose rack assy., 2-1/2" x 1-1/2" valve, 100' hose 5010 and extinguisher, 30" x 40" x 8"							
								
	5100 Aluminum door and frame 5200 Steel door and frame 5300 Stainless steel door and frame 6000 Hose rack assy., 1-1/2" valve, 100' hose and 2-1/2" FD valve, 24" x 44" x 8"	Q-12	5	3,200	Ea.	300	120	420
						176	120	296
				▼	5	3,200	▼	456
						335	120	475
	6100 Aluminum door and frame 6200 Steel door and frame 6300 Stainless steel door and frame 7000 Hose rack assy., 1-1/2" valve & 100' hose, 2-1/2" FD valve and extinguisher, 30" x 44" x 8"	Q-12	5	3,200	Ea.	268	120	388
						171	120	291
				▼	5	3,200	▼	475
						355	120	475
	7100 Aluminum door and frame 7200 Steel door and frame 7300 Stainless steel door and frame 8000 Valve cabinet for 2-1/2" FD angle valve, 18" x 18" x 8"	Q-12	5	3,200	Ea.	315	120	435
						325	120	445
				▼	5	3,200	▼	550
						430	120	560
	8100 Aluminum door and frame 8200 Steel door and frame 8300 Stainless steel door and frame	Q-12	12	1,333	Ea.	104	50	154
						86	50	136
				▼	12	1,333	▼	190
						149	50	222
300	FIRE EXTINGUISHERS							
	0110 CO ₂ , portable with swivel horn, 5 lb.				Ea.	130		130
	0140 With hose and 10' horn, 10 lb.					160		160
	0160 15 lb.					190		190
	0180 20 lb.					220		220
	0360 Wheeled type, cart mounted, 50 lb.					1,200		1,200
	0400 100 lb.				▼	1,625		1,625
	1000 Cry chemical, pressurized							1,750
	1040 Standard type, portable, painted, 2-1/2 lb.				Ea.	27.50		27.50
	1060 5 lb.					60		60
	1080 10 lb.					80		80
	1100 20 lb.					110		110
	1120 30 lb.					157		157
	1300 Standard type, wheeled, 150 lb.					1,600		1,600
	2000 ABC all purpose type, portable, 2-1/2 lb.					30		30
	2060 5 lb.					45		45
	2080 9-1/2 lb.					68		68
	2100 20 lb.					98		98
	2300 Wheeled, 45 lb.					650		650
	2360 150 lb.					1,600		1,600
	3060 Dry chemical, outside cartridge to 65°F, painted, 9 lb.					200		200
	3080 26 lb.					250		250
	5060 Pressurized water, 2-1/2 gallon, stainless steel					85		85
	5080 With anti-freeze					135		135
	9400 Installation of extinguishers, 12 or more, on wood	1 Carp	30	267			9.50	9.50
	9420 On masonry or concrete	*	15	533	▼		18.95	18.95

10520 | Fire Protection Specialties

	10525 Fire Prot. Specialties	CREW	DAILY OUTPUT	LABOR- HOURS	UNIT	2006 BARE COSTS				TOTAL INCLUDES
						MAT.	LABOR	EQUIP.	TOTAL	
200	5000 Hose rack assy, 2-1/2" x 1-1/2" valve, 100' hose									
	5010 and extinguisher, 30" x 40" x 8"									
	5100 Aluminum door and frame	Q-12	5	3.200	Ea.	300	120		420	500
	5200 Steel door and frame		5	3.200		176	120		296	380
	5300 Stainless steel door and frame	↓	5	3.200	↓	335	120		455	500
	6000 Hose rack assy, 1-1/2" valve, 100' hose									
	6010 and 2-1/2" FD valve, 24" x 44" x 8"									
	6100 Aluminum door and frame	Q-12	5	3.200	Ea.	268	120		388	465
	6200 Steel door and frame	↓	5	3.200		171	120		291	375
	6300 Stainless steel door and frame	↓	5	3.200	↓	355	120		475	550
	7000 Hose rack assy, 1-1/2" valve & 100' hose, 2-1/2" FD valve									
	7010 and extinguisher, 30" x 44" x 8"									
	7100 Aluminum door and frame	Q-12	5	3.200	Ea.	315	120		435	540
	7200 Steel door and frame		5	3.200		325	120		445	545
	7300 Stainless steel door and frame	↓	5	3.200	↓	430	120		550	660
	8000 Valve cabinet for 2-1/2" FD angle valve, 18" x 18" x 8"									
	8100 Aluminum door and frame	Q-12	12	1.333	Ea.	104	50		154	193
	8200 Steel door and frame	↓	12	1.333		86	50		136	173
	8300 Stainless steel door and frame	↓	12	1.333	↓	140	50		190	232
300	0010 FIRE EXTINGUISHERS									
	0120 CO ₂ portable with swivel horn, 5 lb.					Ea.	130		130	143
	0140 With hose and "H" horn, 10 lb.						160		160	176
	0160 15 lb.						190		190	209
	0180 20 lb.						220		220	242
	0360 Wheeled type, cart mounted, 50 lb.						1,200		1,200	1,325
	0400 100 lb.					↓	1,625		1,625	1,775
	1000 Dry chemical, pressurized									
	1040 Standard type, portable, painted, 2-1/2 lb.					Ea.	27.50		27.50	30.50
	1060 5 lb.						60		60	66
	1080 10 lb.						80		80	88
	1100 20 lb.						110		110	121
	1120 30 lb.						157		157	178
	1300 Standard type, wheeled, 150 lb.						1,600		1,600	1,750
	2000 ABC all purpose type, portable, 2-1/2 lb.						30		30	33
	2060 5 lb.						45		45	49.50
	2080 9-1/2 lb.						68		68	75
	2100 20 lb.						98		98	108
	2300 Wheeled, 45 lb.						650		650	715
	2360 150 lb.						1,600		1,600	1,760
	3000 Dry chemical, outside cartridge to -65°F, painted, 9 lb.						200		200	220
	3060 26 lb.						250		250	273
	5000 Pressurized water, 2-1/2 gallon, stainless steel						85		85	93.80
	5060 With anti-freeze						135		135	149
	9400 Installation of extinguishers, 12 or more, on wood	1 Carp	30	.267			9.50		9.50	15.70
	9420 On masonry or concrete	"	15	.533	↓		18.95		18.95	31.50

396

Bill of Sale

1 January, 2005

To: Oxford Natural Gas Company (ONG)
 5181 College Corner Pike
 Oxford, OH 45056

From: Byrnes Conway Company
 21 Bynreslake Ct
 Cincinnati, OH 45212

Re: GFC Leasing and Vermeer CX 234 Excavator, S# 172, And breaker

By and for consideration of \$34,000 BC will give title to ONG for the above equipment. ONG will make the final 4 payments to GFC Leasing of \$17,581 (\$3516.20 x 4) and pay BC the remainder of \$16,419.

OXFORD NATURAL GAS COMPANY 11/01/2005

Byrnes Conway
 Bynreslake Ct.
 Cincinnati, OH 45216

007934

Check: 7934
 Date: 02/07/2005
 Vendor: BYRCO

Invoice 05	P.O. Num. FEB	Invoice Amt 16,419.00 =====	Prior Balance 16,419.00 =====	Retention 0.00 =====	Discount 0.00 =====	Amt. Paid 16,419.00 =====
		16,419.00	16,419.00	0.00	0.00	16,419.00
				====	====	=====
				0.00	0.00	16,419.00