

LARGE FILING SEPERATOR SHEET

CASE NUMBER: 07-1136-TP-CSS

FILE DATE: 10/26/2007

SECTION: 6 of 7

NUMBER OF PAGES:

DESCRIPTION OF DOCUMENT:

Complaint

**Amendment to the Agreement
Between
Sprint Communications Company Limited Partnership
Sprint Communications Company L.P.
Sprint Spectrum L.P.
and
BellSouth Telecommunications, Inc.
Dated January 1, 2001**

Pursuant to this Amendment, (the "Amendment"), Sprint Communications Company Limited Partnership and Sprint Communications Company L.P., (collectively referred to as "Sprint CLEC"), a Delaware Limited Partnership and Sprint Spectrum L.P., a Delaware limited partnership, and SprintCom, Inc., a Kansas corporation, all foregoing entities jointly d/b/a Sprint PCS (Sprint PCS), hereinafter collectively referred to as Sprint, and BellSouth Telecommunications, Inc. (BellSouth), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated January 1, 2001 (Agreement) to be effective March 11, 2006 (Effective Date).

WHEREAS, BellSouth and Sprint entered into the Agreement on January 1, 2001, and;

WHEREAS, BellSouth and Sprint desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete Section 17 of the General Terms and Conditions and replace it with the following:

17. Adoption of Agreements

17.1 BellSouth shall make agreements available to Sprint in accordance with 47 USC § 252(i) and 47 C.F.R. § 51.809.

2. The Parties agree to transfer from existing Attachment 2, in their entirety, Sections "20. SS7 Network Interconnection" and "21. Basic 911 and E911" to Attachment 3 and to be identified as Sections "8. SS7 Network Interconnection" and "9. Basic 911 and E911", respectively.
3. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.

4. The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment.
5. The Parties agree to delete the first sentence of Section 1.1 of Attachment 6 and replace with the following:

BellSouth shall provide Sprint with nondiscriminatory access to BellSouth's operation support systems on an unbundled basis, in accordance with section 251(c)(3) of the Act and the FCC Rules. Operations support system functions consist of pre-ordering, ordering, provisioning, maintenance and repair, and billing functions supported by BellSouth's databases and information. BellSouth, as part of its duty to provide access to the pre-ordering function, shall provide, at a minimum, Sprint with nondiscriminatory access to the same detailed information about the loop that is available to BellSouth.

6. All of the other provisions of the Agreement dated January 1, 2001 shall remain unchanged and in full force and effect.
7. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

By: *Kristen E. Shore*

Name: Kristen E. Shore

Title: Director

Date: 4/27/06

**Sprint Communications Company
Limited Partnership**

By: *Virgil A. Stites*

Name: Virgil A. Stites

Title: V.P. - Access Management

Date: April 26, 2006

Sprint Spectrum L. P.

By: *Virgil A. Stites*

Name: Virgil A. Stites

Title: V.P. - Access Management

Date: Apr. 26, 2006

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION.....	3
2	LOOPS	7
3	LINE SPLITTING.....	31
4	LOCAL SWITCHING.....	32
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS.....	32
6	DEDICATED TRANSPORT AND DARK FIBER TRANSPORT.....	35
7	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS).....	44
	Rates	Exhibit A
	Rates	Exhibit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

I Introduction

- 1.1 This Attachment is subject to the General Terms and Conditions of this Agreement and sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to Sprint for Sprint's provision of Telecommunications Services. BellSouth shall offer Sprint access to Network Elements and Combinations in accordance with its obligations under Section 251(c)(3) of the Act and the orders, rules and regulations promulgated thereunder by the FCC(47 C.F.R. Part 51) and the Commission as interpreted by a court of competent jurisdiction. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Sprint (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Sprint to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. Where a Commission has adopted rates for network elements or services provided pursuant to this Attachment as of the Effective Date of the Amendment, it is the intent of the Parties that the rate exhibits incorporated into this Agreement will be those Commission adopted rates. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If Sprint purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 Sprint may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Sprint shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Sprint pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Sprint pursuant to Section 251 of the Act and under this Agreement to an

equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from Sprint. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Sprint and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, Sprint may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that Sprint has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide Sprint with thirty (30) days written notice to disconnect or convert such Arrangements and such conversion will be in accordance with Section 1.6 to the extent the conversion constitutes a Conversion pursuant to Section 1.6. If Sprint fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period of receiving such notice, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 1.7 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Amendment.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, Sprint shall undertake a reasonably diligent inquiry to determine whether Sprint is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Sprint self-certifies that to the best of Sprint's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon Sprint's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution

in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill Sprint the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, Sprint shall submit a spreadsheet identifying those non-compliant circuits that Sprint ordered pursuant to self-certification to be transitioned to tariffed services or disconnected.

- 1.9 Sprint may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth performs such RNMs during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Sprint, BellSouth shall perform the RNM.
- 1.11 Commingling of Services
 - 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Sprint has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Sprint must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
 - 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.

- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A.
- 1.13 Ordering Guidelines and Processes
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Sprint should refer to the "Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is:
<http://www.interconnection.bellsouth.com/>.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address:
<http://www.interconnection.bellsouth.com/guides/html/unes.html>.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Sprint's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Sprint's Collocation Space. These cross-connections are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.
- 1.13.4 Testing/Trouble Reporting.
- 1.13.4.1 Sprint will be responsible for testing and isolating troubles on Network Elements. Sprint must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report,

Sprint will be required to provide the results of the Sprint test which indicate a problem on the BellSouth network.

- 1.13.4.2 Once Sprint has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.
- 1.13.4.3 If Sprint reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Sprint a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1. The Parties disagree on the appropriate basis (i.e., TELRIC or Access Tariff) for rates in this Section 1.13.4.3 and reserve the right to pursue resolution of this issue through the appropriate forum.
- 1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Sprint (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Sprint for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1. The Parties disagree on the appropriate basis (i.e., TELRIC or Access Tariff) for rates in this Section 1.13.4.4 and reserve the right to pursue resolution of this issue through the appropriate forum.

2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. Sprint shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises. FTTH/FTTC loops do not include local loops to predominantly business MDUs.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Sprint on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements contained in 47 C.F.R. Part 51. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Sprint. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant.
- 2.1.3.1 Broadband Services. BellSouth shall provide Sprint with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises. This access shall include

access to all features, functions, and capabilities of the hybrid loop that are not used to transmit packetized information.

- 2.1.3.2 Narrowband services. Bellsouth will provide nondiscriminatory access on an unbundled basis to an entire hybrid loop capable of voice grade service using time division multiplexing technology or access to a spare home-run copper loop.

2.1.4 Transition for DS1 and DS3 Loops

- 2.1.4.1 For purposes of this Section 2, the Transition Period for the Embedded Base of DS1 and DS3 Loops and for the Excess DS1 and DS3 Loops (defined in 2.1.4.3) is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

- 2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for Sprint as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in Sections 2.1.4.5.1 or 2.1.4.5.2 below. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

- 2.1.4.3 Excess DS1 and DS3 Loops are those Sprint DS1 and DS3 Loops in service as of March 10, 2005, in excess of the caps set forth in Sections 2.3.6.2 and 2.3.12 below, respectively. Subsequent disconnects or loss of End Users shall be removed from Excess DS1 and DS3 Loops.

- 2.1.4.4 For purposes of this Section 2, a Business Line is as defined in 47 C.F.R. § 51.5. Similarly, a Fiber-based Collocator is as defined in 47 C.F.R. §51.5.

- 2.1.4.5 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 2.1.4.12 below, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for (1) Sprint's Embedded Base and (2) Sprint's Excess DS1 and DS3 Loops during the Transition Period:

- 2.1.4.5.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.

- 2.1.4.5.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.

- 2.1.4.6 A list of wire centers meeting the criteria set forth in Sections 2.1.4.5.1 and 2.1.4.5.2 above as of March 10, 2005 (Initial Wire Center List), is available on BellSouth's Interconnection Services Web site.

- 2.1.4.7 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Sprint's Embedded Base of DS1 and DS3 Loops and Sprint's Excess DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.

- 2.1.4.8 The Transition Period shall apply only to (1) Sprint's Embedded Base and (2) Sprint's Excess DS1 and DS3 Loops. Sprint shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement, except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment and as set forth in Section 2.1.4.12 below.
- 2.1.4.9 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.5.1, no DS1 Loop unbundling will be required in that wire center except as provided for in 2.1.4.5.
- 2.1.4.10 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.5.2, no DS3 Loop unbundling will be required in that wire center except as provided for in 2.1.4.5.
- 2.1.4.11 No later than December 9, 2005 Sprint shall submit spreadsheet(s) identifying all of the Embedded Base of circuits and Excess DS1 and DS3 Loops to be either disconnected or converted to other BellSouth services pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base and Excess DS1 and DS3 Loops.
- 2.1.4.11.1 If Sprint fails to submit the spreadsheet(s) specified in Section 2.1.4.11 above for all of its Embedded Base and Excess DS1 and DS3 Loops prior to December 9, 2005, BellSouth will identify Sprint's remaining Embedded Base and Excess DS1 and DS3 Loops, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2.1.4.11.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.1.4.11.2 For Embedded Base circuits and Excess DS1 and DS3 Loops converted pursuant to Section 2.1.4.11 above or transitioned pursuant to Section 2.1.4.11.1 above, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006.
- 2.1.4.12 Modifications and Updates to the Wire Center List and Subsequent Transition Periods
- 2.1.4.12.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.4.5 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 2.1.4.12.2 Effective thirty (30) days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1

and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.

- 2.1.4.12.3 For purposes of Section 2.1.4.12 above, BellSouth shall make available DS1 and DS3 Loops that were in service for Sprint in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred and fifty (150) days from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 2.1.4.12.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 2.1.4.12.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 2.1.4.12.6 No later than sixty (60) days from BellSouth's CNL identifying the Subsequent Wire Center List, Sprint shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 2.1.4.12.6.1 If Sprint fails to submit the spreadsheet(s) specified in Section 2.1.4.12.6 above for all of its Subsequent Embedded Base within sixty (60) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Sprint's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.1.4.13 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.12.6 above or transitioned pursuant to Section 2.1.4.12.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: <http://www.interconnection.bellsouth.com>. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the

order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.6 The Loop shall be provided to Sprint in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.8 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Sprint wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Sprint may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.8.1 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Sprint shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.9 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2.1.9.1 OC allows BellSouth and Sprint to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Sprint's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.9.2 OC-TS allows Sprint to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate Sprint's specific conversion time request. However, BellSouth reserves the right to negotiate with Sprint a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Sprint may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Sprint specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order

due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non-Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, Sprint must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.11 CLEC to CLEC Conversions for Unbundled Loops

2.1.11.1 The CLEC to CLEC conversion process for Loops may be used by Sprint when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in Sprint's Interconnection Agreement before requesting a conversion.

2.1.11.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the

same End User location from the same serving wire center, and must not require an outside dispatch to provision.

- 2.1.11.3 The Loops converted to Sprint pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

- 2.1.12 **Bulk Migration**

- 2.1.12.1 BellSouth will make available to Sprint a Bulk Migration process pursuant to which Sprint may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the Parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at www.interconnection.bellsouth.com/guides/html/unec.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.

- 2.1.12.2 Should Sprint request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Sprint must use the Bulk Migration process referenced in 2.1.11.1 above.

- 2.2 **Unbundled Voice Loops (UVLs)**

- 2.2.1 BellSouth shall make available the following UVLs:

- 2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Sprint will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in

two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1). Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Sprint, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Sprint may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Sprint may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 Unbundled Voice Loop - SL2 (UVL-SL2). Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Sprint. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Sprint to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 Unbundled Digital Loops
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
 - 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
 - 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
 - 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
 - 2.3.2.5 4-wire Unbundled DS1 Digital Loop
 - 2.3.2.6 4-wire Unbundled Digital Loop/DS0 - 64 kbps, 56 kbps and below

- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Sprint will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location.
- 2.3.6.1.1 In all states except Florida and North Carolina, for purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line (HDSL) services, such as 2-wire and 4-wire HDSL Compatible Loops. The Parties acknowledge that the issue of whether DS1 Loops include 2-wire and 4-wire HDSL Compatible Loops is an issue in the following generic change of law proceedings: AL Docket 29543, KY Docket 2004-00427, LA Docket U-28131/U-28356, MS Docket 2005-AD-139 and TN Docket 04-00381). The Parties have agreed to abide by the Commission's decision with respect to this issue in such docket and have agreed to amend this Section in each state, if necessary, to conform to that decision in that state. Such amendment shall be effective thirty days from the date of signature. In the interim, Sprint has agreed to utilize BellSouth proposed language with respect to this issue solely for the purpose of implementing a TRRO compliant agreement until this issue has been resolved. BellSouth agrees that it will not use Sprint's agreement to utilize

BellSouth's language in this Section with respect to this issue as an admission that Sprint has reached agreement with BellSouth on proposed language for this issue.

- 2.3.6.1.2 In Florida, for the purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 loops include provisioned HDSL loops and the associated electronics whether configured as HDSL-2-wire or HDSL-4-wire loops.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to Sprint at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 Sprint may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL).
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range

extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 Unbundled Copper Loop – Designed (UCL-D)

2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).

2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.

2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Sprint.

2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Sprint to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the End User's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to an End User's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Sprint can request LMU for which additional charges would apply.

- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Sprint may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Sprint to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the End User's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Sprint may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 Unbundled Loop Modifications (Line Conditioning)
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Sprint which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Sprint, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Sprint. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 Sprint may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which

serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.

- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Sprint requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Sprint will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 Sprint shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Sprint desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Sprint, Sprint will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by Sprint is available at the location for which the ULM was requested, Sprint will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Sprint will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 Loop Provisioning Involving IDLC
- 2.6.1 Where Sprint has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Sprint. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Sprint (e.g., hairpinning):
1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 3. If capacity exists, provide "side-door" porting through the switch.
 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Sprint, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. Sprint will then have the option of paying the one-time SC rates to place the Loop.
- 2.7 Network Interface Device
- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Sprint to connect Sprint's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.
- 2.7.3 Access to NID
- 2.7.3.1 Sprint may access the End User's premises wiring by any of the following means and Sprint shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Sprint to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 Sprint may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Sprint's responsibility to ensure there is no safety hazard, and Sprint will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Sprint shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Sprint shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Sprint to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to Sprint's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. Sprint may request BellSouth to do additional work to the NID on a time and material basis. When Sprint deploys its own local loops in a multiple-line termination device, Sprint shall specify the quantity of NID connections that it requires within such device.

2.8 Subloop Elements.

2.8.1 Copper subloops. BellSouth shall provide Sprint with nondiscriminatory access to a copper subloop on an unbundled basis. A copper subloop is a portion of a copper loop, or hybrid loop, comprised entirely of copper wire or copper cable that acts as a transmission facility between any point of technically feasible access in BellSouth's outside plant, including inside wire owned or controlled by BellSouth, and the End User premises. A copper subloop includes all intermediate devices (including repeaters and load coils) used to establish a transmission path between a point of technically feasible access and the demarcation point at the End User premises, and includes the features, functions, and capabilities of the copper loop. Copper subloops include two-wire and four-wire analog voice-grade subloops as well as two-wire and four-wire subloops conditioned to transmit the digital signals needed to provide digital subscriber line services, regardless of whether the subloops are in service or held as spares.

2.8.1.1 Point of technically feasible access. A point of technically feasible access is any point in BellSouth's outside plant where a technician can access the copper wire within a cable without removing a splice case. Such points include, but are not limited to, a pole or pedestal, the serving area interface, the NID, the minimum point of entry, any remote terminal, and the feeder/distribution interface. BellSouth, upon a site-specific request, provide access to a copper subloop at a splice near a remote terminal. BellSouth shall be compensated for providing this access in accordance with 47 C.F.R. §§ 51.501 through 51.515.

2.8.1.2 Rules for collocation. Access to the copper subloop is subject to the FCC's collocation rules at 47 C.F.R. §§ 51.321 and 51.323.

2.8.2 Subloops for access to multiunit premises wiring. BellSouth shall provide Sprint with nondiscriminatory access to the subloop for access to multiunit premises wiring on an unbundled basis regardless of the capacity level or type of loop that Sprint seeks to provision for its End User. The subloop for access to multiunit premises wiring is defined as any portion of the loop that it is technically feasible to access at a terminal in BellSouth's outside plant at or near a multiunit premises. One category of this subloop is inside wire, which is defined for purposes of this section as all loop plant owned or controlled by BellSouth at a multiunit End User premises between the minimum point of entry as defined in 47 C.F.R. § 68.105 and the point of demarcation of BellSouth's network as defined in 47 C.F.R. § 68.3 (i)

2.8.2.1 Point of technically feasible access. A point of technically feasible access is any point in BellSouth's outside plant at or near a multiunit premises where a technician can access the wire or fiber within the cable without removing a splice case to reach the wire or fiber within to access the wiring in the multiunit premises. Such points include, but are not limited to, a pole or pedestal, the NID, the

minimum point of entry, the single point of interconnection, and the feeder/distribution interface.

2.8.2.2 Single point of interconnection. Upon notification by Sprint that it requests interconnection at a multiunit premises BellSouth owns, controls, or leases wiring, BellSouth shall provide a single point of interconnection that is suitable for use by multiple carriers. This obligation is in addition to BellSouth's obligations to provide nondiscriminatory access to a subloop for access to multiunit premises wiring, including any inside wire, at any technically feasible point.

2.8.3 To meet the obligations of the FCC rules and where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.

2.8.4 Unbundled Subloop Distribution (USLD)

2.8.4.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth defines its subloop elements as follows and will make available these offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))
Unbundled Network Terminating Wire (UNTW)

2.8.4.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.

2.8.4.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.

2.8.4.3.1 If Sprint requests a UCSL and it is not available, Sprint may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

2.8.4.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

- 2.8.4.4.1 Upon request for USLD-INC from Sprint, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for Sprint's use on this cross-connect panel. Sprint will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.4.5 USLD Requirements
- 2.8.4.5.1 For access to Voice Grade USLD and UCSL, Sprint shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Sprint's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.4.5.2 Through the SI process, BellSouth will determine whether access to USLs at the location requested by Sprint is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Sprint's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address: <http://www.interconnection.bellsouth.com/products/html/unec.html>.
- 2.8.4.5.3 The site set-up must be completed before Sprint can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Sprint's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.4.5.4 Once the site set-up is complete, Sprint will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Sprint requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Sprint for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.4.6 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.5 Unbundled Network Terminating Wire (UNTW)
- 2.8.5.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an

individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

- 2.8.5.2 BellSouth will provide this element in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where BellSouth owns wiring all the way to the End User's premises. BellSouth will not provide this element in locations where the property owner provides its own wiring to the End User's premises, or where a third party owns the wiring to the End User's premises.
- 2.8.5.3 In those states where the Commission has required a CLEC to do so, Sprint will provide UNTW in MDUs and/or MTUs where Sprint owns wiring all the way to the End User's premises. Sprint will not provide this element in locations where the property owner provides its own wiring to the End User's premises, or where a third party owns the wiring to the End User's premises.
- 2.8.5.4 UNTW Requirements
- 2.8.5.4.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.5.4.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.5.4.3 Except as set forth in Section 2.8.5.3 above where the obligation to provide access exists under this Agreement, in existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End User's premises, Sprint, upon request by BellSouth, will, in good faith, negotiate rates, terms and conditions for such access in accordance with the applicable rules and requirements established by the FCC or the Commission. In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Sprint for each pair activated commensurate to the price specified in Sprint's Agreement.
- 2.8.5.4.4 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior

to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.5.4.5 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.5.4.6 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.5.4.7 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.5.4.8 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.5.4.9 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2.8.5.4.10 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be

billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.6 Dark Fiber Loop.

2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Sprint to utilize Dark Fiber Loops.

2.8.6.2 Transition for Dark Fiber Loop

2.8.6.2.1 For purposes of this Section 2.8.6, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.

2.8.6.2.2 For purposes of this Section 2.8.6, Embedded Base means Dark Fiber Loops that were in service for Sprint as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

2.8.6.3 During the Transition Period only, BellSouth shall make available the Embedded Base Dark Fiber Loops for Sprint at the terms and conditions set forth in this Attachment.

2.8.6.4 Notwithstanding the Effective Date of this Agreement, the rates for Sprint's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.

2.8.6.5 The Transition Period shall apply only to Sprint's Embedded Base and Sprint shall not add new Dark Fiber Loops pursuant to this Agreement.

2.8.6.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement.

2.8.6.7 No later than June 10, 2006 Sprint shall submit spreadsheet(s) identifying all of the Embedded Base of circuits to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base.

2.8.6.7.1 If Sprint fails to submit the spreadsheet(s) specified in Section 2.8.6.7 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify Sprint's remaining Embedded Base, if any, and will transition such circuits to the equivalent

tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2.8.6.7.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 2.8.6.7.2 For Embedded Base circuits converted pursuant to Section 2.8.6.7 or transitioned pursuant to 2.8.6.7.1, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006.
- 2.9 Loop Makeup
- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Sprint LMU information with respect to Loops that are required to be unbundled under this Agreement so that Sprint can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Sprint intends to install and the services Sprint wishes to provide. LMU is a preordering transaction, distinct from Sprint ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Sprint LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Sprint as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Sprint may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Sprint and BellSouth shall not be liable in

any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Sprint's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by Sprint or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. Sprint is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify Sprint, according to the applicable network disclosure requirements. It will be Sprint's responsibility to move any service it may provide over such facilities to alternative facilities. If Sprint fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 Submitting LMUSI

2.9.2.1 Sprint may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if Sprint needs further Loop information in order to determine Loop service capability, Sprint may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.

2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Sprint will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Sprint does not reserve facilities upon an initial LMUSI, Sprint's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.

2.9.2.3 Where Sprint has reserved multiple Loop facilities on a single reservation, Sprint may not specify which facility shall be provisioned when submitting the LSR. For

those occasions, BellSouth will assign to Sprint, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Sprint.

- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.

- 3.2 Line Splitting – UNE-L. In the event Sprint provides its own switching or obtains switching from a third party, Sprint may engage in line splitting arrangements with another CLEC using a splitter, provided by Sprint, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.

3.3 Provisioning Line Splitting and Splitter Space – UNE-L

- 3.3.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When Sprint owns the splitter, Line Splitting requires the following: a Loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent.

- 3.3.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.4 CLEC Provided Splitter – Line Splitting – UNE-L

- 3.4.1 To order High Frequency Spectrum on a particular Loop, Sprint must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3.4.2 Sprint may purchase, install and maintain central office POTS splitters in its collocation arrangements. Sprint may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.3 Any splitters installed by Sprint in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Sprint may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 Maintenance – Line Splitting – UNE-L

3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.

3.5.2 Sprint shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Local Switching

4.1 Local Switching is not offered pursuant to this Agreement.

4.2 Transition for Local Switching

4.2.1 For purposes of this Section 4, the Transition Period for the Embedded Base of Local Switching is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

4.2.2 For the purposes of this Section 4, Embedded Base shall mean Local Switching and any additional elements that are required to be provided in conjunction therewith that were in service for Sprint as of March 10, 2005.

4.2.3 Transition Period Pricing. From March 11, 2005, through the completion of the Transition Period, BellSouth shall charge a rate for Sprint's Embedded Base of Local Switching equal to the higher of

4.2.3.1 The rate at which Sprint leased that combination of elements on June 15, 2004, plus one dollar (\$1); or

4.2.3.2 The rate the Commission established, if any, between June 16, 2004, and the effective date of the TRRO, plus one dollar (\$1).

4.2.3.3 These rates shall be as set forth in Exhibit A and this Section 4.

5 Unbundled Network Element Combinations

5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Sprint are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Sprint are not already combined by BellSouth in the location requested by Sprint but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Sprint are not elements that BellSouth combines for its use in its network.

- 5.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 5.1.2 To the extent Sprint requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.
- 5.2 Rates
- 5.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 5.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Sprint.
- 5.3 Enhanced Extended Links (EELs)
- 5.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Sprint with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 5.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a Loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).

- 5.3.3 By placing an order for a high-capacity EEL, Sprint thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Sprint's high-capacity EELs as specified below.
- 5.3.4 Service Eligibility Criteria
- 5.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Sprint must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.3.4.1.1 Sprint has received state certification to provide local voice service in the area being served;
- 5.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.3.4.2.1 Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.3.4.2.2 Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.3.4.2.3 Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.3.4.2.4 Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 5.3.4.2.5 Each circuit to be provided to each End User will be served by an interconnection trunk over which Sprint will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.3.4.2.6 For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Sprint will have at least one (1) active DS1 local service interconnection trunk over which Sprint will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 5.3.4.2.7 Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.3.4.3 BellSouth may, on an annual basis, audit Sprint's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified

Public Accountants (AICPA). To the extent the independent auditor's report concludes that Sprint failed to comply with the service eligibility criteria, Sprint must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that Sprint did not comply in any material respect with the service eligibility criteria, Sprint shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Sprint did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Sprint for its reasonable and demonstrable costs associated with the audit. Sprint will maintain appropriate documentation to support its certifications.

5.3.4.4 In the event Sprint converts special access services to UNEs, Sprint shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.4 UNE-P

5.4.1 UNE-P is not offered pursuant to this Agreement.

5.4.2 Transition Period for UNE-P

5.4.2.1 For purposes of this Section 5.4, the Transition Period for UNE-P is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

5.4.2.2 For the purposes of this Section 5.4, Embedded Base shall mean UNE-P and any additional elements that are required to be provided in conjunction therewith that were in service for Sprint as of March 10, 2005.

5.4.2.3 Transition Period Pricing. From March 11, 2005, through the completion of the Transition Period, BellSouth shall charge a rate for Sprint's Embedded Base of UNE-P equal to the higher of:

5.4.2.3.1 The rate at which Sprint leased that combination of elements on June 15, 2004, plus one dollar (\$1); or

5.4.2.3.2 The rate the Commission established, if any, between June 16, 2004, and the effective date of the TRRO, plus one dollar (\$1).

5.4.2.3.3 These rates shall be as set forth in Exhibit A and this Section 5.4.

6 **Dedicated Transport and Dark Fiber Transport**

6.1 Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by Sprint, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to Sprint. BellSouth shall not be required to provide access to OCn

level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 6.2 below, BellSouth shall not be required to provide to Sprint unbundled access to interoffice transmission facilities that do not connect a pair of wire centers or switches owned by BellSouth (Entrance Facilities). BellSouth shall provide unbundled access to DS1, DS3 and dark fiber Dedicated Transport except as otherwise set forth in this Section 6.

6.2 Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3 Entrance Facilities

- 6.2.1 For purposes of this Section 6.2, the Transition Period for the Embedded Base of DS1 and DS3 Dedicated Transport, Embedded Base Entrance Facilities and for Excess DS1 and DS3 Dedicated Transport is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.**
- 6.2.2 For purposes of this Section 6.2, Embedded Base means DS1 and DS3 Dedicated Transport that were in service for Sprint as of March 10, 2005 in those wire centers that, as of that date, met the criteria set forth in 6.2.6.1 or 6.2.6.2. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.**
- 6.2.3 For purposes of this Section 6, Embedded Base Entrance Facilities means Entrance Facilities that were in service for Sprint as of March 10, 2005. Subsequent disconnects or loss of customers shall be removed from the Embedded Base.**
- 6.2.4 For purposes of this Section 6, Excess DS1 and DS3 Dedicated Transport means those Sprint DS1 and DS3 Dedicated Transport facilities in service as of March 10, 2005, in excess of the caps set forth in Section 6.6. Subsequent disconnects and loss of End Users shall be removed from Excess DS1 and DS3 Loops.**
- 6.2.5 For purposes of this Section 6.2, a Business Line is as defined in 47 C.F.R. § 51.5.**
- 6.2.6 For purposes of this Section 6.2, a Fiber-based collocater is as defined in 47 C.F.R. §51.5.**
- 6.2.7 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 6.2 only for Sprint's Embedded Base, Embedded Base Entrance Facilities, and Excess DS1 and DS3 Dedicated Transport during the Transition Period:**
- 6.2.7.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 or more Business Lines or four (4) or more fiber-based collocaters, Tier 1.**

- 6.2.7.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators, Tier 1 or Tier 2.
- 6.2.7.3 A list of wire centers meeting the criteria set forth in Section 6.2.7.1 or 6.2.7.2 above as of March 10, 2005, is available on BellSouth's Interconnection Services Web site at www.interconnection.bellsouth.com, as (Initial Wire Center List).
- 6.2.7.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Entrance Facilities only for Sprint's Embedded Base Entrance Facilities and only during the Transition Period.
- 6.2.7.5 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Sprint's Embedded Base of DS1 and DS3 Dedicated Transport and for Sprint's Excess DS1 and DS3 Dedicated Transport, as described in this Section 6.2 shall be as set forth in Exhibit B and the rates for Sprint's Embedded Base Entrance Facilities as described in this Section 6.2 shall be as set forth in Exhibit A.
- 6.2.7.6 The Transition Period shall apply only to (1) Sprint's Embedded Base and Embedded Base Entrance Facilities; and (2) Sprint's Excess DS1 and DS3 Dedicated Transport. Sprint shall not add new Entrance Facilities pursuant to this Agreement. Further, Sprint shall not add new DS1 or DS3 Dedicated Transport as described in this Section 6.2 pursuant to this Agreement, except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment and as set forth in Section 6.2.7.10 below.
- 6.2.7.7 Once a wire center exceeds either of the thresholds set forth in Section 6.2.7.1, no DS1 Dedicated Transport unbundling will be required in that wire center except as provided for in 6.2.7.
- 6.2.7.8 Once a wire center exceeds either of the thresholds set forth in Section 6.2.7.2, no DS3 Dedicated Transport will be required in that wire center except as provided for in 6.2.7.
- 6.2.7.9 No later than December 9, 2005 Sprint shall submit spreadsheet(s) identifying all of the Embedded Base of circuits, Embedded Base Entrance Facilities, and Excess DS1 and DS3 Dedicated Transport to be either disconnected or converted to other BellSouth services pursuant to Section 1.6. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport.
- 6.2.7.9.1 If Sprint fails to submit the spreadsheet(s) specified in Section 6.2.7.9 for all of its Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport prior to December 9, 2005, BellSouth will identify Sprint's remaining Embedded Base, Embedded Base Entrance Facilities and Excess DS1

and DS3 Dedicated Transport, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6.2.7.9.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

6.2.7.9.2 For Embedded Base circuits, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport converted pursuant to Section 6.2.7.9 or transitioned pursuant to 6.2.7.9.1, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006.

6.2.7.10 Modifications and Updates to the Wire Center List and Subsequent Transition Periods

6.2.7.10.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 6.2.7.1 or 6.2.7.2, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List.

6.2.7.10.2 Effective thirty (30) days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.

6.2.7.10.3 For purposes of Section 6.2.7.10, BellSouth shall make available DS1 and DS3 Dedicated Transport that was in service for Sprint in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred and fifty (150) days from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).

6.2.7.10.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.

6.2.7.10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.

6.2.7.10.6 No later than sixty (60) days from BellSouth's CNL identifying the Subsequent Wire Center List, Sprint shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth

services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.

- 6.2.7.10.6.1 If Sprint fails to submit the spreadsheet(s) specified in Section 6.2.7.10.6 above for all of its Subsequent Embedded Base within sixty (60) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Sprint's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.2.7.10.7 For Subsequent Embedded Base circuits converted pursuant to Section 6.2.7.10.6 or transitioned pursuant to Section 6.2.7.10.6.1, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 6.3 BellSouth shall:
 - 6.3.1 Provide Sprint exclusive use of Dedicated Transport to a particular customer or carrier;
 - 6.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
 - 6.3.3 Permit, to the extent technically feasible, Sprint to connect Dedicated Transport to equipment designated by Sprint, including but not limited to, Sprint's collocated facilities; and
 - 6.3.4 Permit, to the extent technically feasible, Sprint to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.4 BellSouth shall offer Dedicated Transport:
 - 6.4.1 As capacity on a shared facility; and
 - 6.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Sprint.
- 6.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.6 Sprint may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or

switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

6.7 Technical Requirements

6.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

6.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

6.7.2.1 DS0 Equivalent;

6.7.2.2 DS1;

6.7.2.3 DS3; and

6.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

6.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Sprint shall specify the termination points for Dedicated Transport.

6.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;

6.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6.7.4.2 BellSouth's TR73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.

6.7.4.3 BellSouth's TR73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.8 Unbundled Channelization (Multiplexing)

6.8.1 To the extent Sprint is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a

multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Sprint may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

6.8.2 BellSouth shall make available the following channelization systems and interfaces:

6.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.

6.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.8.3 Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, Sprint's channelization equipment must adhere strictly to form and protocol standards. Sprint must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

6.9 Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 6.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.

6.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities

6.9.1.1 For purposes of this Section 6.9, the Transition Period for the Embedded Base of Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.

6.9.1.2 For purposes of this Section 6.9, Embedded Base means Dark Fiber Transport that was in service for Sprint as of March 10, 2005 in those wire centers that, as of that date, met the criteria set forth in 6.9.1.5. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

6.9.1.3 For purposes of this Section 6.9, Embedded Base Dark Fiber Transport Entrance Facilities means Dark Fiber Entrance Facilities that were in service for Sprint as of

March 10, 2005. Subsequent disconnects or loss of customers shall be removed from the Embedded Base.

- 6.9.1.4 For purposes of this Section 6.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.9.1.5 For purposes of this Section 6.9, a Fiber-based collocator is as defined in 47 C.F.R. §51.5.
- 6.9.1.6 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 6.9 only for Sprint's Embedded Base during the Transition Period:
 - 6.9.1.6.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators, Tier 1 or Tier 2.
 - 6.9.1.7 A list of wire centers meeting the criteria set forth in Section 6.9.1.6 above as of March 10, 2005, (Initial List) is available on BellSouth's Interconnection Services Web site at www.interconnection.bellsouth.com.
 - 6.9.1.8 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Sprint's Embedded Base of Dark Fiber Transport as described in Section 6.9.1.2 shall be as set forth in Exhibit B and the rates for Sprint's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 6.9.1.3 shall be as set forth in Exhibit A.
 - 6.9.1.9 The Transition Period shall apply only to Sprint's Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities. Sprint shall not add new Dark Fiber Transport as described in this Section 6.9 except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment and as set forth in Section 6.9.1.11 below. Further, Sprint shall not add new Dark Fiber Entrance Facilities pursuant to this Agreement.
 - 6.9.1.10 Once a wire center exceeds either of the thresholds set forth in Section 6.9.1.6.1, no Dark Fiber Transport unbundling will be required in that wire center except as provided for in 6.9.1.6.
 - 6.9.1.11 No later than June 10, 2006 Sprint shall submit spreadsheet(s) identifying all of the Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base.
 - 6.9.1.11.1 If Sprint fails to submit the spreadsheet(s) specified in Section 6.9.1.11 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify Sprint's remaining Embedded Base, if any, and will transition such circuits to the equivalent

tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6.9.1.11.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 6.9.1.11.2 For Embedded Base circuits converted pursuant to Section 6.9.1.11 or transitioned pursuant to 6.9.1.11.1, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006.
- 6.9.1.12 Modifications and Updates to the Wire Center List and Subsequent Transition Periods
 - 6.9.1.12.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 6.9.1.5.1, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
 - 6.9.1.12.2 Effective thirty (30) days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
 - 6.9.1.12.3 For purposes of Section 6.9.1.11, BellSouth shall make available Dark Fiber Transport that were in service for Sprint in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred and fifty (150) days from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
 - 6.9.1.12.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
 - 6.9.1.12.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
 - 6.9.1.12.6 No later than sixty (60) days from BellSouth's CNL identifying the Subsequent Wire Center List, Sprint shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
 - 6.9.1.12.6.1 If Sprint fails to submit the spreadsheet(s) specified in Section 6.9.1.12.6 above for all of its Subsequent Embedded Base within sixty (60) days after the date of

BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Sprint's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 6.9.1.13 For Subsequent Embedded Base circuits converted pursuant to Section 6.9.1.12.6 or transitioned pursuant to Section 6.9.1.12.6.1, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

6.10 Rearrangements

- 6.10.1 A request to move a working Sprint CFA to another Sprint CFA, where both CFAs terminate in the same BellSouth Central Office (Change in CFA), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A shall apply.
- 6.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 6.10.3 Upon request of Sprint, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 6.10.1 and 6.10.2 above and Sprint may request OC-TS for such orders.
- 6.10.4 BellSouth shall accept a Letter of Authorization (LOA) between Sprint and another carrier that will allow Sprint to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.
- 7 Automatic Location Identification/Data Management System (ALI/DMS)**
- 7.1 911 and E911 Databases**
- 7.1.1 BellSouth shall provide Sprint with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 7.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Sprint will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 8.2.1.

7.2 Technical Requirements

7.2.1 BellSouth's 911 database vendor shall provide Sprint the capability of providing updates to the ALI/DMS database through a specified electronic interface. Sprint shall contact BellSouth's 911 database vendor directly to request interface. Sprint shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of Sprint and BellSouth shall not be liable for the transactions between Sprint and BellSouth's 911 database vendor.

7.2.2 It is Sprint's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.

7.2.3 Sprint shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at <http://www.interconnection.bellsouth.com/guides>.

7.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to Sprint, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for Sprint to assume responsibility for such records.

7.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to Sprint that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Sprint shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to Sprint within two (2) months following the date of the Stranded Unlock report provided by BellSouth. Sprint shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of Sprint's records.

7.3 911 PBX Locate Service®. 911 PBX Locate Service is comprised of a database capability and a separate transport component.

7.3.1 Description of Product. The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.

7.3.1.1 The database capability allows Sprint to offer an E911 service to its PBX End Users that identifies to the Public Safety Answering Point (PSAP) the physical location of the Sprint PBX 911 End User station telephone number for the 911 call that is placed by the End User.

- 7.3.2 Sprint may order either the database capability or the transport component as desired or Sprint may order both components of the service.
- 7.3.3 911 PBX Locate Database Capability. Sprint's End User or Sprint's End User's database management agent (DMA) must provide the End User PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- 7.3.4 Ordering, provisioning, testing and maintenance shall be provided by Sprint pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- 7.3.5 Sprint's End User, or Sprint's End User's DMA, must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of Sprint to ensure that the End User or DMA maintain the data pertaining to each End User's extension managed by the 911 PBX Locate Service product. Sprint should not submit telephone number updates for specific PBX station telephone numbers that are submitted by Sprint's End User, or Sprint's End User's DMA under the terms of 911 PBX Locate product.
- 7.3.5.1 Sprint must provision all PBX station numbers in the same LATA as the E911 tandem.
- 7.3.6 Sprint agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by Sprint's End User or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by Sprint or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. Sprint is responsible for assuring that its authorized End Users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to Sprint's End User or DMA pursuant to these terms. Specifically, Sprint's End User or DMA must keep and protect from use by any unauthorized individual identifiers, passwords,

and any other security token(s) and devices that are provided for access to this product.

- 7.3.7 Sprint may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for Sprint's End Users' telephone numbers for which it has direct management authority.
- 7.3.8 911 PBX Locate Transport Component. The 911 PBX Locate Service transport component requires Sprint to order a CAMA type dedicated trunk from Sprint's End User premises to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- 7.3.8.1 Except as otherwise set forth below, a minimum of two (2) End User specific, dedicated 911 trunks are required between the Sprint's End User premises and the BellSouth 911 tandem as described in BellSouth's TR 73576 and in accordance with the 911 PBX Locate MSD located on the BellSouth Interconnection Web site. Sprint is responsible for connectivity between the End User's PBX and Sprint's switch or POP location. Sprint will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a Sprint purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). Sprint is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.
- 7.3.9 Ordering and Provisioning. Sprint will submit an ASR to BellSouth to order a minimum of two (2) End User specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- 7.3.9.1 Testing and maintenance shall be provided by Sprint pursuant to the 911 PBX Locate MSD that is located on the BellSouth Interconnection Web site.
- 7.3.10 Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by Sprint pursuant to the terms and conditions set forth in Attachment 3.

UNBUNDLED NETWORK ELEMENTS - Alabama											Attachment: 2 Edh A			
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
					Nonrecurring		NRC Disconnect							
					First	Add'l	First	Add'l						
4-WIRE ANALOG VOICE GRADE LOOP	4W Analog VG Loop-Zone 1	1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50					
	4W Analog VG Loop-Zone 2	2	UEA	UEAL4	36.58	131.97	94.51	59.14	14.50					
	4W Analog VG Loop-Zone 3	3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50					
	Switch-A-to-B Conversion rate per LINE Loop, Single LSR, (per DS0)		UEA	URES1		24.89	3.81							
	Switch-A-to-B Conversion rate per LINE Loop, Sprinterfirst, (per DS0)		UEA	URES1		28.37	4.99							
	CLEC to CLEC Conversion Charge w/o outside dispatch		UEA	UREWO		87.72	36.36							
	2-WIRE ISDN DIGITAL GRADE LOOP	2W ISDN Digital Grade Loop-Zone 1	1	UDN	U1L2X	21.88	117.24	79.77	62.88	10.54				
		2W ISDN Digital Grade Loop-Zone 2	2	UDN	U1L2X	32.85	117.24	79.77	62.88	10.54				
		2W ISDN Digital Grade Loop-Zone 3	3	UDN	U1L2X	48.55	117.24	79.77	62.88	10.54				
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP	CLEC to CLEC Conversion Charge w/o outside dispatch		UDN	UREWO		91.83	44.18						
		2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 1	1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44				
		2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 2	2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44				
	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 3	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 3	3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44				
		2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 1	1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44				
		2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 2	2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44				
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 3	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 3	3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44				
		CLEC to CLEC Conversion Charge w/o outside dispatch		UAL	UREWO		88.20	40.40						
		2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 1	1	UHL	UHL2X	8.74	110.00	88.00	47.24	7.44				
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 2	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 2	2	UHL	UHL2X	10.17	110.00	88.00	47.24	7.44				
		2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 3	3	UHL	UHL2X	11.44	110.00	88.00	47.24	7.44				
		2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 1	1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44				
	2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 2	2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 2	2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44				
		2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 3	3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44				
		CLEC to CLEC Conversion Charge w/o outside dispatch		UHL	UREWO		88.14	40.40						
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 1	1	UHL	UHL4X	13.95	148.36	88.00	51.70	9.73					
	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 2	2	UHL	UHL4X	15.56	148.36	88.00	51.70	9.73					
	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 3	3	UHL	UHL4X	15.25	148.36	88.00	51.70	9.73					
4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 1	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 1	1	UHL	UHL4W	13.95	94.00	87.00	51.70	9.73					
	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 2	2	UHL	UHL4W	15.56	94.00	87.00	51.70	9.73					
	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 3	3	UHL	UHL4W	15.25	94.00	87.00	51.70	9.73					
4-WIRE DS1 DIGITAL LOOP	CLEC to CLEC Conversion Charge w/o outside dispatch		UHL	UREWO		86.14	40.40							
	4W DS1 Digital Loop-Zone 1	1	USL	USL4X	82.56	252.47	167.54	44.70	11.71					
	4W DS1 Digital Loop-Zone 2	2	USL	USL4X	154.18	252.47	167.54	44.70	11.71					
4W DS1 Digital Loop-Zone 3	4W DS1 Digital Loop-Zone 3	3	USL	USL4X	314.52	252.47	167.54	44.70	11.71					
	Switch-A-to-B Conversion rate per LINE Loop, Single LSR, (per DS1)		USL	URES1		24.69	3.51							

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Est A		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Nonrecurring		NRC Disconnect			OSS Rate(\$)				
						First	Add'l	First	Add'l		SOMAN	SOMAN			
	Switch-As-is Conversion rate per UNE Loop. Spreadsheet. (per DS1)			USL	URESP	26.37	4.89								
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO	101.09	43.05								
4-WIRE	19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1	1		UDL	UDL2X	26.09	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 2	2		UDL	UDL2X	35.95	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 3	3		UDL	UDL2X	37.88	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 1	1		UDL	UDL4X	26.09	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 2	2		UDL	UDL4X	35.95	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 3	3		UDL	UDL4X	37.88	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 1	1		UDL	UDL8X	26.09	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 2	2		UDL	UDL8X	35.95	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 3	3		UDL	UDL8X	37.88	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 1	1		UDL	UDL19	26.09	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 2	2		UDL	UDL19	35.95	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 3	3		UDL	UDL19	37.88	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 1	1		UDL	UDL56	26.09	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 2	2		UDL	UDL56	35.95	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 3	3		UDL	UDL56	37.88	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 1	1		UDL	UDL64	26.09	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 2	2		UDL	UDL64	35.95	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 3	3		UDL	UDL64	37.88	126.27	88.80	59.14	14.50					
		Switch-As-is Conversion rate per UNE Loop. Spreadsheet. (per DS0)			UDL	URESL	24.89	3.51							
		Switch-As-is Conversion rate per UNE Loop. Spreadsheet. (per DS0)			UDL	URESP	26.37	4.89							
		CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO	102.13	42.75							
	2-WIRE	Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 1	1		UCL	UCLPB	11.01	112.48	85.30	47.24	7.44				
		2W Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 2	2		UCL	UCLPB	12.73	112.48	85.30	47.24	7.44				
2W Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 3		3		UCL	UCLPB	14.38	112.48	85.30	47.24	7.44					
2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 1		1		UCL	UCLPW	11.01	91.46	54.30	47.24	7.44					
2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 2		2		UCL	UCLPW	12.73	91.46	54.30	47.24	7.44					
2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 3		3		UCL	UCLPW	14.38	91.46	54.30	47.24	7.44					
Order Coordination for Unbundled Copper Loops (per loop)				UCL	UCLPW	14.38	91.46	54.30	47.24	7.44					
CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)				UCL	UCLPW	8.15	8.15	42.48							
4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 1		1		UCL	UCL4S	17.36	114.21	87.05	51.70	9.73					
4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 2		2		UCL	UCL4S	20.78	135.21	88.05	51.70	9.73					
4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 3		3		UCL	UCL4S	28.21	135.21	88.05	51.70	9.73					
4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 1		1		UCL	UCL4W	17.36	114.21	87.05	51.70	9.73					
4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 2	2		UCL	UCL4W	20.78	114.21	87.05	51.70	9.73						
4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 3	3		UCL	UCL4W	28.21	114.21	87.05	51.70	9.73						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCL4W	28.21	114.21	87.05	51.70	9.73					
	CLEC to CLEC Conversion Charge w/o outside dispatch			UCL	UREWO	8.15	8.15	42.48							
	Order Coordination for Specified Conversion Times (per LSR)			UEA, UDN, UAL, UHL, UDL, USL	OCOSL	18.90									
Rearrangements															
	EEI to UNE-L Retention, per 2W Unbundled Voice Loop-SL2			UEA	UREEL	87.72	87.72	36.36							
	EEI to UNE-L Retention, per 4 Wires Unbundled Voice Loop			UEA	UREEL	87.72	87.72	36.36							

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2: Exh A			
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
					Rec	Nonrecurring First	Add'l					SOMECD	SOMAN
	EEEL to UNE-L, Reformation, per 2W ISDN Loop		UDN	UREEL		91.63	44.16						
	EEEL to UNE-L, Reformation, per 4 Wire Unbundled Digital Loop		UDL	UREEL		102.13	49.75						
	EEEL to UNE-L, Reformation, per 4 Wire Unbundled DS1 Loop		USL	UREEL		101.09	43.05						
UNE LOOP COMMINGLING													
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING													
	2W Analog VG Loop- S1/2 w/Loop or Ground Start Signaling-Zone 1	1	NTCVG	UEAL2	14.38	88.00	55.00	47.24	7.44				
	2W Analog VG Loop- S1/2 w/Loop or Ground Start Signaling-Zone 2	2	NTCVG	UEAL2	22.85	88.00	65.00	47.24	7.44				
	2W Analog VG Loop- S1/2 w/Loop or Ground Start Signaling-Zone 3	3	NTCVG	UEAL2	36.14	88.00	55.00	47.24	7.44				
	2W Analog VG Loop- S1/2 w/Reverse Battery Signaling-Zone 1	1	NTCVG	UEAR2	14.38	88.00	55.00	47.24	7.44				
	2W Analog VG Loop- S1/2 w/Reverse Battery Signaling-Zone 2	2	NTCVG	UEAR2	22.85	88.00	55.00	47.24	7.44				
	2W Analog VG Loop- S1/2 w/Reverse Battery Signaling-Zone 3	3	NTCVG	UEAR2	36.14	88.00	55.00	47.24	7.44				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URESL	24.89	3.51							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URESP	26.37	4.99							
	CLEC to CLEC Conversion Charge w/o outside dispatch		NTCVG	UREWO	87.72	36.36							
	Loop Tagging-S1/2 (SL2)		NTCVG	URETL	11.21	1.10							
4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING													
	4W Analog VG Loop-Zone 1	1	NTCVG	UEAL4	25.34	131.97	94.51	59.14	14.50				
	4W Analog VG Loop-Zone 2	2	NTCVG	UEAL4	38.68	131.97	94.51	59.14	14.50				
	4W Analog VG Loop-Zone 3	3	NTCVG	UEAL4	60.02	131.97	94.51	59.14	14.50				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URESL	24.89	3.51							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URESP	26.37	4.99							
	CLEC to CLEC Conversion Charge w/o outside dispatch		NTCVG	UREWO	87.72	36.36							
4-WIRE DS1 DIGITAL LOOP - COMMINGLING													
	4W DS1 Digital Loop-Zone 1	1	NTCD1	USLXX	82.55	252.47	157.54	44.70	11.71				
	4W DS1 Digital Loop-Zone 2	2	NTCD1	USLXX	154.16	252.47	157.54	44.70	11.71				
	4W DS1 Digital Loop-Zone 3	3	NTCD1	USLXX	314.52	252.47	157.54	44.70	11.71				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCD1	URESL	24.89	3.51							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCD1	URESP	26.37	4.99							
	CLEC to CLEC Conversion Charge w/o outside dispatch		NTCD1	UREWO	101.09	43.05							
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP - COMMINGLING													
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1	1	NTQUD	UDL2X	28.09	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 2	2	NTQUD	UDL2X	35.95	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 3	3	NTQUD	UDL2X	37.88	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 1	1	NTQUD	UDL4X	28.09	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 2	2	NTQUD	UDL4X	35.95	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 3	3	NTQUD	UDL4X	37.88	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 1	1	NTQUD	UDL8X	28.09	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 2	2	NTQUD	UDL8X	35.95	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 3	3	NTQUD	UDL8X	37.88	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 1	1	NTQUD	UDL19	28.09	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 2	2	NTQUD	UDL19	35.95	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 3	3	NTQUD	UDL19	37.88	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 38.4 Kbps-Zone 1	1	NTQUD	UDL38	28.09	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 38.4 Kbps-Zone 2	2	NTQUD	UDL38	35.95	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 38.4 Kbps-Zone 3	3	NTQUD	UDL38	37.88	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 1	1	NTQUD	UDL64	28.09	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 2	2	NTQUD	UDL64	35.95	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 3	3	NTQUD	UDL64	37.88	126.27	88.80	59.14	14.50				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTQUD	URESL	24.89	3.51		0.00	0.00				
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTQUD	URESP	26.37	4.99		0.00	0.00				
	CLEC to CLEC Conversion Charge w/o outside dispatch		NTQUD	UREWO	102.13	49.75		0.00	0.00				
	Order Coordination for Specified Conversion Time (per LSR)		NTCVG, NTQUD, NTCD1	DCOSL	18.90								
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
	2W Analog VG Loop- Service Level 1- Zone 1	1	UEANL	UEAL2	12.68	37.81	17.66	23.48	5.30				
	2W Analog VG Loop- Service Level 1- Zone 2	2	UEANL	UEAL2	21.05	37.81	17.66	23.48	5.30				
	2W Analog VG Loop- Service Level 1- Zone 3	3	UEANL	UEAL2	34.34	37.81	17.66	23.48	5.30				
	2W Analog VG Loop- Service Level 1- Zone 1	1	UEANL	UEAL2	12.68	37.81	17.66	23.48	5.30				

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)		Svc Order Submitted Manually per LSR	Attachment: 3 Bth A		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecuring					
						First	Add'l	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Analog VG Loop-Service Level 1-Zone 2		2	UEANL	UEASL	21.05	37.81	17.56	23.49	5.30		
	2W Analog VG Loop-Service Level 1-Zone 3		3	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30		
	Tag Loop at End User Premises			UEANL	URETI		5.93	0.88				
	Loop Testing-Basic 1st Half Hour			UEANL	URETI		34.18	0.00				
	Loop Testing-Basic Additional Half Hour			UEANL	URETA		19.85	19.85				
	Manual Order Coordination for UVL-SL1 (per loop)			UEANL	UEAMC		8.15	8.15				
	Order Coordination for Specified Conversion Time for UVL-SL1 (per loop)			UEANL	OCQSL		18.09					
	Unbundled Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E1)											
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UEANM		13.44					
	2-WIRE Unbundled Copper Loop			UEANL	UREWO		15.73	8.94				
	2W Unbundled Copper Loop-Non-Design Zone 1		1	UEQ	UEQZX	11.20	34.14	15.10	21.25	4.15		
	2W Unbundled Copper Loop-Non-Design Zone 2		2	UEQ	UEQZX	13.27	34.14	15.10	21.25	4.15		
	2W Unbundled Copper Loop-Non-Design Zone 3		3	UEQ	UEQZX	15.07	34.14	15.10	21.25	4.15		
	Tag Loop at End User Premises			UEQ	URETI		8.93	0.88				
	Loop Testing-Basic 1st Half Hour			UEQ	URETI		34.16	0.00				
	Loop Testing-Basic Additional Half Hour			UEQ	URETA		19.85	19.85				
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Design (per loop)			UEQ	UEBMC		8.15	8.15				
	Unbundled Copper Loop-Non-Design, billing for BST providing make-up (Engineering Information-E1)			UEQ	UECMU		13.44					
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCLAND)			UEQ	UREWO		14.27	7.43				
	LOOP MODIFICATION											
	Unbundled Loop Modification, Removal of Load Coils-2W pair less than or equal to 18K ft. per Unbundled Loop			UHL, UCL, UEL, ULS, UEA, UEBAL, UEPSP, UEPSS	ULM2L		0.00	0.00				
	Unbundled Loop Modification Removal of Load Coils-4 Wire less than or equal to 18K ft. per Unbundled Loop			UHL, UCL, UEA, UEL, ULS, UEA, UEBAL, UEPSP, UEPSS	ULM4L		0.00	0.00				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop				ULM8T		32.41	32.41				
	SUB-LOOPS											
	Sub-Loop Distribution											
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL, UEF	USBSA		244.42					
	Sub-Loop-Per Cross Box Location-Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		22.64					
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up			UEANL	USBSC		177.46					
	Sub-Loop-Per Building Equipment Room-Per 25 Pair Panel Set-Up			UEANL	USBSD		55.16					
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70		
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70		
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBN2		8.15	8.15				
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07		
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07		
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBN2		8.15	8.15				
	Sub-Loop 2W Intra-Building Network Cable (INC)			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBR2		8.15	8.15				
	Sub-Loop 4W Intra-Building Network Cable (INC)			UEANL	USBR4	5.16	55.25	24.41	49.71	9.07		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBR4		8.15	8.15				
	Loop Testing-Basic 1st Half Hour			UEANL	URETI		34.16	0.00				
	Loop Testing-Basic Additional Half Hour			UEANL	URETA		19.85	19.85				
	2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	46.25	6.70		
	2W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	46.25	6.70		
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	46.25	6.70		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	UCS2X		8.15	8.15				
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	8.11	79.03	44.19	49.71	9.07		
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07		

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	BOS	USOC	RATES(\$)					Sve Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st Add'l		
					Nonrecurring		NRC Disconnect		OSS Rates(\$)						
					Rec	First	Add'l	First	Add'l					SOMAN	SOMAN
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 3		UEF	UCSAX		16.36	79.03	44.19	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	3	UEF	USBMC			8.16	8.16							
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops		UEF	UEANL			8.93	0.66							
	Loop Testing-Basic 1st Half Hour		UEF	UEH1			34.16	0.00							
	Loop Testing-Basic Additional Half Hour		UEF	UEH2			19.05	19.05							
	Unbundled Sub-Loop Modification														
	Unbundled Sub-Loop Modification-2-W Copper Dist Load CollEquip Removal per 2-W PR		UEF	ULM2X			175.78	5.10							
	Unbundled Sub-Loop Modification-4-W Copper Dist Load CollEquip Removal per 4-W PR		UEF	ULM4X			175.78	5.10							
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop		UEF	ULMBT			278.30	6.11							
	Unbundled Network Terminating Wire (UNTW)														
	Unbundled Network Terminating Wire (UNTW) per Pair		UEF	UENPP		0.40	30.01								
	Network Interface Device (NID)														
	Network Interface Device (NID)-1-2 lines		UEF	UNDI2			43.23	28.38							
	Network Interface Device (NID)-1-3 lines		UEF	UNDI3			63.97	49.11							
	Network Interface Device Cross Connect-2 W		UEF	UNDC2			5.87	5.87							
	Network Interface Device Cross Connect-4W		UEF	UNDC4			5.87	5.87							
	LINE OTHER, PROVISIONING ONLY - NO RATE														
	Unbundled Contact Name Provisioning Only-no rate		UEF	UACLN			0.00	0.00							
	Unbundled DS1 Loop-Superframe Format Option-no rate		UEF	UCOEF			0.00	0.00							
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate		UEF	UCOEF			0.00	0.00							
	NID-Dispatch and Service Order for NID installation		UEF	UNDBX			0.00	0.00							
	UNTW Circuit Establishment, Provisioning Only-No Rate		UEF	UENCE			0.00	0.00							
	LOOP MAKE-UP														
	Loop MakeUp-Preordering w/o Reservation, per working or spare facility queued (Manual)		UNK	UMKLV			20.00	20.00							
	Loop MakeUp-Preordering With Reservation, per spare facility queued (Manual)		UNK	UMKLP			21.00	21.00							
	Loop MakeUp-With or w/o Reservation, per working or spare facility queued (Mechanized)		UNK	UMKMQ			0.59	0.59							
	LINE SPLITTING														
	END USER ORDERING-CENTRAL OFFICE BASED														
	Line Splitting per line activation DLEC owned splitter		UEF	UREOS		0.81	37.01	21.19	20.02						
	Line Splitting per line activation BSC owned physical		UEF	UREBP		0.81	37.01	21.19	20.02						
	Line Splitting per line activation BSC owned-virtual		UEF	UREBV		0.81	37.01	21.19	20.02						
	UNBUNDLED EXCHANGE ACCESS LOOP														
	2-WIRE ANALOG VOICE GRADE LOOP														
	2-W Analog VG Loop-Service Level 1-Line Splitting-Zone 1	1	UEF	UEALS		12.66	37.81	17.56	23.49						
	2-W Analog VG Loop-Service Level 1-Line Splitting-Zone 1	1	UEF	UEABS		12.66	37.81	17.56	23.49						
	2-W Analog VG Loop-Service Level 1-Line Splitting-Zone 2	2	UEF	UEALS		21.03	37.81	17.56	23.49						
	2-W Analog VG Loop-Service Level 1-Line Splitting-Zone 2	2	UEF	UEABS		21.03	37.81	17.56	23.49						
	2-W Analog VG Loop-Service Level 1-Line Splitting-Zone 3	3	UEF	UEALS		34.34	37.81	17.56	23.49						
	2-W Analog VG Loop-Service Level 1-Line Splitting-Zone 3	3	UEF	UEABS		34.34	37.81	17.56	23.49						
	PHYSICAL COLLOCATION														
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting		UEF	PETLS		0.03	12.30	11.80	6.03						
	VIRTUAL COLLOCATION														
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting		UEF	VE1LS		0.03	12.30	11.80	6.03						
	UNBUNDLED DEDICATED TRANSPORT														
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT														
	Interoffice Channel-2W VG-per mile		UTVX	1LSX											
	Interoffice Channel-2W VG-Facility Termination		UTVX	UTV2		21.13	40.34	27.41	16.74						

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Exh A		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st		
						Nonrecurring		NRC Disconnect			SOMAN	SOMAN			SOMAN	SOMAN
						First	Add'l	First	Add'l							
	AN SMS Access Service Session, Per Minute					Rate	0.59									
	AN SMS Access Service-Company Performed Session, Per Minute						0.73									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	DS-JSTS-1 UNBUNDLED LOCAL LOOP - Stand Alone															
	DS3 Unbundled Local Loop-per mile			UE3		8.38										
	DS3 Unbundled Local Loop-Facility Termination			UE3	UE3PX	308.08	451.52	283.94			83.58					
	STB Unbundled Local Loop-per mile			UDLSX		8.38										
	STB-1 Unbundled Local Loop-Facility Termination			UDLSX	UDLS1	319.83	451.52	283.94			83.58					
ENHANCED EXTENDED LINK (EELs)																
Network Elements Used in Combinations																
	2W VG Loop (SL2) in Combination-Zone 1		1	UNGVX	UEAL2	14.38	55.00	47.24			7.44					
	2W VG Loop (SL2) in Combination-Zone 2		2	UNGVX	UEAL2	22.85	55.00	47.24			7.44					
	2W VG Loop (SL2) in Combination-Zone 3		3	UNGVX	UEAL2	36.14	55.00	47.24			7.44					
	4W Analog VG Loop in Combination-Zone 1		1	UNGVX	UEAL4	25.34	131.97	84.51			14.50					
	4W Analog VG Loop in Combination-Zone 2		2	UNGVX	UEAL4	39.58	131.97	84.51			14.50					
	4W Analog VG Loop in Combination-Zone 3		3	UNGVX	UEAL4	60.02	131.97	84.51			14.50					
	2W ISDN Loop in Combination-Zone 1		1	UNGNX	U1L2X	21.48	117.24	79.77			10.54					
	2W ISDN Loop in Combination-Zone 2		2	UNGNX	U1L2X	32.85	117.24	79.77			10.54					
	2W ISDN Loop in Combination-Zone 3		3	UNGNX	U1L2X	48.85	117.24	79.77			10.54					
	4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNGVX	UDL66	20.08	128.27	88.60			14.50					
	4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNGVX	UDL66	33.95	128.27	88.60			14.50					
	4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNGVX	UDL66	50.88	128.27	88.60			14.50					
	4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNGVX	UDL64	26.08	128.27	88.60			14.50					
	4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNGVX	UDL64	35.95	128.27	88.60			14.50					
	4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNGVX	UDL64	52.88	128.27	88.60			14.50					
	4W DS1 Digital Loop in Combination-Zone 1		1	UNGVX	USLXX	82.55	252.47	157.54			11.71					
	4W DS1 Digital Loop in Combination-Zone 2		2	UNGVX	USLXX	154.15	252.47	157.54			11.71					
	4W DS1 Digital Loop in Combination-Zone 3		3	UNGVX	USLXX	314.52	252.47	157.54			11.71					
	DS3 Local Loop in combination-per mile			UNGVX	ULND	8.38										
	DS3 Local Loop in combination-Facility Termination			UNGVX	UE3PX	308.08	451.52	283.94			83.58					
	STS-1 Local Loop in combination-per mile			UNGVX	ULND	8.38										
	STS-1 Local Loop in combination-Facility Termination			UNGVX	ULND	319.83	451.52	283.94			83.58					
	Interoffice Channel in combination-2W VG-per mile			UNGVX	ULND	21.13	40.54	27.41			16.74					
	Interoffice Channel in combination-2W VG-Facility Termination			UNGVX	ULND	21.13	40.54	27.41			16.74					
	Interoffice Channel in combination-4W VG-per mile			UNGVX	ULND	18.73	40.54	27.41			16.74					
	Interoffice Channel in combination-4W VG-Facility Termination			UNGVX	ULND	18.73	40.54	27.41			16.74					
	Interoffice Channel in combination-4W 56 Kbps-per mile			UNGVX	ULND	15.12	40.54	27.41			16.74					
	Interoffice Channel in combination-4W 56 Kbps-Facility Termination			UNGVX	ULND	15.12	40.54	27.41			16.74					
	Interoffice Channel in combination-DS1-per mile			UNGVX	ULND	15.12	40.54	27.41			16.74					
	Interoffice Channel in combination-DS1-Facility Termination			UNGVX	ULND	15.12	40.54	27.41			16.74					
	Interoffice Channel in combination-DS3-per mile			UNGVX	ULND	4.08	89.27	81.81			14.44					
	Interoffice Channel in combination-DS3-Facility Termination			UNGVX	ULND	4.08	89.27	81.81			14.44					
	Interoffice Channel in combination-STS-1-per mile			UNGVX	ULND	703.62	278.76	162.76			58.46					
	Interoffice Channel in combination-STS-1-Facility Termination			UNGVX	ULND	703.62	278.76	162.76			58.46					
ADDITIONAL NETWORK ELEMENTS																
Optional Features & Functions:																
	Clear Channel Capability Extended Frame Option-per DS1			UTD1	UD01	0.00	0.00	0.00			0.00					
	Clear Channel Capability Super Frame Option-per DS1			UTD1	UD01	0.00	0.00	0.00			0.00					
	Clear Channel Capability (SF/ESF) Option-Subsequent Activity-per DS1			UNGVX	UE3	184.85	23.61	1.89			0.7741					
	C-bit Parity Option-Subsequent Activity-per DS3			UNGVX	UE3	219.13	7.67	0.7355			0.00					
	DS1/DS3 Channel System			UNGVX	UE3	197.19	91.04	62.87			10.94					
	DS3/DS1 Channel System			UNGVX	UE3	178.20	178.14	98.97			31.83					
	VG COGI in combination			UNGVX	UE3	0.56	6.58	4.72								

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)				Svc Order Submitted Monthly per LSR	Attachment 2 Exh A			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Nonrecurring	First	Add'l	NRC Disconnect		SOMAN	SOMAN	SOMAN		
	LNP Service Establishment Manual					12.52		11.51						
	LNP Service Provisioning with Point Code Establishment					503.49	303.20	268.93	107.74					
911 PBX LOCATE														
	911 PBX LOCATE DATABASE CAPABILITY													
	Service Establishment per CLEC per End User Account					1,613.00								
	Changes to TN Range or Customer Profile					181.44								
	Per Telephone Number (Monthly)					0.07								
	Change Company (Service Provider) ID					502.60								
	PBX Locate Service Support per CLEC (Monthly)					181.33								
	Service Order Change					15.68								
911 PBX LOCATE TRANSPORT COMPONENT														
	See Att 3													
UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)														
	The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO.													
	EXCHANGE PORT RATES													
	NOTE: Although the Port Rates Includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs													
	2-WIRE VOICE GRADE LINE PORT RATES (RES)													
	Exchange Ports-2W Analog Line Port: Res					2.38	2.27	1.42	1.33					
	Exchange Ports-2W Analog Line Port with Caller ID-Res					2.38	2.27	1.42	1.33					
	Exchange Ports-2W Analog Line Port outgoing only-Res					2.38	2.27	1.42	1.33					
	Exchange Ports-2W VG Unbundled AL extended local dialing party Port with Caller ID-Res					2.38	2.27	1.42	1.33					
	Exchange Ports-2W VG Unbundled res. low usage line port with Caller ID (LUM)					2.38	2.27	1.42	1.33					
	Exchange Ports-2W VG AL Residence Dialing Plan w/o Caller ID					2.38	2.27	1.42	1.33					
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability					2.38	2.27	1.42	1.33					
	Subsequent Activity					0.00	0.00	0.00	0.00					
FEATURES														
	All Available Vertical Features					1.98	0.00	0.00						
2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus					2.38	2.27	1.42	1.33					
	Exchange Ports-2W VG Unbundled Line Port with unbundled port with Caller ID-Bus					2.38	2.27	1.42	1.33					
	Exchange Ports-2W Analog Line Port outgoing only-Bus					2.38	2.27	1.42	1.33					
	Exchange Ports-2W VG Unbundled AL extended local dialing party Port with Caller ID-Bus					2.38	2.27	1.42	1.33					
	Exchange Ports-2W VG Unbundled incoming only port with Caller ID-Bus					2.38	2.27	1.42	1.33					
	Exchange Ports-2W Voice AL Business Dialing Plan w/o Caller ID					2.38	2.27	1.42	1.33					
	2W voice unbundled incoming Only Port w/o Caller ID Capability					2.38	2.27	1.42	1.33					
	Subsequent Activity					0.00	0.00	0.00	0.00					
FEATURES														
	All Available Vertical Features					1.98	0.00	0.00						
EXCHANGE PORT RATES (DD & PBX)														
	2W VG Unbundled 2-Way PBX Trunk-Bus					2.38	31.27	14.85	13.94	0.90				
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus					2.38	31.27	14.85	13.94	0.90				
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus					2.38	31.27	14.85	13.94	0.90				
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus					2.38	31.27	14.85	13.94	0.90				
	2W Analog Long Distance Terminal PBX Trunk-Bus					2.38	31.27	14.85	13.94	0.90				
	2W Voice Unbundled 2-Way PBX AL Ceiling Port					2.38	31.27	14.85	13.94	0.90				
	2W Voice Unbundled PBX LD Terminal Port					2.38	31.27	14.85	13.94	0.90				
	2W Voice Unbundled 2-Way PBX Usage Port					2.38	31.27	14.85	13.94	0.90				
	2W Voice Unbundled PBX Toll Terminal Head Ports					2.38	31.27	14.85	13.94	0.90				
	2W Voice Unbundled PBX LD 000 Terminal Port					2.38	31.27	14.85	13.94	0.90				
	2W Voice Unbundled PBX LD Terminal Switchboard Port					2.38	31.27	14.85	13.94	0.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDO Capable Port					2.38	31.27	14.85	13.94	0.90				
	2W Voice Unbundled 2-Way PBX Howl/Hospital Economy Administrative Ceiling Port					2.38	31.27	14.85	13.94	0.90				

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Edn A				Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
						Nonrecurring		OSS Rates(\$)								
						First	Add'l	First	Add'l		SOME	SOMAN	SOMAN	SOMAN		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Calling Port			UEPSP		2.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Rm Calling Port			UEPSP		2.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP		2.38	31.27	14.85	13.94	0.90						
	Subsequent Activity			UEPSP		0.00	0.00	0.00								
FEATURES																
	All Available Vertical Features			UEPSP UEPSE	UEP/V	1.95	0.00	0.00								
NOTE: Transmission/usage charges associated with POTs circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFRNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.																
2-WIRE VOICE GRADE LINE PORT RATES (QID)																
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.05	118.31	18.74	59.90	3.78						
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPXN	UTPMA	10.75	72.77	\$2.99	47.78	10.74						
	All Features Offered			UEPTX UEPXN	UEP/V	1.98	0.00	0.00								
	Exchange Ports-2W ISDN Port - Channel Profiles			UEPTX UEPXN	UTUMA	0.00	0.00	0.00								
NOTE: Transmission/usage charges associated with POTs circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFRNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.																
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																
Unbundled Remote Call Forwarding Service Area Calling-Rm				UEPVR	UERAC	2.38	2.38	2.27	1.42	1.33						
Unbundled Remote Call Forwarding Service Local Calling-Rm				UEPVR	UERLC	2.38	2.27	2.27	1.42	1.33						
Unbundled Remote Call Forwarding Service IntraLATA-Rm				UEPVR	UERTE	2.38	2.27	2.27	1.42	1.33						
Unbundled Remote Call Forwarding Service InterLATA-Rm				UEPVR	UERTR	2.38	2.38	2.27	1.42	1.33						
Non-Residential																
Unbundled Remote Call Forwarding Service Conversion-Switch-assisted (PIC and LPIC)				UEPVR	USAC2	0.10	0.10	0.10								
Unbundled Remote Call Forwarding Service Conversion-Switch-assisted (PIC and LPIC)				UEPVR	USACC	0.10	0.10									
UNBUNDLED REMOTE CALL FORWARDING - BUS																
Unbundled Remote Call Forwarding Service Area Calling-Bus				UEPVB	UERAC	2.38	2.38	2.27	1.42	1.33						
Unbundled Remote Call Forwarding Service Local Calling-Bus				UEPVB	UERLC	2.38	2.38	2.27	1.42	1.33						
Unbundled Remote Call Forwarding Service IntraLATA-Bus				UEPVB	UERTE	2.38	2.38	2.27	1.42	1.33						
Unbundled Remote Call Forwarding Service InterLATA-Bus				UEPVB	UERTR	2.38	2.38	2.27	1.42	1.33						
Local Calling																
Non-Residential																
Unbundled Remote Call Forwarding Service Conversion-Switch-assisted (PIC and LPIC)				UEPVB	UER/V	2.38	2.38	2.27	1.42	1.33						
Unbundled Remote Call Forwarding Service Conversion-Switch-assisted (PIC and LPIC)				UEPVB	USAC2	0.10	0.10	0.10								
UNBUNDLED LOCAL SWITCHING, PORT USAGE																
End Office Switching (Port Usage)																
End Office Switching Function, Per MOU						0.0007025										
End Office Trunk Port-Shared, Per MOU						0.0001638										
Tandem Switching (Port Usage) (Local or Access Tandem)																
Tandem Switching Function Per MOU						0.0000665										
Tandem Trunk Port-Shared, Per MOU						0.00002015										
Tandem Switching Function Per MOU (Melded)						0.000040663										
Tandem Trunk Port-Shared, Per MOU (Melded)						0.000065947										
Melded Factor: 43.15% of the Tandem Rate																
Common Transport																
Common Transport-Per Mile, Per MOU						0.0000023										
Common Transport-Facilities Termination Per MOU						0.0003224										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-P as of March 10, 2005 and Consistent with the TRIO.																
>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.																
>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of port/port network elements except for UNE Coin Port/Loop Combinations.																
>The Port and additional Port nonrecurring charges apply to Not Currently Combined Combinations. For Currently Combined Combinations the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.																
2-WIRE VOICE GRADE LINE PORT WITH 2-WIRE LINE PORT (RES)																

UNBUNDLED NETWORK ELEMENTS - Alabama													Attachment 2 E2A A			
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l			
						Ree	Nonrecurring First	Add'l	NRC Disconnect First					Add'l	SOMAN	SOMAN
	2W VG Loop/Line Port Combination - Conversion-Switch with change			UEPBX	USACC		0.10	0.10								
ADDITIONAL NRCs																
	2W VG Loop/Line Port Combination-Subsequent Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
OFFON PREMISES EXTENSION CHANNELS																
	2W Analog VG Extension Loop - Non-Design	1		UEPBX	UEAEN	12.68	37.81	17.56	23.49	6.30						
	2W Analog VG Extension Loop - Non-Design	2		UEPBX	UEAEN	21.06	37.81	17.56	23.49	6.30						
	2W Analog VG Extension Loop - Non-Design	3		UEPBX	UEAEN	34.34	37.81	17.56	23.49	6.30						
	2W Analog VG Extension Loop - Design	1		UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2W Analog VG Extension Loop - Design	2		UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2W Analog VG Extension Loop - Design	3		UEPBX	UEAED	35.14	88.00	55.00	47.24	7.44						
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Termination			UEPBX	UITV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPBX	UITVM	0.008338	0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
LINE PORT/Loop Combination Rates																
	2W VG Loop/Port Combo-Zone 1					13.70										
	2W VG Loop/Port Combo-Zone 2					22.19										
	2W VG Loop/Port Combo-Zone 3					36.80										
LINE Loop Rates																
	2W VG Loop (SL 1)-Zone 1	1		UEPRG	UEPLX	11.55										
	2W VG Loop (SL 1)-Zone 2	2		UEPRG	UEPLX	20.04										
	2W VG Loop (SL 1)-Zone 3	3		UEPRG	UEPLX	33.65										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	2.15	59.08	32.41	37.43	6.20						
FEATURES																
All Features Offered																
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED																
	PBX Subsequent Activity Change/Rearrange Multiline Hunt Group			UEPRG	UEPVF	1.98	0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premises			UEPRG	USAC2		7.81	1.90								
	Change			UEPRG	USACC		7.81	1.90								
ADDITIONAL NRCs																
	2W VG Loop/Line Port Combination (PBX) Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity Change/Rearrange Multiline Hunt Group			UEPRG	URETL		7.32	7.32								
	Unbundled Misc Rate Element, Tag Loop at End User Premises			UEPRG			8.33	0.83								
OFFON PREMISES EXTENSION CHANNELS																
	Local Channel VG, per termination	1		UEPRG	P2JHX	14.38	58.00	55.00	47.24	7.44						
	Local Channel VG, per termination	2		UEPRG	P2JHX	22.85	58.00	55.00	47.24	7.44						
	Local Channel VG, per termination	3		UEPRG	P2JHX	36.14	58.00	55.00	47.24	7.44						
	Non-Wire Direct Serve Channel VG	1		UEPRG	SD02X	22.41	131.60	61.92	90.50	13.40						
	Non-Wire Direct Serve Channel VG	2		UEPRG	SD02X	23.88	131.60	61.92	90.50	13.40						
	Non-Wire Direct Serve Channel VG	3		UEPRG	SD02X	33.72	131.60	61.92	90.50	13.40						
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Termination			UEPRG	UITV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPRG	UITVM	0.008338	0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
LINE PORT/Loop Combination Rates																
	2W VG Loop/Port Combo-Zone 1					13.70										
	2W VG Loop/Port Combo-Zone 2					22.19										
	2W VG Loop/Port Combo-Zone 3					36.80										
LINE Loop Rates																
	2W VG Loop (SL 1)-Zone 1	1		UEPPX	UEPLX	11.55										
	2W VG Loop (SL 1)-Zone 2	2		UEPPX	UEPLX	20.04										
	2W VG Loop (SL 1)-Zone 3	3		UEPPX	UEPLX	33.65										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	2.15	89.08	32.41	37.43	6.20						
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	2.15	89.08	32.41	37.43	6.20						
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPPI	2.15	89.08	32.41	37.43	6.20						
	2W Voice Unbundled 2-Way Combination PBX AL Calling Port			UEPPX	UEPA2	2.15	89.08	32.41	37.43	6.20						

UNBUNDLED NETWORK ELEMENTS - Auburn												
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)		Svc Order Submitted Manually per LSR	Attachment: 2 Est A		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Nonrecurring			SOMAN	SOMAN		SOMAN
						First	Add'l					
						Rec						
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPIL	2.15	66.06	32.41	37.43	6.20	SOMAN	
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.15	66.06	32.41	37.43	6.20	SOMAN	
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.15	66.06	32.41	37.43	6.20	SOMAN	
	2W Voice Unbundled PBX LD DDD Terminal Port			UEPPX	UEPXC	2.15	66.06	32.41	37.43	6.20	SOMAN	
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.15	66.06	32.41	37.43	6.20	SOMAN	
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.15	66.06	32.41	37.43	6.20	SOMAN	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.15	66.06	32.41	37.43	6.20	SOMAN	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Calling Port			UEPPX	UEPXM	2.15	66.06	32.41	37.43	6.20	SOMAN	
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Rm Calling Port			UEPPX	UEPXD	2.15	66.06	32.41	37.43	6.20	SOMAN	
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.15	66.06	32.41	37.43	6.20	SOMAN	
FEATURES												
	All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
2W VG Loop/ Line Port Combination (PBX) Conversion-Switch-As-Is				UEPPX	USAC2		7.91	1.90				
2W VG Loop/ Line Port Combination (PBX) Conversion-Switch with Change				UEPPX	USACD		7.91	1.90				
ADDITIONAL NRCs												
2W VG Loop/ Line Port Combination (PBX) Subsequent Activity				UEPPX	USAS2	0.00	0.00	0.00				
PBX Subsequent Activity-Change/Rearrange Mainline Hunt Group				UEPPX	USAS2	0.00	0.00	0.00				
Unbundled Main Rate Element - Toll Loop at End User Premises				UEPPX	URETL		7.32	7.32				
OPTION PREMISES EXTENSION CHANNELS												
Local Channel VG per termination			1	UEPPX	P2IHX	14.38	88.00	55.00	47.24	7.44		
Local Channel VG per termination			2	UEPPX	P2IHX	22.85	88.00	55.00	47.24	7.44		
Local Channel VG per termination			3	UEPPX	P2IHX	36.14	88.00	65.00	47.24	7.44		
Non-Wire Direct Serve Channel VG			1	UEPPX	S00DX	22.41	131.60	81.92	90.50	13.40		
Non-Wire Direct Serve Channel VG			2	UEPPX	S00DX	23.88	131.60	81.92	90.50	13.40		
Non-Wire Direct Serve Channel VG			3	UEPPX	S00DX	33.72	131.60	81.92	90.50	13.40		
INTEROFFICE TRANSPORT												
Interoffice Transport-Dedicated 2W VG-Facility Termination				UEPPX	U1TV2	21.13	40.64	27.41	16.74	6.60		
Interoffice Transport-Dedicated 2W VG-Per Mile or Fraction Mile				UEPPX	U1TVM	0.008839	0.00	0.00				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT												
1-Wire Per-Loop Combination Rates												
2W VG Coin Port/Loop Combo - Zone 1						13.70						
2W VG Coin Port/Loop Combo - Zone 2						22.19						
2W VG Coin Port/Loop Combo - Zone 3						35.80						
1-Wire Loop Rates												
2W VG Loop (SL)-Zone 1			1	UEPCO	UEPLX	11.55						
2W VG Loop (SL)-Zone 2			2	UEPCO	UEPLX	20.04						
2W VG Loop (SL)-Zone 3			3	UEPCO	UEPLX	33.66						
2-Wire Voice Grade Line Ports (COIN)												
2W Coin 2-Way w/o Operator Screening and w/o Blocking (AL, KY, LA, MS)				UEPCO	UEPRF	2.15	40.19	19.83	24.91	6.63		
2W Coin 2-Way w/o Operator Screening (AL, KY)				UEPCO	UEPRE	2.15	40.19	19.83	24.91	6.63		
2W Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)				UEPCO	UEPRA	2.15	40.19	19.83	24.91	6.63		
2W Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)				UEPCO	UEPRB	2.15	40.19	19.83	24.91	6.63		
011+, & Local (AL, KY, LA, MS)				UEPCO	UEPCD	2.15	40.19	19.83	24.91	6.63		
2W Coin Outward with Operator Screening and 011 Blocking (AL, FL)				UEPCO	UEPRK	2.15	40.19	19.83	24.91	6.63		
2W Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)				UEPCO	UEPRH	2.15	40.19	19.83	24.91	6.63		
2W Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)				UEPCO	UEPCN	2.15	40.19	19.83	24.91	6.63		
2W 2-Way Screening with 900/976 (all states except LA)				UEPCO	UEPCX	2.15	40.19	19.83	24.91	6.63		

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: 2 Exlt A		Incremental Charge - Manual Svc Order vs. Electronic-1st Addtl	Incremental Charge - Manual Svc Order vs. Electronic-1st Addtl	
					Nonrecurring					NRC Disconnect First Addtl	SOMAN			SOMAN
					Pac	First	Addtl	First						
	2W Coin Outward Smartline with 900/978 (all states except LA)		UEPCO	UEPOR	2.15	40.19	19.83	24.81	8.63					
	ADDITIONAL UNE COIN PORT LOOP (RC)													
	UNE Coin Port Loop Combo Usage (Flat Rate)		UEPCO	UEPCO	1.56	0.00	0.00	0.00	0.00					
	NONRECURRING CHARGES - CURRENTLY COMBINED													
	2W VG Loop/Line Port Combination - Conversion-Switchbase-is		UEPCO	USAC2		0.10	0.10							
	2W VG Loop/Line Port Combination - Conversion-Switch with change		UEPCO	USAC2		0.10	0.10							
	ADDITIONAL MISC													
	2W VG Loop/Line Port Combination-Subsequent Activity		UEPCO	USAC2		0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise		UEPCO	URETL		8.33	0.63							
	2-WIRE VOICE LOOP/ 2-WIRE VOICE GRADE TO TRANSPORT/ 2-WIRE LINE PORT (RES)													
	UNE Port Loop Combination Rates													
	2W VG Loop/Line Port Combo-Zone 1				10.78									
	2W VG Loop/Line Port Combo-Zone 2				25.23									
	2W VG Loop/Line Port Combo-Zone 3				38.52									
	UNE Loop Rates													
	2W VG Loop (SL2)-Zone 1	1	UEPFR	UECF2	14.38									
	2W VG Loop (SL2)-Zone 2	2	UEPFR	UECF2	22.65									
	2W VG Loop (SL2)-Zone 3	3	UEPFR	UECF2	36.14									
	2-Wire Voice Grade Line Port Rates (Res)													
	2W voice unbundled port-residence		UEPFR	UEPFR	2.38	90.36	57.27	48.66	8.77					
	2W voice unbundled port with Caller ID-res		UEPFR	UEPFR	2.38	90.36	57.27	48.66	8.77					
	2W voice unbundled port outgoing only-res		UEPFR	UEPFR	2.38	90.36	57.27	48.66	8.77					
	2W VG unbundled AL extended local dialing party port with Caller ID-res		UEPFR	UEPFR	2.38	90.36	57.27	48.66	8.77					
	2W voice unbundled res, low usage line port with Caller ID (LUM)		UEPFR	UEPFR	2.38	90.36	57.27	48.66	8.77					
	2W Voice Unbundled AL Residence Dialing Plan w/o Caller ID		UEPFR	UEPFR	2.38	90.36	57.27	48.66	8.77					
	INTEROFFICE TRANSPORT													
	Interoffice Transport-Dedicated-2W VG-Facility Termination		UEPFR	U1T12	21.13	40.54	27.41	16.74	8.90					
	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile		UEPFR	U15XX	0.008938									
	FEATURES													
	All Features Offered		UEPFR	UEPFR	1.68	0.00	0.00							
	NONRECURRING CHARGES (MISCs) - CURRENTLY COMBINED													
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion		UEPFR	USAC2		8.46	1.87							
	Switchbase													
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion		UEPFR	USAC2		8.46	1.87							
	Switch-With-Change													
	Unbundled Misc Rate Element, Tag Designed Loop at End User		UEPFR	URETN		11.21	1.10							
	2-WIRE VOICE LOOP/ 2-WIRE VOICE GRADE TO TRANSPORT/ 2-WIRE LINE PORT (BUS)													
	UNE Port Loop Combination Rates													
	2W VG Loop/Line Port Combo-Zone 1				18.78									
	2W VG Loop/Line Port Combo-Zone 2				25.23									
	2W VG Loop/Line Port Combo-Zone 3				38.52									
	UNE Loop Rates													
	2W VG Loop (SL2)-Zone 1	1	UEPFB	UECF2	14.38									
	2W VG Loop (SL2)-Zone 2	2	UEPFB	UECF2	22.65									
	2W VG Loop (SL2)-Zone 3	3	UEPFB	UECF2	36.14									
	2-Wire Voice Grade Line Port (Bus)													
	2W voice unbundled port w/o Caller ID-bus		UEPFB	UEPFB	2.38	90.36	57.27	48.66	8.77					
	2W voice unbundled port with Caller ID-bus		UEPFB	UEPFB	2.38	90.36	57.27	48.66	8.77					
	2W voice unbundled port outgoing only-bus		UEPFB	UEPFB	2.38	90.36	57.27	48.66	8.77					
	2W VG unbundled AL extended local dialing party port with Caller ID-bus		UEPFB	UEPFB	2.38	90.36	57.27	48.66	8.77					
	2W voice unbundled incoming only port with Caller ID-Bus		UEPFB	UEPFB	2.38	90.36	57.27	48.66	8.77					
	2W Voice Unbundled AL Business Dialing Plan w/o Caller ID		UEPFB	UEPFB	2.38	90.36	57.27	48.66	8.77					
	INTEROFFICE TRANSPORT													
	Interoffice Transport-Dedicated-2W VG-Facility Termination		UEPFB	U1T12	21.13	40.54	27.41	16.74	8.90					
	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile		UEPFB	U15XX	0.008938									
	FEATURES													

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interf in	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually d Elec per LSR	Attachment: 2 Exn A			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonrecurring				SOMAN	SOMAN	SOMAN			
						First	Add'l	First							
	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USAC2		5.48	1.97							
	Unbundled Mic Rate Element, Tag Designed Loop at End User			UEPFB	USAC2		8.48	1.87							
	Premises			UEPFB	URETN		11.21	1.10							
	2-WIRE VOICE LOOP 2-WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)														
	LINE Port/Loop Combination Rates														
	2W VG Loop/IO Transport/Port Combo-Zone 1					16.76									
	2W VG Loop/IO Transport/Port Combo-Zone 2					23.23									
	2W VG Loop/IO Transport/Port Combo-Zone 3					36.52									
	LINE Loop Rates														
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.38									
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	22.85									
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	36.14									
	2-Wire Voice Grade Line Port Rates (BUS - PBX)														
	Line Site Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	Line Site Unbundled Outgoing PBX Trunk Port-Bus			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	Line Site Unbundled Incoming PBX Trunk Port-Bus			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	2W Voice Unbundled 2-Way Combination PBX AL Ceiling Port			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	2W Voice Unbundled PBX LD Terminal Ports			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	2W Voice Unbundled PBX LD DDD Terminal Hotel Ports			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Ceiling Port			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Ceiling Port			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Rm Ceiling Port			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	INTEROFFICE TRANSPORT			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	Interoffice Transport-Dedicated-2W VG-Facility Termination			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPFB	UEPXC	2.38	119.27	69.85	81.18	8.34					
	FEATURES														
	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USAC2		8.48	1.87							
	Unbundled Mic Rate Element, Tag Designed Loop at End User			UEPFB	USAC2		8.48	1.87							
	Premises			UEPFB	URETN		11.21	1.10							
	2-WIRE VOICE GRADE LOOP-BUS ONLY - WITH 2-WIRE DID TRUNK PORT														
	LINE Port/Loop Combination Rates														
	2W VG Loop/2W DID Trunk Port Combo-Line Zone 1					23.40									
	2W VG Loop/2W DID Trunk Port Combo-Line Zone 2					31.88									
	2W VG Loop/2W DID Trunk Port Combo-Line Zone 3					45.17									
	LINE Loop Rates														
	2W Analog VG Loop- (SL2)-LINE Zone 1		1	UEPFB	UECD1	14.38									
	2W Analog VG Loop- (SL2)-LINE Zone 2		2	UEPFB	UECD1	22.85									
	2W Analog VG Loop- (SL2)-LINE Zone 3		3	UEPFB	UECD1	36.14									
	LINE Port Rate														
	Exchange Ports-2W DID Port			UEPFB	UEPXC	9.02	207.31	73.74	107.14	11.20					
	NONRECURRING CHARGES - CURRENTLY COMBINED														

UNBUNDLED NETWORK ELEMENTS - Alabama																						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually d Elec per LBR	Svc Order Submitted Manually per LBR	Attachment 2 Est A				Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
						Rco	Nonrecurring		NRC Disconnect			CDS Rates(\$)										
							First	Add'l	First			Add'l	SOMAN	SOMAN	SOMAN				SOMAN	SOMAN	SOMAN	
							7.31	1.87														
	2W VG Loop/2W DID Trunk Port Combination - Switches-4 Changes			UEPPX	USAC1																	
	2W VG Loop/2W DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USAC1																	
	ADDITIONAL NRCs																					
	2W DID Subsequent Activity-Add Trunks, Per Trunk Premise			UEPPX	USAS1																	
	Unbundled Misc Rate Element, Tag Designated Loop at End User			UEPPX	URETN																	
	Telephone Number Trunk Group Establishment Charges																					
	DID Trunk Termination (One Per Port)			UEPPX	NDT																	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4																	
	DID Numbers, Non- consecutive DID Numbers Per Number			UEPPX	ND6																	
	Reserve Non-Consecutive DID Numbers			UEPPX	ND8																	
	Reserve DID Numbers			UEPPX	NDV																	
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																					
	UNE Port/Loop Combination Rates																					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE																					
	Zone 1																					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE																					
	Zone 2																					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE																					
	Zone 3																					
	UNE Loop Rates																					
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR	USL2X																	
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	USL2X																	
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X																	
	UNE Port Rate																					
	Exchange Port-2W ISDN Line Side Port			UEPPR	UEPPR																	
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPB																	
	NONRECURRING CHARGES - CURRENTLY COMBINED																					
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB UEPPR	USACB																	
	ADDITIONAL NRCs																					
	Unbundled Misc Rate Element, Tag Designated Loop at End User Premise			UEPPB UEPPR	URETN																	
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB UEPPR	URETL																	
	B-COMM USER PROFILE ACCESS:																					
	CVS(CSD (DMS/6ESS))			UEPPB UEPPR	U1UCA																	
	CVS (EVS)			UEPPB UEPPR	U1UCB																	
	CSD			UEPPB UEPPR	U1UCC																	
	B-COMM AREA PLUS USER PROFILE ACCESS: (AL, KY, LA, MS, SC, MS, & TN)																					
	CVS(CSD (DMS/6ESS))			UEPPB UEPPR	U1UCC																	
	CVS (EVS)			UEPPB UEPPR	U1UDC																	
	CSD			UEPPB UEPPR	U1UCF																	
	USER TERMINAL PROFILE																					
	User Terminal Profile (EVS) only			UEPPB UEPPR	U1UMA																	
	VERTICAL FEATURES																					
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF																	
	INTEROFFICE CHANNEL MILEAGE																					
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	UEPVF																	
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNC																	
	UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES			UEPPB UEPPR	M1GNC																	
	UNE-P CENTREX - 1AESS - (Valid in AL, GA, KY, LA, MS, & TN only)			UEPPB UEPPR	M1GNC																	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																					
	UNE Port/Loop Combination Rates (Non-Design)																					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design																					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design																					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design																					
	UNE Port/Loop Combination Rates (Design)																					

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted per LSR	Attachment: 2 Edn A				Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	NRC Disconnect First	Add'l	SOMECS	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					16.53											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					26.00											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					39.29											
UNE Loop Rate																	
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	11.55											
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	20.04											
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	33.65											
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	14.38											
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	22.85											
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	36.14											
UNE Ports																	
All States (Except North Carolina and South Carolina)																	
	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	2.15	40.19	19.83	24.91	6.63							
	2W VG Port (Centrex) 800 termination/Basic Local Area			UEP91	UEPYB	2.15	40.19	19.83	24.91	6.63							
	2W VG Port (Centrex) with Caller ID/Not a Basic Local Area			UEP91	UEPYH	2.15	40.19	19.83	24.91	6.63							
	2W VG Port (Centrex) from diff SWC/Not a Basic Local Area			UEP91	UEPYM	2.15	40.19	19.83	24.91	6.63							
	2W VG Port (Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	2.15	40.19	19.83	24.91	6.63							
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPYV	2.15	40.19	19.83	24.91	6.63							
	2W VG Port terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	2.15	40.19	19.83	24.91	6.63							
AL, KY, LA, MS, & TN Only																	
	2W VG Port (Centrex)			UEP91	UEPOA	2.15	40.19	19.83	24.91	6.63							
	2W VG Port (Centrex) 800 termination			UEP91	UEPOB	2.15	40.19	19.83	24.91	6.63							
	2W VG Port (Centrex) with Caller ID/1			UEP91	UEPOH	2.15	40.19	19.83	24.91	6.63							
	2W VG Port (Centrex) from diff SWC/2.3			UEP91	UEPOM	2.15	40.19	19.83	24.91	6.63							
	2W VG Port (Diff SWC-2.3-800 Service Term			UEP91	UEPOZ	2.15	40.19	19.83	24.91	6.63							
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPOB	2.15	40.19	19.83	24.91	6.63							
	2W VG Port terminated on 800 Service Term			UEP91	UEPO2	2.15	40.19	19.83	24.91	6.63							
Local Switching																	
	Centrex Intercom Functionality, per port			UEP91	URECS	0.6488											
Features																	
	All Standard Features Offered, per port			UEP91	UEPVF	1.95											
	All Select Features Offered, per port			UEP91	UEPV5	0.00	405.52										
	All Centrex Control Features Offered, per port			UEP91	UEPVC	1.88											
NARS																	
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00							
	Unbundled Network Access Register-Indial			UEP91	UARTX	0.00	0.00	0.00	0.00	0.00							
	Unbundled Network Access Register-Outside			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00							
Misc Terminations																	
2-Wire Trunk Side																	
	Trunk Side Terminations, each			UEP91	CEMWS	9.05	119.31	19.74	99.90	3.78							
Interoffice Channel Mileage - 2-Wire																	
	Interoffice Channel Facilities Termination-VG			UEP91	MTGBC	21.13	40.84	27.41	18.74	6.80							
	Interoffice Channel Mileage, per mile or fraction of mile			UEP91	MTGBM	0.008939											
Feature Activation (800) Centrex Lines on Channelized DS1 Service																	
D4 Channel Bank Features Activations																	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	IPQWS	0.66											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	IPQW8	0.66											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	IPQW7	0.66											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different			UEP91	IPQW6	0.66											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	IPQWV	0.66											
	Feature Activation on D-4 Channel Bank J1s Line/Trunk Loop Slot			UEP91	IPQWQ	0.66											
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	IPQWA	0.66											
Non-Recording Charge (NRC) Associated with UNE-P Centrex																	
	Conversion-Currently Combined Switch-4e-1s with allowed changes, per port			UEP91	USAC2		0.10	0.10									
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.25	16.68									
	New Centrex Standard Common Block			UEP91	MIACS	0.00	667.21										
	New Centrex Customized Common Block			UEP91	MIACG	0.00	667.21										
	Secondary Block, per Block			UEP91	M2C01	0.00	78.02										

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interf in	Zone	BC3	USOC	RATES(\$)				Svc Order Submitted d Elns per LSR	Attachment: 2 Edn A		Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st Add'l	
						Rec	Nonrecurring		NRC Reconnected		SOMAN	SOMAN			
							First	Add'l	First						Add'l
	NAR Establishment Charge, Per Occasion			UEP81	URECA	0.00	72.73								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP81	URETL		8.33	0.83							
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP81	URETN		11.24	1.10							
	UNE-P CENTREX - 8ESS (Valid in All States)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port Loop Combination Rates (Non-Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					13.70									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					22.18									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					35.60									
	UNE Port Loop Combination Rates (Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					18.53									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					25.00									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					38.28									
	UNE Loop Rates														
	2W VG Loop (SL 1)-Zone 1		1	UEP85	UEC31	11.55									
	2W VG Loop (SL 1)-Zone 2		2	UEP85	UEC31	20.04									
	2W VG Loop (SL 1)-Zone 3		3	UEP85	UEC31	33.05									
	2W VG Loop (SL 2)-Zone 1		1	UEP85	UEC32	14.36									
	2W VG Loop (SL 2)-Zone 2		2	UEP85	UEC32	22.88									
	2W VG Loop (SL 2)-Zone 3		3	UEP85	UEC32	36.14									
	UNE Port Rates														
	All Stations														
	2W VG Port (Centrex) Basic Local Area			UEP85	UEPVA	2.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex 800 termination)			UEP85	UEPYB	2.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP85	UEPYH	2.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex from diff SVC/2,3 Basic Local Area			UEP85	UEPYM	2.15	90.38	57.27	48.68	6.77					
	2W VG Port, Diff SVC 2-3-800 Service Term-Basic Local Area			UEP85	UEPYZ	2.15	90.38	57.27	48.68	6.77					
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP85	UEPY6	2.15	40.19	19.83	24.91	6.63					
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP85	UEPV2	2.15	40.19	19.83	24.91	6.63					
	AL, KY, LA, MS, SC, & TN Only														
	2W VG Port (Centrex)			UEP85	UEPQA	2.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex 800 termination)			UEP85	UEPQB	2.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex with Caller ID)			UEP85	UEPQH	2.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex from diff SVC/2,3			UEP85	UEPQM	2.15	90.38	57.27	48.68	6.77					
	2W VG Port, Diff SVC 800 Service Term 2,3			UEP85	UEPQZ	2.15	90.38	57.27	48.68	6.77					
	2W VG Port terminated in on Megalink or equivalent			UEP85	UEPQ8	2.15	40.19	19.83	24.91	6.63					
	2W VG Port Terminated on 800 Service Term			UEP85	UEPQ3	2.15	40.19	19.83	24.91	6.63					
	Local Switching														
	Centrex Intercom Functionality, per port			UEP85	URECS	0.5488									
	Features														
	All Standard Features Offered, per port			UEP85	UEPVF	1.98									
	All Select Features Offered, per port			UEP85	UEPV5	0.00	405.52								
	All Centrex Control Features Offered, per port			UEP85	UEPVC	1.98									
	NAICS														
	Unbundled Network Access Register-Combination			UEP85	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Individual			UEP85	UARYA	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Output			UEP85	UAROY	0.00	0.00	0.00	0.00	0.00					
	Video Terminations														
	2-Wire Trunk Side														
	Trunk Side Terminations, each			UEP85	CENDX6	8.05	119.31	18.74	59.90	3.76					
	4-Wire Digital (1.544 Megabits)														
	DS1 Circuit Terminations, each			UEP85	MH01	60.00	202.02	86.68	72.60	2.48					
	DS0 Channels Activated, each			UEP85	MH00	0.00	14.46								
	Interoffice Channel Multiplex - 2-Wire														
	Interoffice Channel Facilities Termination			UEP85	M1GBC	21.13	40.54	27.41	16.74	6.90					
	Interoffice Channel mileage, per mile or fraction of mile			UEP85	M1GBM	0.008538									
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														

UNBUNDLED NETWORK ELEMENTS - Alabama

UNBUNDLED NETWORK ELEMENTS - Arkansas													
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: 2 Eth A	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
					Rec	Nonrecurring First	Add'l	First	SOMEAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 Channel Bank Feature Activations	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP85										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		UEP85		0.56								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP85		0.56								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different		UEP85		0.56								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP85		0.56								
	Feature Activation on D-4 Channel Bank Trunk Loop Slot		UEP85		0.56								
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP85		0.56								
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP85		0.56								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex												
	NRC Conversion Currently Combined Switch-A-to-A with allowed changes, per Port			UEP85			0.10	0.10					
Non-Recurring Charges (NRC) Associated with UNE-P Centrex	Conversion of Existing Centrex Common Block, each		UEP85			37.75	16.58						
	New Centrex Standard Common Block		UEP85		0.00	667.21							
	New Centrex Customized Common Block		UEP85		0.00	667.21							
	NAR Establishment Charge, Per Occasion		UEP85		0.00	72.73							
	Additional Non-Recurring Charges (NRC)												
	Unbundled Mac Rate Element, Tag Loop at End Use Premise		UEP85			8.33	0.83						
	Unbundled Mac Rate Element, Tag Loop at End Use Premise		UEP85			11.21	1.10						
	UNE-P CENTREX - DMIS100 (Valid in All States)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												
	UNE Port Loop Combination Rates (Non-Design)												
UNE Port Loop Combination Rates (Design)	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design				13.70								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design				22.19								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design				35.60								
	UNE Port Loop Combination Rates (Design)												
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design				16.53								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design				26.00								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design				38.29								
	UNE Loop Rate												
	2W VG Loop (SL 1)-Zone 1	1	UEP80		11.55								
	2W VG Loop (SL 1)-Zone 2	2	UEP80		20.04								
UNE Port Rate	2W VG Loop (SL 1)-Zone 3	3	UEP80		33.65								
	2W VG Loop (SL 2)-Zone 1	1	UEP80		14.31								
	2W VG Loop (SL 2)-Zone 2	2	UEP80		22.65								
	2W VG Loop (SL 2)-Zone 3	3	UEP80		36.14								
	UNE Port Rate												
	ALL STATES												
2W VG Port (Centrex) Basic Local Area	2W VG Port (Centrex) Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) 600 Termination Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) EBS-PBET138 Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) EBS-M500138 Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) EBS-M52013 Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) EBS-M51213 Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) EBS-M51213 Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) EBS-M52013 Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) EBS-M51213 Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) EBS-M51213 Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
2W VG Port (Centrex) Basic Local Area	2W VG Port (Centrex) Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				
	2W VG Port (Centrex) Basic Local Area		UEP80		2.15	40.19	19.83	24.91	6.53				

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Nonrecurring		NRC Disconnect				OSS Rates(\$)				
						Final	Add'l	Final	Add'l				SOMAN			SOMAN
	Misc Terminations															
	2-Wire Trunk Side															
	4-Wire Trunk Side Terminations, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.78						
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1H01	60.09	202.02	95.98	72.58	2.48						
	DS3 Channel Activated Per Channel			UEP9E	M1H00	0.00	14.48									
	Interoffice Channel Message - 1-Wire															
	Interoffice Channel Facilities Termination															
	Interoffice Channel Message, per mile or fraction of mile			UEP9E	M1GBC	21.13	40.54	27.41	18.74	6.90						
	Feature Activation (DS3) Centrex Loops on Channelized DS1 Service			UEP9E	M1GBM	0.008638										
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1P0WS	0.58										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1P0WS	0.58										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1P0W7	0.58										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Channel			UEP9E	1P0WP	0.58										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1P0WV	0.58										
	Feature Activation on D-4 Channel Bank Line Loop Slot			UEP9E	1P0WQ	0.58										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1P0WA	0.58										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-is with allowed changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	18.98								
	New Centrex Standard Common Block			UEP9E	MIACE	0.00	687.21									
	New Centrex Customized Common Block			UEP9E	MIACC	0.00	687.21									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Mac Rate Element, Tag Loop at End User Premises			UEP9E	URETL		8.33	0.83								
	Unbundled Mac Rate Element, Tag Loop at End User Premises			UEP9E	URETN		11.21	1.10								
	UNE-P Centrex - DCO - Valid in AL, KY, LA, MS, & TN															
	3-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port Loop Combination Rates (Non-Design)															
	2-W VG Loop/2-W VG Port (Centrex) Port (Combo-Non-Design)					13.70										
	2-W VG Loop/2-W VG Port (Centrex) Port (Combo-Non-Design)					22.19										
	2-W VG Loop/2-W VG Port (Centrex) Port (Combo-Non-Design)					35.80										
	UNE Port Loop Combination Rates (Design)															
	2-W VG Loop/2-W VG Port (Centrex) Port (Combo-Design)					18.83										
	2-W VG Loop/2-W VG Port (Centrex) Port (Combo-Design)					25.00										
	2-W VG Loop/2-W VG Port (Centrex) Port (Combo-Design)					38.29										
	UNE Loop Rate															
	2-W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	11.56										
	2-W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	20.04										
	2-W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	33.65										
	2-W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	14.36										
	2-W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	22.85										
	2-W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	38.14										
	UNE Port Rate															
	AL, KY, LA, MS, & TN only															
	2-W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	2.15	40.19	19.83	24.91	6.83						
	2-W VG Port (Centrex) Basic Local Area			UEP93	UEPYB	2.15	40.19	19.83	24.91	6.83						
	2-W VG Port (Centrex) Basic Local Area			UEP93	UEPYH	2.15	40.19	19.83	24.91	6.83						
	2-W VG Port (Centrex) Basic Local Area			UEP93	UEPYM	2.15	90.38	57.27	48.66	8.77						
	2-W VG Port (Centrex) Basic Local Area			UEP93	UEPYZ	2.15	90.38	57.27	48.66	8.77						
	2-W VG Port (Centrex) Basic Local Area			UEP93	UEPYV	2.15	40.19	19.83	24.91	6.83						
	2-W VG Port (Centrex) Basic Local Area			UEP93	UEPY2	2.15	40.19	19.83	24.91	6.83						
	2-W VG Port (Centrex) Basic Local Area			UEP93	UEPQA	2.15	40.19	19.83	24.91	6.83						
	2-W VG Port (Centrex) Basic Local Area			UEP93	UEPQB	2.15	40.19	19.83	24.91	6.83						
	2-W VG Port (Centrex) Basic Local Area			UEP93	UEPQH	2.15	40.19	19.83	24.91	6.83						
	2-W VG Port (Centrex) Basic Local Area			UEP93	UEPQM	2.15	90.38	57.27	48.66	8.77						

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Manually per LSR	Attachment: 3 Est A			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonrecurring		NRC Disconnect		OSS Rates(\$)						
						First	Add'l	Rec	First	Add'l		SOMAN	SOMAN	SOMAN		
	2W VG Port, Diff SWC-2,3-800 Service Term			UEP93	UEPQZ	2.15	90.38	97.27	48.65	8.77						
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQZ	2.15	40.18	18.63	24.91	6.63						
	2W VG Port terminated on 800 Service Term			UEP93	UEPQZ	2.15	40.19	18.63	24.91	6.63						
	Local Switching															
	Centrex Intercom Functionality, per port			UEP93	URECS	0.5488										
	Features															
	All Standard Features Offered, per port			UEP93	UEPVF	1.98										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
	NARS															
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Initial			UEP93	UARSX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Optional			UEP93	UAROY	0.00	0.00	0.00	0.00	0.00						
	Misc Terminations															
	2-Wire Trunk Side			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76						
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.89	72.69	2.48						
	DS0 Channels Activated, Per Channel			UEP93	M1HD0	0.00	14.48									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	21.13	40.64	27.41	16.74	8.90						
	Interoffice Channel Mileage, per mile or fraction of mile			UEP93	M1GBM	0.00638										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56										
	Feature Activation on D4 Channel Bank FX Line Side Loop Slot			UEP93	1PQWS	0.56										
	Feature Activation on D4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.56										
	Feature Activation on D4 Channel Bank Centrex Loop Slot-Different			UEP93	1PQWP	0.56										
	Feature Activation on D4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										
	Feature Activation on D4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWV	0.56										
	Feature Activation on D4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-is with allowed changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.21	1.10								
Note 1 - Required Port for Centrex Control In TAE88, RESS & EW80																
Note 2 - Requires Interoffice Channel Mileage																
Note 3 - Installation is combination of installation charge for 8L2 Loop and Port																
Note 4 - Requires Specific Customer Premises Equipment																
Note: Rates displaying an "N" in interim column are interim as a result of a Commission order.																

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Est A		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Nonrecurring		NRC Disconnect				SOMAN	SOMAN		
					First	Add'l	First	Add'l						
	Loop Toggling SL2 (SL2)		UEA	URETL			11.21	1.10					SOMAN	SOMAN
	4-WIRE ANALOG VOICE GRADE LOOP													
	4W Analog VG Loop-Zone 1	1	UEA	UEAL4		18.89	167.88	115.15	87.08	15.56				
	4W Analog VG Loop-Zone 2	2	UEA	UEAL4		28.84	167.88	115.15	87.08	15.56				
	4W Analog VG Loop-Zone 3	3	UEA	UEAL4		47.62	167.88	115.15	87.08	15.56				
	Switch-A-to-B Conversion rate per LINE Loop, Single LSR, (per DSO)		UEA	URES1			8.98	8.98						
	Switch-A-to-B Conversion rate per LINE Loop, Spreadsheet, (per DSO)		UEA	URES1			8.98	8.98						
	CLEC to CLEC Conversion Charge who outside dispatch		UEA	URES1			87.71	38.53						
	2-WIRE ISDN DIGITAL GRADE LOOP													
	2W ISDN Digital Grade Loop-Zone 1	1	UDN	U1L2X		19.28	147.68	94.41	82.23	10.71				
	2W ISDN Digital Grade Loop-Zone 2	2	UDN	U1L2X		27.40	147.68	94.41	82.23	10.71				
	2W ISDN Digital Grade Loop-Zone 3	3	UDN	U1L2X		48.82	147.68	94.41	82.23	10.71				
	CLEC to CLEC Conversion Charge who outside dispatch		UDN	URES1			91.61	44.15						
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													
	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 1	1	UAL	UAL2X		8.30	149.53	103.85	75.05	15.83				
	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 2	2	UAL	UAL2X		11.80	149.53	103.85	75.05	15.83				
	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 3	3	UAL	UAL2X		20.94	149.53	103.85	75.05	15.83				
	2W Unbundled ADSL Loop who manual service inquiry & facility reservation-Zone 1	1	UAL	UAL2W		8.30	124.83	71.12	60.64	9.12				
	2W Unbundled ADSL Loop who manual service inquiry & facility reservation-Zone 2	2	UAL	UAL2W		11.80	124.83	71.12	60.64	9.12				
	2W Unbundled ADSL Loop who manual service inquiry & facility reservation-Zone 3	3	UAL	UAL2W		20.94	124.83	71.12	60.64	9.12				
	CLEC to CLEC Conversion Charge who outside dispatch		UAL	URES1			86.19	40.38						
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 1	1	UHL	UHL2X		7.22	159.08	113.41	75.05	15.83				
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 2	2	UHL	UHL2X		10.26	159.08	113.41	75.05	15.83				
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 3	3	UHL	UHL2X		18.21	159.08	113.41	75.05	15.83				
	2W Unbundled HDSL Loop who manual service inquiry and facility reservation-Zone 1	1	UHL	UHL2W		7.22	134.40	80.88	60.64	9.12				
	2W Unbundled HDSL Loop who manual service inquiry and facility reservation-Zone 2	2	UHL	UHL2W		10.26	134.40	80.88	60.64	9.12				
	2W Unbundled HDSL Loop who manual service inquiry and facility reservation-Zone 3	3	UHL	UHL2W		18.21	134.40	80.88	60.64	9.12				
	CLEC to CLEC Conversion Charge who outside dispatch		UHL	URES1			86.12	40.39						
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 1	1	UHL	UHL4X		10.86	193.31	138.98	77.15	12.61				
	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 2	2	UHL	UHL4X		15.44	193.31	138.98	77.15	12.61				
	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 3	3	UHL	UHL4X		27.38	193.31	138.98	77.15	12.61				
	4W Unbundled HDSL Loop who manual service inquiry and facility reservation-Zone 1	1	UHL	UHL4W		10.86	168.62	118.47	82.74	11.22				
	4W Unbundled HDSL Loop who manual service inquiry and facility reservation-Zone 2	2	UHL	UHL4W		15.44	168.62	118.47	82.74	11.22				
	4W Unbundled HDSL Loop who manual service inquiry and facility reservation-Zone 3	3	UHL	UHL4W		27.38	168.62	118.47	82.74	11.22				
	CLEC to CLEC Conversion Charge who outside dispatch		UHL	URES1			86.12	40.39						
	4-WIRE DS1 DIGITAL LOOP													
	4W DS1 Digital Loop-Zone 1	1	USL	USL2X		70.74	313.75	181.48	61.22	13.53				
	4W DS1 Digital Loop-Zone 2	2	USL	USL2X		100.64	313.75	181.48	61.22	13.53				
	4W DS1 Digital Loop-Zone 3	3	USL	USL2X		178.39	313.75	181.48	61.22	13.53				

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)				Svc Order Submitted Electronically per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Est A				Incremental Charge - Manual Svc Order vs. Electronic-Dies Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Dies Add'l
					Nonrecurring		NRC Disconnect				OSS Rates(\$)					
					First	Add'l	First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN		
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)		USL	URESL		8.98	8.98									
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		USL	URESP		8.98	8.98									
	CLEC to CLEC Conversion Charge who outside dispatch		USL	UREWO		101.07	43.04									
4-WIRE 19.2, 36 OR 64 Kbps DIGITAL LOOP																
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1	1	UDL	UDL2X	22.20	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 2	2	UDL	UDL2X	31.95	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 3	3	UDL	UDL2X	55.99	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 1	1	UDL	UDL4X	22.20	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 2	2	UDL	UDL4X	31.96	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 3	3	UDL	UDL4X	55.99	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 1	1	UDL	UDL8X	22.20	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 2	2	UDL	UDL8X	31.96	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 3	3	UDL	UDL8X	55.99	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 1	1	UDL	UDL19	31.96	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 2	2	UDL	UDL19	55.99	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 3	3	UDL	UDL19	22.20	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 1	1	UDL	UDL56	31.96	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 2	2	UDL	UDL56	55.99	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 3	3	UDL	UDL56	22.20	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 1	1	UDL	UDL64	31.96	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 2	2	UDL	UDL64	55.99	161.56	108.85	87.08	15.88							
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 3	3	UDL	UDL64	22.20	161.56	108.85	87.08	15.88							
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		UDL	URESL		8.98	8.98									
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		UDL	URESP		8.98	8.98									
	CLEC to CLEC Conversion Charge who outside dispatch		UDL	UREWO		102.11	48.74									
2-WIRE Unbundled COPPER LOOP																
	2W Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 1	1	UCL	UCLPB	8.20	148.90	102.82	75.05	15.83							
	2W Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 2	2	UCL	UCLPB	11.80	148.90	102.82	75.05	15.83							
	2W Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 3	3	UCL	UCLPB	20.94	148.90	102.82	75.05	15.83							
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 1	1	UCL	UCLPW	8.30	123.81	70.09	80.84	9.12							
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 2	2	UCL	UCLPW	11.80	123.81	70.09	80.84	9.12							
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 3	3	UCL	UCLPW	20.94	123.81	70.09	80.84	9.12							
	CLEC to CLEC Conversion Charge who outside dispatch (UCL-Das)		UCL	UCLMC		97.21	42.47									
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		9.00	9.00									
4-WIRE COPPER LOOP																
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 1	1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73							
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 2	2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73							
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 3	3	UCL	UCL4S	28.82	177.87	132.76	77.15	17.73							
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 1	1	UCL	UCL4W	11.83	153.18	100.03	82.74	11.22							
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 2	2	UCL	UCL4W	16.81	153.18	100.03	82.74	11.22							
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 3	3	UCL	UCL4W	28.82	153.18	100.03	82.74	11.22							
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCL4W		9.00	9.00									
	CLEC to CLEC Conversion Charge who outside dispatch		UCL	UCL4W		97.21	42.47									
	Order Coordination for Specified Conversion Time (per LSR)		UCL	UCL4W		23.02										
Recurring payments																
	FEEL to UNE-L, Retention, per 2W Unbundled Voice Loop-SL2		UEA	UREEL		87.71	36.35									

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Attachment 2 Exh A			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		
						Nonrecurring				SOMEC	SOMAN	SOMAN			SOMAN	SOMAN
						First	Advt	First								
						Rate										
INTEROFFICE CHANNEL - DEDICATED TRANSPORT	Interoffice Channel-2W VG-per mile			UTVX	1L5XX	0.0091										
	Interoffice Channel-2W VG-Facility Termination			UTVX	UTV2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel-2W VG Rev Bat.-Facility Termination			UTVX	1L5XX	0.0091										
	Interoffice Channel-2W VG Rev Bat.-Facility Termination			UTVX	UTV2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel-4W VG-per mile			UTVX	1L5XX	0.0091										
	Interoffice Channel-4W VG-Facility Termination			UTVX	UTV4	22.58	47.35	31.78	18.31	7.03						
	Interoffice Channel-64 kbps-per mile			UTDX	1L5XX	0.0091										
	Interoffice Channel-64 kbps-Facility Termination			UTDX	UTD5	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel-64 kbps-Facility Termination			UTDX	1L5XX	0.0091										
	Interoffice Channel-DS1-per mile			UTD1	UTD6	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel-DS1-Facility Termination			UTD1	1L5XX	0.1868										
	Interoffice Channel-DS3-per mile			UTD3	UTD1	88.44	106.64	95.47	21.47	19.05						
	Interoffice Channel-DS3-Facility Termination			UTD3	1L5XX	3.87										
	Interoffice Channel-STS-1-per mile			UTS1	UTF3	1,071.00	335.46	219.26	72.03	70.66						
	Interoffice Channel-STS-1-Facility Termination			UTS1	1L5XX	3.87										
	Interoffice Channel-STS-1-Facility Termination			UTS1	UTF5	1,095.00	335.46	219.26	72.03	70.66						
	LOCAL CHANNEL-Dedicated-4W VG Zone 1	Local Channel-Dedicated-4W VG Zone 1		1	ULDVX, UNCOX	ULDV4	23.52									
Local Channel-Dedicated-4W VG Zone 2			2	ULDVX, UNCOX	ULDV4	33.42										
Local Channel-Dedicated-4W VG Zone 3			3	ULDVX, UNCOX	ULDV4	59.29										
Local Channel-Dedicated-DS1-Zone 1			1	ULDD1, UNG1X	ULDF1	41.96										
Local Channel-Dedicated-DS1-Zone 2			2	ULDD1, UNG1X	ULDF1	59.63										
Local Channel-Dedicated-DS1-Zone 3			3	ULDD1, UNG1X	ULDF1	106.80										
Local Channel-Dedicated-DS3-Per Mile per month				ULDD3, UNCSX	ULDF3	611.70										
Local Channel-Dedicated-STS-1-Per Mile per month				ULDD3, UNCSX	ULDF3	511.70										
Local Channel-Dedicated-STS-1-Facility Termination				ULDD3, UNCSX	ULDF3	9.78										
Local Channel-Dedicated-STS-1-Facility Termination				ULDD3, UNCSX	ULDF3	621.78										
UNBUNDLED DARK FIBER - Stand Alone or in Combination	Dark Fiber-Interoffice Transport, Per Four Fiber Strands, Per Route Mile			UDF, UDFCX	1L5DF	26.85										
	Dark Fiber-Interoffice Transport, Per Four Fiber Strands, Per Route Mile			UDF, UDFCX	UDF14		751.34	193.88								
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month-Local Channel			UDF, UDFCX	1L5DF	53.87										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month-Local Loop			UDF, UDFCX	1L5DL	53.87										
800X ACCESS TEN DIGIT SCREENING	800X Access Ten Digit Screening, Per Call															
	800X Access Ten Digit Screening, w/ BFL No. Delivery, per query					0.0046252										
	800X Access Ten Digit Screening, w/ POTS No. Delivery, per query					0.0006252										
	800X Access Ten Digit Screening, w/ POTS No. Delivery, per query					0.0006252										
LINE INFORMATION DATA BASE ACCESS (LIDB)	LIDB Common Transport Per Query					0.0002003										
	LIDB Validation Per Query					0.0136666										
CALLING NAME (CNAM) SERVICE	LIDB Originating Point Code Establishment or Change			OOU	NRBPX		55.13	55.13	55.13	55.13						
	CNAM for DB Owners, Per Query					0.001024										
SELECTIVE ROUTING	CNAM for Non DB Owners, Per Query					0.001024										
	Selective Routing Per Unique Line Class Code Per Request Per Switch															
AIN SELECTIVE CARRIER ROUTING	Regional Service Establishment						193.44	193.44	7.737	7.737						
	End Office Establishment						187.36	187.36	0.69	0.69						
AIN - BELL SOUTH AIN 8MS ACCESS SERVICE	Query NRC, per query					0.0031668										
	AIN 8MS Access Service-Service Establishment, Per State, Initial Setup			AIN	CAUSE		43.56	43.56	44.83	44.83						
AIN 8MS Access Service-Port Connection-Dial/Shared Access	AIN 8MS Access Service-Port Connection-Dial/Shared Access			AIN	CAMDP		8.64	8.64	10.03	10.03						

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Est A			
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						First	Ad'd	First	Ad'd	SOMECH	SOMAN	SOMAN	SOMAN
						Rec	Nonrecurring	First	Ad'd	First	Ad'd	First	Ad'd
	LVP Service Establishment Manual							13.83	19.83	12.71	12.71		
	LVP Service Provisioning with Point Code Establishment							655.50	334.88	287.03	218.40		
911 PBX LOCATE													
	911 PBX LOCATE DATABASE CAPABILITY												
	Service Establishment per CLEC per End User Account			SPBDC	SPBDC			1,820.00					
	Change to TN Range or Customer Profile			SPBDC	SPBDC			182.14					
	Per Telephone Number (Monthly)			SPBDC	SPBDC	0.07							
	Change Company (Service Provider ID)			SPBDC	SPBDC			534.86					
	PBX Locate Service Support per CLEC (Monthly)			SPBDC	SPBDC	178.80							
	Service Order Charge			SPBDC	SPBDC			11.90					
911 PBX LOCATE TRANSPORT COMPONENT													
	See Att 3												
Note: Rates displayed on "F" in interim column are interim as a result of a Commission order.													
UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)													
Exchange Ports													
NOTE: Although the Port Rate Includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs													
2-WIRE VOICE GRADE LINE PORT RATES (RCS)													
	Exchange Ports-2W Analog Line Port-Res.			UEP8R	UEP8R	2.40	3.74	3.63	1.88	1.80			
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEP8R	UEP8R	2.40	3.74	3.63	1.88	1.80			
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEP8R	UEP8R	2.40	3.74	3.63	1.88	1.80			
	Exchange Ports-2W VG unbundled FL area calling with Caller ID-Res.			UEP8R	UEP8R	2.40	3.74	3.63	1.88	1.80			
	Exchange Ports-2W VG unbundled FL Residence Area Calling Plan, who Caller ID capability			UEP8R	UEP8R	2.40	3.74	3.63	1.88	1.80			
	Exchange Ports-2W VG unbundled FL extended dialing port for use with CREX7 and Caller ID			UEP8R	UEP8R	2.40	3.74	3.63	1.88	1.80			
	Exchange Ports-2W VG unbundled FL extended dialing port for use with CREX7, who Caller ID capability			UEP8R	UEP8R	2.40	3.74	3.63	1.88	1.80			
	Exchange Ports-2W VG unbundled res. low usage line port with Caller ID (LUM)			UEP8R	UEP8R	2.40	3.74	3.63	1.88	1.80			
	2W voice unbundled Low Usage Line Port who Caller ID Capability			UEP8R	UEP8R	0.00	0.00	0.00	0.00				
Subsequent Activity													
FEATURES													
	All Available Vertical Features			UEP8R	UEP8R	2.28	0.00	0.00					
2-WIRE VOICE GRADE LINE PORT RATES (BUS)													
	Exchange Ports-2W Analog Line Port who Caller ID-Bus			UEP8B	UEP8B	2.40	3.74	3.63	1.88	1.80			
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller ID-Bus			UEP8B	UEP8B	2.40	3.74	3.63	1.88	1.80			
	Exchange Ports-2W Analog Line Port outgoing only-Bus			UEP8B	UEP8B	2.40	3.74	3.63	1.88	1.80			
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEP8B	UEP8B	2.40	3.74	3.63	1.88	1.80			
	2W voice unbundled Incoming Only Port who Caller ID Capability			UEP8B	UEP8B	2.40	3.74	3.63	1.88	1.80			
Subsequent Activity													
FEATURES													
	All Available Vertical Features			UEP8B	UEP8B	2.28	0.00	0.00					
EXCHANGE PORT RATES (DD & PBX)													
	2W VG Unbundled 2-Way PBX Trunk-Res			UEP8D	UEP8D	2.40	39.06	18.18	12.35	0.7187			
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEP8D	UEP8D	2.40	39.06	18.18	12.35	0.7187			
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEP8D	UEP8D	2.40	39.06	18.18	12.35	0.7187			
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEP8D	UEP8D	2.40	39.06	18.18	12.35	0.7187			
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEP8D	UEP8D	2.40	39.06	18.18	12.35	0.7187			
	2W Voice Unbundled PBX LD Terminal Ports			UEP8D	UEP8D	2.40	39.06	18.18	12.35	0.7187			
	2W Voice Unbundled 2-Way PBX Usage Port			UEP8D	UEP8D	2.40	39.06	18.18	12.35	0.7187			
	2W Voice Unbundled PBX LD Terminal High Ports			UEP8D	UEP8D	2.40	39.06	18.18	12.35	0.7187			
	2W Voice Unbundled PBX LD DDD Terminal Port			UEP8D	UEP8D	2.40	39.06	18.18	12.35	0.7187			
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEP8D	UEP8D	2.40	39.06	18.18	12.35	0.7187			
	2W Voice Unbundled PBX LD Terminal Switchboard ID3 Capable Port			UEP8D	UEP8D	2.40	39.06	18.18	12.35	0.7187			

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh A				Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
						Nonrecurring		NRC Disconnect				OSB Bates(\$)					
						First	Add'l	First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.40	39.06	18.18	12.35	0.7187							
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Calling Port			UEPSP	UEPXM	2.40	38.06	18.18	12.35	0.7187							
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Rm Calling Port			UEPSP	UEPXQ	2.40	38.06	18.18	12.35	0.7187							
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.40	38.06	18.18	12.35	0.7187							
	Subsequent Activity			UEPSP	USACQ	0.00	0.00	0.00									
FEATURES																	
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.28	0.00										
NOTE: Transmission charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																	
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.																	
2-WIRE VOICE GRADE LINE PORT RATES (DID)																	
	Exchange Ports-2W DID Port			UEPEX	UEPEX	8.73	78.41	14.82	41.94	4.28							
	Exchange Ports-2W ISDN Port (See Notes below)			UEPTX UEPSS	UEPMA	8.83	48.83	50.88	27.84	11.83							
	All Features Offered			UEPTX UEPSS	UEPVF	2.28	0.00	0.00									
	Exchange Ports-2W ISDN Port - Channel Profiles			UEPTX UEPSS	UEPMA	0.00	0.00	0.00									
NOTE: Transmission charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																	
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.																	
UNBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY																	
	Unbundled Remote Call Forwarding Service - Area Calling, Res			UEPVR	UEPVR	2.40	3.74	3.63	1.88	1.80							
	Unbundled Remote Call Forwarding Service - Local Calling-Res			UEPVR	UEPVR	2.40	3.74	3.63	1.88	1.80							
	Unbundled Remote Call Forwarding Service - InterLATA-Res			UEPVR	UEPVR	2.40	3.74	3.63	1.88	1.80							
	Unbundled Remote Call Forwarding Service - IntraLATA-Res			UEPVR	UEPVR	2.40	3.74	3.63	1.88	1.80							
	Non-Recurring																
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is change (PIC and LPIC)			UEPVR	USAC2	0.102	0.102	0.102									
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACQ	0.102	0.102	0.102									
UNBUNDLED REMOTE CALL FORWARDING - BUS																	
	Unbundled Remote Call Forwarding Service - Area Calling-Bus			UEPVB	UEPVB	2.40	3.74	3.63	1.88	1.80							
	Unbundled Remote Call Forwarding Service - Local Calling-Bus			UEPVB	UEPVB	2.40	3.74	3.63	1.88	1.80							
	Unbundled Remote Call Forwarding Service - InterLATA-Bus			UEPVB	UEPVB	2.40	3.74	3.63	1.88	1.80							
	Unbundled Remote Call Forwarding Service - IntraLATA-Bus			UEPVB	UEPVB	2.40	3.74	3.63	1.88	1.80							
	Local Calling			UEPVB	UEPVB	2.40	3.74	3.63	1.88	1.80							
	Non-Recurring																
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is change (PIC and LPIC)			UEPVB	USAC2	0.102	0.102	0.102									
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACQ	0.102	0.102	0.102									
UNBUNDLED LOCAL SWITCHING - PORT USAGE																	
	End Office Switching (Port Usage)																
	End Office Switching Function, Per MOU					0.007662											
	End Office Trunk Port-Shared, Per MOU					0.000764											
	Tandem Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function, Per MOU					0.0001318											
	Tandem Trunk Port-Shared, Per MOU					0.000235											
	Tandem Switching Function, Per MOU (Masked)					0.00027168											
	Tandem Trunk Port-Shared, Per MOU (Masked)					0.00044434											
	Masked Factor: 20.61% of the Tandem Rate																
	Common Transport																
	Common Transport-Per Mile, Per MOU					0.0000035											
	Common Transport-Facilities Termination Per MOU					0.0004372											
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																	
>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																	
>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Unbundled Base UNE-P's as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO.																	
>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.																	
>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																	

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Exh. A									
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Monthly per LSR	Svc Order Submitted Monthly per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l					
						Res	First	Add'l	First						Add'l	First	Add'l	First	Add'l
	>The first and additional Port nonrecurring charges apply to Not Currently Combined Contos. For Currently Combined Contos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.																		
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																		
	UNE Port/Loop Combination Rates																		
	2W VG Loop/Port Combo-Zone 1					11.84													
	2W VG Loop/Port Combo-Zone 2					18.06													
	2W VG Loop/Port Combo-Zone 3					25.80													
	UNE Loop Rates																		
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	8.77													
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	13.08													
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	24.63													
	2-Wire Voice Grade Line Port Rates (Res)																		
	2W voice unbundled port-residence			UEPRX	UEPRL	2.17	63.31	28.48	27.50	8.37									
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	2.17	63.31	28.48	27.50	8.37									
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	2.17	63.31	28.46	27.50	8.37									
	2W voice unbundled FL Area Calling with Caller ID-res			UEPRX	UEPAF	2.17	63.31	28.46	27.50	8.37									
	2W voice unbundled res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2.17	63.31	28.48	27.50	8.37									
	2W voice unbundled FL extended dialing with Caller ID			UEPRX	UEPAI	2.17	63.31	28.48	27.50	8.37									
	2W voice unbundled FL extended dialing port with Caller ID capability			UEPRX	UEPAS	2.17	63.31	28.48	27.50	8.37									
	2W voice unbundled FL Area Calling Port with Caller ID Capability			UEPRX	UEPA9	2.17	63.31	28.46	27.50	8.37									
	2W voice unbundled Low Usage Line Port with Caller ID Capability			UEPRX	UEPRT	2.17	63.31	28.48	27.50	8.37									
	FEATURES																		
	All Features Offered			UEPRX	UEPVF	2.28	0.00	0.00											
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED																		
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.102	0.102											
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPRX	USACC		0.102	0.102											
	2W VG Loop/Line Port Platform-Installation Charge at QuidiService																		
	Location-Not Conversion of Existing Service			UEPRX	UREOC		0.102												
	ADDITIONAL NRCS																		
	2W VG Loop/Line Port Combination-Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00											
	Unbundled Misc Rate Element - Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83											
	OFFICE PREMISES EXTENSION CHANNELS																		
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	10.89	49.57	22.83	25.82	8.57									
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83	25.82	8.57									
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	28.87	49.57	22.83	25.82	8.57									
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	12.24	135.75	82.47	83.53	12.01									
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED	17.40	135.75	82.47	83.53	12.01									
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED	30.87	135.75	82.47	83.53	12.01									
	INTERFACE TRANSPORT																		
	Interoffice Transport-Dedicated-2W VG-Facility Termination			UEPRX	UITV2	25.32	47.58	31.75											
	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPRX	UITVM	0.0091	0.00	0.00											
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																		
	UNE Port/Loop Combination Rates																		
	2W VG Loop/Port Combo-Zone 1					11.94													
	2W VG Loop/Port Combo-Zone 2					18.06													
	2W VG Loop/Port Combo-Zone 3					28.80													
	UNE Loop Rates																		
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	8.77													
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	13.08													
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	24.83													
	2-Wire Voice Grade Line Port (Bus)																		
	2W voice unbundled port with Caller ID-bus			UEPRX	UEPBL	2.17	63.31	28.46	27.50	8.37									
	2W voice unbundled port with Caller + E454 ID-bus			UEPRX	UEPBC	2.17	63.31	28.46	27.50	8.37									
	2W voice unbundled port outgoing only-bus			UEPRX	UEPBO	2.17	63.31	28.46	27.50	8.37									
	2W voice unbundled incoming only port with Caller ID-bus			UEPRX	UEPBI	2.17	63.31	28.46	27.50	8.37									
	2W voice unbundled incoming Only Port with Caller ID Capability			UEPRX	UEPBE	2.17	63.31	28.46	27.50	8.37									
	FEATURES																		
	All Features Offered			UEPRX	UEPVF	2.28	0.00	0.00											
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED																		
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.102	0.102											

Attachment 2 Exh A												
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Add'l
					Rec	Nonrecuring First	Advt	NRG Disconnect First				
	2W VG Loop/Line Port Combination - Conversion-Switch with change		UEPBX	USACC		0.102	0.102					
	ADDITIONAL NRCS											
	2W VG Loop/Line Port Combination-Subsequent Activity		UEPBX	USACC								
	Unbundled Misc Rate Element, Tag Loop at End User Premise		UEPBX	USACC								
	OFFICE PREMISES EXTENSION CHANNELS											
	2W Analog VG Extension Loop - Non-Design	1	UEPBX	UEAEN	10.68	49.57	22.83	25.62	6.57			
	2W Analog VG Extension Loop - Non-Design	2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57			
	2W Analog VG Extension Loop - Non-Design	3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57			
	2W Analog VG Extension Loop - Design	1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01			
	2W Analog VG Extension Loop - Design	2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01			
	2W Analog VG Extension Loop - Design	3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01			
	INTEROFFICE TRANSPORT											
	Interface Transport-Dedicated 2W VG-Facility Termination		UEPBX	UTV2	23.32	47.35	31.78					
	Interface Transport-Dedicated 2W VG-Per Mile or Fraction Mile		UEPBX	UTVM	0.0091	0.00	0.00					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)											
	UNE Port/Loop Combination Rates											
	2W VG Loop/Port Combo-Zone 1				11.94							
	2W VG Loop/Port Combo-Zone 2				16.05							
	2W VG Loop/Port Combo-Zone 3				26.80							
	UNE Loop Rates											
	2W VG Loop (SL 1)-Zone 1	1	UEPRG	UEPLX	9.77							
	2W VG Loop (SL 1)-Zone 2	2	UEPRG	UEPLX	13.88							
	2W VG Loop (SL 1)-Zone 3	3	UEPRG	UEPLX	24.83							
	2-Wire Voice Grade Line Port Rates (RES - PBX)											
	2W VG Unbundled Combination 2-Wire PBX Trunk Port-Rates		UEPRG	UEPRD	2.17	174.81	100.85	75.85	12.73			
	FEATURES											
	AT Features Offered											
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED											
	2W VG Loop/Line Port Combination (PBX) Conversion-Switch-Rates		UEPRG	USACC	2.28	0.00	0.00					
	2W VG Loop/Line Port Combination (PBX) Conversion-Switch with Change		UEPRG	USACC	8.45	1.91						
	ADDITIONAL NRCS											
	2W VG Loop/Line Port Combination (PBX) Subsequent Activity		UEPRG	USACC	0.00	0.00	0.00					
	PBX Subsequent Activity-Charge/Rearrange Multiline Hunt Group		UEPRG	USACC	7.85	7.85						
	Unbundled Misc Rate Element, Tag Loop at End User Premise		UEPRG	URETL	8.33	0.83						
	OFFICE PREMISES EXTENSION CHANNELS											
	Local Channel VG, per termination	1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01			
	Local Channel VG, per termination	2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01			
	Local Channel VG, per termination	3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01			
	Non-Wire Direct Serve Channel VG	1	UEPRG	S0DXX	12.92	120.38	43.66	95.00	10.54			
	Non-Wire Direct Serve Channel VG	2	UEPRG	S0DXX	18.38	120.38	43.66	95.00	10.54			
	Non-Wire Direct Serve Channel VG	3	UEPRG	S0DXX	32.88	120.38	43.66	95.00	10.54			
	INTEROFFICE TRANSPORT											
	Interface Transport-Dedicated 2W VG-Facility Termination		UEPRG	UTV2	23.32	47.35	31.78					
	Interface Transport-Dedicated 2W VG-Per Mile or Fraction Mile		UEPRG	UTVM	0.0091	0.00	0.00					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)											
	UNE Port/Loop Combination Rates											
	2W VG Loop/Port Combo-Zone 1				11.94							
	2W VG Loop/Port Combo-Zone 2				16.05							
	2W VG Loop/Port Combo-Zone 3				26.80							
	UNE Loop Rates											
	2W VG Loop (SL 1)-Zone 1	1	UEPRG	UEPLX	9.77							
	2W VG Loop (SL 1)-Zone 2	2	UEPRG	UEPLX	13.88							
	2W VG Loop (SL 1)-Zone 3	3	UEPRG	UEPLX	24.83							
	2-Wire Voice Grade Line Port Rates (BUS - PBX)											
	Line Side Unbundled Combination 2-Wire PBX Trunk Port-Bus		UEPRG	UEPRD	2.17	174.81	100.85	75.85	12.73			
	Line Side Unbundled Outward PBX Trunk Port-Bus		UEPRG	UEPRD	2.17	174.81	100.85	75.85	12.73			
	Line Side Unbundled Incoming PBX Trunk Port-Bus		UEPRG	UEPRD	2.17	174.81	100.85	75.85	12.73			
	2W Voice Unbundled PBX LD Terminal Ports		UEPRG	UEPRD	2.17	174.81	100.85	75.85	12.73			

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Exh A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disac Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disac Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disac Add'l			
						Nonrecurring		NRC Disconnected						SOMAN	SOMAN	SOMAN
						First	Add'l	First	Add'l							
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	2.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Calling Port			UEPPX	UEPXM	2.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Rm Calling Port			UEPPX	UEPXO	2.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.17	174.81	100.65	75.88	12.73						
FEATURES																
	AI Feature Offered			UEPPX	UEPVF	2.26	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		8.45	1.91								
	2W VG Loop/ Line Port Combination (PBX)-Conversion-Switch with Charge			UEPPX	USACC		8.45	1.91								
ADDITIONAL NRCs																
	2W VG Loop/ Line Port Combination (PBX)-Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity-Changing/Reconfiguring Mainline Hunt Group			UEPPX	URETL		7.86	7.86								
OFF-PREMISES EXTENSION CHANNELS																
	Local Channel VG, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01						
	Local Channel VG, per termination		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01						
	Local Channel VG, per termination		3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01						
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	12.92	120.36	43.58	95.00	10.54						
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	18.36	120.36	43.58	95.00	10.54						
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	32.68	120.36	43.58	95.00	10.54						
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated 2W VG-Facility Termination			UEPPX	LTV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated 2W VG-Per Mile or Fraction Mile			UEPPX	LTVM	0.0091	0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 3-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2W VG Coin Port/Loop Combo - Zone 1					11.84										
	2W VG Coin Port/Loop Combo - Zone 2					16.05										
	2W VG Coin Port/Loop Combo - Zone 3					28.80										
UNE Loop Rates																
	2W VG Loop (S11)-Zone 1		1	UEPCO	UEPLX	9.77										
	2W VG Loop (S11)-Zone 2		2	UEPCO	UEPLX	13.88										
	2W VG Loop (S11)-Zone 3		3	UEPCO	UEPLX	24.83										
2-Wire Voice Grade Line Ports (COIN)																
	2W Coin 2-Way with Operator Screening and Blocking: 011, 800/976, 1+DDD (FL)			UEPCO	UEP2F	2.17	53.31	26.46	27.50	8.37						
	2W Coin 2-Way with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	2.17	53.31	26.46	27.50	8.37						
	2W Coin 2-Way with Operator Screening and Blocking: 800/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCO	2.17	53.31	26.46	27.50	8.37						
	2W Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	2.17	53.31	26.46	27.50	8.37						
	2W Coin Outward with Operator Screening and Blocking: 800/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	2.17	53.31	26.46	27.50	8.37						
	2W Coin Outward with Operator Screening and Blocking: 800/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCO	2.17	53.31	26.46	27.50	8.37						
	2W 2-Way Screening with 800/976 (all states except LA)			UEPCO	UEPCO	2.17	53.31	26.46	27.50	8.37						
	2W Coin Outward Screening with 800/976 (all states except LA)			UEPCO	UEPDR	2.17	53.31	26.46	27.50	8.37						
ADDITIONAL UNE COIN PORT/LOOP RGS																
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
NONRECURRING CHARGES - CURRENTLY COMBINED																

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Est. A			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
					Zone	First	Add'l			NRC Disconnect	First	Add'l			OSS Rates(\$)	
															SOMAN	SOMAN
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is		UEPCO	USAC2			0.102	0.102					SOMAN	SOMAN		
	2W VG Loop/Line Port Combination -Conversion-Switch with change		UEPCO	USACC			0.102	0.102								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsequent Activity		UEPCO	USAS2			0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise		UEPCO	URETL			8.33	0.83								
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE ID TRANSPORT/2-WIRE LINE PORT (RES)															
	LINE PORT/Loop Combination Rates															
	2W VG Loop/IO Transport/Port Combo-Zone 1					14.84										
	2W VG Loop/IO Transport/Port Combo-Zone 2					19.80										
	2W VG Loop/IO Transport/Port Combo-Zone 3					33.27										
	LINE Loop Rates															
	2W VG Loop (SL2)-Zone 1				1	12.24										
	2W VG Loop (SL2)-Zone 2				2	17.40										
	2W VG Loop (SL2)-Zone 3				3	30.87										
	2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port/residence		UEPFR	UEPRL		2.40	174.81	100.65	75.88	12.73						
	2W voice unbundled port with Caller ID-res		UEPFR	UEPRL		2.40	174.81	100.65	75.88	12.73						
	2W voice unbundled port outgoing only-res		UEPFR	UEPRL		2.40	174.81	100.65	75.88	12.73						
	2W voice unbundled FL Area Calling with Caller ID-res		UEPFR	UEPRL		2.40	174.81	100.65	75.88	12.73						
	2W voice unbundled FL Area Calling with Caller ID (LUM)		UEPFR	UEPRL		2.40	174.81	100.65	75.88	12.73						
	INTEROFFICE TRANSPORT															
	Interface Transport-Dedicated-2W VG-Facility Termination		UEPFR	UITV2		25.32	47.35	31.78								
	Interface Transport-Dedicated-2W VG-Per Mile or Fraction Mile		UEPFR	1L5XX		0.0091										
	FEATURES															
	All Features Offered		UEPFR	UEPVF		2.28	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is		UEPFR	USAC2			18.97	3.73								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change		UEPFR	USACC			18.97	3.73								
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise		UEPFR	URETN			11.21	1.10								
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE ID TRANSPORT/2-WIRE LINE PORT (BUS)															
	LINE PORT/Loop Combination Rates															
	2W VG Loop/IO Transport/Port Combo-Zone 1					14.84										
	2W VG Loop/IO Transport/Port Combo-Zone 2					19.80										
	2W VG Loop/IO Transport/Port Combo-Zone 3					33.27										
	LINE Loop Rates															
	2W VG Loop (SL2)-Zone 1				1	12.24										
	2W VG Loop (SL2)-Zone 2				2	17.40										
	2W VG Loop (SL2)-Zone 3				3	30.87										
	2-Wire Voice Grade Line Port (BUS)															
	2W voice unbundled port with Caller ID-bus		UEPFB	UEPBL		2.40	174.81	100.65	75.88	12.73						
	2W voice unbundled port with Caller ID-bus		UEPFB	UEPBL		2.40	174.81	100.65	75.88	12.73						
	2W voice unbundled port outgoing only-bus		UEPFB	UEPBL		2.40	174.81	100.65	75.88	12.73						
	2W voice unbundled incoming only port with Caller ID-bus		UEPFB	UEPBL		2.40	174.81	100.65	75.88	12.73						
	INTEROFFICE TRANSPORT															
	Interface Transport-Dedicated-2W VG-Facility Termination		UEPFB	UITV2		25.32	47.35	31.78								
	Interface Transport-Dedicated-2W VG-Per Mile or Fraction Mile		UEPFB	1L5XX		0.0091										
	FEATURES															
	All Features Offered		UEPFB	UEPVF		2.28	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is		UEPFB	USAC2			16.97	3.73								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change		UEPFB	USACC			16.97	3.73								
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise		UEPFB	URETN			11.21	1.10								
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE ID TRANSPORT/2-WIRE LINE PORT (BUS)															

CATEGORY	RATE ELEMENTS	Int'l m	Zone	BOS	USOC	RATES(\$)		Svc Order Submitted Manually per LBR	Attachment: 1 Err A		Incremental Charge - Manual Sys Order vs. Electronic-1st Add'l	Incremental Charge - Manual Sys Order vs. Electronic-1st Add'l
						Res	Nonrecurring First Add'l	HRC Discounted First Add'l	SOME	SOMAN	SOMAN	SOMAN
UNBUNDLED NETWORK ELEMENTS - Florida												
UNE Port/Loop Combination Rates												
2W VG Loop/IO Transport/Port Combo Zone 1						14.64						
2W VG Loop/IO Transport/Port Combo Zone 2						19.80						
2W VG Loop/IO Transport/Port Combo Zone 3						33.27						
UNE Loop Rates												
2W VG Loop (SL1) Zone 1		1		UEPFP		12.94						
2W VG Loop (SL2) Zone 2		2		UEPFP		17.40						
2W VG Loop (SL2) Zone 3		3		UEPFP		30.87						
2-Wire Voice Grade Line Port Rates (BUS - PBX)												
Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus				UEPFP		2.40	174.81	100.65	75.88	12.73		
Line Side Unbundled Outward PBX Trunk Port-Bus				UEPFP		2.40	174.81	100.65	75.88	12.73		
Line Side Unbundled Incoming PBX Trunk Port-Bus				UEPFP		2.40	174.81	100.65	75.88	12.73		
2W Voice Unbundled PBX LD Terminal Ports				UEPFP		2.40	174.81	100.65	75.88	12.73		
2W Voice Unbundled 2-Way Combination PBX Usage Port				UEPFP		2.40	174.81	100.65	75.88	12.73		
2W Voice Unbundled PBX Toll Terminal Hotel Ports				UEPFP		2.40	174.81	100.65	75.88	12.73		
2W Voice Unbundled PBX LD DDD Terminal Hotel Ports				UEPFP		2.40	174.81	100.65	75.88	12.73		
2W Voice Unbundled PBX LD Terminal Switchboard Port				UEPFP		2.40	174.81	100.65	75.88	12.73		
2W Voice Unbundled PBX LD Terminal Switchboard DD Capable Port				UEPFP		2.40	174.81	100.65	75.88	12.73		
2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy				UEPFP		2.40	174.81	100.65	75.88	12.73		
Administrative Calling Port				UEPFP		2.40	174.81	100.65	75.88	12.73		
2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Calling Port				UEPFP		2.40	174.81	100.65	75.88	12.73		
2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Rm Calling Port				UEPFP		2.40	174.81	100.65	75.88	12.73		
2W Voice Unbundled 1-Way Outgoing PBX Measured Port				UEPFP		2.40	174.81	100.65	75.88	12.73		
INTEROFFICE TRANSPORT												
Interoffice Transport-Dedicated 2W VG-Facility Termination				UEPFP		25.32	47.95	31.78				
Interoffice Transport-Dedicated 2W VG-Pg Mile or Fraction Mile				UEPFP		0.0091						
FEATURES												
All Features Offered				UEPFP		2.26	0.00	0.00				
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED												
2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversation Switches				UEPFP								
2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversation Switch with change				UEPFP								
Unbundled Mic Rate Element, Tag Designed Loop at End User				UEPFP								
2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT												
UNE Port/Loop Combination Rates												
2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1						21.95						
2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2						27.11						
2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3						40.98						
UNE Loop Rates												
2W Analog VG Loop-(SL1)-LINE Zone 1		1		UEPFP		12.24						
2W Analog VG Loop-(SL2)-LINE Zone 2		2		UEPFP		17.40						
2W Analog VG Loop-(SL2)-LINE Zone 3		3		UEPFP		30.87						
UNE Port Rates												
2W DID Subsequent Activity-Add Trunks, Per Trunk				UEPFP		9.71	214.16	98.29				
NONRECURRING CHARGES - CURRENTLY COMBINED												
2W VG Loop/2W DID Trunk Port Combination -Switch-as-is				UEPFP			7.85	1.87				
2W VG Loop/2W DID Trunk Port Combination with BellSouth Allowable Charges				UEPFP			7.85	1.87				
ADDITIONAL NRCS												
2W DID Subsequent Activity-Add Trunks, Per Trunk				UEPFP			32.26	32.26				
Unbundled Mic Rate Element, Tag Designed Loop at End User				UEPFP			11.21	1.10				
Telephone Number/Trunk Group Establishment Charges				UEPFP								
DID Trunk Termination (One Per Port)				UEPFP		0.00	0.00	0.00				

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 ECh A				
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	OSS Rates(\$)			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	First	Add'l		SOMEC	SOMAN	SOMAN		
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00						
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00						
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX	ND5	0.00	0.00	0.00						
	Reserve Non-Connective DID numbers			UEPPX	ND8	0.00	0.00	0.00						
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00						
	3-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT UNE Port Loop Combination Rates													
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -JUNE Zone 1					23.83								
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -JUNE Zone 2					30.05								
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -JUNE Zone 3					46.84								
	UNE Loop Rates													
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR	US2X	15.25								
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	US2X	24.87								
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	US2X	38.46								
	UNE Port Rate													
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	8.33	194.62	146.03						
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPB	8.33	194.62	146.03						
	NONRECURRING CHARGES - CURRENTLY COMBINED													
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination- Conversion			UEPPB UEPPR	USACB	0.00	25.22	17.00						
	ADDITIONAL NRCS													
	Unbundled Micc Rate Element: Tag Designed Loop at End User Premise			UEPPB UEPPR	URETN		11.21	1.10						
	Unbundled Micc Rate Element: Tag Loop at End User Premise			UEPPB UEPPR	URETL		6.33	0.83						
	B-COMM USER PROFILE ACCESS:													
	CVS(CSD (DMS/RESS)													
	CVS (EWS)													
	CSD													
	B-COMM AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS,SC,MS, & TN)													
	USER TERMINAL PROFILE													
	User Terminal Profile (EWS only)			UEPPB UEPPR	UTUMA	0.00	0.00	0.00						
	VERTICAL FEATURES													
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	2.28	0.00	0.00						
	INTEROFFICE CHANNEL MILEAGE													
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	MTGNC	25.3291	47.35	31.78						
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	MTGNM	0.0061	0.00	0.00						
	UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES													
	LINE P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,ATN only)													
	2 Wire VG Loop/2 Wire Voice Grade Port (Centrex) Combo													
	UNE Port Loop Combination Rates (Non-Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					11.94								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					16.06								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					28.80								
	UNE Port Loop Combination Rates (Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					14.41								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					19.67								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					33.04								
	UNE Loop Rates													
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UEC81	8.77								
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UEC81	13.88								
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UEC81	24.63								
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UEC82	12.24								
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UEC82	17.40								

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted & Elec per LSR	Attachment: 2 Est A				Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Nonrecurring		NRC Discount	OSB Rates(\$)								
						First	Add'l		SOMEQ		SOMAN						
												Rec	First	Add'l			
	UNE Port/Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design						14.41										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design						19.57										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design						33.04										
	UNE Loop Rate																
	2W VG Loop (SL 1)-Zone 1		1	UEP95			9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP95			13.88										
	2W VG Loop (SL 1)-Zone 3		3	UEP95			24.03										
	2W VG Loop (SL 2)-Zone 1		1	UEP95			12.24										
	2W VG Loop (SL 2)-Zone 2		2	UEP95			17.40										
	2W VG Loop (SL 2)-Zone 3		3	UEP95			30.87										
	UNE Port Rate																
	All Rates																
	2W VG Port (Centrex) Basic Local Area			UEP95			2.17		53.31	26.46	27.50	8.37					
	2W VG Port (Centrex 800 termination)			UEP95			2.17		53.31	26.46	27.50	8.37					
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP95			2.17		53.31	26.46	27.50	8.37					
	2W VG Port (Centrex from diff SW/2W 3 Basic Local Area			UEP95			2.17		139.49	86.10	66.41	13.81					
	2W VG Port, Diff SW/2W 2,3-800 Service Term-Basic Local Area			UEP95			2.17		139.49	86.10	66.41	13.81					
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95			2.17		53.31	26.46	27.50	8.37					
	2W VG Port terminated on 800 Service Term			UEP95			2.17		53.31	26.46	27.50	8.37					
	Local Switching																
	Centrex Intranet Functionality, per port			UEP95			0.7364										
	Features																
	All Standard Features Offered, per port			UEP95			2.26										
	All Select Features Offered, per port			UEP95			0.00		370.70								
	All Centrex Control Features Offered, per port			UEP95			2.26										
	INARS																
	Unbundled Network Access Register-Combination			UEP95			0.00		0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Initial			UEP95			0.00		0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Ordnal			UEP95			0.00		0.00	0.00	0.00	0.00					
	Misc Terminations																
	2-Wire Trunk Side																
	Trunk Side Terminations, each			UEP95			8.73										
	4-Wire Digital (1.544 Megabits)																
	D51 Circuit Terminations, each			UEP95			54.06										
	D50 Channel's Adjusted, each			UEP95			0.00		15.89								
	Intrastate Channel Mileage - 1-Wire																
	Interoffice Channel Mileage - 1-Wire			UEP95			26.32										
	Interoffice Channel Mileage - 2-Wire			UEP95			0.0091										
	Feature Activations (D504 Centrex Loops on Channelized N31 Service)																
	D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95			0.66										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP95			0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95			0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different			UEP95			0.66										
	WOC																
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95			0.66										
	Feature Activation on D-4 Channel Bank Trunk Loop Slot			UEP95			0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95			0.66										

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Exh A									
CATEGORY	RATE ELEMENTS	Instal m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l				Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l				
						Nonrecurring		NRC Disconnect			SONEC	SONMAN		SONMAN	SONMAN	SONMAN	SONMAN		
						First	Add'l	First	Add'l										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex charges, per port																		
	NRC Conversion Currency Combined Switch-As-Is with allowed																		
	Conversion of Existing Centrex Common Block, each			UEP65	USAC2	0.00	21.50	8.42											
	New Centrex Standard Common Block			UEP65	USACN		5.17	8.32											
	New Centrex Customized Common Block			UEP65	MIACS	0.00	618.82												
	NAR Establishment Charge, Per Occasion			UEP65	MIACC	0.00	618.82												
	Additional Non-Recurring Charges (NRC)																		
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP65	URETL		8.33	0.83											
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP65	URETN		11.21	1.10											
	UNE-P CENTREX - DM3160 (Valid in All States)																		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																		
	UNE Port Loop Combination Rates (Non-Design)																		
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					11.94													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					16.08													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					28.80													
	UNE Port Loop Combination Rates (Design)																		
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					14.41													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					19.57													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					33.04													
	UNE Loop Rate																		
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.77													
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	13.88													
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	24.83													
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	12.24													
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	17.40													
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	30.87													
	UNE Port Rate																		
	ALL STATES																		
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.17													
	2W VG Port (Centrex) 800 Termination Basic Local Area			UEP9D	UEPYB	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/EBS-PSE) Basic Local Area			UEP9D	UEPYC	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/EBS-M5009) Basic Local Area			UEP9D	UEPYD	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/EBS-M5208) Basic Local Area			UEP9D	UEPYE	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/EBS-M512) Basic Local Area			UEP9D	UEPYF	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/EBS-M5312) Basic Local Area			UEP9D	UEPYG	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/EBS-M5008) Basic Local Area			UEP9D	UEPYH	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/EBS-M5208) Basic Local Area			UEP9D	UEPYI	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/EBS-M5216) Basic Local Area			UEP9D	UEPYJ	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/EBS-M5316) Basic Local Area			UEP9D	UEPYK	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYL	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/Caller ID/Msg Wdg Lamp Indication) Basic Local Area			UEP9D	UEPYM	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/Msg Wdg Lamp Indication) Basic Local Area			UEP9D	UEPYN	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex from diff SWC) 2.3-Basic Local Area			UEP9D	UEPYO	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/diff SWC /EBS-PSE) 2.3, 3.4-Basic Local Area			UEP9D	UEPYQ	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/diff SWC /EBS-M5009) 2.3, 4-Basic Local Area			UEP9D	UEPYV	2.17	63.31	26.46	27.50	8.37									
	2W VG Port (Centrex/diff SWC /EBS-M5012) 2.3, 4-Basic Local Area			UEP9D	UEPYW	2.17	139.49	86.10	85.41	13.81									
	2W VG Port (Centrex/diff SWC /EBS-M5112) 2.3, 4-Basic Local Area			UEP9D	UEPYX	2.17	139.49	86.10	85.41	13.81									
	2W VG Port (Centrex/diff SWC /EBS-M5312) 2.3, 4-Basic Local Area			UEP9D	UEPYS	2.17	139.49	86.10	85.41	13.81									
	2W VG Port (Centrex/diff SWC /EBS-M5012) 2.3, 4-Basic Local Area			UEP9D	UEPYA	2.17	139.49	86.10	85.41	13.81									
	2W VG Port (Centrex/diff SWC /EBS-M5208) 2.3-Basic Local Area			UEP9D	UEPYS	2.17	139.49	86.10	85.41	13.81									
	2W VG Port (Centrex/diff SWC /EBS-M5208) 2.3-Basic Local Area			UEP9D	UEPYB	2.17	139.49	86.10	85.41	13.81									
	2W VG Port (Centrex/diff SWC /EBS-M5216) 2.3, 4-Basic Local Area			UEP9D	UEPYC	2.17	139.49	86.10	85.41	13.81									

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2 Edn A				Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Nonrecurring		NRC Disconnect				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
						Rec	First	Add'l	First					Add'l			
	Feature Activation on D-4 Channel Bank Centrix Loop Slot-Different W/C			UEP8D	IPQWP	0.68											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP8D	IPQWP	0.68											
	Feature Activation on D-4 Channel Bank Trunk Loop Slot			UEP8D	IPQWP	0.68											
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP8D	IPQWP	0.68											
	Non-Recurring Charges (NRC) Associated with UNE-P Centrix																
	NRC Conversion Currently Combined Switch-A-Is with allowed changes, per port			UEP8D	USAC2	21.50	8.42										
	Conversion of existing Centrix Common Block, each			UEP8D	USACN	5.17	8.32										
	New Centrix Standard Common Block			UEP8D	MIACS	818.82											
	New Centrix Customized Common Block			UEP8D	MIACC	818.82											
	NRC Establishment Charge, Per Occasion			UEP8D	URECA	66.48											
	Additional Non-Recurring Charges (NRC)																
	Unbundled Rate Element, Tag Loop at End Use Premise			UEP8D	URETL	8.33	0.83										
	Unbundled Rate Element, Tag Design Loop at End Use Premise			UEP8D	URETN	11.21	1.10										
	UNE-P CENTRIX - EWSO (Valid in AL, FL, KY, LA, MS & TN)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrix) Combo																
	UNE Port Loop Combination Rates (Non-Design)																
	2W VG Loop/2W VG Port (Centrix) Port Combo-Non-Design					11.94											
	2W VG Loop/2W VG Port (Centrix) Port Combo-Non-Design					18.05											
	2W VG Loop/2W VG Port (Centrix) Port Combo-Non-Design					28.90											
	UNE Port Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrix) Port Combo-Design					14.41											
	2W VG Loop/2W VG Port (Centrix) Port Combo-Design					19.57											
	2W VG Loop/2W VG Port (Centrix) Port Combo-Design					33.04											
	UNE Loop Rate																
	2W VG Loop (SL 1)-Zone 1		1	UEP8E	UECS1	9.77											
	2W VG Loop (SL 1)-Zone 2		2	UEP8E	UECS1	13.88											
	2W VG Loop (SL 1)-Zone 3		3	UEP8E	UECS1	24.63											
	2W VG Loop (SL 2)-Zone 1		1	UEP8E	UECS2	12.24											
	2W VG Loop (SL 2)-Zone 2		2	UEP8E	UECS2	17.49											
	2W VG Loop (SL 2)-Zone 3		3	UEP8E	UECS2	30.87											
	UNE Port Rate																
	AL, FL, KY, LA, MS, & TN only																
	2W VG Port (Centrix) Basic Local Area			UEP8E	UEPYA	2.17	53.31	26.46	27.50	8.37							
	2W VG Port (Centrix 800 termination) Basic Local Area			UEP8E	UEPYB	2.17	53.31	26.46	27.50	8.37							
	2W VG Port (Centrix with Caller ID) Basic Local Area			UEP8E	UEPYH	2.17	53.31	26.46	27.50	8.37							
	2W VG Port (Centrix from diff SVC) 2.3 Basic Local Area			UEP8E	UEPYM	2.17	139.49	86.10	85.41	13.81							
	2W VG Port, Diff SVC 2.3-800 Service Term-Basic Local Area			UEP8E	UEPYZ	2.17	139.49	86.10	85.41	13.81							
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP8E	UEPY9	2.17	53.31	26.46	27.50	8.37							
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP8E	UEPY2	2.17	53.31	26.46	27.50	8.37							
	Florida Only																
	2W VG Port (Centrix)			UEP8E	UEPHA	2.17	53.31	26.46	27.50	8.37							
	2W VG Port (Centrix 800 termination)			UEP8E	UEPHB	2.17	53.31	26.46	27.50	8.37							
	2W VG Port (Centrix with Caller ID)			UEP8E	UEPHH	2.17	53.31	26.46	27.50	8.37							
	2W VG Port (Centrix from diff SVC) 2.3			UEP8E	UEPHM	2.17	139.49	86.10	85.41	13.81							
	2W VG Port, Diff SVC-800 Service Term 2.3			UEP8E	UEPH2	2.17	139.49	86.10	85.41	13.81							
	2W VG Port terminated in on Megalink or equivalent			UEP8E	UEPH9	2.17	53.31	26.46	27.50	8.37							
	2W VG Port terminated on 800 Service Term			UEP8E	UEPH2	2.17	53.31	26.46	27.50	8.37							
	Local Switching																
	Centrix Intercom Functionality, per port			UEP8E	URECS	0.7384											
	Features																
	All Standard Features Offered, per port			UEP8E	UEPYF	2.28											
	All Select Features Offered, per port			UEP8E	UEPY8	0.00	370.70										
	All Centrix Control Features Offered, per port			UEP8E	UEPYC	2.28											
	MARS																
	Unbundled Network Accesses Register-Combination			UEP8E	UARCX	0.00	0.00	0.00	0.00	0.00							

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Exh A		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Nonrecurring		OSS Rates(\$)							
						First	Add'l	First	Add'l		SOWEC	SOMAN			SOWAN
						Rec	0.00	0.00	0.00	0.00	0.00			SOMAN	SOMAN
	Unbundled Network Access Register-Initial			UEPBE	UAR1X		0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register-Ordinal			UEPBE	UAROX		0.00	0.00	0.00	0.00	0.00				
	Misc Terminations														
	2-Wire Trunk Side														
	Trunk Side Terminations, each			UEPBE	CENDS		8.73								
	4-Wire Digital (1.544 Megabits)														
	DS1 Circuit Terminations, each			UEPBE	MI1HD1		54.85								
	DS0 Channel Activated Per Channel			UEPBE	MI1HDO		0.00	15.08							
	Interoffice Channel Message - 2-Wire														
	Interoffice Channel Facilities Termination														
	Interoffice Channel message, per mile or fraction of mile														
	Feature Activations (DSB) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEPBE	1PQWS		0.66								
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEPBE	1PQWB		0.66								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEPBE	1PQW7		0.66								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different														
	W/C														
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEPBE	1PQWP		0.66								
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEPBE	1PQWV		0.66								
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEPBE	1PQWQ		0.66								
	Non-Returning Charges (NRC) Associated with UNE-P Centrex			UEPBE	1PQWA		0.66								
	NRC Conversion Currently Combined Switch-Ar-Ar with allowed														
	charges, per port														
	Conversion of Existing Centrex Common Block, each			UEPBE	USAC2			21.50	8.42						
	New Centrex Standard Common Block			UEPBE	USACN			6.17	8.32						
	New Centrex Customized Common Block			UEPBE	MIACS		0.00	618.82							
	NAI Establishment Charges, Per Occasion			UEPBE	MIACC		0.00	618.82							
	Additional Non-Returning Charges (NRC)			UEPBE	URECA		0.00	66.48							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBE	URETL			8.33	0.83						
	Unbundled Misc Rate Element, Tag Design Loop at End User Premise			UEPBE	URETN			11.21	1.10						
Note 1 - Required Part for Centrex Control In TAESS, SESS & EWSD															
Note 2 - Requires Interoffice Channel Message															
Note 3 - Installation is combination of installation charges for S1.3 Loop and Port															
Note 4 - Requires Specific Customer Premises Equipment															
Note: Rates displayed on "F" in Interim columns are tentative as a result of a Commission order.															

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interf m	Zone	BOS	USOC	RATES(\$)					Svc Order Submitted Manually per LSR	Attachment: 2 Exh A		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Res	First	Advt	NRC Disconnect First	Advt		SOMAN	SOMAN		
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	62.03	211.83	72.49	38.24	7.20					SOMAN
	Switch-As-is Conversion rate per UNE Loop, Sample LSR, (per DS1)			USL	UPRESL		25.06	3.53							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			USL	UPRESL		28.56	6.03							
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.91	42.97							
4-WIRE	19.2, 36 OR 64 Kbps Digital Loop														
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1	1		UDL	UDL2X	21.86	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 2	2		UDL	UDL3X	28.36	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 3	3		UDL	UDL4X	38.22	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 1	1		UDL	UDL5X	21.86	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 2	2		UDL	UDL6X	26.36	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 3	3		UDL	UDL7X	38.22	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 1	1		UDL	UDL8X	21.86	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 2	2		UDL	UDL9X	26.36	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 3	3		UDL	UDL10X	38.22	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 1	1		UDL	UDL11X	21.86	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 2	2		UDL	UDL12X	26.36	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 3	3		UDL	UDL13X	38.22	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 36 Kbps-Zone 1	1		UDL	UDL14X	21.86	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 36 Kbps-Zone 2	2		UDL	UDL15X	26.36	198.68	37.00	18.82	7.20					
	4 Wire Unbundled Digital Loop 36 Kbps-Zone 3	3		UDL	UDL16X	38.22	198.68	37.00	18.82	7.20					
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)			UDL	UPRESL		25.06	3.53							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL	UPRESL		28.56	6.03							
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.95	49.66							
2-WIRE	Unbundled Copper Loop														
	2W Unbundled Copper Loop-Designed including manual service inquiry														
	2W Unbundled Copper Loop-Designed including manual service inquiry	1		UCL	UCLPB	12.02	44.89	31.55	0.00	0.00					
	2W Unbundled Copper Loop-Designed including manual service inquiry	2		UCL	UCLPB	13.88	44.89	31.55	0.00	0.00					
	2W Unbundled Copper Loop-Designed including manual service inquiry	3		UCL	UCLPB	22.07	44.89	31.55	0.00	0.00					
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 1	1		UCL	UCLPW	12.02	44.89	31.55	0.00	0.00					
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 2	2		UCL	UCLPW	13.88	44.89	31.55	0.00	0.00					
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 3	3		UCL	UCLPW	22.07	44.89	31.55	0.00	0.00					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92							
	CLEC to CLEC conversion Charge w/o outside dispatch			UCL	UREWO		44.89	31.55							
4-WIRE	Copper Loop														
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 1	1		UCL	UCLAS	16.65	44.89	31.55	0.00	0.00					
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 2	2		UCL	UCLAS	19.22	44.89	31.55	0.00	0.00					
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 3	3		UCL	UCLAS	30.65	44.89	31.55	0.00	0.00					
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 1	1		UCL	UCLAW	16.65	44.89	31.55	0.00	0.00					
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 2	2		UCL	UCLAW	19.22	44.89	31.55	0.00	0.00					
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 3	3		UCL	UCLAW	30.65	44.89	31.55	0.00	0.00					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92							
	CLEC to CLEC conversion Charge w/o outside dispatch			UCL	UREWO		44.89	31.55							
	Order Coordination for Specified Conversion Time (per LSR)			UEA, UDN, UAL, UHL, UDL, USL	OCOSL		57.78								
	Rearrangements														

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interf m	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: 2 Est A			Incremental Charge - Manual Svc Order vs. Electronic- Discl 1st	Incremental Charge - Manual Svc Order vs. Electronic- Discl 1st
					Rec	Nonrecurring		MRC Disconnect		SOMEC	SOMAN	SOMAN		
						First	Add'l							
	EEEL to UNE-L Reconnection, per 2W Unbundled Voice Loop-SL2		UEA	UREEL		79.85	24.65							
	EEEL to UNE-L Reconnection, per 4 Wire Unbundled Voice Loop		UEA	UREEL		79.85	24.65							
	EEEL to UNE-L Reconnection, per 2W ISDN Loop		UDN	UREEL		120.98	33.02							
	EEEL to UNE-L Reconnection, per 4 Wire Unbundled Digital Loop		UDL	UREEL		101.95	49.08							
	EEEL to UNE-L Reconnection, per 4 Wire Unbundled DS1 Loop		USL	UREEL		100.91	42.97							
UNE LOOP COMMINGLING														
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING														
	2W Analog VG Loop- SL2 w/Loop or Ground Start Signaling-Zone 1	1	NTCVG	UEAL2		11.57	79.85	24.65	18.92	7.87				
	2W Analog VG Loop- SL2 w/Loop or Ground Start Signaling-Zone 2	2	NTCVG	UEAL2		18.96	79.85	24.65	18.92	7.87				
	2W Analog VG Loop- SL2 w/Loop or Ground Start Signaling-Zone 3	3	NTCVG	UEAL2		33.06	79.85	24.65	18.92	7.87				
	2W Analog VG Loop- SL2 w/Reverse Battery Signaling-Zone 1	1	NTCVG	UEAR2		11.57	79.85	24.65	18.92	7.87				
	2W Analog VG Loop- SL2 w/Reverse Battery Signaling-Zone 2	2	NTCVG	UEAR2		18.96	79.85	24.65	18.92	7.87				
	2W Analog VG Loop- SL2 w/Reverse Battery Signaling-Zone 3	3	NTCVG	UEAR2		33.06	79.85	24.65	18.92	7.87				
	Switch-Ae-A Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URESL		26.06	3.83							
	Switch-Ae-A Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URESL		26.55	5.03							
	CLEC to CLEC Conversion Change rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	UREWO		87.72	36.36							
	Loop Tagging-SL2 (SL2)		NTCVG	URETL		11.19	7.10							
4-WIRE ANALOG VOICE GRADE LOOP														
	4W Analog VG Loop-Zone 1	1	NTCVG	UEAL4		17.80	93.01	28.17	19.52	8.12				
	4W Analog VG Loop-Zone 2	2	NTCVG	UEAL4		21.68	93.01	28.17	19.52	8.12				
	4W Analog VG Loop-Zone 3	3	NTCVG	UEAL4		30.25	93.01	28.17	19.52	8.12				
	Switch-Ae-A Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URESL		25.06	3.53							
	Switch-Ae-A Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URESL		26.55	5.03							
	CLEC to CLEC Conversion Change rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	UREWO		87.72	36.36							
4-WIRE DS1 DIGITAL LOOP - COMMINGLING														
	4W DS1 Digital Loop-Zone 1	1	NTCDI	UDLXX		41.02	211.83	72.49	38.24	7.20				
	4W DS1 Digital Loop-Zone 2	2	NTCDI	UDLXX		46.41	211.83	72.49	38.24	7.20				
	4W DS1 Digital Loop-Zone 3	3	NTCDI	UDLXX		62.03	211.83	72.49	38.24	7.20				
	Switch-Ae-A Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCDI	URESL		25.06	3.53							
	Switch-Ae-A Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCDI	URESL		26.55	5.03							
	CLEC to CLEC Conversion Change rate per UNE Loop, Spreadsheet, (per DS1)		NTCDI	UREWO		100.91	42.97							
4-WIRE 19.2 kb/s OR 64 Kbps DIGITAL GRADE LOOP - COMMINGLING														
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1	1	NTCUD	UDLXX		21.88	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 2	2	NTCUD	UDLXX		28.36	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 3	3	NTCUD	UDLXX		38.22	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 1	1	NTCUD	UDLXX		21.88	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 2	2	NTCUD	UDLXX		28.36	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 3	3	NTCUD	UDLXX		38.22	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 1	1	NTCUD	UDLXX		21.88	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 2	2	NTCUD	UDLXX		28.36	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 3	3	NTCUD	UDLXX		38.22	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 1	1	NTCUD	UDL19		21.86	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 2	2	NTCUD	UDL19		28.36	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 3	3	NTCUD	UDL19		38.22	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 1	1	NTCUD	UDL64		21.86	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 2	2	NTCUD	UDL64		28.36	186.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 3	3	NTCUD	UDL64		38.22	186.66	37.00	18.82	7.20				
	Switch-Ae-A Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCUD	URESL		26.06	3.83							
	Switch-Ae-A Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCUD	URESL		26.55	5.03							
	CLEC to CLEC Conversion Change rate per UNE Loop, Spreadsheet, (per DS0)		NTCUD	UREWO		101.95	48.68							
	Order Coordination for Specified Conversion Time (per LSR)		NTCUD, NTCDI	OC08L		57.78								
UNBUNDLED EXCHANGE ACCESS LOOP														
3-WIRE ANALOG VOICE GRADE LOOP														
	3W Analog VG Loop- Service Level 1- Zone 1	1	UEANL	UEAL2		10.51	40.02	9.98	5.61	1.72				
	3W Analog VG Loop- Service Level 1- Zone 2	2	UEANL	UEAL2		15.85	40.02	9.98	5.61	1.72				

UNBUNDLED NETWORK ELEMENTS - Georgia													Attachment: 2 Exh A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
						Rec	First	Add'l	First							
UNBUNDLED NETWORK ELEMENTS - Georgia	Loop Testing-Basic Additional Half Hour			UEANL	URETA											
	2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	5.94	13.62	13.62	2.20	0.01						
	2W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	Loop Testing-Basic Additional Half Hour			UEF, UEANL	URETL		8.92	0.86								
UNBUNDLED NETWORK ELEMENTS - Georgia	Loop Testing-Basic Additional Half Hour			UEF	URET1		25.12	0.00								
	Unbundled Sub-Loop Modification			UEF	URETA		13.62	13.62								
	Unbundled Sub-Loop Modification-2W Copper Dist Load Coil/Equip															
	Removal per 2-W PR			UEF	ULNDX		0.00	0.00								
	Unbundled Sub-Loop Modification-4W Copper Dist Load Coil/Equip			UEF	ULMAX		0.00	0.00								
	Removal per 4-W PR			UEF	ULMBT		17.91	17.91								
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UEQPP	0.533	25.12	12.28								
	Network Interface Device (NID)			UENTW	UNDI2		32.86	20.89								
	Network Interface Device (NID)-1/2 lines			UENTW	UNDI6		58.03	43.88								
	Network Interface Device (NID)-1/3 lines			UENTW	UNDC2		2.46	2.45								
UNBUNDLED NETWORK ELEMENTS - Georgia	Network Interface Device Cross Connect-2W			UENTW	UNDC4		2.46	2.45								
	Network Interface Device Cross Connect-4W															
	Unbundled Contact Name, Provisioning Only-no rate			LINEON	LINEON	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL, NTCDD1	USL, NTCDD1	0.00	0.00									
	Unbundled DS1 Loop-Extended Superframe Format Option-no rate			USL, NTCDD1	USL, NTCDD1	0.00	0.00									
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX		0.00									
	UNTW Circuit Establishment, Provisioning Only-No Rate			UENTW	UENCE		0.00									
	Loop Makeup-Preceding w/o Reservation, per working or spare facility queried (Manual)			LINK	LINKLW		15.19	15.19								
	Loop Makeup-Preceding With Reservation, per spare facility queried (Manual)			LINK	LINKLP		19.85	19.85								
	Loop Makeup-With or w/o Reservation, per working or spare facility queried (Mechanized)			LINK	LINKMQ		0.82	0.82								
UNBUNDLED NETWORK ELEMENTS - Georgia	LINE SPLITTING															
	END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UEPSR	0.61										
	Line Splitting-per line activation BSI owned-physical			UEPSR UEPSB	UEPSB	0.6367	20.10	12.40	7.68	4.30						
	Line Splitting-per line activation BSI owned-virtual			UEPSR UEPSB	UEPSB	0.6363	20.10	12.40	7.68	4.30						
	UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADIENT LOOP															
	UNE Loop Rates for Line Splitting. In Qs, P/C ordered the line splitting loop USOCs match the lower port-loop rates (UEPLX)															
	2W VG Loop (SL1) for Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	9.66	10.05	7.36	1.37	1.28						
	2W VG Loop (SL1) for Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	9.66	10.05	7.36	1.37	1.28						

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2 End A				Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l				Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	QSS Rates(\$)				Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		
						Nonrecurring		NRC Disconnected				SOMAN									
						Rec	First	Add'l	First	Add'l	First	Add'l	First	Add'l	First	Add'l	First	Add'l	First	Add'l	First
	PHYSICAL COLLOCATION																				
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS			0.0197		0.00											
	VIRTUAL COLLOCATION																				
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS			0.0166		0.00				0.00							
	UNBUNDLED DEDICATED TRANSPORT																				
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT																				
	Interoffice Channel-2W VG-per mile			UITVX	1L5XX			0.0057													
	Interoffice Channel-2W VG-Facility Termination			UITVX	UITV2			12.87		19.48				16.58		5.00					
	Interoffice Channel-2W VG Rev Bat.-per mile			UITVX	1L5XX			0.0057													
	Interoffice Channel-2W VG Rev Bat.-Facility Termination			UITVX	UITR2			12.87		19.48				16.58		5.00					
	Interoffice Channel-2W VG-per mile			UITVX	1L5XX			0.0057													
	Interoffice Channel-4-Wire VG-Facility Termination			UITVX	UITV4			10.78		19.48				16.58		5.00					
	Interoffice Channel-56 Mbps-per mile			UITDX	1L5XX			0.0057													
	Interoffice Channel-56 Mbps-Facility Termination			UITDX	UITD5			7.83		19.48				16.58		5.00					
	Interoffice Channel-84 Mbps-per mile			UITDX	1L5XX			0.0057													
	Interoffice Channel-84 Mbps-Facility Termination			UITDX	UITD6			7.83		19.48				16.58		5.00					
	Interoffice Channel-D51-per mile			UITD1	1L5XX			0.1194													
	Interoffice Channel-D51-Facility Termination			UITD1	UITF1			34.19		80.28				31.36		21.73					
	Interoffice Channel-D53-per mile			UITD3	1L5XX			2.53													
	Interoffice Channel-D53-Facility Termination			UITD3	UITF3			343.02		86.32				66.77		52.81					
	Interoffice Channel-S75-per mile			UITB1	1L5XX			2.53													
	Interoffice Channel-S75-Facility Termination			UITB1	UITF5			358.87		86.32				66.77		52.81					
	Local Channel-Dedicated-2W VG			UDVX UNCVX	UDV2																
	Local Channel-Dedicated-2W VG Rev Bat			UDVX UNCVX	UDV2			8.90													
	Local Channel-Dedicated-4W VG			UDVX UNCVX	UDV4			8.90													
	Local Channel-Dedicated-D51 Zone 1		1	UDVX UNCVX	UDV4			19.03													
	Local Channel-Dedicated-D51 Zone 2		2	UDVX UNCVX	UDV4			21.24													
	Local Channel-Dedicated-D51 Zone 3		3	UDVX UNCVX	UDV4			64.75													
	Local Channel-Dedicated-D53-Per Mile per month			UDVX UNCVX	UDV1			169.41													
	Local Channel-Dedicated-D53-Facility Termination			UDVX UNCVX	UDV1			169.41													
	Local Channel-Dedicated-D53-Per Mile per month			UDVX UNCVX	UDV3			169.08													
	Local Channel-Dedicated-D53-Facility Termination			UDVX UNCVX	UDV3			169.08													
	Local Channel-Dedicated-D53-1-Facility Termination			UDVX UNCVX	UDV3			169.08													
	UNBUNDLED DARK FIBER																				
	Dark Fiber-Interoffice Transport, Per Four Fiber Strands, Per Route Mile			UDF UDFCX	1L6DF			22.29													
	Or Fraction Thereof			UDF UDFCX	UDF14																
	Dark Fiber-Interoffice Transport, Per Four Fiber Strands, Per Route Mile			UDF UDFCX	UDF14			1,716.53		88.75				73.53		18.70					
	Or Fraction Thereof			UDF UDFCX	UDF14																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month-Local Channel			UDF UDFCX	1L5DC			48.84													
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month-Local Loop			UDF UDFCX	1L5DL			48.84													
	800X ACCESS TEN DIGIT SCREENING																				
	800X Access Ten Digit Screening, Per Call							0.0008543													
	800X Access Ten Digit Screening, WIREL No. Delivery							0.0008543													
	800X Access Ten Digit Screening, WIPOTS No. Delivery							0.0008543													
	LINE INFORMATION DATA BASE ACCESS (LIDB)																				
	LIDB Common Transport Per Query							0.0008543													
	LIDB Validation Per Query							0.0008543													
	LIDB Validation Per Query							0.0008543													
	CALLING NAME (CNAM) SERVICE			OCU	NRBXX			33.24		33.24				39.35		39.35					
	CNAM for DB Owners, Per Query																				
	CNAM for Non DB Owners, Per Query																				
	SELECTIVE ROUTING																				
	Selective Routing Per Unique Line Class Code Per Request Per Switch							102.19		61.15				12.68		8.34					
	SELECTIVE CARRIER ROUTING																				
	Regional Service Establishment							101,311.67		101,311.67				7,833.25		7,833.25					
	End Office Establishment							158.92		158.92				1.84		1.84					

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Sve Order Submitted Manually per LSR	Sve Order Submitted Elec per LSR	Attachment: 2 Exh A			
						Nonrecurring						OS3 Rates(\$)			
						First	Adj1	Flrat	Adj1			SOME1	SOME2	SOMAN	SOMAN
	Line/Port NRC, per end user					2.06									
	Query NRC, per query					0.0020368									
AIN - BELL SOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			AIN	CAHSE	41.41	41.41	41.63	41.63						
	AIN SMS Access Service-Port Connection-Dial/Shared Access			AIN	CAMOP	8.16	8.16	8.16	8.16						
	AIN SMS Access Service-Port Connection-ISDN Access			AIN	CAMTP	8.16	8.16	8.16	8.16						
	AIN SMS Access Service-User Identification Codes-Per User ID Code			AIN	CAMAU	35.23	35.23	35.50	35.50						
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			AIN	CAHRC	40.24	40.24	11.72	11.72						
	AIN SMS Access Service-Storage, Per Unit (100 Kbytes)					0.0038									
	AIN SMS Access Service-Session, Per Minute					1.81									
	AIN SMS Access Service-Company Performed Session, Per Minute					0.8323									
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	DS3 Unbundled Local Loop - Stand Alone														
	DS3 Unbundled Local Loop-per mile			UES	ULEND	10.97									
	DS3 Unbundled Local Loop-Facility Termination			UES	UESPX	253.38	1753.23	131.90	132.91						
	S7E Unbundled Local Loop-per mile			UDLSX	UDLSX	10.97									
	S7E Unbundled Local Loop-Facility Termination			UDLSX	UDLSX	305.42	1753.23	131.90	132.91						
ENHANCED EXTENDED LINK (EELs)															
Network Elements Used in Combinations															
	2W VG Loop (S2.2) in Combination-Zone 1	1		UNCOX	UEAL2	11.67	195.94	36.38	18.42						
	2W VG Loop (S2.2) in Combination-Zone 2	2		UNCOX	UEAL2	16.95	195.94	36.38	18.42						
	2W VG Loop (S2.2) in Combination-Zone 3	3		UNCOX	UEAL2	33.08	195.94	36.38	18.42						
	4W Analog VG Loop in Combination-Zone 1	1		UNCOX	UEAL4	17.60	195.94	36.38	18.42						
	4W Analog VG Loop in Combination-Zone 2	2		UNCOX	UEAL4	21.68	195.94	36.38	18.42						
	4W Analog VG Loop in Combination-Zone 3	3		UNCOX	UEAL4	30.25	195.94	36.38	18.42						
	2W ISDN Loop in Combination-Zone 1	1		UNCOX	U112X	19.82	195.94	36.38	18.42						
	2W ISDN Loop in Combination-Zone 2	2		UNCOX	U112X	26.26	195.94	36.38	18.42						
	2W ISDN Loop in Combination-Zone 3	3		UNCOX	U112X	42.17	195.94	36.38	18.42						
	4W 56Kbps Digital Grade Loop in Combination-Zone 1	1		UNCOX	UDL66	21.88	195.94	36.38	18.42						
	4W 56Kbps Digital Grade Loop in Combination-Zone 2	2		UNCOX	UDL66	28.36	195.94	36.38	18.42						
	4W 56Kbps Digital Grade Loop in Combination-Zone 3	3		UNCOX	UDL66	38.22	195.94	36.38	18.42						
	4W 56Kbps Digital Grade Loop in Combination-Zone 1	1		UNCOX	UDL64	21.80	195.94	36.38	18.42						
	4W 56Kbps Digital Grade Loop in Combination-Zone 2	2		UNCOX	UDL64	28.36	195.94	36.38	18.42						
	4W 56Kbps Digital Grade Loop in Combination-Zone 3	3		UNCOX	UDL64	38.22	195.94	36.38	18.42						
	4W DS1 Digital Loop in Combination-Zone 1	1		UNCOX	UDL64	38.22	195.94	36.38	18.42						
	4W DS1 Digital Loop in Combination-Zone 2	2		UNCOX	UDLXX	41.02	208.46	70.44	37.81						
	4W DS1 Digital Loop in Combination-Zone 3	3		UNCOX	UDLXX	46.41	208.46	70.44	37.81						
	DS3 Local Loop in combination-per mile			UNCOX	UNCOX	82.03	208.46	70.44	37.81						
	DS3 Local Loop in combination-Facility Termination			UNCOX	UNCOX	10.97									
	DS3 Local Loop in combination-per mile			UNCOX	UNCOX	253.38	1,280.47	628.84	41.63						
	DS3 Local Loop in combination-Facility Termination			UNCOX	UNCOX	10.97									
	Interoffice Channel in combination-2W VG-per mile			UNCOX	UNCOX	308.42	1,280.47	628.84	41.63						
	Interoffice Channel in combination-4W VG-per mile			UNCOX	UNCOX	0.0657									
	Interoffice Channel in combination-4W VG-Facility Termination			UNCOX	UNCOX	12.87	68.83	33.61	43.42						
	Interoffice Channel in combination-4W VG-per mile			UNCOX	UNCOX	0.0657									
	Interoffice Channel in combination-4W VG-Facility Termination			UNCOX	UNCOX	10.78	68.83	33.61	43.42						
	Interoffice Channel in combination-4W 56 Kbps-per mile			UNCOX	UNCOX	0.0657									
	Interoffice Channel in combination-4W 56 Kbps-Facility Termination			UNCOX	UNCOX	7.83	68.83	33.61	43.42						
	Interoffice Channel in combination-4W 64 Kbps-per mile			UNCOX	UNCOX	0.0657									
	Interoffice Channel in combination-4W 64 Kbps-Facility Termination			UNCOX	UNCOX	7.83	68.83	33.61	43.42						
	Interoffice Channel in combination-DS1-per mile			UNCOX	UNCOX	0.1164									
	Interoffice Channel in combination-DS1-Facility Termination			UNCOX	UNCOX	34.18	87.76	43.73	43.80						
	Interoffice Channel in combination-DS3-per mile			UNCOX	UNCOX	2.53									
	Interoffice Channel in combination-DS3-Facility Termination			UNCOX	UNCOX	34.02	325.91	77.07	49.56						
	Interoffice Channel in combination-S7E-1-per mile			UNCOX	UNCOX	2.53									
	Interoffice Channel in combination-S7E-1-Facility Termination			UNCOX	UNCOX	386.87	325.91	77.07	49.56						
ADDITIONAL NETWORK ELEMENTS															
Optional Features & Functions:															

UNBUNDLED NETWORK ELEMENTS - Georgia												
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)			Attachment: 2 Etn A			
						Res	Nonrecurring		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
							First	Add'l				
	Clear Channel Capability Extended Frame Option-per DS1	I		U1TD1, U1DD1, U1NC1X	CCOEF		0.00	0.00	0.00			
	Clear Channel Capability Super Frame Option-per DS1	I		U1TD1, U1DD1, U1NC1X	CCOEF		0.00	0.00	0.00			
	Clear Channel Capability (S/ESF) Option-Subsequent Activity-per DS1	I		U1TD1, U1DD1, U1NC1X, U1SL	NRCCO		184.62	23.76	2.03	0.79		
	C-3a Parity Option-Subsequent Activity-per DS3	I		U1TD1, U1DD1, U1NC1X, U1NC1X	NRCCO		218.74	7.66	0.7591	0.00		
	DS1/DS3 Channel System			U1NC1X	MQ1	69.75	86.10					
	DS3/DS1 Channel System			U1NC1X	MQ3	121.90						
	VG COC for Stand Alone Local Loop			U1NC1X, U1NC1X	MD3	0.4689	27.33	2.90	16.86	1.04		
	VG COC for Stand Alone Local Loop			U1NC1X, U1NC1X	MD3	0.4689	27.33	2.90	16.86	1.04		
	VG COC for connection to a channelized DS1 Local Channel in the same SMC as collocation			U1NC1X, U1NC1X	MD3	0.4689	27.33	2.90	16.86	1.04		
	OCU-DP COC (2.4-64kbps) for Stand Alone Local Loop			U1NC1X, U1NC1X	MD3	0.4689	27.33	2.90	16.86	1.04		
	OCU-DP COC (2.4-64kbps) for connection to a channelized DS1 Local Channel in the same SMC as collocation			U1NC1X, U1NC1X	MD3	0.4689	27.33	2.90	16.86	1.04		
	2W ISDN COC (BRI) for a Local Loop			U1NC1X, U1NC1X	MD3	0.4689	27.33	2.90	16.86	1.04		
	2W ISDN COC (BRI) for connection to a channelized DS1 Local Channel in the same SMC as collocation			U1NC1X, U1NC1X	MD3	0.4689	27.33	2.90	16.86	1.04		
	DS1 COC for Stand Alone Local Channel			U1NC1X, U1NC1X	MD3	0.4689	27.33	2.90	16.86	1.04		
	DS1 COC for Stand Alone Local Channel			U1NC1X, U1NC1X	MD3	0.4689	27.33	2.90	16.86	1.04		
	DS1 COC for Stand Alone Local Channel			U1NC1X, U1NC1X	MD3	0.4689	27.33	2.90	16.86	1.04		
	DS1 COC for connection to a channelized DS1 Local Channel in the same SMC as collocation			U1NC1X, U1NC1X	MD3	0.4689	27.33	2.90	16.86	1.04		
	Wholesale to UNE, Switch-As-Is Conversion Charge			U1NC1X, U1NC1X	MD3	0.4689	27.33	2.90	16.86	1.04		
	Unbundled Misc Rate Element, SMC SA, Single Network Element-Switch As Is Non-recurring Charge, per circuit (LSR)	I		U1TD1, U1DD1, U1NC1X	URESL		38.96	16.17				
	Unbundled Misc Rate Element, SMC SA, Single Network Element-Switch As Is Non-recurring Charge, incremental charge per circuit on a broadband	I		U1TD1, U1DD1, U1NC1X	URESL		38.96	16.17				
	UNE Reconfiguration Charge per Circuit	I		U1TD1, U1DD1, U1NC1X	URESP		1.49	1.49				
	UNE Reconfiguration Charge per Circuit Project Managed	I		U1TD1, U1DD1, U1NC1X	URESP		1.49	1.49				
	Access to DS3 - Customer Reconfiguration (Pre-charge)	I		U1TD1, U1DD1, U1NC1X	URESP		1.49	1.49				
	Customer Reconfiguration Establishment			U1TD1, U1DD1, U1NC1X	URESP		1.49	1.49				
	DS1 DCS Termination with DS0 Switching			U1TD1, U1DD1, U1NC1X	URESP		1.49	1.49				
	DS1 DCS Termination with DS1 Switching			U1TD1, U1DD1, U1NC1X	URESP		1.49	1.49				
	DS3 DCS Termination with DS1 Switching			U1TD1, U1DD1, U1NC1X	URESP		1.49	1.49				
	Need (Synchronous)			U1TD1, U1DD1, U1NC1X	URESP		1.49	1.49				
	Rate per month			U1TD1, U1DD1, U1NC1X	URESP		1.49	1.49				
	Service Reconfiguration			U1TD1, U1DD1, U1NC1X	URESP		1.49	1.49				
	NR-Changes in Facility Assignment per circuit Service Reconfiguration	I		U1TD1, U1DD1, U1NC1X	URESP		1.49	1.49				

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: 2 Ex A			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st Add'l
						RATES(\$)					SOME	SOMAN	SOMAN		
						Nonrecurring	First	Add'l	First						
	Commingled Dark Fiber-Intrastate Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF 14			1,776.93	89.75	73.53	18.70				
SIGNALING (CCS7)															
	NOTE: "ik" inside a rate indicates that the parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 2														
	CCS7 Signaling Usage, Per (CAP Message)														
	CCS7 Signaling Usage, Per (SUP Message) (same as E.3.3)														
LMP Query Service															
	LMP Charge Per query														
	LMP Service Establishment Manual														
	LMP Service Provisioning with Point Code Establishment														
911 PBX LOCATE															
	911 PBX LOCATE DATABASE CAPABILITY														
	Service Establishment per CLEC per End User Account														
	Changes to TN Range or Customer Profile														
	Per Telephone Number (Monthly)														
	Charge Company (Service Provider) ID														
	PBX Locate Service Support per CLEC (Monthly)														
	Service Order Charge														
911 PBX LOCATE TRANSPORT COMPONENT															
	See AN 3														
NOTE: Rates displaying an "I" in interim column are interim as a result of a Commission order.															
UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)															
	The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2015 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TELRIC Exchange Ports														
NOTE: Although the Port Rate Includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
2-WIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports-2W Analog Line Port-Res														
	Exchange Ports-2W Analog Line Port with Caller ID-Res														
	Exchange Ports-2W Analog Line Port outgoing only-Res.														
	Exchange Ports-2W VG unbundled res. low usage line port with Caller ID (LUM)														
	Exchange Ports-2W Voice GA basic dialing port w/o Caller ID														
	2W voice unbundled GA basic dialing port for use with Caller ID-res														
	2W voice unbundled GA basic dialing port-outgoing only														
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability														
	2W VG Unbundled Port w/o Caller ID capability, GA														
	2W VG Unbundled Port with Caller ID capability, GA														
	Subsequent Activity														
FEATURES															
	All Available Vertical Features														
2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus														
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller ID-Bus														
	Exchange Ports-2W Voice GA Business Basic Dialing Port, with Caller ID capability														
	Exchange Ports-2W Analog Line Port outgoing only-Bus														
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus														
	Exchange Ports-2W Voice GA Business Dialing Plan w/o Caller ID														
	2W voice unbundled Incoming Only Port w/o Caller ID Capability														
	Subsequent Activity														
FEATURES															
	All Available Vertical Features														
EXCHANGE PORT RATES (ID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res														
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus														
	2W VG Line Side Unbundled Outward PBX Trunk-Bus														
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus														

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim	DCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: 2 Exh A				
					Rec	Nonrecurring		NRC Disconnect		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st		
						First	Advt	First					Advt	
	2W Analog Long Distance Terminal PBX Trunk-Bus		UEPSP	UEPLD	2.09	28.88	13.63	11.48	0.83				SOMAN	
	2W Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	2.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled 2-Way PBX Lease Port		UEPSP	UEPXA	2.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled PBX Trunk-Hotel Ports		UEPSP	UEPXB	2.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled PBX LD DDD Terminal Port		UEPSP	UEPXC	2.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	2.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled PBX LD Terminal Switchboard 100 Capable Port		UEPSP	UEPXE	2.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Calling Port		UEPSP	UEPXM	2.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled 1-Way Outgoing PBX (Hotel/Hospital Discount Rm Calling Port)		UEPSP	UEPXS	2.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPWS	2.09	28.88	13.63	11.48	0.83					
	2W voice unbundled GA basic dialing port-1-Way Outdial Trunk		UEPSP	UEPWT	2.09	28.88	13.63	11.48	0.83					
	2W voice unbundled GA basic dialing port-2-Way Trunk		UEPSP	UEPWO	2.09	28.88	13.63	11.48	0.83					
	2W voice unbundled GA basic dialing port-2-way PBX Trunk		UEPSP	UEPWO	2.09	28.88	13.63	11.48	0.83					
	Subsequent Activity		UEPSP	USASC	0.00	0.00	0.00							
	FEATURES	[All Available Vertical Features		UEPVS	UEPVS	0.75	0.00	0.00						
	NOTE: Transmission/usage charges associated with POT's circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.													
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFRNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.													
	2-WIRE VOICE GRADE LINE PORT RATES (DID)	Exchange Ports-2W DID Port		UEPEX	UEPP2	6.50	122.28	18.65	64.82	3.45				
	Exchange Ports-2W ISDN Port (See Notes below)			UEPTX, UEPXS	UIPMA	7.09	76.38	81.50	46.87	10.38				
[All Features Offered			UEPTX, UEPXS	UEPVS	0.75	0.00	0.00							
Exchange Ports-2W ISDN Port - Channel Profiles			UEPTX, UEPXS	UIUMA	0.00	0.00	0.00							
NOTE: Transmission/usage charges associated with POT's circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.														
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFRNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.														
UNBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY	Unbundled Remote Call Forwarding Service - RESIDENCE		UEPVR	UEPVR	2.09	2.42	2.31	1.37	1.28					
Unbundled Remote Call Forwarding Service - Area Calling - Res			UEPVR	UEPVR	2.09	2.42	2.31	1.37	1.28					
Unbundled Remote Call Forwarding Service - Local Calling - Res			UEPVR	UEPVR	2.09	2.42	2.31	1.37	1.28					
Unbundled Remote Call Forwarding Service - InterLATA-Res			UEPVR	UEPVR	2.09	2.42	2.31	1.37	1.28					
Unbundled Remote Call Forwarding Service - IntraLATA-Res			UEPVR	UEPVR	2.09	2.42	2.31	1.37	1.28					
Non-Recurring	Unbundled Remote Call Forwarding Service - Conversion-Switch-as-is		UEPVR	USAC2	2.01	2.01	0.31							
Unbundled Remote Call Forwarding Service - Conversion with allowed charges (PIC and LPIC)			UEPVR	USACC	2.01	2.01	0.31							
UNBUNDLED REMOTE CALL FORWARDING - BUS	Unbundled Remote Call Forwarding Service - Area Calling-Bus		UEPVB	UEPVB	2.09	2.42	2.31	1.37	1.28					
Unbundled Remote Call Forwarding Service - Local Calling-Bus			UEPVB	UEPVB	2.09	2.42	2.31	1.37	1.28					
Unbundled Remote Call Forwarding Service - IntraLATA-Bus			UEPVB	UEPVB	2.09	2.42	2.31	1.37	1.28					
Unbundled Remote Call Forwarding Service - InterLATA-Bus			UEPVB	UEPVB	2.09	2.42	2.31	1.37	1.28					
Unbundled Remote Call Forwarding Service - Extended and Exception Local Calling			UEPVB	UEPVB	2.09	2.42	2.31	1.37	1.28					
Non-Recurring	Unbundled Remote Call Forwarding Service - Conversion-Switch-as-is		UEPVB	USAC2	2.01	2.01	0.31							
Unbundled Remote Call Forwarding Service - Conversion with allowed charges (PIC and LPIC)			UEPVB	USACC	2.01	2.01	0.31							
UNBUNDLED LOCAL SWITCHING, PORT USAGE	End Office Switching Function: Per MOU				0.0006153									
End Office Switching Function: Per MOU					0.001226									
Tandem Switching (Port Usage) (Local or Access Tandem)					0.000592									
Tandem Switching Function Per MOU					0.0001557									

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 ESN A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
					Nonrecurring		NRC Disconnect			SOMAN	SOMAN	SOMAN	SOMAN
					First	Add'l	First	Add'l					
	Tandem Switching Function Per MOU (Mileid)				0.000017904								
	Tandem Trunk Port-Shared, Per MOU (Mileid)				0.000002866								
	Mileid Factor: 18.42% of the Tandem Rate												
	Common Transport												
	Common Transport-Per Mile, Per MOU				0.00000027								
	Common Transport-Facilities Termination Per MOU				0.0001914								
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES													
	>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.												
	>The UNE-P Switching Port Rates Reflected in this Cost Based Section Apply to Embedded Base UNE-Ps as of March 19, 2003 and Contain the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO.												
	>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.												
	>The first and additional port nonrecurring charges apply to Not Currently Combined Combs. For Currently Combined Combs the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.												
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)												
	UNE Port/Loop Combination Rates												
	2W VG Loop/Port Combo-Zone 1				11.44								
	2W VG Loop/Port Combo-Zone 2				16.78								
	2W VG Loop/Port Combo-Zone 3				33.56								
	UNE Loop Rates												
	2W VG Loop (SL1)-Zone 1	1	UEPRX	UEPLX	9.68								
	2W VG Loop (SL1)-Zone 2	2	UEPRX	UEPLX	14.88								
	2W VG Loop (SL1)-Zone 3	3	UEPRX	UEPLX	31.66								
	2-Wire Voice Grade Line Port Rates (Res)												
	2W voice unbundled port-residence		UEPRX	UEPRL	1.9019	10.06	7.36	1.37	1.28				
	2W voice unbundled port with Caller ID-res		UEPRX	UEPRC	1.9019	10.06	7.36	1.37	1.28				
	2W voice unbundled res. low usage line port with Caller ID (LUM)		UEPRX	UEPRQ	1.9019	10.06	7.36	1.37	1.28				
	2W voice unbundled GA basic dialing port w/o Caller ID capability-res		UEPRX	UEPWC	1.9019	10.06	7.36	1.37	1.28				
	2W voice unbundled GA basic dialing port for use with Caller ID-res		UEPRX	UEPWQ	1.9019	10.06	7.36	1.37	1.28				
	2W voice unbundled GA basic dialing port-outgoing only		UEPRX	UEPWR	1.9019	10.06	7.36	1.37	1.28				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability		UEPRX	UEPRT	1.9019	10.06	7.36	1.37	1.28				
	2W VG Unbundled Port w/o Caller ID, GA		UEPRX	UEPRV	1.9019	10.06	7.36	1.37	1.28				
	2W VG Unbundled Port with Caller ID, GA		UEPRX	UEPRU	1.9019	10.06	7.36	1.37	1.28				
FEATURES													
	All Features Offered		UEPRX	UEPVF	0.775	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is		UEPRX	USAC2		0.10							
	2W VG Loop/Line Port Combination-Conversion-Switch with change		UEPRX	USACQ		0.10							
	local-to-net Conversion of Existing Service		UEPRX	URECC		0.10							
ADDITIONAL NRCs													
	2W VG Loop/Line Port Combination-Subsequent Activity		UEPRX	USAC2		0.00							
	Unbundled Video Rate Element, Tag Loop at End User Premises		UEPRX	URETL		8.83							
OPTION PREMISES EXTENSION CHANNELS													
	2W Analog VG Extension Loop - Non-Design	1	UEPRX	UEAEN	10.51	40.02	9.89	5.61	1.72				
	2W Analog VG Extension Loop - Non-Design	2	UEPRX	UEAEN	16.86	40.02	9.89	5.61	1.72				
	2W Analog VG Extension Loop - Non-Design	3	UEPRX	UEAEN	31.87	40.02	9.89	5.61	1.72				
	2W Analog VG Extension Loop - Design	1	UEPRX	UEAED	11.57	79.85	24.66	18.92	7.87				
	2W Analog VG Extension Loop - Design	2	UEPRX	UEAED	18.85	79.85	24.66	18.92	7.87				
	2W Analog VG Extension Loop - Design	3	UEPRX	UEAED	33.08	79.85	24.66	18.92	7.87				
INTEROFFICE TRANSPORT													
	Interoffice Transport-Dedicated 2W VG-Facility Termination		UEPRX	UTTY2	12.67	48.46	13.43	16.58	5.00				
	Interoffice Transport-Dedicated 2W VG-Per Mile or Fraction Mile		UEPRX	UTTM1	0.067	0.00							
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)												
	UNE Port/Loop Combination Rates												
	2W VG Loop/Port Combo-Zone 1				11.44								
	2W VG Loop/Port Combo-Zone 2				16.78								
	2W VG Loop/Port Combo-Zone 3				33.56								
	UNE Loop Rates												
	2W VG Loop (SL1)-Zone 1	1	UEPBX	UEPLX	9.68								

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Exh A			
						Nonrecurring		NRC Disconnect			SOMECH	SOMAN	SOMAN	SOMAN
						First	Add'l	First	Add'l					
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	14.86								
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	31.66								
2-Wire Voice Grade Line Port (Bus)	2W voice unbundled port w/o Caller ID-Bus			UEPBX	UEPBL	1.9019	10.05	7.36	1.37	1.28				
	2W voice unbundled port with Caller + E4R4 ID-Bus			UEPBX	UEPBC	1.9019	10.05	7.36	1.37	1.28				
	2W voice unbundled port outgoing only-Bus			UEPBX	UEPBO	1.9019	10.05	7.36	1.37	1.28				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPBI	1.9019	10.05	7.36	1.37	1.28				
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-Bus			UEPBX	UEPWO	1.9019	10.05	7.36	1.37	1.28				
	2W voice unbundled GA basic dialing port for use with Caller ID-Bus			UEPBX	UEPWP	1.9019	10.05	7.36	1.37	1.28				
	2W voice unbundled incoming Only Port w/o Caller ID Capability			UEPBX	UEPSE	1.9019	10.05	7.36	1.37	1.28				
	FEATURES													
	All Features Offered				UEPVF		0.775	0.00	0.00					
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED													
2W VG Loop/Line Port Combination-Conversion-Switch-as-is				UEPBX	USAC2		0.10	0.10						
2W VG Loop/Line Port Combination-Conversion-Switch with change				UEPBX	USACC		0.10	0.10						
ADDITIONAL NRCS														
2W VG Loop/Line Port Combination-Subsequent Activity				UEPBX	USAS2		0.00	0.00						
Included Misc Rate Element, Tag Loop at End User Premise				UEPBX	URETL		8.33	0.83						
OFFICE PREMISES EXTENSION CHANNELS														
2W Analog VG Extension Loop - Non-Design		1		UEPBX	UEAEN	10.51	40.02	9.98	5.61	1.72				
2W Analog VG Extension Loop - Non-Design		2		UEPBX	UEAEN	16.85	40.02	9.98	5.61	1.72				
2W Analog VG Extension Loop - Non-Design		3		UEPBX	UEAEN	31.67	40.02	9.98	5.61	1.72				
2W Analog VG Extension Loop - Design		1		UEPBX	UEAED	11.57	78.95	24.65	18.92	7.87				
2W Analog VG Extension Loop - Design		2		UEPBX	UEAED	16.95	78.95	24.65	18.92	7.87				
2W Analog VG Extension Loop - Design		3		UEPBX	UEAED	33.08	78.95	24.65	18.92	7.87				
INTEROFFICE TRANSPORT														
Interoffice Transport-Dedicated-2W VG-Facility Termination				UEPBX	UTIV2	12.67	48.46	19.48	18.98	5.00				
Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile				UEPBX	UTIVM	0.0057	0.00	0.00						
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														
LINE PORT/Loop Combination Rates														
2W VG Loop/Port Combo-Zone 1						11.46								
2W VG Loop/Port Combo-Zone 2						18.78								
2W VG Loop/Port Combo-Zone 3						33.66								
LINE Loop Rates														
2W VG Loop (SL1)-Zone 1		1		UEPRG	UEPLX	9.68								
2W VG Loop (SL1)-Zone 2		2		UEPRG	UEPLX	14.88								
2W VG Loop (SL1)-Zone 3		3		UEPRG	UEPLX	31.66								
2-Wire Voice Grade Line Port Rates (RES - PBX)														
2W VG Unbundled Combination 2-Wire PBX Trunk Port-Rate				UEPRG	UEPRD	1.9019	10.05	7.36	1.37	1.28				
FEATURES														
All Features Offered				UEPRG	UEPVF	0.775	0.00	0.00						
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED														
2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-is				UEPRG	USAC2		0.10	0.10						
2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change				UEPRG	USACC		0.10	0.10						
ADDITIONAL NRCS														
2W VG Loop/Line Port Combination (PBX)-Subsequent Activity				UEPRG	USAS2		0.00	0.00						
PBX Subsequent Activity-Charge/Arrange Multiline Hunt Group				UEPRG	URETL		8.33	0.83						
OFFICE PREMISES EXTENSION CHANNELS														
Local Channel VG, per termination		1		UEPRG	P2LFX	11.57	78.95	24.65	18.92	7.87				
Local Channel VG, per termination		2		UEPRG	P2LFX	16.95	78.95	24.65	18.92	7.87				
Local Channel VG, per termination		3		UEPRG	P2LFX	33.08	78.95	24.65	18.92	7.87				
Non-Wire Direct Serve Channel VG		1		UEPRG	S002X	12.74	56.92	7.70	4.40	0.02				
Non-Wire Direct Serve Channel VG		2		UEPRG	S002X	16.76	56.92	7.70	4.40	0.02				
Non-Wire Direct Serve Channel VG		3		UEPRG	S002X	31.18	56.92	7.70	4.40	0.02				
INTEROFFICE TRANSPORT														
Interoffice Transport-Dedicated-2W VG-Facility Termination				UEPRG	UTIV2	12.67	48.46	19.48	18.98	5.00				

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)		NRC Disconnect		Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						First	Add'l	First	Add'l	SOMECH	SOMAN	SOMECH	SOMAN	SOMECH	SOMAN	SOMECH	SOMAN
	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPPX	UITVM	0.0067	0.00	0.00									
	3-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
	UNE Port/Loop Combination Rates																
	2W VG Coin Port/Loop Combo - Zone 1					11.46											
	2W VG Coin Port/Loop Combo - Zone 2					16.78											
	2W VG Coin Port/Loop Combo - Zone 3					33.86											
	UNE Loop Rates																
	2W VG Loop (SL1)-Zone 1		1	UEPCC	UEPLX	9.56											
	2W VG Loop (SL1)-Zone 2		2	UEPCC	UEPLX	14.86											
	2W VG Loop (SL1)-Zone 3		3	UEPCC	UEPLX	31.66											
	2-Wire Voice Grade Line Ports (GCM)																
	2W Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1-800 (GA)			UEPCC	UEPGC	1.9019	10.05	7.36	1.37	1.28							
	2W Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCC	UEPGC	1.9019	10.05	7.36	1.37	1.28							
	2W Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCC	UEPGC	1.9019	10.05	7.36	1.37	1.28							
	2W Coin 2-Way with Operator Screening and Blocking: 900/976, 1-800, 011+, and Local (GA)			UEPCC	UEPGC	1.9019	10.05	7.36	1.37	1.28							
	2W Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCC	UEPGC	1.9019	10.05	7.36	1.37	1.28							
	2W Coin Outward with Operator Screening and Blocking: 900/976, 1-800, 011+, and Local (FL, GA)			UEPCC	UEPGC	1.9019	10.05	7.36	1.37	1.28							
	2W 2-Way Simultaneous with 900/976 (all states except LA)			UEPCC	UEPGC	1.9019	10.05	7.36	1.37	1.28							
	2W Coin Outward Simultaneous with 900/976 (all states except LA)			UEPCC	UEPGC	1.9019	10.05	7.36	1.37	1.28							
	ADDITIONAL LINE COIN PORT/LOOP (RC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCC	UEPGC	3.68	0.00	0.00	0.00	0.00							
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	2W VG Loop/Line Port Combination - Conversion-Switch-as-is			UEPCC	USAC2		0.10	0.10									
	2W VG Loop/Line Port Combination - Conversion-Switch with change			UEPCC	USAC2		0.10	0.10									
	ADDITIONAL NRECS																
	2W VG Loop/Line Port Combination-Subsequent Activity			UEPCC	USAC2		0.00	0.00									
	Unbundled Misc Rate Element: Tag Loop at End User Premise			UEPCC	USAC2		0.10	0.10									
	2-WIRE VOICE LOOP/2-WIRE VOICE GRADE TO TRANSPORT/2-WIRE LINE PORT (RES)																
	UNE Port/Loop Combination Rates																
	2W VG Loop/Port/Port Combo-Zone 1					26.53											
	2W VG Loop/Port/Port Combo-Zone 2					31.92											
	2W VG Loop/Port/Port Combo-Zone 3					48.04											
	UNE Loop Rates																
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	11.57											
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	16.96											
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	33.08											
	2-Wire Voice Grade Line Port Rates (Res)																
	2W voice unbundled port-residence			UEPFR	UEPFR	2.09	168.05	43.68	41.89	15.44							
	2W voice unbundled port with Caller ID-res			UEPFR	UEPFR	2.09	168.05	43.68	41.89	15.44							
	2W voice unbundled port outgoing only-res			UEPFR	UEPFR	2.09	168.05	43.68	41.89	15.44							
	2W voice unbundled res, low usage line port with Caller ID (LUM)			UEPFR	UEPFR	2.09	168.05	43.68	41.89	15.44							
	2W voice unbundled GA basic dialing port, who Caller ID capability-res			UEPFR	UEPFR	2.09	168.05	43.68	41.89	15.44							
	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPFR	UEPFR	2.09	168.05	43.68	41.89	15.44							
	2W voice unbundled GA basic dialing port-outgoing only			UEPFR	UEPFR	2.09	168.05	43.68	41.89	15.44							
	INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Termination			UEPFR	UITV2	12.67	48.46	18.48	16.58	5.00							
	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPFR	UITV2	0.0657	0.00	0.00									
	FEATURES																
	All Features Offered			UEPFR	UEPFR	0.778	0.00	0.00									
	NONRECURRING CHARGES (NRECS) - CURRENTLY COMBINED																
	2W Loop/Dedicated ID Transport/2W Line Port Combination-Conversion			UEPFR	USAC2		7.86	1.88									
	Switch-as-is																

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Inter in Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Attachment 2 Est A			
					Res	Nonrecouping		NRC Disconnect		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						First	Add'l	First					Add'l
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion Switch-With-Change		UEPFR	USACC		7.85	1.86						
	Unbundled Misc Rate Element, Tag Designed Loop at End User		UEPFR	URETN		11.19	1.10						
	2-WIRE VOICE LOOP/ 2-WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)												
	LINE Port/Loop Combination Rates												
	2W VG Loop (SL2)-Zone 1	1	UEPFB	UECF2									
	2W VG Loop (SL2)-Zone 2	2	UEPFB	UECF2									
	2W VG Loop (SL2)-Zone 3	3	UEPFB	UECF2									
	2-Wire Voice Grade Line Port (Bus)												
	2W voice unbundled port w/o Caller ID-bus		UEPFB	UEPBL	2.09	168.05	43.86	41.89	15.44				
	2W voice unbundled port with Caller + E664 ID-bus		UEPFB	UEPBC	2.09	168.05	43.86	41.89	15.44				
	2W voice unbundled port outgoing only-bus		UEPFB	UEPBO	2.09	168.05	43.86	41.89	15.44				
	2W voice unbundled incoming only port with Caller ID-bus		UEPFB	UEPBI	2.09	168.05	43.86	41.89	15.44				
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus		UEPFB	UEPBD	2.09	168.05	43.86	41.89	15.44				
	2W voice unbundled GA basic dialing port for use with Caller ID-bus		UEPFB	UEPBP	2.09	168.05	43.86	41.89	15.44				
	INTEROFFICE TRANSPORT		UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00				
	Interoffice Transport-Dedicated 2W VG-Facility Termination		UEPFB	1LBOC	0.0067	0.00	0.00						
	FEATURES												
	All Features Offered		UEPFB	UEPFF	0.775	0.00	0.00						
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED												
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion Switch-as-is		UEPFB	USAC2		7.85	1.86						
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion Switch with change		UEPFB	USACC		7.85	1.86						
	Unbundled Misc Rate Element, Tag Designed Loop at End User		UEPFB	URETN		11.19	1.10						
	2-WIRE VOICE LOOP/ 2-WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)												
	LINE Port/Loop Combination Rates												
	2W VG Loop (SL2)-Zone 1	1	UEPFB	UEPFC		26.53							
	2W VG Loop (SL2)-Zone 2	2	UEPFB	UEPFC		31.92							
	2W VG Loop (SL2)-Zone 3	3	UEPFB	UEPFC		48.04							
	2-Wire Voice Grade Line Port Rates (BUS - PBX)												
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus		UEPFB	UEPFC	2.09	168.05	43.86	41.89	15.44				
	Line Side Unbundled Outward PBX Trunk Port-Bus		UEPFB	UEPFO	2.09	168.05	43.86	41.89	15.44				
	Line Side Unbundled Incoming PBX Trunk Port-Bus		UEPFB	UEPFI	2.09	168.05	43.86	41.89	15.44				
	2W Voice Unbundled PBX LD Terminal Ports		UEPFB	UEPFD	2.09	168.05	43.86	41.89	15.44				
	2W Voice Unbundled 2-Way Combination PBX User's Port		UEPFB	UEPXB	2.09	168.05	43.86	41.89	15.44				
	2W Voice Unbundled PBX Toll Terminal Rate Ports		UEPFB	UEPXT	2.09	168.05	43.86	41.89	15.44				
	2W Voice Unbundled PBX LD DDD Terminals Port		UEPFB	UEPXD	2.09	168.05	43.86	41.89	15.44				
	2W Voice Unbundled PBX LD Terminal Switchboard Port		UEPFB	UEPXE	2.09	168.05	43.86	41.89	15.44				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPFB	UEPXL	2.09	168.05	43.86	41.89	15.44				
	Administrative Calling Port		UEPFB	UEPXM	2.09	168.05	43.86	41.89	15.44				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Calling Port		UEPFB	UEPXM	2.09	168.05	43.86	41.89	15.44				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Rm Calling Port		UEPFB	UEPXM	2.09	168.05	43.86	41.89	15.44				

UNBUNDLED NETWORK ELEMENTS - Georgia																		
CATEGORY	RATE ELEMENTS	Interf th	Zone	BCS	USOC	RATES(\$)					Svc Order Submitted d Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ech A		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
						Nonrecurring							NRC Disconnect	OSS Rates(\$)				
						Rec	First	Add'l	First	Add'l				SOMAN				SOMAN
	2W voice Unbundled 1-Way Outgoing PBX Measured Port			UEPXS		2.09	166.05	43.86	41.89	15.44								
	2W voice Unbundled GA basic dialing port-1-Way Quadral Trunk			UEPWS		2.09	166.05	43.86	41.89	15.44								
	2W voice Unbundled GA basic dialing port-2-Way Trunk			UEPWT		2.09	166.05	43.86	41.89	15.44								
	INTEROFFICE TRANSFER																	
	Intracities Transport-Dedicated-2W VG-Facility Termination			UEPFP		12.87	48.48	19.48	16.58	5.00								
	Intracities Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPFP		0.0057	0.00	0.00										
	FEATURES																	
	All Features Offered			UEPWF		0.775	0.00	0.00										
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversation			UEPFP			7.85	1.88										
	Switch-as-is			UEPFP														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversation			UEPFP			7.85	1.88										
	Switch with change			UEPFP														
	Unbundled Misc Rate Element, Tag Designated Loop at End User			UEPFP			11.19	1.10										
	Premises			UEPFP														
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																	
	UNE Port Loop Combination Rates																	
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1					18.85												
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2					23.44												
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3					39.56												
	UNE Loop Rates																	
	2W Analog VG Loop- (SL2)-UNE Zone 1		1	UEPXX		11.57												
	2W Analog VG Loop- (SL2)-UNE Zone 2		2	UEPXX		16.95												
	2W Analog VG Loop- (SL2)-UNE Zone 3		3	UEPXX		33.08												
	UNE Port Rates																	
	Exchange Port-2W DID Port			UEPXX		6.48	174.95	13.64	59.31	4.27								
	NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPXX			6.86	1.88										
	2W VG Loop/2W DID Trunk Port Combination with BellSouth Allowable			UEPXX														
	Change			UEPXX			6.86	1.88										
	ADDITIONAL NRCs																	
	Unbundled Misc Rate Element, Tag Designated Loop at End User			UEPXX			11.19	1.10										
	Premises			UEPXX														
	Telephone Number/Trunk Group Establishment Charges			UEPXX														
	DID Trunk Termination (One Per Port)			UEPXX		0.00	0.00	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group of 20			UEPXX														
	DID Numbers			UEPXX		0.00	0.00	0.00										
	Additional DID Numbers for each Group of 20 DID Numbers			UEPXX		0.00	0.00	0.00										
	DID Numbers, Non- consecutive DID Numbers - Per Number			UEPXX		0.00	0.00	0.00										
	Reserve Non-Consecutive DID Numbers			UEPXX		0.00	0.00	0.00										
	Reserve DID Numbers			UEPXX		0.00	0.00	0.00										
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																	
	UNE Port Loop Combination Rates																	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port UNE					30.44												
	Zone 1																	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port UNE					26.46												
	Zone 2																	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port UNE					39.08												
	Zone 3																	
	UNE Loop Rates																	
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPXB	UEPXR	USL2X												
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPXB	UEPXR	USL2X												
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPXB	UEPXR	USL2X												
	UNE Port Rates																	
	Exchange Port-2W ISDN Line Side Port			UEPXR		6.19	161.36	141.66	43.86	5.37								
	Exchange Port-2W ISDN Line Side Port			UEPXB	UEPXB	6.19	161.36	141.66	43.86	5.37								
	NONRECURRING CHARGES - CURRENTLY COMBINED																	

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Est A			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
						Nonrecurring					NRC Disconnect	Svc Order Submitted Manually per LSR	OSS Rates(\$)				
						Rec	First	Add'l	First				SOMAN			SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination- Conversion			UEPPB UEPPR	USACB	0.00	42.52	26.89									
ADDITIONAL NRCS																	
	2W ISDN Loop/2W ISDN Port Combination-Sub Active-Non Feature/Add Trunk			UEPPB UEPPR	USASB		0.00										
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premises			UEPPB UEPPR	URETN		11.19	1.10									
	Unbundled Misc Rate Element, Tag Loop at End User Premises			UEPPB UEPPR	URETL		8.33	0.83									
	B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/RESS)			UEPPB UEPPR	ULUCA	0.00	0.00	0.00									
	CVS (EWSD)			UEPPB UEPPR	ULUCB	0.00	0.00	0.00									
	CSD			UEPPB UEPPR	ULUCC	0.00	0.00	0.00									
	B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL, KY, LA, MS, SC, MS, & TN)																
	USER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB UEPPR	ULUMA	0.00	0.00	0.00									
	Vertical Features																
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPYF	0.775	0.00	0.00									
	INTEROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	MITGNC	12.8757	48.46	19.48	16.58	6.00							
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	MITGNI	0.0057	0.00	0.00									
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																	
	UNE-P CENTREX - TAESS - (Valid in AL, FL, GA, KY, LA, MS, & TN only)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
	(UNE Port/Loop Combination Rates (Non-Design))																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					11.46											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					16.76											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					33.95											
	UNE Port/Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					13.47											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					18.85											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					34.85											
UNE Loop Rate																	
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	9.56											
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	14.95											
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	31.88											
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	11.87											
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	18.95											
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	33.08											
UNE Ports																	
	All States (Except North Carolina and South Carolina)																
	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	1.9019	10.05	7.35	1.37	1.28							
	2W VG Port (Centrex) 800 Termination Basic Local Area			UEP91	UEPYB	1.9019	10.05	7.35	1.37	1.28							
	2W VG Port (Centrex with Caller ID/Note1) Basic Local Area			UEP91	UEPYH	1.9019	10.05	7.35	1.37	1.28							
	2W VG Port (Centrex from diff SWIC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.9019	82.27	26.85	20.29	9.15							
	2W VG Port (Diff SWIC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.9019	82.27	26.85	20.29	9.15							
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.9019	10.05	7.35	1.37	1.28							
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.9019	10.05	7.35	1.37	1.28							
Georgia and Florida Only																	
	2W VG Port (Centrex)			UEP91	UEP9A	1.9019	10.05	7.35	1.37	1.28							
	2W VG Port (Centrex 800 Termination)			UEP91	UEP9B	1.9019	10.05	7.35	1.37	1.28							
	2W VG Port (Centrex with Caller ID)			UEP91	UEP9H	1.9019	10.05	7.35	1.37	1.28							
	2W VG Port (Centrex from diff SWIC) 3			UEP91	UEP9M	1.9019	82.27	26.85	20.29	9.15							
	2W VG Port (Diff SWIC 2-3-800 Service Term			UEP91	UEP9Z	1.9019	82.27	26.85	20.29	9.15							
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEP99	1.9019	10.05	7.35	1.37	1.28							
	2W VG Port Terminated on 800 Service Term			UEP91	UEP92	1.9019	10.05	7.35	1.37	1.28							
Local Switching																	
	Centrex Intercom Functionality, per port			UEP91	URECS	0.4237											

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: 2 Edn A		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Nonrecurring		NRC Discount			SO/MEG	SO/IAN		
						Rate	First	Adt'l	First	Adt'l				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEP99	1.9019	10.05	7.36	1.37	1.28				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEP92	1.9019	10.05	7.36	1.37	1.28				
	FL & GA Only													
	2W VG Port (Centrex)			UEP95	UEP94	1.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex 800 termination)			UEP95	UEP94	1.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex with Caller ID)			UEP95	UEP94	1.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex from diff SWG22.3)			UEP95	UEP94	1.9019	10.05	7.36	1.37	1.28				
	2W VG Port, DIF SWG-800 Service Term 2.3			UEP95	UEP94	1.9019	82.27	26.96	20.29	9.15				
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEP94	1.9019	10.05	7.36	1.37	1.28				
	2W VG Port Terminated on 800 Service Term			UEP95	UEP94	1.9019	10.05	7.36	1.37	1.28				
	Local Switching													
	Centrex Intercom Functionality, per port			UEP95	UREDS	0.4237								
	Features													
	All Standard Features Offered, per port			UEP95	UEP9F	0.775								
	All Select Features Offered, per port			UEP95	UEP9F	0.00	0.00							
	All Centrex Control Features Offered, per port			UEP95	UEP9C	0.00								
	NARS													
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register-India			UEP95	UARIY	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register-Outcall			UEP95	UAROY	0.00	0.00	0.00	0.00	0.00				
	Also Terminations													
	2-Wire Trunk Side													
	Trunk Side Terminations, each			UEP95	GEND6	5.50	122.26	18.65	54.82	3.45				
	4-Wire Digital (1.24 Megabits)			UEP95	M1HD1	41.20	200.96	55.00	65.61	2.33				
	D50 Channels Activated, each			UEP95	M1HD0	0.00	13.95							
	Interoffice Channel Millage - 2 Wires													
	Interoffice Channel Facilities Termination			UEP95	M1B6C	12.87	48.48	19.48	16.58	5.00				
	Interoffice Channel millage, per mile or fraction of mile			UEP95	M1B6M	0.0067								
	Feature Admissions (DS0) Centrex Loops on Channelized DS1 Service													
	D4 Channel Bank Feature Activations			UEP95	1PQW5	0.4659								
	Feature Activation on D4 Channel Bank Centrex Loop Slot			UEP95	1PQW6	0.4659								
	Feature Activation on D4 Channel Bank EX Line Side Loop Slot			UEP95	1PQW7	0.4659								
	Feature Activation on D4 Channel Bank EX Trunk Side Loop Slot			UEP95	1PQW7	0.4659								
	Feature Activation on D4 Channel Bank Centrex Loop Slot-Different WVC			UEP95	1PQWP	0.4659								
	Feature Activation on D4 Channel Bank Private Line Loop Slot			UEP95	1PQW9	0.4659								
	Feature Activation on D4 Channel Bank Tie Line/Trunk Loop Slot			UEP95	1PQWQ	0.4659								
	Feature Activation on D4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4659								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex													
	NRC Conversion Currently Combined Switch-A6-is with allowed changes, per port			UEP95	USAC2	0.10	0.10							
	New Centrex Standard Common Block			UEP95	M1AOS	0.00	317.90	37.59	48.99	5.92				
	New Centrex Customized Common Block			UEP95	M1ACG	0.00	317.90	37.59	48.99	5.92				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	0.00							
	Additional Non-Recurring Charges (NRC)													
	Unbundled Mac Rate Element, Tag Loop at End Use Premise			UEP95	URETL	8.33	8.33	0.83						
	Unbundled Mac Rate Element, Tag Loop at End Use Premise			UEP95	URETN	11.19	11.19	1.10						
	UNE-P CENTREX - DS1S900 (Valid in All States)													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo													
	UNE Port/Loop Combination Rates (Non-Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					11.46								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					16.76								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					33.06								
	UNE Port/Loop Combination Rates (Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					13.47								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					18.86								

UNBUNDLED NETWORK ELEMENTS - Kentucky									
CATEGORY	RATE ELEMENTS	Interim	Zone	BC3	USOC	RATES(\$)		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Nonrecurring	First Add'l	First Add'l	First Add'l
						Rec			
<p>The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.kentuckyinterconnection.com/become_a_client/interconnection.htm</p> <p>NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, or CLEC may elect the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, or CLEC may elect the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, or CLEC may elect the BellSouth "regional" service ordering charges.</p> <p>NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMELEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMELEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, OSS-Electronic Service Order Charge, Per Local Service Request (LSR).</p>									
	UNE Only								
	OSS-Manual Service Order Charge, Per Local Service Request (LSR)-				SOMELEC		3.50	0.00	3.50
	UNE Only				SOMAN		7.86	0.00	7.86
UNE SERVICE DATE ADVANCEMENT CHARGE									
NOTE: The Expense charge will be maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 5 as applicable.									
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day				SDASP		200.00		
ORDER MODIFICATION CHARGE									
	Order Modification Charge (OMC)						33.37	0.00	0.00
	Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00
UNBUNDLED EXCHANGE ACCESS LOOP									
3-WIRE ANALOG VOICE GRADE LOOP									
	2W Analog VO Loop- SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2		12.67	81.87	73.65
	2W Analog VO Loop- SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2		17.45	81.87	73.65
	2W Analog VO Loop- SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2		33.22	81.87	73.65
	2W Analog VO Loop- SL2 w/Reverse Battery Signaling-Zone 1		1	UEA	UEAR2		12.67	81.87	73.65
	2W Analog VO Loop- SL2 w/Reverse Battery Signaling-Zone 2		2	UEA	UEAR2		17.45	81.87	73.65
	2W Analog VO Loop- SL2 w/Reverse Battery Signaling-Zone 3		3	UEA	UEAR2		33.22	81.87	73.65
	Switch-As-A Conversion rate per UNE Loop, Single LSR, (per DSO)			UEA	URES1		24.98	3.52	
	Switch-As-A Conversion rate per UNE Loop, SpreadSheet, (per DSO)			UEA	URES1		28.44	5.01	
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	38.35	

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Manually per LSR	Attachment 2 Exh A			Incremental Charge - Manual Svc Order vs. Electronic-Disco Add'l
						Nonrecurring						SOMAN	SOMAN	SOMAN	
						Rec	NRC Disconnect								
							First	Add'l	Add'l	ASGT					
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.21	1.10							
4-WIRE ANALOG VOICE GRADE LOOP	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	29.28	164.11	112.35	78.91	18.65					
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	34.25	164.11	112.35	78.91	18.65					
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	85.08	164.11	112.35	78.91	18.65					
	Switch-A to Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA	URES1	24.86	24.86	3.62							
	Switch-A to Conversion rate per UNE Loop, Shared rate, (per DS0)			UEA	URES1	28.44	28.44	5.01							
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO	87.72	87.72	36.38							
2-WIRE ISDN DIGITAL GRADE LOOP	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	18.44	148.77	85.02	71.38	13.83					
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	25.08	148.77	85.02	71.38	13.83					
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	42.87	148.77	85.02	71.38	13.83					
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO	97.63	97.63	44.16							
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP														
	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 1		1	UAL	UAL2X	10.82	141.58	79.73	69.02	11.47					
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 2		2	UAL	UAL2X	11.79	141.58	79.73	69.02	11.47					
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 3		3	UAL	UAL2X	12.87	141.58	79.73	69.02	11.47					
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54					
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54					
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54					
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO	86.20	86.20	40.40							
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54					
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 2		2	UHL	UHL2X	9.55	151.54	89.29	69.09	11.54					
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 3		3	UHL	UHL2X	10.81	151.54	89.29	69.09	11.54					
	2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 1		1	UHL	UHL2W	8.75	130.74	75.55	69.09	11.54					
	2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 2		2	UHL	UHL2W	9.55	130.74	75.55	69.09	11.54					
	2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 3		3	UHL	UHL2W	10.81	130.74	75.55	69.09	11.54					
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 1		1	UHL	UHL4X	13.95	165.75	123.50	74.95	14.89					
	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 2		2	UHL	UHL4X	15.88	165.75	123.50	74.95	14.89					
	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 3		3	UHL	UHL4X	16.95	165.75	123.50	74.95	14.89					
	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80					
	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 2		2	UHL	UHL4W	15.88	164.95	114.04	77.32	15.80					
	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 3		3	UHL	UHL4W	16.95	164.95	114.04	77.32	15.80					
4-WIRE DS1 DIGITAL LOOP	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO	86.14	86.14	40.40							
	4W DS1 Digital Loop-Zone 1		1	USL	USL2X	86.47	308.69	174.44	65.63	14.95					
	4W DS1 Digital Loop-Zone 2		2	USL	USL2X	112.10	308.69	174.44	65.63	14.95					
	4W DS1 Digital Loop-Zone 3		3	USL	USL2X	297.76	308.69	174.44	65.63	14.95					
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO	86.14	86.14	40.40							
	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 1		1	UHL	UHL4X	13.95	165.75	123.50	74.95	14.89					

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Each A			Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NKG Discount		SOMAN	SOMAN	SOMAN		
							First	Add'l							
	Switch-A-B Conversion rate per UNE Loop, Single LSR, (per DS1)			USL	URESL		24.93	3.02							
	Switch-A-B Conversion rate per UNE Loop, Spreadsheet, (per DS1)			USL	URESP		26.44	5.01							
	GLEC to GLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.09	43.04							
4-WIRE	18.2, 64 OR 64 Kbps DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1	1		UCL	UCL2X	27.59	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 2	2		UCL	UCL2X	32.48	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 3	3		UCL	UCL2X	38.37	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 1	1		UCL	UCL4X	27.59	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 2	2		UCL	UCL4X	32.48	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 3	3		UCL	UCL4X	38.37	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 1	1		UCL	UCL8X	27.59	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 2	2		UCL	UCL8X	32.48	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 3	3		UCL	UCL8X	38.37	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital 19.2 Kbps-Zone 1	1		UCL	UCL16	27.59	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital 19.2 Kbps-Zone 2	2		UCL	UCL16	32.48	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital 19.2 Kbps-Zone 3	3		UCL	UCL16	38.37	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 1	1		UCL	UCL64	27.59	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 2	2		UCL	UCL64	32.48	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 3	3		UCL	UCL64	38.37	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 1	1		UCL	UCL64	27.59	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 2	2		UCL	UCL64	32.48	457.81	108.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 3	3		UCL	UCL64	38.37	457.81	108.06	78.91	18.66					
	Switch-A-B Conversion rate per UNE Loop, Single LSR, (per DS0)			UCL	URESL		24.93	3.02							
	Switch-A-B Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UCL	URESP		26.44	5.01							
	GLEC to GLEC Conversion Charge w/o outside dispatch			UCL	UREWO		102.13	49.75							
2-WIRE	Unbundled COPPER LOOP														
	2W Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 1	1		UCL	UCLPB	10.82	140.95	78.70	69.09	11.54					
	2W Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 2	2		UCL	UCLPB	11.79	140.95	78.70	69.09	11.54					
	2W Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 3	3		UCL	UCLPB	12.87	140.95	78.70	69.09	11.54					
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 1	1		UCL	UCLPW	10.82	120.15	87.97	69.09	11.54					
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 2	2		UCL	UCLPW	11.79	120.15	87.97	69.09	11.54					
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 3	3		UCL	UCLPW	12.87	120.15	87.97	69.09	11.54					
	Order Coordination for Unbundled Copper Loops (per Loop)			UCL	UCLMC		9.00	9.00							
	GLEC to GLEC Conversion Charge w/o outside dispatch (UCL-Dos)			UCL	UREWO		97.23	42.48							
4-WIRE	COPPER LOOP														
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 1	1		UCL	UCLAS	18.92	170.31	108.06	74.95	14.69					
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 2	2		UCL	UCLAS	17.36	170.31	108.06	74.95	14.69					
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 3	3		UCL	UCLAS	28.10	170.31	108.06	74.95	14.69					
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 1	1		UCL	UCLAW	18.92	149.62	97.33	74.95	14.69					
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 2	2		UCL	UCLAW	17.36	149.62	97.33	74.95	14.69					
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 3	3		UCL	UCLAW	28.10	149.62	97.33	74.95	14.69					
	GLEC to GLEC Conversion Charge w/o outside dispatch (UCL-Dos)			UCL	UREWO		97.23	42.48							
	Order Coordination for Specified Conversion Time (per LSR)			UEA, UDN, UAL, UHL, UDL, USL	OCOSL		23.01								
	Reassignments			UEA	UREEL		87.72	36.36							
	EEL to UNE-L Reassignment, per 2W Unbundled Voice Loop-SL2			UEA	UREEL		87.72	36.36							
	EEL to UNE-L Reassignment, per 4 Wire Unbundled Voice Loop			UEA	URESL		97.72	36.36							

UNBUNDLED NETWORK ELEMENTS - Kentucky													Attachment: 2 Exh A			
CATEGORY	RATE ELEMENTS	Interact m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		
						NRC Discount					OSS Rates(\$)					
						Rec	First	Add'l	Add'l		SOMAN	SOMAN	SOMAN			
UNE LOOP COMMINGLING	EEEL to UNE-L Reframination, per 2W ISDN Loop			UNL	UREEL		91.63	44.18								
	EEEL to UNE-L Reframination, per 4 Wire Unbundled Digital Loop			UNL	UREEL		102.13	48.75								
	EEEL to UNE-L Reframination, per 4 Wire Unbundled DS1 Loop			UNL	UREEL		101.09	43.04								
	2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING															
	2W Analog VG Loop- SL2 w/Loop or Ground Start Signaling-Zone 1		1	NTCVG	UEAL2	12.67	134.89	81.87	73.65	14.88						
	2W Analog VG Loop- SL2 w/Loop or Ground Start Signaling-Zone 2		2	NTCVG	UEAL2	17.45	134.88	81.87	73.65	14.88						
	2W Analog VG Loop- SL2 w/Loop or Ground Start Signaling-Zone 3		3	NTCVG	UEAL2	33.22	134.89	81.87	73.65	14.88						
	2W Analog VG Loop- SL2 w/Reverse Battery Signaling-Zone 1		1	NTCVG	UEAR2	12.67	134.89	81.87	73.65	14.88						
	2W Analog VG Loop- SL2 w/Reverse Battery Signaling-Zone 2		2	NTCVG	UEAR2	17.45	134.89	81.87	73.65	14.88						
	2W Analog VG Loop- SL2 w/Reverse Battery Signaling-Zone 3		3	NTCVG	UEAR2	33.22	134.89	81.87	73.65	14.88						
4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING	Switch-Ae Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URES		24.98	3.52								
	Switch-Ae Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URES		28.44	5.01								
	CLEC to CLEC Conversion Charge w/o outside dispatch			NTCVG	UREWO		87.72	38.36								
	Loop Tagging-SL2 (SL2)			NTCVG	URETL		11.41	1.10								
	4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING															
	4W Analog VG Loop-Zone 1		1	NTCVG	UEAL4	28.26	164.11	112.38	78.91	18.68						
	4W Analog VG Loop-Zone 2		2	NTCVG	UEAL4	34.25	164.11	112.38	78.91	18.68						
	4W Analog VG Loop-Zone 3		3	NTCVG	UEAL4	85.06	164.11	112.38	78.91	18.68						
	Switch-Ae Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URES		24.98	3.52								
	Switch-Ae Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URES		28.44	5.01								
4-WIRE DS1 DIGITAL LOOP - COMMINGLING	CLEC to CLEC Conversion Charge w/o outside dispatch			NTCVG	UREWO		87.72	38.38								
	4-WIRE DS1 DIGITAL LOOP - COMMINGLING															
	4W DS1 Digital Loop-Zone 1		1	NTCD1	USLX	86.47	306.69	174.44	65.53	14.55						
	4W DS1 Digital Loop-Zone 2		2	NTCD1	USLX	114.10	306.69	174.44	65.53	14.55						
	4W DS1 Digital Loop-Zone 3		3	NTCD1	USLX	267.78	306.69	174.44	65.53	14.55						
	Switch-Ae Conversion rate per UNE Loop, Single LSR, (per DS1)			NTCD1	URES		24.98	3.52								
	Switch-Ae Conversion rate per UNE Loop, Spreadsheet, (per DS1)			NTCD1	URES		28.44	5.01								
	CLEC to CLEC Conversion Charge w/o outside dispatch			NTCD1	UREWO		101.09	43.04								
	4-WIRE DS1 DIGITAL LOOP - COMMINGLING															
	4W Unbundled Digital Loop 2.4 Kbps-Zone 1		1	NTCUD	UDL2X	27.59	157.81	106.06	78.91	18.68						
4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 2		2	NTCUD	UDL2X	32.48	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 3		3	NTCUD	UDL2X	36.37	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 1		1	NTCUD	UDL4X	27.59	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 2		2	NTCUD	UDL4X	32.48	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 3		3	NTCUD	UDL4X	36.37	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 1		1	NTCUD	UDL9X	27.59	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 2		2	NTCUD	UDL9X	32.48	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 3		3	NTCUD	UDL9X	36.37	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital 19.2 Kbps-Zone 1		1	NTCUD	UDL19	27.59	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital 19.2 Kbps-Zone 2		2	NTCUD	UDL19	32.48	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital 19.2 Kbps-Zone 3		3	NTCUD	UDL19	36.37	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 68 Kbps-Zone 1		1	NTCUD	UDL68	27.59	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 68 Kbps-Zone 2		2	NTCUD	UDL68	32.48	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 68 Kbps-Zone 3		3	NTCUD	UDL68	36.37	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 64 Kbps-Zone 1		1	NTCUD	UDL64	27.59	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 64 Kbps-Zone 2		2	NTCUD	UDL64	32.48	157.81	106.06	78.91	18.68							
4 Wire Unbundled Digital Loop 64 Kbps-Zone 3		3	NTCUD	UDL64	36.37	157.81	106.06	78.91	18.68							
Switch-Ae Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCUD	URES		24.98	3.52									
Switch-Ae Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCUD	URES		28.44	5.01									
CLEC to CLEC Conversion Charge w/o outside dispatch			NTCUD	UREWO		102.13	48.75									
Order Coordination for Specified Conversion Time (per LSR)																
NTCVG, NTCUD, NTCOD1																
UNBUNDLED EXCHANGE ACCESS LOOP	2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop- Service Level 1- Zone 1		1	UEANL	UEAL2	10.58	48.66	22.57	26.65	7.65						
	2W Analog VG Loop- Service Level 1- Zone 2		2	UEANL	UEAL2	15.34	48.66	22.57	26.65	7.65						
	2W Analog VG Loop- Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	48.66	22.57	26.65	7.65						
	2W Analog VG Loop- Service Level 1- Zone 1		1	UEANL	UEAL2	10.58	48.66	22.57	26.65	7.65						
	2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop- Service Level 1- Zone 1		1	UEANL	UEAL2	10.58	48.66	22.57	26.65	7.65						
	2W Analog VG Loop- Service Level 1- Zone 2		2	UEANL	UEAL2	15.34	48.66	22.57	26.65	7.65						
	2W Analog VG Loop- Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	48.66	22.57	26.65	7.65						
	2W Analog VG Loop- Service Level 1- Zone 1		1	UEANL	UEAL2	10.58	48.66	22.57	26.65	7.65						

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Exh A				Incremental Charge - Manual Svc Order vs. Electronic- Add'l				Incremental Charge - Manual Svc Order vs. Electronic- Add'l			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	SOME	SOME	SOME	Svc Order Submitted Manually per LSR	SOME	SOME	SOME	Svc Order Submitted Manually per LSR	SOME	SOME	SOME
						Rec	Nonrecurring	First	Add'l	First	Add'l	First	Add'l	First	Add'l	First	Add'l	First	Add'l	First	Add'l
	Interoffice Channel-2W VG-per mile			UTVX	1L5XX	0.01															
	Interoffice Channel-2W VG-Facility Termination			UTVX	UTVX	28.11	47.34	31.78	22.77	8.75											
	Interoffice Channel-2W VG Rev Bat- per mile			UTVX	1L5XX	0.01															
	Interoffice Channel-2W VG Rev Bat-Facility Termination			UTVX	UTVX	28.11	47.34	31.78	22.77	8.75											
	Interoffice Channel-4W VG-per mile			UTVX	1L5XX	0.01															
	Interoffice Channel-4W VG-Facility Termination			UTVX	UTVX	28.11	47.34	31.78	22.77	8.75											
	Interoffice Channel-4W VG Rev Bat- per mile			UTVX	1L5XX	0.01															
	Interoffice Channel-4W VG Rev Bat-Facility Termination			UTVX	UTVX	28.11	47.34	31.78	22.77	8.75											
	Interoffice Channel-58 Mbps-per mile			UTDX	1L5XX	0.0116															
	Interoffice Channel-58 Mbps-Facility Termination			UTDX	UTDX	20.97	47.34	31.78	22.77	8.75											
	Interoffice Channel-34 Mbps-per mile			UTDX	1L5XX	0.0115															
	Interoffice Channel-34 Mbps-Facility Termination			UTDX	UTDX	20.97	47.34	31.78	22.77	8.75											
	Interoffice Channel-D51-per mile			UTD1	1L5XX	0.23															
	Interoffice Channel-D51-Facility Termination			UTD1	UTD1	95.04	106.52	88.46	23.09	20.49											
	Interoffice Channel-D53-per mile			UTD3	1L5XX	4.97															
	Interoffice Channel-D53-Facility Termination			UTD3	UTD3	1,175.15	335.40	219.24	89.57	87.75											
	Interoffice Channel-ST6-per mile			UTS1	1L5XX	4.97															
	Interoffice Channel-ST6-Facility Termination			UTS1	UTS1	1,149.51	335.40	219.24	89.57	87.75											
	Local Channel-Dedicated-2W VG			UDV2	UDV2	21.36															
	Local Channel-Dedicated-2W VG Rev Bat			UDV2	UDV2	21.36															
	Local Channel-Dedicated-4W VG			UDV4	UDV4	22.84															
	Local Channel-Dedicated-D51-Zone 1			UDV4	UDV4	22.84															
	Local Channel-Dedicated-D51-Zone 2			UDV4	UDV4	22.84															
	Local Channel-Dedicated-D51-Zone 3			UDV4	UDV4	22.84															
	Local Channel-Dedicated-D53-Per Mile per month			UDV4	UDV4	188.18															
	Local Channel-Dedicated-D53-Facility Termination			UDV4	UDV4	10.05															
	Local Channel-Dedicated-ST6-1-Per Mile per month			UDV4	UDV4	62.43															
	Local Channel-Dedicated-ST6-1-Facility Termination			UDV4	UDV4	10.05															
	Local Channel-Dedicated-ST6-1-Per Mile per month			UDV4	UDV4	62.43															
	Local Channel-Dedicated-ST6-1-Facility Termination			UDV4	UDV4	10.05															
	UNBUNDLED DARK FIBER					624.73															
	Dark Fiber-Interoffice Transport, Per Four Fiber Strands, Per Route Mile			UDF, UDFCX	1L5DF	30.74															
	Dark Fiber-Interoffice Transport, Per Four Fiber Strands, Per Route Mile			UDF, UDFCX	UDF, UDFCX																
	Dark Fiber-Interoffice Transport, Per Four Fiber Strands, Per Route Mile			UDF, UDFCX	UDF, UDFCX																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month-Local Channel			UDF, UDFCX	1L5DC	54.06															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month-Local Loop			UDF, UDFCX	1L5DL	54.06															
	6XX ACCESS TEN DIGIT SCREENING																				
	6XX Access Ten Digit Screening, Per Call					0.000478															
	6XX Access Ten Digit Screening w/ 98% No Delivery					0.000478															
	6XX Access Ten Digit Screening w/ 98% No Delivery					0.000478															
	LINE INFORMATION DATA BASE ACCESS (LDB)																				
	LDB Common Transport Per Query					0.000023															
	LDB Validation Per Query					0.013732															
	LDB Originating Point Code Establishment or Change																				
	CALLING NAME (CNAM) SERVICE																				
	GNAM for DB Owners, Per Query																				
	GNAM for Non DB Owners, Per Query																				
	SELECTIVE ROUTING																				
	Selective Routing Per Unique Line Class Code Per Request Per Switch																				
	AIN SELECTIVE CARRIER ROUTING																				
	Regional Service Establishment																				
	End Office Establishment																				
	LinePort NRC per end user																				
	Query NRC per query																				
	AIN - BELLSOUTH AIN SMS ACCESS SERVICE																				
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			AIN	CAWSE																
	AIN SMS Access Service-Per Connection-Dial/Shared Access			AIN	CAMP																

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Exh A				Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l				Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l			
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l				Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l					
						Nonrecurring		NRC Disconnect				OSS Rates(\$)				OSS Rates(\$)					
						Rec	First	Add'l	First	Add'l	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	AIN SMS Access Service-Port Connection-SDN Access			AIN	CAMTP			8.64		10.03											
	AIN SMS Access Service-User Identification Codes-Per User ID Code			AIN	CAMAU			38.65		29.98											
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			AIN	CAMRC			75.08		12.93											
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0025															
	AIN SMS Access Service-Session, Per Minute					0.888															
	AIN SMS Access Service-Company Performed Session, Per Minute					0.4808															
HIGH CAPACITY UNBUNDLED LOCAL LOOP																					
DS-3/STS-1 UNBUNDLED LOCAL LOOP - Stand Alone																					
	DS3 Unbundled Local Loop-per mile			UES	UEAL2	9.25															
	DS3 Unbundled Local Loop-Facility Termination			UES	UESPX	308.31		551.38		173.00	120.42										
	STS-1 Unbundled Local Loop-per mile			UDLSX	UDLS1	9.25															
	STS-1 Unbundled Local Loop-Facility Termination			UDLSX	UDLS1	300.51		551.38		173.00	120.42										
ENHANCED EXTENDED LINK (EEL)																					
Network Elements Used in Combinations																					
	2W VG Loop (SL2) in Combination-Zone 1	1		UNCVX	UEAL2	12.67		125.22		60.48	59.69										
	2W VG Loop (SL2) in Combination-Zone 2	2		UNCVX	UEAL2	17.45		125.22		60.48	59.69										
	2W VG Loop (SL2) in Combination-Zone 3	3		UNCVX	UEAL2	33.22		125.22		60.48	59.69										
	4W Analog VG Loop in Combination-Zone 1	1		UNCVX	UEALA	26.76		125.22		60.48	59.69										
	4W Analog VG Loop in Combination-Zone 2	2		UNCVX	UEALA	34.25		125.22		60.48	59.69										
	4W Analog VG Loop in Combination-Zone 3	3		UNCVX	UEALA	53.05		125.22		60.48	59.69										
	2W SDN Loop in Combination-Zone 1	1		UNCVX	UEAL2	18.44		125.22		60.48	59.69										
	2W SDN Loop in Combination-Zone 2	2		UNCVX	UEAL2	26.08		125.22		60.48	59.69										
	2W SDN Loop in Combination-Zone 3	3		UNCVX	UEAL2	42.87		125.22		60.48	59.69										
	4W SDN Loop in Combination-Zone 1	1		UNCVX	UEAL2	27.59		125.22		60.48	59.69										
	4W SDN Loop in Combination-Zone 2	2		UNCVX	UEAL2	32.48		125.22		60.48	59.69										
	4W SDN Loop in Combination-Zone 3	3		UNCVX	UEAL2	38.37		125.22		60.48	59.69										
	4W SDN Loop in Combination-Zone 1	1		UNCVX	UEAL2	27.89		125.22		60.48	59.69										
	4W SDN Loop in Combination-Zone 2	2		UNCVX	UEAL2	32.48		125.22		60.48	59.69										
	4W SDN Loop in Combination-Zone 3	3		UNCVX	UEAL2	38.37		125.22		60.48	59.69										
	4W DS1 Digital Loop in Combination-Zone 1	1		UNCVX	UEAL2	58.47		210.70		114.80	63.96										
	4W DS1 Digital Loop in Combination-Zone 2	2		UNCVX	UEAL2	66.47		210.70		114.80	63.96										
	4W DS1 Digital Loop in Combination-Zone 3	3		UNCVX	UEAL2	87.76		210.70		114.80	63.96										
	DS3 Local Loop in combination-per mile			UNCVX	UEAL2	287.76		210.70		114.80	63.96										
	STS-1 Local Loop in combination-Facility Termination			UNCVX	UESPX	308.31		237.36		147.69	63.43										
	STS-1 Local Loop in combination-per mile			UNCVX	UESPX	320.51		237.36		147.69	63.43										
	Interoffice Channel in combination-2W VG-per mile			UNCVX	UEAL2	0.01		98.09		53.67	56.31										
	Interoffice Channel in combination-2W VG-Facility Termination			UNCVX	UEAL2	23.95		98.09		53.67	56.31										
	Interoffice Channel in combination-4W VG-per mile			UNCVX	UEAL2	0.01		98.09		53.67	56.31										
	Interoffice Channel in combination-4W VG-Facility Termination			UNCVX	UEAL2	21.28		98.09		53.67	56.31										
	Interoffice Channel in combination-4W 64 kbps-per mile			UNCVX	UEAL2	0.01		98.09		53.67	56.31										
	Interoffice Channel in combination-4W 64 kbps-Facility Termination			UNCVX	UEAL2	17.25		98.09		53.67	56.31										
	Interoffice Channel in combination-DS3-per mile			UNCVX	UEAL2	0.19		98.09		53.67	56.31										
	Interoffice Channel in combination-DS3-Facility Termination			UNCVX	UEAL2	4.09		98.09		53.67	56.31										
	Interoffice Channel in combination-DS3-per mile			UNCVX	UEAL2	868.89		350.56		141.58	48.00										
	Interoffice Channel in combination-DS3-Facility Termination			UNCVX	UEAL2	4.09		350.56		141.58	48.00										
	Interoffice Channel in combination-STS-1 Facility Termination			UNCVX	UEAL2	945.75		350.56		141.58	48.00										
ADDITIONAL NETWORK ELEMENTS																					
Optional Features & Functions:																					
	Clear Channel Capability Extended Frame Option-per DS1			UTTD1, ULD01, UNC1X	CCDEF			0.00		0.00	0.00										
	Clear Channel Capability Super Frame Option-per DS1			UTTD1, ULD01, UNC1X	CCDEF			0.00		0.00	0.00										
	Clear Channel Capability (SF/ESF) Option-Subsequent Activity-per DS1			UTTD1, ULD01, UNC1X, UBL	NRCCG			194.91		23.82	1.99										

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2 Esh A									
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USDC	RATES(\$)				Svc Order Submitted Monthly per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st Add'l						
						Res	First	Add'l	NRC Disconnected										
	2W Voice Unbundled PBX KY Premium Calling Port			UEPSP	UEPXA	2.49	39.05	18.17	15.38	0.89									
	2W Voice Unbundled 2-Way PBX KY Area Calling Port w/o LUD			UEPSP	UEPXJ	2.49	39.05	18.17	15.38	0.89									
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.49	39.05	18.17	15.38	0.89									
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Calling Port			UEPSP	UEPXM	2.49	39.05	18.17	15.38	0.89									
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Rm Calling Port			UEPSP	UEPXD	2.49	39.05	18.17	15.38	0.89									
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.49	39.05	18.17	15.38	0.89									
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00											
FEATURES																			
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00											
	Local Switching Features offered with Port																		
	NOTE: Transmission/usage charges associated with PORTS circuit switched usage will also apply to circuit switched usage and/or circuit switched data transmission by B-Channel associated with 2-wire ISDN ports.																		
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.																		
	2-WIRE VOICE GRADE LINE PORT RATES (Only)																		
	Exchange Ports-2W DID Port			UEPXP	UEP2	11.51	92.18	15.62	62.16	5.30									
	Exchange Ports-2W ISDN Port (See Notes below)			UEPXP	UEP2	11.51	92.18	15.62	62.16	5.30									
	All Features Offered			UEPXP	UEP2	11.51	92.18	15.62	62.16	5.30									
	Exchange Ports-2W ISDN Port - Channel Profiles			UEPXP	UEP2	11.51	92.18	15.62	62.16	5.30									
	NOTE: Transmission/usage charges associated with PORTS circuit switched usage will also apply to circuit switched usage and/or circuit switched data transmission by B-Channel associated with 2-wire ISDN ports.																		
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.																		
	UNBUNDLED REMOTE CALL FORWARDING CAPABILITY																		
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																		
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UEPVR	2.49	3.74	3.63											
	Unbundled Remote Call Forwarding Service, Local Calling, Res			UEPVR	UEPVR	2.49	3.74	3.63											
	Unbundled Remote Call Forwarding Service, InterLATA, Res			UEPVR	UEPVR	2.49	3.74	3.63											
	Unbundled Remote Call Forwarding Service, IntraLATA, Res			UEPVR	UEPVR	2.49	3.74	3.63											
	Non-Recording																		
	Unbundled Remote Call Forwarding Service -Conversion-Switchable																		
	Unbundled Remote Call Forwarding Service -Conversion with allowed charges (PIC and LPIC)			UEPVR	USAC2	0.10	0.10	0.10											
	UNBUNDLED REMOTE CALL FORWARDING - BUS																		
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UEPVB	2.49	3.74	3.63											
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UEPVB	2.49	3.74	3.63											
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UEPVB	2.49	3.74	3.63											
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UEPVB	2.49	3.74	3.63											
	Unbundled Remote Call Forwarding Service Expanded and Exception																		
	Local Calling																		
	Non-Recording																		
	Unbundled Remote Call Forwarding Service -Conversion-Switchable																		
	Unbundled Remote Call Forwarding Service -Conversion with allowed charges (PIC and LPIC)			UEPVB	USAC2	0.10	0.10	0.10											
	UNBUNDLED LOCAL SWITCHING, PORT USAGE																		
	End Office Switching (Port Usage)																		
	End Office Switching Function, Per MOU					0.0011971													
	End Office Trunk Port-Shared, Per MOU					0.0002112													
	Tandem Switching (Port Usage) (Local or Access Tandem)																		
	Tandem Switching Function, Per MOU					0.000194													
	Tandem Trunk Port-Shared, Per MOU					0.0002418													
	Tandem Switching Function, Per MOU (Meas'd)					0.00094091													
	Tandem Trunk Port-Shared, Per MOU (Meas'd)					0.00117638													
	Meas'd Factor: 48.66% of the Tandem Rate																		
	Common Transport																		
	Common Transport-Per Mile, Per MOU					0.000003													
	Common Transport-Facility Termination Per MOU					0.0007468													
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																		
	>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																		

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Esh A						
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st			
						Nonrecurring		First						Add'l	First	Add'l
						First	Add'l	SOMAN	SOMAN							
	> This UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO.															
	> Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.															
	> End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															
	> The first and additional Port nonrecurring charges apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															
	> 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (R2S)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1						11.78									
	2W VG Loop/Port Combo-Zone 2						18.32									
	2W VG Loop/Port Combo-Zone 3						32.24									
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX		8.64									
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX		14.37									
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX		30.58									
	2-Wire Voice Grade Line Port Rates (Ras)															
	2W voice unbundled port-residence			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					
	2W voice unbundled port with Caller ID-bus			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					
	2W voice unbundled port outgoing only-bus			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					
	2W VG unbundled KY extended local dialing party port with Caller ID-bus			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					
	2W voice unbundled res, low usage line port with Caller ID (LUM)			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					
	2W voice unbundled KY Residence Dialing Plan w/o Caller ID			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					
	FEATURES															
	All Features Offered			UEPRX	UEPRX		0.00	0.00								
	NONRECURRING CHARGES (NRCH) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Switch-Set-1			UEPRX	US4C2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	US4C2		0.10	0.10								
	2W VG Loop/Line Port Platform-Installation Charge at Out-of-Site			UEPRX	US4C2		0.10	0.10								
	location-Not Conversion of Existing Service			UEPRX	US4C2		0.10	0.10								
	ADDITIONAL NRCH															
	2W VG Loop/Line Port Combination-Subsequent Activity			UEPRX	US4C2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premises			UEPRX	US4C2		8.33	0.83								
	OFFICE PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEPRX		48.88	22.57	26.65	7.65						
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEPRX		48.88	22.57	26.65	7.65						
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEPRX		48.88	22.57	26.65	7.65						
	2W Analog VG Extension Loop - Design		1	UEPRX	UEPRX		134.89	81.87	73.85	14.88						
	2W Analog VG Extension Loop - Design		2	UEPRX	UEPRX		134.89	81.87	73.85	14.88						
	2W Analog VG Extension Loop - Design		3	UEPRX	UEPRX		134.89	81.87	73.85	14.88						
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Termination			UEPRX	U1V2		23.93	96.00	53.87	56.31	22.42					
	Interoffice Transport-Dedicated-2W VG-Pw Mile or Fraction Mile			UEPRX	U1V2		0.0065	0.00	0.00							
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (R2S)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1						11.78									
	2W VG Loop/Port Combo-Zone 2						18.32									
	2W VG Loop/Port Combo-Zone 3						32.24									
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX		8.64									
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX		14.37									
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX		30.58									
	2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					
	2W voice unbundled port with Caller ID-bus			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					
	2W voice unbundled port outgoing only-bus			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					
	2W VG unbundled KY extended local dialing party port with Caller ID-bus			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					
	2W voice unbundled incoming only port with Caller ID-bus			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled KY Business Dialing Plan w/o Caller ID			UEPRX	UEPRX		2.15	21.29	15.49	2.85	2.67					

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Est A			Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						NRC Disconnect					OSB Release(s)			
						First	Add'l	First	Add'l		SOME	SOMAN	SOMAN	
	2W voice unbundled incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	2.15	21.29	15.49	2.67					
FEATURES	All Features Offered													
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
2W VG Loop/Line Port Combination-Conversion-Switch-Basis				UEPBX	UEPVF	0.00	0.00	0.00						
2W VG Loop/Line Port Combination-Conversion-Switch with change				UEPBX	USAC2		0.10	0.10						
ADDITIONAL NRCs														
2W VG Loop/Line Port Combination-Subsequent Activity				UEPBX	USAS2	0.00	0.00	0.00						
Unbundled Misc Rate Element, Tap Loop at End User Premises				UEPBX	URETL	8.33	0.83							
OFF/OFF PREMISES EXTENSION CHANNELS														
2W Analog VG Extension Loop - Non-Design			1	UEPBX	UEAEN	10.58	48.68	22.67	28.65	7.65				
2W Analog VG Extension Loop - Non-Design			2	UEPBX	UEAEN	15.34	48.68	22.67	28.65	7.65				
2W Analog VG Extension Loop - Non-Design			3	UEPBX	UEAEN	31.11	48.68	22.67	28.65	7.65				
2W Analog VG Extension Loop - Design			1	UEPBX	UEAED	12.87	134.89	61.87	73.65	14.88				
2W Analog VG Extension Loop - Design			2	UEPBX	UEAED	17.45	134.89	61.87	73.65	14.88				
2W Analog VG Extension Loop - Design			3	UEPBX	UEAED	33.22	134.89	61.87	73.65	14.88				
INTEROFFICE TRANSPORT														
Interoffice Transport-Dedicated 2W VG-Facility Termination				UEPBX	UITV2	23.95	98.09	63.67	64.31	22.42				
Interoffice Transport-Dedicated 2W VG-Per Mile or Fraction Mile				UEPBX	UITVM	0.0066	0.00	0.00						
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														
UNE Port Loop Combination Rate														
2W VG Loop/Port Combo-Zone 1						11.78								
2W VG Loop/Port Combo-Zone 2						16.52								
2W VG Loop/Port Combo-Zone 3						32.74								
UNE Loop Rates														
2W VG Loop (SL 1)-Zone 1			1	UEPRG	UEPLX	9.84								
2W VG Loop (SL 1)-Zone 2			2	UEPRG	UEPLX	14.37								
2W VG Loop (SL 1)-Zone 3			3	UEPRG	UEPLX	30.59								
2-Wire Voice Grade Line Port Rates (RES - PBX)														
2W VG Unbundled Combination 2-Wire PBX Trunk Port-Rates				UEPRG	UEPRD	2.15	21.29	15.49	2.67	2.67				
FEATURES	All Features Offered													
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is				UEPRG	UEPVF	0.00	0.00	0.00						
2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change				UEPRG	USAC2		8.46	1.91						
ADDITIONAL NRCs														
2W VG Loop/Line Port Combination (PBX)-Subsequent Activity				UEPRG	USACC		8.45	1.91						
PBX Subsequent Activity-Charge/Rate-Range Multiple Hunt Group				UEPRG	USAS2	0.00	0.00	0.00						
Unbundled Misc Rate Element, Tap Loop at End User Premises				UEPRG	URETL	7.88	8.33	0.83						
OFF/OFF PREMISES EXTENSION CHANNELS														
Local Channel VG, per termination			1	UEPRG	P2JHX	12.87	134.89	61.87	73.65	14.88				
Local Channel VG, per termination			2	UEPRG	P2JHX	17.45	134.89	61.87	73.65	14.88				
Local Channel VG, per termination			3	UEPRG	P2JHX	33.22	134.89	61.87	73.65	14.88				
Non-Wire Direct Serve Channel VG			1	UEPRG	SDDXX	12.88	170.06	78.10	119.62	15.80				
Non-Wire Direct Serve Channel VG			2	UEPRG	SDDXX	16.12	170.06	78.10	119.62	15.80				
Non-Wire Direct Serve Channel VG			3	UEPRG	SDDXX	28.84	170.06	78.10	119.62	15.80				
INTEROFFICE TRANSPORT														
Interoffice Transport-Dedicated 2W VG-Facility Termination				UEPRG	UITV2	23.95	98.09	63.67	64.31	22.42				
Interoffice Transport-Dedicated 2W VG-Per Mile or Fraction Mile				UEPRG	UITVM	0.0066	0.00	0.00						
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)														
UNE Port Loop Combination Rate														
2W VG Loop/Port Combo-Zone 1						11.78								
2W VG Loop/Port Combo-Zone 2						16.52								
2W VG Loop/Port Combo-Zone 3						32.74								
UNE Loop Rates														
2W VG Loop (SL 1)-Zone 1			1	UEPPX	UEPLX	9.84								
2W VG Loop (SL 1)-Zone 2			2	UEPPX	UEPLX	14.37								
2W VG Loop (SL 1)-Zone 3			3	UEPPX	UEPLX	30.59								

UNBUNDLED NETWORK ELEMENTS - Kentucky																			
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)					Svc Order Submits d Elec per L&R	Svc Order Submitted Manually per L&R	Attachment 2 Exh A		Incremental Charge - Manual Svc Order vs. Electronic- Dis Adm'l	Incremental Charge - Manual Svc Order vs. Electronic- Dis 1st			
						Nonrecurring							SOMEC	SOMAN			OSS Rates(\$)	SOMAN	SOMAN
						Rep	First	Adm'l	First	Adm'l									
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																		
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX			2.15	21.29	15.49	2.85	2.67								
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX			2.15	21.29	15.49	2.85	2.67								
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPP1			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled PBX LD DDD Terminating Port			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled 2-Way PBX KY Rm Area Calling Port w/o LUD			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled 2-Way PBX KY Rm Area Calling Port w/o LUD			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled PBX KY LUD Area Calling Port			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled PBX KY Premium Calling Port			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled 2-Way KY Area Calling Port w/o LUD			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled Outdial KY Rm Area Calling Port			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Calling Port			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Rm Calling Port			UEPPX			2.15	21.29	15.49	2.85	2.67								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX			2.15	21.29	15.49	2.85	2.67								
FEATURES																			
	All Features Offered						0.00	0.00	0.00										
NONRECURRING CHARGES (NRC) - CURRENTLY COMBINED																			
	2-W VG Loop Line Port Combination (PBX) Conversion-Switch-As-Is			UEPPX			8.46	8.46	1.91										
	2-W VG Loop Line Port Combination (PBX) Conversion-Switch with Change			UEPPX			8.46	8.46	1.91										
ADDITIONAL NRCs																			
	2-W VG Loop Line Port Combination (PBX) Subsequent Activity			UEPPX			0.00	0.00	0.00										
	PBX Subsequent Activity-Change/Rearrange Multiple Hunt Group			UEPPX			7.88	7.88	0.83										
	Unbundled Mac Rate Element, Tag Loop at End User Premise			UEPPX															
OPTION PREMIER EXTENSION CHANNELS																			
	Local Channel VG, per termination	1		UEPPX			12.67	134.99	81.67	73.69	14.88								
	Local Channel VG, per termination	2		UEPPX			17.45	134.99	81.67	73.69	14.88								
	Local Channel VG, per termination	3		UEPPX			33.22	134.99	81.67	73.69	14.88								
	Non-Wire Direct Serve Channel VG	1		UEPPX			12.68	170.06	78.10	119.62	15.90								
	Non-Wire Direct Serve Channel VG	2		UEPPX			18.12	170.06	78.10	119.62	15.90								
	Non-Wire Direct Serve Channel VG	3		UEPPX			29.64	170.06	78.10	119.62	15.90								
INTEROFFICE TRANSFER																			
	Interoffice Transport-Dedicated 2-W VG-Facility Termination			UEPPX			23.86	98.08	53.67	56.31	22.42								
	Interoffice Transport-Dedicated 2-W VG-Per Mile or Fraction Mile			UEPPX			0.0065	0.00	0.00										
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																			
LINE Port/Loop Combination Rates																			
	2-W VG Coin Port/Loop Combo - Zone 1						11.79												
	2-W VG Coin Port/Loop Combo - Zone 2						15.92												
	2-W VG Coin Port/Loop Combo - Zone 3						32.74												
LINE Loop Rates																			
	2-W VG Loop (SL1)-Zone 1	1		UEP1X			9.84												
	2-W VG Loop (SL1)-Zone 2	2		UEP1X			14.37												
	2-W VG Loop (SL1)-Zone 3	3		UEP1X			30.59												
2-Wire Voice Grade Line Ports (COIN)																			
	2-W Coin 2-Way w/o Operator Screening and w/o Blocking (AL, KY, LA, MS)			UEP1P			2.15	21.29	15.49	2.85	2.67								
	2-W Coin 2-Way with Operator Screening (AL, KY)			UEP1P			2.15	21.29	15.49	2.85	2.67								
	2-W Coin 2-Way with Operator Screening and Blocking: 011, 900/908, 1-800 (AL, KY, LA, MS)			UEP1A			2.15	21.29	15.49	2.85	2.67								
	2-W Coin 2-Way with Operator Screening and 011 Blocking (KY)			UEP1A			2.15	21.29	15.49	2.85	2.67								

UNBUNDLED NETWORK ELEMENTS - Kentucky																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Exh A						
						Nonrecurring		MRC Disconnect			Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l			
						Rec	First	Addr	First						SOMAN	SOMAN	SOMAN
	2W Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD		2.15	21.29	15.49	2.67							
	2W Coin Outward w/o Blocking and w/o Operator Screening (KY, LA, MS)			UEPCO	UEPRN		2.15	21.29	15.49	2.67							
	2W Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ		2.15	21.29	15.49	2.67							
	2W Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH		2.15	21.29	15.49	2.67							
	2W Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN		2.15	21.29	15.49	2.67							
	2W 2-Way Standalone with 900/976 (all states except LA)			UEPCO	UEPCK		2.15	21.29	15.49	2.67							
	2W Coin Outward Standalone with 900/976 (all states except LA)			UEPCO	UEPCR		2.15	21.29	15.49	2.67							
	ADDITIONAL UNE COM PORT/LOOP (RC)																
	UNE Gain Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU		2.67	0.00	0.00	0.00							
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	2W VG Local/Line Port Combination - Conversion-Switch-as-is			UEPCO	USAC2			0.10	0.10								
	2W VG Local/Line Port Combination - Conversion-Switch with change			UEPCO	USACC			0.10	0.10								
	ADDITIONAL, NRCs																
	2W VG Local/Line Port Combination-Subsequent Activity			UEPCO	USAS2			0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL			8.33	0.83								
	2-WIRE VOICE LOOP/2-WIRE VOICE GRADE TO TRANSPORT/2-WIRE LINE PORT (RES)																
	UNE Port/Loop Combination Rates																
	2W VG Local/ID Transport/Port Combo-Zone 1						14.90										
	2W VG Local/ID Transport/Port Combo-Zone 2						19.08										
	2W VG Local/ID Transport/Port Combo-Zone 3						35.45										
	UNE Loop Rates																
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2		12.67										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2		17.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2		33.22										
	2-Wire Voice Grade Line Port Rates (Res)																
	2W voice unbundled port-residence			UEPFR	UEPRL		2.23	128.96	84.11	81.92	9.97						
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC		2.23	128.96	84.11	81.92	9.97						
	2W voice unbundled port originating only-res			UEPFR	UEPRO		2.23	128.96	84.11	81.92	9.97						
	2W VG unbundled KY extended local dialing party port with Caller ID-res			UEPFR	UEPRM		2.23	128.96	84.11	81.92	9.97						
	2W voice unbundled res. low usage line port with Caller ID (LUM)			UEPFR	UEPAP		2.23	128.96	84.11	81.92	9.97						
	2W Voice Unbundled KY Residence Dialing Plan w/o Caller ID			UEPFR	UEPWE		2.23	128.96	84.11	81.92	9.97						
	INTEROFFICE TRANSPORT			UEPFR	UTV2		23.86	99.09	63.67	56.31	22.42						
	Interoffice Transport-Dedicated 2W VG-Facility Termination			UEPFR	1LSX2		0.0095										
	Interoffice Transport-Dedicated 2W VG-Per Mile or Fraction Mile			UEPFR													
	FEATURES																
	All Features Offered			UEPFR	UEPVF		0.00	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion			UEPFR	USAC2			9.03	1.87								
	Switch-as-is			UEPFR													
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion			UEPFR	USACC			9.03	1.87								
	Switch-With-Change			UEPFR													
	Unbundled Misc Rate Element, Tag Designated Loop at End User Premise			UEPFR	URETN			11.21	1.10								
	2-WIRE VOICE LOOP/2-WIRE VOICE GRADE TO TRANSPORT/2-WIRE LINE PORT (BUS)																
	UNE Port/Loop Combination Rates																
	2W VG Local/ID Transport/Port Combo-Zone 1						14.90										
	2W VG Local/ID Transport/Port Combo-Zone 2						19.08										
	2W VG Local/ID Transport/Port Combo-Zone 3						35.45										
	UNE Loop Rates																
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2		12.67										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2		17.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2		33.22										
	2-Wire Voice Grade Line Port (Bus)																

UNBUNDLED NETWORK ELEMENTS - Kentucky													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Nonrecurring			NRC Discounted				
						Rec	First	Add'l					
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	2.23	128.03	84.11	81.92	9.97			
	2W voice unbundled port with Caller ID-bus			UEPFB	UEPBL	2.23	128.03	84.11	81.92	9.97			
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	2.23	128.03	84.11	81.92	9.97			
	2W VG unbundled KY extended local dialing party port with Caller ID-bus			UEPFB	UEPBM	2.23	128.03	84.11	81.92	9.97			
	2W voice unbundled incoming only port with Caller ID-bus			UEPFB	UEPBI	2.23	128.03	84.11	81.92	9.97			
	2W Voice Unbundled KY Business Dialing Plan w/o Caller ID			UEPFB	UEPWF	2.23	128.03	84.11	81.92	9.97			
	INTEROFFICE TRANSPORT												
	Interoffice Transport-Dedicated 2W VG-Facility Termination			UEPFB	UITV2	23.95	98.09	53.87	53.31	22.42			
	Interoffice Transport-Dedicated 2W VG-Per Mile or Fraction Mile			UEPFB	1L5XX	0.0085							
	FEATURES												
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00					
	NONRECURRING CHARGES (NRCC) - CURRENTLY COMBINED												
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conven-tion			UEPFB	USAC2		9.03	1.87					
	Switch-as-is												
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conven-tion			UEPFB	USACC		9.03	1.87					
	Switch with change												
	Unbundled Misc Rate Element, Tag Designated Loop at End User			UEPFB	URETN		11.21	1.10					
	Premise												
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)												
	LINE Port/Loop Combination Rates												
	2W VG Loop/IO Transport/Port Combo-Zone 1					14.90							
	2W VG Loop/IO Transport/Port Combo-Zone 2					19.66							
	2W VG Loop/IO Transport/Port Combo-Zone 3					35.46							
	LINE Loop Rates												
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	12.67							
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	17.46							
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	33.22							
	2-Wire Voice Grade Line Port Rates (BUS - PBX)												
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPFC	2.23	164.27	78.65	75.05	8.73			
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPFO	2.23	164.27	78.65	75.05	8.73			
	Line Side Unbundled Inbound PBX Trunk Port-Bus			UEPFP	UEPPI	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPDL	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled PBX LD DDD Terminal Port			UEPFP	UEPXC	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXE	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled 2-Way PBX KY Rm Area Calling Port w/o LUD			UEPFP	UEPXF	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled PBX KY LUD Area Calling Port			UEPFP	UEPXF	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled PBX KY Premium Calling Port			UEPFP	UEPXF	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled 2-Way KY Area Calling Port w/o LUD			UEPFP	UEPXF	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXF	2.23	164.27	78.65	75.05	8.73			
	Administrative Calling Port			UEPFP	UEPXL	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Calling Port			UEPFP	UEPXM	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Rm Calling Port			UEPFP	UEPXM	2.23	164.27	78.65	75.05	8.73			
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXM	2.23	164.27	78.65	75.05	8.73			
	INTEROFFICE TRANSPORT												
	Interoffice Transport-Dedicated 2W VG-Facility Termination			UEPFP	UITV2	23.95	98.09	53.87	53.31	22.42			
	Interoffice Transport-Dedicated 2W VG-Per Mile or Fraction Mile			UEPFP	1L5XX	0.0085							
	FEATURES												
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00					
	NONRECURRING CHARGES (NRCC) - CURRENTLY COMBINED												
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conven-tion			UEPFP	USAC2		9.03	1.87					
	Switch-as-is												

UNBUNDLED NETWORK ELEMENTS - Kentucky													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Exh A		
						Rec	Nonrecurring		NRC Disconnect First		Add'l	SVC Order Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
							First	Add'l					
	2W Loop/Dedicated IQ Transport/2W Line Port Combination-Conversion Switch with change			UEPPP	USACC			9.03	1.87				
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premises			UEPPP	URETN			11.21	1.10				
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT												
	LINE Port/Loop Combination Rates												
	2W VG Loop/2W DID Trunk Port Combo-ONE Zone 1					22.30							
	2W VG Loop/2W DID Trunk Port Combo-ONE Zone 2					27.08							
	2W VG Loop/2W DID Trunk Port Combo-ONE Zone 3					42.85							
	LINE Loop Rates												
	2W Analog VG Loop- (SL2)-LINE Zone 1		1	UEPPX	UECD1	12.67							
	2W Analog VG Loop- (SL2)-LINE Zone 2		2	UEPPX	UECD1	17.46							
	2W Analog VG Loop- (SL2)-LINE Zone 3		3	UEPPX	UECD1	33.22							
	LINE Port Rates												
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.63		336.11	27.75	132.37	9.31		
	NONRECURRING CHARGES - CURRENTLY COMBINED												
	2W VG Loop/2W DID Trunk Port Conversion with BellSouth Allowable												
	CHARGES												
	ADDITIONAL NRCs												
	2W DID Subsequent Activity-Add Trunks, Per Trunk			UEPPX	USAG1			32.25	32.25				
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premises			UEPPX	URETN			11.21	1.10				
	Telephone Number/Trunk Group Establishment Charges												
	DID Trunk Termination (One Per Port)			UEPPX	ND1	0.00		0.00	0.00				
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00		0.00	0.00				
	DID Numbers, Non-consecutive DID Numbers, Per Number			UEPPX	ND5	0.00		0.00	0.00				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00		0.00	0.00				
	Reserve DID Numbers			UEPPX	NDV	0.00		0.00	0.00				
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT												
	LINE Port/Loop Combination Rates												
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -LINE					26.68							
	Zone 1												
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -LINE					32.92							
	Zone 2												
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -LINE					51.21							
	Zone 3												
	LINE Loop Rates												
	2W ISDN Digital Grade Loop-ONE Zone 1		1	UEPPB UEPPR	USL2X	16.19							
	2W ISDN Digital Grade Loop-ONE Zone 2		2	UEPPB UEPPR	USL2X	22.33							
	2W ISDN Digital Grade Loop-ONE Zone 3		3	UEPPB UEPPR	USL2X	40.83							
	LINE Port Rates												
	Exchange Ports-2W ISDN Line Side Port			UEPPR	UEPPR	10.66		320.53	289.13	92.18	17.56		
	Exchange Ports-2W ISDN Line Side Port			UEPPB	UEPPB	10.59		320.53	289.13	92.18	17.56		
	NONRECURRING CHARGES - CURRENTLY COMBINED												
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion												
	ADDITIONAL NRCs												
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premises			UEPPB UEPPR	URETN			11.21	1.10				
	Unbundled Misc Rate Element, Tag Loop at End User Premises			UEPPB UEPPR	URETL			8.33	0.83				
	B-CHANNEL USER PROFILE ACCESS:												
	CVS(CSD (DMS/RESS))			UEPPB UEPPR	U1UCA	0.00		0.00	0.00				
	CVS (EWED)			UEPPB UEPPR	U1UCB	0.00		0.00	0.00				
	CSD			UEPPB UEPPR	U1UCG	0.00		0.00	0.00				
	B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL KY LAMS 8C.MS. & TH)												
	CVS(CSD (DMS/RESS))			UEPPB UEPPR	U1UCD	0.00		0.00	0.00				
	CVS (EWED)			UEPPB UEPPR	U1UCB	0.00		0.00	0.00				
	CSD			UEPPB UEPPR	U1UCF	0.00		0.00	0.00				

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Esh A			
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonrecurring	First	Ad'd'l	NRC Disconnect				
						Rec			First	SOMAN	SOMAN	SOMAN	SOMAN
	Interfaced Channel mileage, per mile or fraction of mile					0.01							
	Feature Activation (DSO) Centrex Loops on Channelized DS1 Service												
	D4 Channel Bank Feature Activation												
	Feature Activation on D4 Channel Bank Centrex Loop Slot												
	Feature Activation on D4 Channel Bank FX Line Side Loop Slot												
	Feature Activation on D4 Channel Bank FX Trunk Side Loop Slot												
	Feature Activation on D4 Channel Bank Centrex Loop Slot-Different												
	WC												
	Feature Activation on D4 Channel Bank Private Line Loop Slot												
	Feature Activation on D4 Channel Bank Line User Trunk Loop Slot												
	Feature Activation on D4 Channel Bank WATS Loop Slot												
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex												
	Conversion-Currently Combined Switch-Ae-Is with allowed changes, per												
	port												
	Conversion of Existing Centrex Common Block												
	New Centrex Standard Common Block												
	New Centrex Customized Common Block												
	Secondary Block, per Block												
	NAR Establishment Charge, Per Occasion												
	Additional Non-Recurring Charges (NRC)												
	Unbundled Misc Rate Element, Tag Loop at End Use Premises												
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premises												
	UNE-P CENTREX - SESS (Valid in All States)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												
	UNE Port Loop Combination Rates (Non-Design)												
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design												
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design												
	UNE Port Loop Combination Rates (Design)												
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design												
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design												
	UNE Loop Rate												
	2W VG Loop (SL 1)-Zone 1		1										
	2W VG Loop (SL 1)-Zone 2		2										
	2W VG Loop (SL 1)-Zone 3		3										
	2W VG Loop (SL 2)-Zone 1		1										
	2W VG Loop (SL 2)-Zone 2		2										
	2W VG Loop (SL 2)-Zone 3		3										
	UNE Port Rate												
	All States												
	2W VG Port (Centrex) Basic Local Area												
	2W VG Port (Centrex) 300 Termination												
	2W VG Port (Centrex) with Caller ID/Basic Local Area												
	2W VG Port (Centrex) from diff SWC/2.3 Basic Local Area												
	2W VG Port Diff SWC 2.3-300 Service Term-Basic Local Area												
	2W VG Port Terminated in on Magalink or equivalent-Basic Local Area												
	2W VG Port Terminated on 300 Service Term-Basic Local Area												
	AL, KY, LA, ME, SC, & TN Only												
	2W VG Port (Centrex)												
	2W VG Port (Centrex) 300 Termination												
	2W VG Port (Centrex) with Caller ID/1												
	2W VG Port (Centrex) from diff SWC/2.3												
	2W VG Port Diff SWC-300 Service Term 2.3												
	2W VG Port Terminated in on Magalink or equivalent												
	2W VG Port Terminated on 300 Service Term												
	Local Switching												

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Each A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LBR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Dis 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'l
						Reo	Nonrecurring First	Add'l	First	ADD'l			
	Centrex Intercom Functionality, per port			UEP95	URECS	0.8873							
Features													
	All Standard Features Offered, per port			UEP95	UEP95	0.00							
	All Select Features Offered, per port			UEP95	UEP95	0.00	405.68						
	All Centrex Control Features Offered, per port			UEP95	UEP95	0.00							
INARS													
	Unbundled Network Access Registrar-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00			
	Unbundled Network Access Registrar-Individual			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00			
	Unbundled Network Access Registrar-Outside			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00			
Misc Terminations													
	2-Wire Trunk Side												
	Trunk Side Terminations, each			UEP95	CENDS	10.61	92.15	15.82	52.16	5.30			
	4-Wire Digital (1.544 Megabits)			UEP95	M1HD1	74.77	184.85	77.74	60.68	3.85			
	DS1 Circuit Terminations, each			UEP95	M1HDO	0.00	15.08						
	DSO Channels Activated, each			UEP95	M1HDO	0.00							
Interoffice Channel Mileage - 2-Mile													
	Interoffice Channel Facilities Termination			UEP95	M1HDO	28.11							
	Interoffice Channel Mileage, per mile or fraction of mile			UEP95	M1HDO	0.01							
Feature Activations (DSO) Centrex Loops on Channelized DS1 Service													
	D4 Channel Bank Feature Activations												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQW5	0.82							
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP95	1PQW6	0.82							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.82							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different			UEP95	1PQW8	0.82							
	WC			UEP95	1PQW9	0.82							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQW9	0.82							
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP95	1PQW9	0.82							
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQW9	0.82							
Non-Recurring Charges (NRC) Associated with UNE-P Centrex													
	NRC Conversion Currently Combined Switch-As-is with allowed changes, per port			UEP95	USAC2		0.102	0.102					
	Conversion of Existing Centrex Common Block, each			UEP95	USACN	18.95	8.32						
	New Centrex Standard Common Block			UEP95	M1AGS	0.00	688.80	78.32	111.05	13.27			
	New Centrex Customized Common Block			UEP95	M1AGS	0.00	688.80	78.32	111.05	13.27			
	NAR Establishment Charge, Per Occasion			UEP95	M1AGS	0.00	688.80	78.32	111.05	13.27			
	Additional Non-Recurring Charges (NRC)			UEP95	URECA	0.00	72.76						
	Unbundled Misc Rate Element, Tag Loop at End Use Premises			UEP95	URETL		8.33	0.83					
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premises			UEP95	URETM		11.21	1.10					
UNE-P CENTREX - DMS106 (Valid in All States)													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												
	UNE Port/Loop Combination Rate (Non-Design)												
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					11.29							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					18.82							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					32.74							
UNE Port/Loop Combination Rate (Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					14.82							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					18.80							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					35.37							
UNE Loop Rate													
	2W VG Loop (SL 1)-Zone 1		1	UEP90	UECS1	9.64							
	2W VG Loop (SL 1)-Zone 2		2	UEP90	UECS1	14.37							
	2W VG Loop (SL 1)-Zone 3		3	UEP90	UECS1	30.69							
	2W VG Loop (SL 2)-Zone 1		1	UEP90	UECS2	12.67							
	2W VG Loop (SL 2)-Zone 2		2	UEP90	UECS2	17.45							
	2W VG Loop (SL 2)-Zone 3		3	UEP90	UECS2	33.22							
UNE Port Rate													
	2W VG Port (Centrex) Basic Local Area			UEP90	UEPVA	2.16	21.28	15.45	2.85	2.87			
ALL STATES													

UNBUNDLED NETWORK ELEMENTS - Kentucky																		
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)					Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh A			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
						Nonrecurring							NRG Disconnect					
						Rec	First	Add'l	First	Add'l			First	Add'l	First			
	2W VG Port, Diff SVC-800 Service Term 2.3			UEP9D	UEP9Z	2.15	21.28	13.48	2.85	2.87								
	2W VG Port Terminated in on Megalink or equivalent			UEP9D	UEP9Z	2.15	21.28	13.48	2.85	2.87								
	2W VG Port Terminated on 800 Service Term			UEP9D	UEP9Z	2.15	21.28	13.48	2.85	2.87								
	Local Switching																	
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.8873												
	Features																	
	All Standard Features Offered, per port			UEP9D	UEP9F	0.00												
	All Select Features Offered, per port			UEP9D	UEP9S	0.00												
	All Centrex Control Features Offered, per port			UEP9D	UEP9C	0.00	406.88											
	NARS																	
	Unbundled Network Access Register Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00								
	Unbundled Network Access Register-Inward			UEP9D	UARI1X	0.00	0.00	0.00	0.00	0.00								
	Unbundled Network Access Register-Outward			UEP9D	UARI0X	0.00	0.00	0.00	0.00	0.00								
	Misc Terminations																	
	2-Wire Trunk Side																	
	Trunk Side Terminations, each			UEP9D	CEP9D	10.51	62.18	15.82	52.15	5.30								
	4-Wire Digital (1,544 Megabits)																	
	DS1 Circuit Terminations, each			UEP9D	MIH4D1	74.77	164.98	77.74	60.69	3.98								
	DSO Channels Activated per Channel			UEP9D	MIHDO	0.00												
	Interoffice Channel Mileage - 2-Wire																	
	Interoffice Channel Mileage, per mile or fraction of mile			UEP9D	MIHBC	29.11												
	Interoffice Channel Mileage, per mile or fraction of mile			UEP9D	MIHBM	0.01												
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service																	
	D4 Channel Bank Feature Activations																	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	IPQWS	0.82												
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP9D	1PQW6	0.82												
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.82												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different			UEP9D	1PQWP	0.82												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.82												
	Feature Activation on D-4 Channel Bank Trunk Loop Slot			UEP9D	1PQWQ	0.82												
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.82												
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																	
	NRC Conversion Currency Combined Switch-In-Is with allowed																	
	Charges, per port			UEP9D	USAC2		0.102											
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32										
	New Centrex Standard Common Block			UEP9D	MIACS	0.00	989.80	76.32	111.05	13.27								
	New Centrex Customized Common Block			UEP9D	MIACC	0.00	989.80	76.32	111.05	13.27								
	NAR Establishment Charges, Per Occasion			UEP9D	URECA	0.00	72.75											
	Additional Non-Recurring Charges (NRC)																	
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.53	0.83										
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise																	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex Combo)			UEP9D	URETN		11.21	1.10										
	UNE Port/Loop Combination Rules (Non-Design)																	
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					11.79												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design					18.97												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design					32.74												
	UNE Port/Loop Combination Rules (Design)																	
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					14.82												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design					19.60												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design					35.37												
	UNE Loop Rate																	
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1													
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1													
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1													
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2													
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2													

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Attachment 2 Each A					
						Nonrecurring		NRC Disconnect	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
						First	Add'l						SOME	SOMAN	SOMAN
	2W VG Loop (SL 2)-Zone 3		3	UEP8E	UEC32	33.22									
UNE Port Rate															
AL, FL, KY, LA, MS, & TN only															
2W VG Port (Centrex) Basic Local Area				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
2W VG Port (Centrex 800 Termination) Basic Local Area				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
2W VG Port (Centrex with Caller ID) Basic Local Area				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
2W VG Port (Centrex from diff SWC) 2.3 Basic Local Area				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
2W VG Port (Diff SWC 2.3-800 Service Term) Basic Local Area				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
2W VG Port terminated in on Megalink or equivalent-Basic Local Area				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
2W VG Port terminated on 800 Service Term-Basic Local Area				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
AL, KY, LA, MS, & TN Only															
2W VG Port (Centrex 1)				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
2W VG Port (Centrex 800 Termination)				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
2W VG Port (Centrex with Caller ID)				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
2W VG Port (Centrex from diff SWC) 2.3				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
2W VG Port (Diff SWC 2.3-800 Service Term)				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
2W VG Port terminated in on Megalink or equivalent				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
2W VG Port terminated on 800 Service Term				UEP8E		2.15	21.29	15.49	2.85			2.85	2.87		
Local Switching															
Centrex Intercom Functionality, per port				UEP8E		0.8873									
Features															
All Standard Features Offered, per port				UEP8E		0.00									
All Select Features Offered, per port				UEP8E		0.00	405.88								
All Centrex Control Features Offered, per port				UEP8E		0.00									
MANA															
Unbundled Network Access Register-Combination				UEP8E		0.00	0.00	0.00	0.00			0.00	0.00		
Unbundled Network Access Register-Initial				UEP8E		0.00	0.00	0.00	0.00			0.00	0.00		
Unbundled Network Access Register-Quidlat				UEP8E		0.00	0.00	0.00	0.00			0.00	0.00		
Misc Terminations															
2-Wire Trunk Side															
Trunk Side Terminations, each				UEP8E	CEND3	10.51	92.18	16.82	82.16			6.30			
4-Wire Digital (1.544 Megabits)				UEP8E	MIHD1	74.77	164.98	77.74	60.89			3.88			
DS1 Circuit Terminations, each				UEP8E	MIHDQ										
DS0 Channel Activated Per Channel				UEP8E		0.00	15.09								
Interoffice Channel Mileage - 2-Mile															
Interoffice Channel Facilities Termination				UEP8E	MIQBC	28.11									
Interoffice Channel mileage, per mile or fraction of mile				UEP8E	MIQBM	0.01									
Feature Activations (DS0) Centrex Leaps on Channelized DS1 Service															
D4 Channel Bank Feature Activations															
Feature Activation on D-4 Channel Bank Centrex Loop Slot				UEP8E	IPQWS	0.82									
Feature Activation on D-4 Channel Bank FX Line Side Loop Slot				UEP8E	IPQWS	0.82									
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP8E	IPQW7	0.82									
Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different															
WIC															
Feature Activation on D-4 Channel Bank Private Line Loop Slot				UEP8E	IPQWP	0.82									
Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot				UEP8E	IPQWV	0.82									
Feature Activation on D-4 Channel Bank WATS Loop Slot				UEP8E	IPQWQ	0.82									
Non-Recurring Charges (NRC) Associated with UNE-P Centrex				UEP8E	IPQWA	0.82									
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port				UEP8E											
Conversion of Existing Centrex Common Block, each				UEP8E	USAC2		0.102	0.102							
New Centrex Standard Common Block				UEP8E	USACN		13.95	8.32							
New Centrex Customized Common Block				UEP8E	MIACS	0.00	689.40	78.32	111.05			13.27			
NAR Establishment Charge, Per Occasion				UEP8E	MIAGC	0.00	689.40	78.32	111.05			13.27			
Additional Non-Recurring Charges (NRC)				UEP8E	URECA	0.00	72.75								
Unbundled Misc Rate Element, Tag Loop at End Use Premise				UEP8E	URETL		8.33	0.83							
Unbundled Misc Rate Element, Tag Design Loop at End Use Premise				UEP8E	URETN		11.21	1.10							

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: 2 Est A		Incremental Charge - Manual Svc Order vs. Electronic- Disct Add'l		
						Rate	Nonrecurring		NRIC Disconnect		SOMECH	SOMAN		SOMAN	
							First	Add'l	First						Add'l
	UNE-P CENTREX - DCO - Valid In AL, KY, LA, MS, & TN														
	2-Wire VG Loop/2-Wire Voice Port (Centrex) Combo														
	UNE Port Loop Combination Rates (Non-Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					11.79									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					16.92									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					32.74									
	UNE Port Loop Combination Rates (Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					14.82									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					19.60									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					35.37									
	UNE Loop Rate														
	2W VG Loop (SL 1)-Zone 1		1	UEP83	UECS1	9.64									
	2W VG Loop (SL 1)-Zone 2		2	UEP83	UECS1	14.37									
	2W VG Loop (SL 1)-Zone 3		3	UEP83	UECS1	30.58									
	2W VG Loop (SL 2)-Zone 1		1	UEP83	UECS2	12.87									
	2W VG Loop (SL 2)-Zone 2		2	UEP83	UECS2	17.45									
	2W VG Loop (SL 2)-Zone 3		3	UEP83	UECS2	33.22									
	UNE Port Rate														
	AL, KY, LA, MS, & TN only														
	2W VG Port (Centrex) Basic Local Area			UEP83	UEPYA	2.15	21.28	15.49	2.85	2.87					
	2W VG Port (Centrex) 800 Termination Basic Local Area			UEP83	UEPYB	2.15	21.28	15.49	2.85	2.87					
	2W VG Port (Centrex) with Caller ID Basic Local Area			UEP83	UEPYH	2.15	21.28	15.49	2.85	2.87					
	2W VG Port (Centrex) from diff SWIC2.3 Basic Local Area			UEP83	UEPYM	2.15	21.28	15.49	2.85	2.87					
	2W VG Port (Diff SWIC2.3-800 Service Term-Basic Local Area			UEP83	UEPYZ	2.15	21.28	15.49	2.85	2.87					
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP83	UEPYB	2.15	21.28	15.49	2.85	2.87					
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP83	UEPY2	2.15	21.28	15.49	2.85	2.87					
	2W VG Port (Centrex)			UEP83	UEPQA	2.15	21.28	15.49	2.85	2.87					
	2W VG Port (Centrex 800 Termination)			UEP83	UEPQB	2.15	21.28	15.49	2.85	2.87					
	2W VG Port (Centrex) with Caller ID			UEP83	UEPOH	2.15	21.28	15.49	2.85	2.87					
	2W VG Port (Centrex) from diff SWIC2.3			UEP83	UEPQM	2.15	21.28	15.49	2.85	2.87					
	2W VG Port (Diff SWIC2.3-800 Service Term			UEP83	UEPQZ	2.15	21.28	15.49	2.85	2.87					
	2W VG Port terminated in on Megalink or equivalent			UEP83	UEPO9	2.15	21.28	15.49	2.85	2.87					
	2W VG Port Terminated on 800 Service Term			UEP83	UEPQ2	2.15	21.28	15.49	2.85	2.87					
	Local Switching														
	Centrex Intercom Functionality, per port			UEP83	URECS	0.8973									
	Features														
	All Standard Features Offered, per port			UEP83	UEPVF	0.00									
	All Centrex Control Features Offered, per port			UEP83	UEPVC	0.00									
	NARS														
	Unbundled Network Access Register Combination			UEP83	UAPCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Initial			UEP83	UAPYX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outside			UEP83	UAPOX	0.00	0.00	0.00	0.00	0.00					
	Also Terminations														
	2-Wire Trunk Side														
	Trunk Side Terminations, each			UEP83	CEND8	10.61	92.15	15.82	52.16	5.30					
	D81 Digital (1,544 Megabits)			UEP83	MHDD1	74.77	164.88	77.74	60.89	3.88					
	D80 Channel Activations, Per Channel			UEP83	MHDD0	0.00	16.09								
	Interoffice Channel W/Lease - 2-Wire			UEP83	M1GBC	28.11									
	Interoffice Channel Facilities Termination			UEP83	M1GBM	0.01									
	Interoffice Channel mileage, per mile or fraction of mile														
	Feature Activations (800) Centrex Loops on Channelized D81 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Sld			UEP83	1PQWS	0.62									
	Feature Activation on D-4 Channel Bank FX Line Sld			UEP83	1PQW6	0.62									
	Feature Activation on D-4 Channel Bank FX Trunk Sld			UEP83	1PQW7	0.62									
	Feature Activation on D-4 Channel Bank Centrex Loop Sld-Different														
	WIC			UEP83	1PQWP	0.62									

UNBUNDLED NETWORK ELEMENTS - Kentucky																
CATEGORY	RATE ELEMENTS	Interf m	BCS	USOC	RATES(\$)				Svc Order Submitted d Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A					
					Nonrecurring		NRC Disconnected				OSS Rates(\$)		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
					Rec	Add'l	First	Add'l			SOMAN	SOMAN				SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Svc		UEP93	1PQW7		0.02										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot		UEP93	1PQWQ		0.02										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP93	1PQWA		0.02										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port		UEP93	USAC2		0.102										
	Conversion of Existing Centrex Common Block, each		UEP93	USACN		18.95	8.32									
	New Centrex Standard Common Block		UEP93	MIACS		0.00	689.80	78.32	111.05	13.27						
	New Centrex Customized Common Block		UEP93	MIACC		0.00	689.80	78.32	111.05	13.27						
	INAR Establishment Charge, Per Occasion		UEP93	URECA		0.00	72.75									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise		UEP93	URETL			8.33	0.63								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise		UEP93	URETN			11.21	1.10								
Note 1 - Required Part for Centrex Control in 1AE65, BE66 & EW6D																
Note 2 - Requires Interoffice Channel Mileage																
Note 3 - Installation is combination of Installation charge for SL2 Loop and Port																
Note 4 - Requires Specific Customer Premises Equipment																
Note: Rates displaying an "i" in Interim column are interim as a result of a Commission order.																

UNBUNDLED NETWORK ELEMENTS - Louisiana														
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Est A			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring First	Add'l			MRC Disconnected First	Add'l	SOMECSOMAN		
	Loop Tying SL2 (SL2)		UEA	URETL		11.20	1.10							
4-WIRE ANALOG VOICE GRADE LOOP														
	4W Analog V3 Loop-Zone 1	1	UEA	UEA1A	30.81	127.40	91.02							
	4W Analog V3 Loop-Zone 2	2	UEA	UEA1A	38.32	127.40	91.02							
	4W Analog V3 Loop-Zone 3	3	UEA	UEA1A	60.39	127.40	91.02							
	Switch-As-to Conversion rate per LINE Loop, Single LSR, (per DS3)		UEA	URES1	24.96	3.92								
2-WIRE ISDN DIGITAL GRADE LOOP														
	Switch-As-to Conversion rate per LINE Loop, Spreadsheet, (per DS0)		UEA	URES1	26.47	5.01								
	CLEC to CLEC Conversion Charge w/o outside dispatch		UEA	URES1	87.59	36.30								
	2W ISDN Digital Grade Loop-Zone 1	1	UDN	U1L2X	22.09	113.34	76.98							
	2W ISDN Digital Grade Loop-Zone 2	2	UDN	U1L2X	35.28	113.34	76.98							
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP														
	2W ISDN Digital Grade Loop-Zone 3	3	UDN	U1L2X	65.18	113.34	76.98							
	CLEC to CLEC Conversion Charge w/o outside dispatch		UDN	URES1	91.49	44.09								
	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 1	1	UAL	UAL2X	12.29	117.08	68.36							
	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 2	2	UAL	UAL2X	14.09	117.08	68.36							
	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 3	3	UAL	UAL2X	16.76	117.08	68.36							
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 1	1	UAL	UAL2W	12.29	92.83	56.02							
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 2	2	UAL	UAL2W	14.09	92.83	56.02							
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 3	3	UAL	UAL2W	15.76	92.83	56.02							
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	CLEC to CLEC Conversion Charge w/o outside dispatch		UAL	URES1	86.07	40.34								
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 1	1	UHL	UHL2X	8.79	125.50	76.77							
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 2	2	UHL	UHL2X	11.82	125.50	76.77							
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 3	3	UHL	UHL2X	12.74	125.50	76.77							
	2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 1	1	UHL	UHL2W	8.79	101.24	64.43							
	2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 2	2	UHL	UHL2W	11.82	101.24	64.43							
	2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 3	3	UHL	UHL2W	12.74	101.24	64.43							
	CLEC to CLEC Conversion Charge w/o outside dispatch		UHL	URES1	86.00	40.34								
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 1	1	UHL	UHL4X	16.24	153.26	104.54							
	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 2	2	UHL	UHL4X	16.66	153.26	104.54							
	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 3	3	UHL	UHL4X	17.34	153.26	104.54							
	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 1	1	UHL	UHL4W	16.24	129.00	92.20							
	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 2	2	UHL	UHL4W	16.66	129.00	92.20							
	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 3	3	UHL	UHL4W	17.34	129.00	92.20							
	CLEC to CLEC Conversion Charge w/o outside dispatch		UHL	URES1	86.00	40.34								
	4W DS1 Digital Loop-Zone 1	1	USL	USL2X	85.70	245.16	152.98							
4-WIRE DS1 DIGITAL LOOP														
	4W DS1 Digital Loop-Zone 2	2	USL	USL2X	134.96	245.16	152.98							
	4W DS1 Digital Loop-Zone 3	3	USL	USL2X	491.94	245.16	152.98							

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)		SVC Order Submitted Manually per LSR	SVC Order Submitted Manually per LSR	Attachment 2 Exn A		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						Nonrecurring	First	Add'l	First	Add'l	SOMAN	SOMAN	SOMAN	SOMAN
	Switch-A-to-B Conversion rate per UNE Loop, Single LSR, (per DS1)			UCL	URESL		24.98	3.52						
	Switch-A-to-B Conversion rate per UNE Loop, Specialized, (per DS1)			UCL	URESP		26.47	5.01						
	Switch-A-to-B Conversion rate per UNE Loop, Specialized, (per DS1)			UCL	UREWO		100.93	42.88						
4-WIRE 18.2, 64 OR 64 Kbps DIGITAL GRADE LOOP														
4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1			1	UCL	UDL2X		121.86	85.48						
4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 2			2	UCL	UDL2X		121.86	85.48						
4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 3			3	UCL	UDL2X		121.86	85.48						
4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 1			1	UCL	UDL4X		121.86	85.48						
4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 2			2	UCL	UDL4X		121.86	85.48						
4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 3			3	UCL	UDL4X		121.86	85.48						
4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 1			1	UCL	UDL8X		121.86	85.48						
4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 2			2	UCL	UDL8X		121.86	85.48						
4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 3			3	UCL	UDL8X		121.86	85.48						
4 Wire Unbundled Digital Loop 18.2 Kbps-Zone 1			1	UCL	UDL19		121.86	85.48						
4 Wire Unbundled Digital Loop 18.2 Kbps-Zone 2			2	UCL	UDL19		121.86	85.48						
4 Wire Unbundled Digital Loop 18.2 Kbps-Zone 3			3	UCL	UDL19		121.86	85.48						
4 Wire Unbundled Digital Loop 64 Kbps-Zone 1			1	UCL	UDL64		121.86	85.48						
4 Wire Unbundled Digital Loop 64 Kbps-Zone 2			2	UCL	UDL64		121.86	85.48						
4 Wire Unbundled Digital Loop 64 Kbps-Zone 3			3	UCL	UDL64		121.86	85.48						
Switch-A-to-B Conversion rate per UNE Loop, Single LSR, (per DS0)				UCL	URESL		24.98	3.52						
Switch-A-to-B Conversion rate per UNE Loop, Specialized, (per DS0)				UCL	URESP		26.47	5.01						
Switch-A-to-B Conversion rate per UNE Loop, Specialized, (per DS0)				UCL	UREWO		101.97	49.87						
2-WIRE UNBUNDLED COPPER LOOP														
2W Unbundled Copper Loop-Designed including manual service inquiry			1	UCL	UCLPB		118.18	87.48						
2W Unbundled Copper Loop-Designed including manual service inquiry			2	UCL	UCLPB		118.18	87.48						
2W Unbundled Copper Loop-Designed including manual service inquiry			3	UCL	UCLPB		118.18	87.48						
2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 1			1	UCL	UCLPW		91.92	86.12						
2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 2			2	UCL	UCLPW		91.92	86.12						
2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 3			3	UCL	UCLPW		91.92	86.12						
Order Coordination for Unbundled Copper Loops (per loop)				UCL	UCLMC		7.92	7.92						
CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)				UCL	UREWO		91.92	42.47						
4-WIRE COPPER LOOP														
4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 1			1	UCL	UCL4S		139.68	90.86						
4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 2			2	UCL	UCL4S		139.68	90.86						
4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 3			3	UCL	UCL4S		139.68	90.86						
4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 1			1	UCL	UCL4W		115.43	78.63						
4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 2			2	UCL	UCL4W		115.43	78.63						
4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 3			3	UCL	UCL4W		115.43	78.63						
Order Coordination for Unbundled Copper Loops (per loop)				UCL	UCL4W		115.43	78.63						
CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)				UCL	UREWO		91.92	42.47						
Order Coordination for Specified Conversion Time (per LSR)				UCL	UCL4W		17.86							
Rearrangements				UCL	UCL4W									
EEL to UNE-L Rate termination, per 2W Unbundled Voice Loop-S1.2				UCL	UCL4W		87.59	38.30						

UNBUNDLED NETWORK ELEMENTS - Louisiana															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Est A		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	
						Rec	Nonrecurring		NRC Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st			Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
							First	Adt1							
	EEEL to UNE-L Re-termination, per 4 Wire Unbundled Voice Loop			UEA	UREEL			87.59	35.30						
	EEEL to UNE-L Re-termination, per 2W ISDN Loop			UDN	UREEL			81.49	44.89						
	EEEL to UNE-L Re-termination, per 4 Wire Unbundled Digital Loop			UDL	UREEL			101.97	49.87						
	EEEL to UNE-L Re-termination, per 4 Wire Unbundled DS1 Loop			USL	UREEL			100.93	42.98						
UNE LOOP COMMINGLING															
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING															
	2W Analog VO Loop- SL2 w/Loop or Ground Start Signaling-Zone 1		1	NTCVG	UEAL2		14.93	102.10	65.72						
	2W Analog VO Loop- SL2 w/Loop or Ground Start Signaling-Zone 2		2	NTCVG	UEAL2		26.36	102.10	65.72						
	2W Analog VO Loop- SL2 w/Loop or Ground Start Signaling-Zone 3		3	NTCVG	UEAL2		60.46	102.10	65.72						
	2W Analog VO Loop- SL2 w/Reverse Battery Signaling-Zone 1		1	NTCVG	UEAR2		14.93	102.10	65.72						
	2W Analog VO Loop- SL2 w/Reverse Battery Signaling-Zone 2		2	NTCVG	UEAR2		25.33	102.10	65.72						
	2W Analog VO Loop- SL2 w/Reverse Battery Signaling-Zone 3		3	NTCVG	UEAR2		50.46	102.10	65.72						
	Switch-A-to-B Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URES1		34.88	3.52							
	Switch-A-to-B Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URES1		26.47	5.01							
	CLEC to CLEC Conversion Charge w/o outside dispatch			NTCVG	UREWO		87.59	36.30							
	Loop Tagging-SL2 (SL2)			NTCVG	URETL		11.20	1.10							
4-WIRE ANALOG VOICE GRADE LOOP															
	4W Analog VO Loop-Zone 1		1	NTCVG	UEAL4		30.81	127.40	91.02	0.00					
	4W Analog VO Loop-Zone 2		2	NTCVG	UEAL4		38.32	127.40	91.02	0.00					
	4W Analog VO Loop-Zone 3		3	NTCVG	UEAL4		60.39	127.40	91.02	0.00					
	Switch-A-to-B Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URES1		24.88	3.52							
	Switch-A-to-B Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URES1		26.47	5.01							
	CLEC to CLEC Conversion Charge w/o outside dispatch			NTCVG	UREWO		87.59	36.30							
4-WIRE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	NTCD1	USLX1		85.70	245.16	152.88						
	4W DS1 Digital Loop-Zone 2		2	NTCD1	USLX1		194.90	245.16	152.88						
	4W DS1 Digital Loop-Zone 3		3	NTCD1	USLX1		481.94	245.16	152.88						
	Switch-A-to-B Conversion rate per UNE Loop, Single LSR, (per DS1)			NTCD1	URES1		24.88	3.52							
	Switch-A-to-B Conversion rate per UNE Loop, Spreadsheet, (per DS1)			NTCD1	URES1		26.47	5.01							
	CLEC to CLEC Conversion Charge w/o outside dispatch			NTCD1	UREWO		100.93	42.98							
4-WIRE 18.2, 66 OR 64 Kbps DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1		1	NTCUD	UDL2X		30.89	121.86	85.48						
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 2		2	NTCUD	UDL2X		36.78	121.86	85.48						
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 3		3	NTCUD	UDL2X		38.92	121.86	85.48						
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 1		1	NTCUD	UDL4X		30.99	121.86	85.48						
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 2		2	NTCUD	UDL4X		36.78	121.86	85.48						
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 3		3	NTCUD	UDL4X		38.92	121.86	85.48						
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 1		1	NTCUD	UDL8X		30.99	121.86	85.48						
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 2		2	NTCUD	UDL8X		36.78	121.86	85.48						
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 3		3	NTCUD	UDL8X		38.92	121.86	85.48						
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 1		1	NTCUD	UDL19		30.99	121.86	85.48						
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 2		2	NTCUD	UDL19		36.78	121.86	85.48						
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 3		3	NTCUD	UDL19		38.92	121.86	85.48						
	4 Wire Unbundled Digital Loop 36 Kbps-Zone 1		1	NTCUD	UDL36		30.99	121.86	85.48						
	4 Wire Unbundled Digital Loop 36 Kbps-Zone 2		2	NTCUD	UDL36		36.78	121.86	85.48						
	4 Wire Unbundled Digital Loop 36 Kbps-Zone 3		3	NTCUD	UDL36		38.92	121.86	85.48						
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 1		1	NTCUD	UDL64		30.99	121.86	85.48						
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 2		2	NTCUD	UDL64		36.78	121.86	85.48						
	4 Wire Unbundled Digital Loop 64 Kbps-Zone 3		3	NTCUD	UDL64		38.92	121.86	85.48						
	Switch-A-to-B Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCUD	URES1		24.88	3.52							
	Switch-A-to-B Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCUD	URES1		26.47	5.01							
	CLEC to CLEC Conversion Charge w/o outside dispatch			NTCUD	UREWO		101.97	49.87							
	Order Configuration for Specified Conversion Time (per LSR)			NTCVG, NTCUD, NTCUD1	OCDBL			17.56							
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VO Loop- Service Level 1- Zone 1		1	UEANL	UEAL2		12.90	38.54	19.87						
	2W Analog VO Loop- Service Level 1- Zone 2		2	UEANL	UEAL2		23.33	38.54	19.87						
	2W Analog VO Loop- Service Level 1- Zone 3		3	UEANL	UEAL2		48.43	38.54	19.87						

UNBUNDLED NETWORK ELEMENTS - Louisiana																				
CATEGORY	RATE ELEMENTS	Intnl Zone	BCS	USOC	RATES(\$)				Svc Order Submitte d Elec. per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Esh A		Incremental Charge - Manual Svc Order vs. Electronic-Add'l		Incremental Charge - Manual Svc Order vs. Electronic-Add'l					
					Nonrecurring First	Adtl	Roe	NRC Disconnect First			Adtl	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		7.92	7.92													
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 1	1	UEF	UCSAX	8.03		42.82													
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 2	2	UEF	UCSAX	10.71		42.82													
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 3	3	UEF	UCSAX	6.08		42.82													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		7.92	7.92													
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops		UEE, UEANL	URETL		8.92	0.88													
	Loop Tagging-Base 1st Half Hour		UEF	URETT		33.17	0.00													
	Loop Tagging-Base Additional Half Hour		UEF	URETA		19.28	19.28													
	Unbundled Sub-Loop Modification																			
	Unbundled Sub-Loop Modification-2W Copper Dist Load Coil/Equip Removal per 2-W PR		UEF	ULMZX		0.00	0.00													
	Unbundled Sub-Loop Modification-4W Copper Dist Load Coil/Equip Removal per 4-W PR		UEF	ULMAX		0.00	0.00													
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop		UEF	ULMBT		224.55	4.29													
	Unbundled Network Terminating Wire (UNTW)																			
	Unbundled Network Terminating Wire (UNTW) per Pair		UNTW	UENPP	0.3454		14.72													
	Network Interface Device (NID)																			
	Network Interface Device (NID)-1-2 lines		UNTW	UNID12		42.26	27.83													
	Network Interface Device (NID)-1-6 lines		UNTW	UNID16		62.86	48.43													
	Network Interface Device Cross Connect-2 W		UNTW	UNIDC2		5.73	5.73													
	Network Interface Device Cross Connect-4W		UNTW	UNIDC4		5.73	5.73													
	LINE OTHER, PROVISIONING ONLY - NO RATE																			
			UAL, UCL, UEC, UDL, UDLN, UEA, UEL, UEANL, UEF, UEC, UENTW, NTCVG, NTCUD, NTCO1, USL	UNECN	0.00		0.00													
	Unbundled Contact Name, Provisioning Only-no rate		USL, NTCO1	CCOSF	0.00		0.00													
	Unbundled DS1 Loop-Expanded Superframe Format Option-no rate		USL, NTCO1	CCOEF	0.00		0.00													
	NID-Dispatch and Service Order for NID Installation		UNTW	UNDBX	0.00		0.00													
	UNTW Circuit Establishment, Provisioning Only-No Rate		UNTW	UENCE	0.00		0.00													
	LOOP MAKE-UP																			
	Loop Makeup-Provisioning with Reservation, per working or spare facility quoted (Manual)		UMK	UMKLM		23.29	23.29													
	Loop Makeup-Provisioning With Reservation, per spare facility quoted (Manual)		UMK	UMKLP		24.70	24.70													
	Loop Makeup-With or without Reservation, per working or spare facility quoted (Mechanized)		UMK	UMKMQ		0.19	0.19													
	LINE SPLITTING																			
	END USER ORDERING-CENTRAL OFFICE BASED																			
	Line Splitting-per line activation DLEC owned splitter		UEPSR UEPSB	UREOS																
	Line Splitting-per line activation BSI owned-physical		UEPSR UEPSB	UREBP	0.61		17.87													
	Line Splitting-per line activation BSI owned-virtual		UEPSR UEPSB	UREBV	0.61		17.87													
	UNBUNDLED EXCHANGE ACCESS LOOP																			
	2-WIRE ANALOG VOICE GRADE LOOP																			
	2W Analog VO Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEALS	12.90		36.54													
	2W Analog VO Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEABS	12.90		36.54													
	2W Analog VO Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEALS	23.33		36.54													
	2W Analog VO Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEABS	23.33		36.54													
	2W Analog VO Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEALS	48.43		36.54													
	2W Analog VO Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEABS	48.43		36.54													
	PHYSICAL COLLOCATION																			
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	PEALS	0.0316		11.46													
	VIRTUAL COLLOCATION																			
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	VEALS	0.0398		11.46													
	UNBUNDLED DEDICATED TRANSPORT																			

UNBUNDLED NETWORK ELEMENTS - Louisiana														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LBR	Attachment 2 Est. A		Incremental Charge - Manual Svc Order vs. Electronic-1st Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Disc Add'l	
						Nonrecurring First	Add'l	First		Add'l	SOMAN			SOMAN
INTEROFFICE CHANNEL - DEDICATED TRANSPORT	Interoffice Channel-2W VG-per mile													
	Interoffice Channel-2W VG-Facility Termination					1L5XX								
	Interoffice Channel-2W VG Rev Bat-per mile					UTVX								
	Interoffice Channel-2W VG Rev Bat-Facility Termination					UTVX								
	Interoffice Channel-4W VG-per mile					UTVX								
	Interoffice Channel-4W VG-Facility Termination					UTVX								
	Interoffice Channel-4W VG Rev Bat-per mile					UTVX								
	Interoffice Channel-4W VG Rev Bat-Facility Termination					UTVX								
	Interoffice Channel-8W VG-per mile					UTVX								
	Interoffice Channel-8W VG-Facility Termination					UTVX								
	Interoffice Channel-8W VG Rev Bat-per mile					UTVX								
	Interoffice Channel-8W VG Rev Bat-Facility Termination					UTVX								
	Interoffice Channel-DS1-Per mile					UTVX								
	Interoffice Channel-DS1-Facility Termination					UTVX								
	Interoffice Channel-DS1-Per mile					UTVX								
	Interoffice Channel-DS1-Facility Termination					UTVX								
	Interoffice Channel-STS-1-per mile					UTVX								
	Interoffice Channel-STS-1-Facility Termination					UTVX								
	Local Channel-Dedicated-2W VG					UTVX								
	Local Channel-Dedicated-2W VG Rev Bat					UTVX								
	Local Channel-Dedicated-4W VG					UTVX								
	Local Channel-Dedicated-DS1-Zone 1					UTVX								
	Local Channel-Dedicated-DS1-Zone 2					UTVX								
	Local Channel-Dedicated-DS1-Zone 3					UTVX								
	Local Channel-Dedicated-DS3-Per Mile per month					UTVX								
	Local Channel-Dedicated-DS3-Facility Termination					UTVX								
Local Channel-Dedicated-STS-1-Per Mile per month					UTVX									
Local Channel-Dedicated-STS-1-Facility Termination					UTVX									
UNBUNDLED DARK FIBER														
Dark Fiber-Interoffice Transport, Per Four Fiber Strands, Per Route Mile														
Dark Fiber-Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof														
Dark Fiber-Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof														
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month-Local Channel														
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month-Local Loop														
BXX ACCESS TEN DIGIT SCREENING														
BXX Access Ten Digit Screening, Per Call														
BXX Access Ten Digit Screening, w/ BXX No. Delivery, per query														
BXX Access Ten Digit Screening, w/ POTS No. Delivery, per query														
LINE INFORMATION DATA BASE ACCESS (LDBS)														
LDBS Common Transport Per Query														
LDBS Validation Per Query														
LDBS Originating Point Code Establishment or Change														
CALLING NAME (CNAM) SERVICE														
CNAM for DB Owners, Per Query														
CNAM for Non DB Owners, Per Query														
SELECTIVE ROUTING														
Selective Routing Per Unique Line Class Code Per Request Per Switch														
REGIONAL SERVICE ESTABLISHMENT														
Regional Service Establishment														
End Office Establishment														
Query NEC, per query														
AIN - BELLSOUTH AIN SMS ACCESS SERVICE														
AIN SMS Access Service-Service Establishment, Per State, Initial Setup														
AIN SMS Access Service-Port Connection-Dedicated/Shared Access														

UNBUNDLED NETWORK ELEMENTS - Louisiana														
CATEGORY	RATE ELEMENTS	Unit in	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: 2 Est. A		Incremental Charge - Manual Svc. Order vs. Electronic-1st	Incremental Charge - Manual Svc. Order vs. Electronic-1st
						Rec	Nonrecurring		CDS Rates(\$)					
							First	Add'l	First		Add'l	SOMAN		
	AIN SMS Access Service-Port Connection-SDN Access			AIN	CAMP		7.60							
	AIN SMS Access Service-User Identification Codes-Per User ID Code			AIN	CAMAU		33.99	33.99						
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement													
	AIN SMS Access Service-Session, Per Unit (100 Kilobytes)			AIN	CAMRC		41.39	41.39						
	AIN SMS Access Service-Session, Per Minute					0.0022								
	AIN SMS Access Service-Session, Per Minute					0.5765								
	AIN SMS Access Service-Session, Per Minute					0.8104								
	HIGH CAPACITY UNBUNDLED LOCAL LOOP													
	DS3 Unbundled Local Loop-per mile			UE3	1L5ND		10.04							
	DS3 Unbundled Local Loop-Facility Termination			UE3	UE3PX		362.34							
	STS-1 Unbundled Local Loop-per mile			UDLX	1L5ND		10.04							
	STS-1 Unbundled Local Loop-Facility Termination			UDLX	UDLST		374.56							
	ENHANCED EXTENDED LINK (EELA)													
	Network Elements Used in Combinations													
	2W VG Loop (SL2) in Combination-Zone 1		1	UNGVX	UEAL2		14.93							
	2W VG Loop (SL2) in Combination-Zone 2		2	UNGVX	UEAL2		24.35							
	2W VG Loop (SL2) in Combination-Zone 3		3	UNGVX	UEAL2		60.40							
	4W Analog VG Loop in Combination-Zone 1		1	UNGVX	UEAL4		30.81							
	4W Analog VG Loop in Combination-Zone 2		2	UNGVX	UEAL4		30.32							
	4W Analog VG Loop in Combination-Zone 3		3	UNGVX	UEAL4		80.38							
	2W BSN Loop in Combination-Zone 1		1	UNGVX	UEAL4		22.08							
	2W BSN Loop in Combination-Zone 2		2	UNGVX	UEAL4		34.28							
	2W BSN Loop in Combination-Zone 3		3	UNGVX	UEAL4		85.18							
	4W 64kbps Digital Grade Loop in Combination-Zone 1		1	UNGVX	UEAL6		30.59							
	4W 64kbps Digital Grade Loop in Combination-Zone 2		2	UNGVX	UEAL6		36.78							
	4W 64kbps Digital Grade Loop in Combination-Zone 3		3	UNGVX	UEAL6		33.92							
	4W 64kbps Digital Grade Loop in Combination-Zone 1		1	UNGVX	UEAL6		30.89							
	4W 64kbps Digital Grade Loop in Combination-Zone 2		2	UNGVX	UEAL6		34.78							
	4W 64kbps Digital Grade Loop in Combination-Zone 3		3	UNGVX	UEAL6		84.31							
	4W DS1 Digital Loop in Combination-Zone 1		1	UNGVX	UEAL6		63.70							
	4W DS1 Digital Loop in Combination-Zone 2		2	UNGVX	UEAL6		184.96							
	4W DS1 Digital Loop in Combination-Zone 3		3	UNGVX	UEAL6		491.84							
	DS3 Local Loop in combination-per mile			UNGVX	UE3PX		10.04							
	DS3 Local Loop in combination-Facility Termination			UNGVX	UE3PX		362.34							
	STS-1 Local Loop in combination-per mile			UNGVX	UE3PX		183.45							
	STS-1 Local Loop in combination-Facility Termination			UNGVX	UE3PX		183.45							
	Interoffice Channel in combination-2W VG-per mile			UNGVX	UE3PX		314.58							
	Interoffice Channel in combination-2W VG-Facility Termination			UNGVX	UE3PX		0.013							
	Interoffice Channel in combination-4W VG-per mile			UNGVX	UE3PX		22.60							
	Interoffice Channel in combination-4W VG-Facility Termination			UNGVX	UE3PX		0.013							
	Interoffice Channel in combination-4W 64 kbps-per mile			UNGVX	UE3PX		19.81							
	Interoffice Channel in combination-4W 64 kbps-Facility Termination			UNGVX	UE3PX		0.013							
	Interoffice Channel in combination-4W 64 kbps-per mile			UNGVX	UE3PX		15.61							
	Interoffice Channel in combination-4W 64 kbps-Facility Termination			UNGVX	UE3PX		0.013							
	Interoffice Channel in combination-DS1-per mile			UNGVX	UE3PX		18.61							
	Interoffice Channel in combination-DS1-Facility Termination			UNGVX	UE3PX		0.2852							
	Interoffice Channel in combination-DS3-per mile			UNGVX	UE3PX		70.47							
	Interoffice Channel in combination-DS3-Facility Termination			UNGVX	UE3PX		6.04							
	Interoffice Channel in combination-STS-1-per mile			UNGVX	UE3PX		850.45							
	Interoffice Channel in combination-STS-1-Facility Termination			UNGVX	UE3PX		6.04							
	Interoffice Channel in combination-STS-1-Facility Termination			UNGVX	UE3PX		830.19							
	OPTIONAL NETWORK ELEMENTS													
	Optional Features & Functions:													
	Clear Channel Capability Extended Frame Option-per DS1		1	UTD1, ULD01, UNCLX	CCOE		0.00	0.00	0.00	0.00				
	Clear Channel Capability Super Frame Option-per DS1		1	UTD1, ULD01, UNCLX	CCOE		0.00	0.00	0.00	0.00				
	Clear Channel Capability (S/F/ESF) Option-Subsequent Activity-per DS1		1	UTD1, ULD01, UNCLX, USL	NRCCG		184.65	23.79	1.97	0.77				

UNBUNDLED NETWORK ELEMENTS - Louisiana																
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Annually per LSR	Attachment 2 Exh A			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonrecurring		NRC Disconnect First	Add'l		SOMAN	SOMAN	SOMAN			
						First	Add'l									
				UT103, ULDD3, UE3, UNC3X UNC3X UNC3X, UNC3X UNC3X UEA												

UNBUNDLED NETWORK ELEMENTS - Louisiana										Attachment 2 Exh A							
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted d Elec per LSR	DSS Rates(\$)				Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Nonrecurring					OSS Rates(\$)						
						First	Add'l	First	Add'l	SOMAN	SOMAN	SOMAN	SOMAN				
	Controlling Authorization				CMGSAU	0.00			0.00								
	Committed (UNE part of single bandwidth circuit)																
	Committed V6 COCI			UNCVX, UNCDX, UNCX, UNC3X, UNGSX, U1TD1, U1TD3, U1TS1, UES, UDL3X, U1TVX, U1TDX, U1TUB, ULDVX, ULD01, ULDO3, ULDS1	1DIVG	0.6497			5.91	4.28							
	Committed Digital COCI			XDV2X, NTOVG	1DIDO	1.33			5.91	4.28							
	Committed ISDN COCI			XDV2X	UC10A	2.96			6.39	4.53							
	Committed 2W VG Interoffice Channel			XDV2X	U1V2	22.60			72.60	41.75							
	Committed 4W VG Interoffice Channel			XDV6X	U1TV4	18.81			72.60	41.75							
	Committed 8Mbps Interoffice Channel			XDV2X	U1TD6	16.61			72.60	41.75							
	Committed 64Mbps Interoffice Channel			XDV2X	U1TD8	16.61			72.60	41.75							
	Committed V3/DS0 Interoffice Channel Mileage			XDV2X, XDV6X, XDV2X	1L5XX	0.012											
	Committed 2W Local Loop Zone 1			XDV2X	UEA2	14.83			94.21	45.09							
	Committed 2W Local Loop Zone 2			XDV2X	UEA2	26.35			94.21	45.09							
	Committed 2W Local Loop Zone 3			XDV2X	UEA2	50.46			94.21	45.09							
	Committed 4W Local Loop Zone 1			XDV6X	UEA4	30.81			94.21	45.09							
	Committed 4W Local Loop Zone 2			XDV6X	UEA4	36.32			94.21	45.09							
	Committed 4W Local Loop Zone 3			XDV6X	UEA4	60.39			94.21	45.09							
	Committed 8Mbps Local Loop Zone 1			XDV2X	U1V2	30.86			94.21	45.09							
	Committed 8Mbps Local Loop Zone 2			XDV2X	U1V2	36.78			94.21	45.09							
	Committed 8Mbps Local Loop Zone 3			XDV2X	U1V2	38.92			94.21	45.09							
	Committed 64Mbps Local Loop Zone 1			XDV2X	U1V2	22.09			94.21	45.09							
	Committed 64Mbps Local Loop Zone 2			XDV2X	U1V2	35.28			94.21	45.09							
	Committed 64Mbps Local Loop Zone 3			XDV2X	U1V2	65.18			94.21	45.09							
	Committed DS1 COCI			XDV2X, NTOC1	UC1D1	11.78			5.91	4.28							
	Committed DS1 Interoffice Channel			XDV2X	U1V1	70.47			143.68	103.68							
	Committed DS1 Interoffice Channel Mileage			XDV2X	1L5XX	0.2662											
	Committed DS1/DS0 Channel System			XDV2X	MOI	106.09			59.97	72.68							
	Committed DS1 Local Loop Zone 1			XDV2X	U1V2	86.70			186.22	100.89							
	Committed DS1 Local Loop Zone 2			XDV2X	U1V2	194.96			186.22	100.89							
	Committed DS1 Local Loop Zone 3			XDV2X	U1V2	491.84			186.22	100.89							
	Committed DS3 Local Loop			HFQCB	UE3XX	362.34			186.45	125.51							
	Committed DS3/STS-1 Local Loop Mileage			HFQCB, HFRST	1L5ND	10.04											
	Committed STS-1 Local Loop			HFRST	U1V1	374.96			186.45	125.51							
	Committed DS3/DS1 Channel System			HFQCB	MOI	201.48			107.06	48.07							
	Committed DS3 Interoffice Channel			HFQCB	U1V3	850.45			298.68	121.46							
	Committed DS3 Interoffice Channel Mileage			HFQCB	1L5XX	6.04											
	Committed STS-Interoffice Channel			HFRST	U1V5	830.19			298.68	121.46							
	Committed STS-Interoffice Channel Mileage			HFRST	1L5XX	6.04											
	Committed Dark Fiber-Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	25.28											
	Committed Dark Fiber-Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14				820.00	133.68							
SIGNALLING (CCS7)																	
NOTE: "in" beside a rate indicates that the parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.																	
	CCS7 Signaling Usage, Per TUP Message					0.000048X											
	CCS7 Signaling Usage, Per ISUP Message					0.000108X											
	LNP Query Service																
	LNP Charge Per query					0.0006969											

UNBUNDLED NETWORK ELEMENTS - Louisiana														
CATEGORY	RATE ELEMENTS	Interin	Zone	BCS	USOC	RATES(\$)				Attachment 2 Exh A		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrecurring		NRC Disconnected	Sve Order Submitted Manually per LSR	Sve Order Submitted Manually per LSR			Sve Order Submitted Manually per LSR
							First	Add'l						
911 PBX LOCATE	UNP Service Establishment Manual							12.18						
	UNP Service Provisioning with Point Code Establishment							578.33	284.43					
	911 PBX LOCATE													
	Service Establishment per CLEC per End User Account							1,818.00						
	Changes to TN Range or Customer Profile							181.98						
	Per Telephone Number (Monthly)						0.07							
	Change Company (Service Provider) ID							534.22						
	PBX Locate Service Support per CLEC (Monthly)						178.58							
	Service Order Charge						15.20							
	911 PBX LOCATE TRANSPORT COMPONENT													
See Att 3														
Note: Rates displaying an "I" in Interin column are Interin as a result of a Commission order.														
UNBUNDLED LOCAL EXCHANGE SWITCHING PORTS														
The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO.														
Exchange Ports														
NOTE: Although the Port Rate includes all available features in G, K, LA & TN, the desired features will need to be entered using retail USOCs														
2-WIRE VOICE GRADE LINE PORT RATES (RES)														
Exchange Ports-2W Analog Line Port-Res.														
UEPRL 2.52 2.31 2.21														
Exchange Ports-2W Analog Line Port with Caller ID-Res.														
UEPRC 2.52 2.31 2.21														
Exchange Ports-2W Analog Line Port outgoing only-Res.														
UEPRO 2.52 2.31 2.21														
Exchange Ports-2W VG unbounded LA extended local dialing parity														
Port with Caller ID-Res.														
UEPRS 2.52 2.31 2.21														
Exchange Ports-2W VG unbounded LA Area Plus with Caller ID-Res (RUL)														
UEPAG 2.52 2.31 2.21														
Exchange Ports-2W VG unbounded res. low usage line port with Caller ID (LUM)														
UEPAP 2.52 2.31 2.21														
Exchange Ports-2W VG LA Resistance Dialing Plan w/o Caller ID														
UEPWG 2.52 2.31 2.21														
Exchange Ports-2W VG LA Resistance Area Plus w/o Caller ID														
UEPRQ 2.52 2.31 2.21														
2W voice unbounded Low Usage Line Port w/o Caller ID Capability														
UEPRS 2.52 2.31 2.21														
Subsequent Activity														
USASC 0.00 0.00 0.00														
FEATURES														
All Available Vertical Features														
UEPVF 0.00 0.00 0.00														
2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
Exchange Ports-2W Analog Line Port w/o Caller ID-Bus														
UEPBL 2.52 2.31 2.21														
Exchange Ports-2W VG unbounded Line Port with unbounded port with Caller-6484 ID-Bus.														
UEPBB 2.52 2.31 2.21														
Exchange Ports-2W Analog Line Port outgoing only-Bus.														
UEPBC 2.52 2.31 2.21														
Exchange Ports-2W VG unbounded LA extended local dialing parity														
Port with Caller ID-Bus.														
UEPBB 2.52 2.31 2.21														
Exchange Ports-2W VG unbounded incoming only port with Caller ID-Bus														
UEPBB 2.52 2.31 2.21														
Exchange Ports-2W VG unbounded LA Bus Area Calling Port with Caller ID-Bus (BUC)														
UEPBA 2.52 2.31 2.21														
Exchange Ports-2W Voice LA Business Dialing Plan w/o Caller ID														
UEPAA 2.52 2.31 2.21														
Exchange Ports-2W Voice LA Business Area Calling Port w/o Caller ID														
UEPAA 2.52 2.31 2.21														
2W voice unbounded Incoming Only Port w/o Caller ID Capability														
UEPBB 2.52 2.31 2.21														
Subsequent Activity														
UEPBB 0.00 0.00 0.00														
FEATURES														
All Available Vertical Features														
UEPVF 0.00 0.00 0.00														
EXCHANGE PORT RATES (DID & PEX)														
2W VG Unbounded 2-Way PBX Trunk-Res														
UEPRD 2.52 30.37 14.42														
2W VG Line Side Unbounded 2-Way PBX Trunk-Bus														
UEPRP 2.52 30.37 14.42														
2W VG Line Side Unbounded Outward PBX Trunk-Bus														
UEPRO 2.52 30.37 14.42														
2W VG Line Side Unbounded Incoming PBX Trunk-Bus														
UEPPI 2.52 30.37 14.42														
2W Analog Long Distance Terminal PBX Trunk-Bus														
UEPPL 2.52 30.37 14.42														
2W Voice Unbounded 2-Way PBX LA Calling Port														
UEPPL 2.52 30.37 14.42														
2W Voice Unbounded PBX LD Terminal Ports														
UEPPL 2.52 30.37 14.42														

UNBUNDLED NETWORK ELEMENTS - Louisiana															
CATEGORY	RATE ELEMENTS	Intermt	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted per LSR	Svc Order Submitted per LSR	Attachment 2 Exh A			
						Nonrecurring		NRC Disconnect				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Add'l	First	Add'l						
	2W Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.52	30.37	14.42							
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.52	30.37	14.42							
	2W Voice Unbundled PBX LO DDD Terminal Port			UEPSP	UEPXC	2.52	30.37	14.42							
	2W Voice Unbundled PBX LO Terminal Switchboard Port			UEPSP	UEPXD	2.52	30.37	14.42							
	2W Voice Unbundled PBX LO Terminal Switchboard Port			UEPSP	UEPXE	2.52	30.37	14.42							
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPSP	UEPXF	2.52	30.37	14.42							
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.52	30.37	14.42							
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Calling Port			UEPSP	UEPXM	2.52	30.37	14.42							
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Rm Calling Port			UEPSP	UEPXQ	2.52	30.37	14.42							
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPSP	UEPXP	2.52	30.37	14.42							
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.52	30.37	14.42							
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00							
FEATURES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00							
NOTE: Transmission/usage charges associated with POTs circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
2-WIRE VOICE GRADE LINE PORT RATES (ISDN-BRI)				UEPSP	UEPZ1	9.20	156.85	16.20							
Exchange Ports-2W DID Port				UEPSP	UEPZ2										
Exchange Ports-2W ISDN Port (See Notes below)				UEPSP	UEPZ3	11.07	70.76	61.46							
All Features Offered				UEPSP	UEPZ4	0.00	0.00	0.00							
Exchange Ports-2W ISDN Port - Channel Profiles				UEPSP	UEPZ5	0.00	0.00	0.00							
Exchange Ports-2W ISDN Port - Channel Profiles				UEPSP	UEPZ6	0.00	0.00	0.00							
NOTE: Transmission/usage charges associated with POTs circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
Unbundled Remote Call Forwarding Service - Area Calling, Res				UEPVR	UEPAC	2.52	2.31	2.21							
Unbundled Remote Call Forwarding Service - Local Calling-Res				UEPVR	UEPAC	2.52	2.31	2.21							
Unbundled Remote Call Forwarding Service - InterLATA-Res				UEPVR	UEPAC	2.52	2.31	2.21							
Unbundled Remote Call Forwarding Service - IntraLATA-Res				UEPVR	UEPAC	2.52	2.31	2.21							
Non-Recurring															
Unbundled Remote Call Forwarding Service - Conversion-Switch-as-a				UEPVR	USAC2	0.10	0.10	0.10							
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPI/C)				UEPVR	USAC2	0.10	0.10	0.10							
UNBUNDLED REMOTE CALL FORWARDING - BUS															
Unbundled Remote Call Forwarding Service - Area Calling-Bus				UEPVB	UEPAC	2.52	2.31	2.21							
Unbundled Remote Call Forwarding Service - Local Calling-Bus				UEPVB	UEPAC	2.52	2.31	2.21							
Unbundled Remote Call Forwarding Service - InterLATA-Bus				UEPVB	UEPAC	2.52	2.31	2.21							
Unbundled Remote Call Forwarding Service - IntraLATA-Bus				UEPVB	UEPAC	2.52	2.31	2.21							
Unbundled Remote Call Forwarding Service - Expanded and Exception				UEPVB	UEPAC	2.52	2.31	2.21							
Local Calling															
Non-Recurring															
Unbundled Remote Call Forwarding Service - Conversion-Switch-as-a				UEPVB	USAC2	0.10	0.10	0.10							
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPI/C)				UEPVB	USAC2	0.10	0.10	0.10							
UNBUNDLED LOCAL SWITCHING - PORT USAGE															
End Office Switching (Port Usage)															
End Office Switching Function, Per MOU						0.001868									
End Office Trunk Port-Shared, Per MOU						0.000716									
Tandem Switching (Port Usage) (Local or Access Tandem)															
Tandem Switching Function Per MOU						0.0001087									
Tandem Trunk Port-Shared, Per MOU						0.000222									
Tandem Switching Function Per MOU (Mailed)						0.00035246									
Tandem Trunk Port-Shared, Per MOU (Mailed)						0.00079438									

UNBUNDLED NETWORK ELEMENTS - Louisiana																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Attachment: 2 Esh A				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						Rec	Nonrecurring		MRC Disconnect	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st			
							First	Add'l								
	2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-Bus			UEPBX	UEPBL	2.36	36.65	19.06								
	2W voice unbundled port with Caller + E911 ID-Bus			UEPBX	UEPBC	2.36	36.65	19.06								
	2W voice unbundled port outgoing only-Bus			UEPBX	UEPBO	2.36	36.65	19.06								
	2W VG unbundled LA extended local dialing party port with Caller ID-Bus			UEPBX	UEPAX	2.36	36.65	19.06								
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPBI	2.36	36.65	19.06								
	2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	2.36	36.65	19.06								
	2W Voice Unbundled LA Business Dialing Plan w/o Caller ID			UEPBX	UEPWH	2.36	36.65	19.06								
	2W voice unbundled LA Business Area Calling Port w/o Caller ID Capability			UEPBX	UEPBA	2.36	36.65	19.06								
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	2.36	36.65	19.06								
	FEATURES															
	All Features Offered			UEPVF	UEPVF	0.00	0.00	0.00								
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2	0.10	0.10	0.10								
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPBX	USAC2	0.10	0.10	0.10								
	ADDITIONAL NRCS															
	2W VG Loop/Line Port Combination-Subsequent Activity			UEPBX	USAS2	0.00	0.00	0.00								
	Unbundled Mac Rate Element, Tag Loop at End User Premise			UEPBX	URETL	8.33	8.33	0.83								
	OFFICE PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop - Non-Design	1		UEPBX	UEAEN	12.90	36.54	16.87								
	2W Analog VG Extension Loop - Non-Design	2		UEPBX	UEAEN	23.33	36.54	16.87								
	2W Analog VG Extension Loop - Non-Design	3		UEPBX	UEAEN	46.43	36.54	16.87								
	2W Analog VG Extension Loop - Design	1		UEPBX	UEAED	14.93	102.10	65.72								
	2W Analog VG Extension Loop - Design	2		UEPBX	UEAED	28.36	102.10	65.72								
	2W Analog VG Extension Loop - Design	3		UEPBX	UEAED	50.46	102.10	65.72								
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated 2W VG-Facility Termination			UEPBX	UITV2	22.80	36.36	24.62								
	Interoffice Transport-Dedicated 2W VG-Per Mile or Fraction Mile			UEPBX	UITVM	0.013	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	LINE PORT/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1					14.13										
	2W VG Loop/Port Combo-Zone 2					24.75										
	2W VG Loop/Port Combo-Zone 3					50.62										
	LINE Loop Rates															
	2W VG Loop (SL 1)-Zone 1	1		UEPRG	UEPLX	11.77										
	2W VG Loop (SL 1)-Zone 2	2		UEPRG	UEPLX	22.36										
	2W VG Loop (SL 1)-Zone 3	3		UEPRG	UEPLX	46.26										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Rate			UEPRG	UEPRD	2.36	66.91	31.28								
	FEATURES															
	All Features Offered			UEPVF	UEPVF	0.00	0.00	0.00								
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-as-is			UEPRG	USAC2	0.00	7.68	1.86								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with change			UEPRG	USAC2	0.00	7.68	1.86								
	ADDITIONAL NRCS															
	2W VG Loop/Line Port Combination (PBX)-Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity-Change/Reconfigure Multiline Hunt Group			UEPRG	URETL	7.11	7.11	0.00								
	Unbundled Mac Rate Element, Tag Loop at End User Premise			UEPRG	URETL	8.33	8.33	0.83								
	OFFICE PREMISES EXTENSION CHANNELS															
	Local Channel VG, per termination	1		UEPRG	P2JHX	14.93	102.10	65.72								
	Local Channel VG, per termination	2		UEPRG	P2JHX	28.36	102.10	65.72								
	Local Channel VG, per termination	3		UEPRG	P2JHX	50.46	102.10	65.72								
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated 2W VG-Facility Termination			UEPRG	UITV2	22.80	36.36	28.62								
	Interoffice Transport-Dedicated 2W VG-Per Mile or Fraction Mile			UEPRG	UITVM	0.013	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															

UNBUNDLED NETWORK ELEMENTS - Louisiana															
CATEGORY	RATE ELEMENTS	Interf w/	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually/ per LSR	Attachment 2 Exh A				
						Rec	Nonrecurring		SOMEC		SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							First	Add'l							
	2W Coin 2-Way with Operator Screening and Blocking: 011, 900/978, 1-DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.36	38.85	19.08							
	2W Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	2.36	38.85	19.08							
	2W Coin 2-Way with Operator Screening & Blocking: 900/978, 1-DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.36	38.85	19.08							
	2W Coin Outward w/o Blocking and w/o Operator Screening (KY, LA, MS)			UEPCO	UEPRN	2.36	38.85	19.08							
	2W Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO	UEPLA	2.36	38.85	19.08							
	2W Coin Outward with Operator Screening and Blocking: 011, 900/978, 1-DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.36	38.85	19.08							
	2W Coin Outward Operator Screening & Blocking: 900/978, 1-DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPON	2.36	38.85	19.08							
	2W Coin 2-Way Smartphone with 900/978 (LA only)			UEPCO	UEPMA	2.36	38.85	19.08							
	2W Coin Outward Smartphone with 900/978 (LA only)			UEPCO	UEPCB	2.36	38.85	19.08							
	ADDITIONAL LINE COIN PORT/LOOP (RG)														
	LINE COIN Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination - Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10							
	2W VG Loop/Line Port Combination - Conversion-Switch with change			UEPCO	USACC		0.10	0.10							
	ADDITIONAL NRCS														
	2W VG Loop/Line Port Combination-Subsequent Activity			UEPCO	USAS2		0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premises			UEPCO	URETL		8.33	0.33							
	2-WIRE VOICE LOOP/2-WIRE VOICE GRADE TO TRANSPORT/2-WIRE LINE PORT (REG)														
	LINE Port/Loop Combination Rates														
	2W VG Loop/IO Transport/Port Combo-Zone 1					17.45									
	2W VG Loop/IO Transport/Port Combo-Zone 2					27.87									
	2W VG Loop/IO Transport/Port Combo-Zone 3					52.98									
	LINE Loop Rates														
	2W VG Loop (SL2)-Zone 1		1	UEPRR	UECF2	14.93									
	2W VG Loop (SL2)-Zone 2		2	UEPRR	UECF2	26.38									
	2W VG Loop (SL2)-Zone 3		3	UEPRR	UECF2	50.46									
	2-Wire Voice Grade Line Port Rates (Reg)														
	2W voice unbundled port w/ Caller ID-res			UEPRR	UEPRL	2.52	104.41	67.93							
	2W voice unbundled port with Caller ID-res			UEPRR	UEPRC	2.52	104.41	67.93							
	2W voice unbundled port outgoing only-res			UEPRR	UEPRO	2.52	104.41	67.93							
	2W VG unbundled LA extended local dialing party port with Caller ID-res			UEPRR	UEPAS	2.52	104.41	67.93							
	2W voice unbundled LA Area Plus with Caller ID-res (RLI)			UEPRR	UEPAG	2.52	104.41	67.93							
	2W voice unbundled res. low usage line port with Caller ID (LUM)			UEPRR	UEPAP	2.52	104.41	67.93							
	2W Voice Unbundled LA Residence Dialing Plan w/o Caller ID			UEPRR	UEPWG	2.52	104.41	67.93							
	INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated 2W VG-Facility Termination			UEPRR	UTV2	22.80	38.36	23.62							
	Interoffice Transport-Dedicated 2W VG-Per Mile or Fraction Mile			UEPRR	LOXX	0.013									
	FEATURES														
	2W Features Offered			UEPRR	UEPVF	0.00	0.00	0.00							
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPRR	USAC2		8.24	1.81							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPRR	USACC		8.24	1.81							
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premises			UEPRR	URETN		11.20	1.10							
	2-WIRE VOICE LOOP/2-WIRE VOICE GRADE TO TRANSPORT/2-WIRE LINE PORT (BUS)														
	LINE Port/Loop Combination Rates														
	2W VG Loop/IO Transport/Port Combo-Zone 1					17.45									
	2W VG Loop/IO Transport/Port Combo-Zone 2					27.87									
	2W VG Loop/IO Transport/Port Combo-Zone 3					52.98									
	LINE Loop Rates														

UNBUNDLED NETWORK ELEMENTS - Louisiana																
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)				Attachments 2 Sub A				Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st			
					Nonrecurring		MISC Disconnect		Svc Order Submitted Manually per LSR	Svc Order Submitted Electronically per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		
					First	Add'l	First	Add'l								
						Res										
	2W VG Loop (SL2)-Zone 1	1	UEPFB	UECF2		14.83										
	2W VG Loop (SL2)-Zone 2	2	UEPFB	UECF2		25.35										
	2W VG Loop (SL2)-Zone 3	3	UEPFB	UECF2		50.46										
	2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus		UEPFB	UEPBL		2.52										
	2W voice unbundled port with Caller ID-bus		UEPFB	UEPBC		2.52										
	2W voice unbundled port outgoing only-bus		UEPFB	UEPBB		2.52										
	2W VG unbundled AL extended local dialing parity port with Caller ID-bus		UEPFB	UEPBO		2.52										
	2W VG unbundled LA extended local dialing parity port with Caller ID-bus		UEPFB	UEPAW		2.52										
	2W voice unbundled incoming only port with Caller ID-bus		UEPFB	UEPAX		2.52										
	2W voice unbundled LA Bus Age Calling Port with Caller ID (BUC)		UEPFB	UEPBI		2.52										
	2W Voice Unbundled LA Business Dialing Plan w/o Caller ID		UEPFB	UEPAA		2.52										
	INTEROFFICE TRANSPORT		UEPFB	UEPWH		2.52										
	Interface Transport-Dedicated-2W VG-Facility Termination		UEPFB	UITV2		22.60										
	Interface Transport-Dedicated-2W VG-Per Mile or Fraction Mile		UEPFB	1LXX		0.919										
	FEATURES		UEPFB	UEPVF		0.00										
	All Features Offered															
	NONRECURRING CHARGES (NRCA) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion Switch-as-is		UEPFB	USAC2		8.24										
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion Switch with change		UEPFB	USACC		8.24										
	Unbundled Mac Rate Element, Tag Designed Loop at End User Premises		UEPFB	URETN		11.20										
	2-WIRE VOICE LOOP 2-WIRE VOICE GRADE (IO TRANSPORT/2-WIRE LINE PORT (PBX))															
	UNE Port/LD Loop Combination Rates															
	2W VG Loop/IO Transport/Port Combo-Zone 1					17.48										
	2W VG Loop/IO Transport/Port Combo-Zone 2					27.87										
	2W VG Loop/IO Transport/Port Combo-Zone 3					52.58										
	UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1	1	UEPFB	UECF2		14.83										
	2W VG Loop (SL2)-Zone 2	2	UEPFB	UECF2		25.35										
	2W VG Loop (SL2)-Zone 3	3	UEPFB	UECF2		50.46										
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus		UEPFB	UEPPC		2.52										
	Line Side Unbundled Outward PBX Trunk Port-Bus		UEPFB	UEPPO		2.52										
	Line Side Unbundled Incoming PBX Trunk Port-Bus		UEPFB	UEPPI		2.52										
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port		UEPFB	UEPL2		2.52										
	2W Voice Unbundled PBX LD Terminal Ports		UEPFB	UEPLD		2.52										
	2W Voice Unbundled 2-Way Combination PBX Usage Port		UEPFB	UEPXA		2.52										
	2W Voice Unbundled PBX Trunk Terminal Hotel Port		UEPFB	UEPXB		2.52										
	2W Voice Unbundled PBX LD DDD Terminals Port		UEPFB	UEPXC		2.52										
	2W Voice Unbundled PBX LD Terminal Switchboard Port		UEPFB	UEPXD		2.52										
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPFB	UEPXE		2.52										
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port		UEPFB	UEPKK		2.52										
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPFB	UEPXL		2.52										
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Rm Calling Port		UEPFB	UEPXM		2.52										
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Rm Calling Port		UEPFB	UEPXO		2.52										
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port		UEPFB	UEPXP		2.52										
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPFB	UEPXS		2.52										
	INTEROFFICE TRANSPORT		UEPFB	UITV2		22.60										
	Interface Transport-Dedicated-2W VG-Facility Termination		UEPFB			38.38										

UNBUNDLED NETWORK ELEMENTS - LOUISIANA																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Monthly per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh A			Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
						Nonrecurring		Add'l			SOMEC	SOMAN	SOMAN			SOMAN	SOMAN
						First	Add'l										
	Interface Transport-Dedicated 2W VG-Per Mile or Fraction Mile			UEPFP	1L5XX	0.013											
FEATURES	All Features Offered																
	NONRECURRING CHARGES (NRCC) - CURRENTLY COMBINED			UEPFP	UEPFP	0.00	0.00										
	2W Loop-Dedicated IO Transport/2W Line Port Combination-Convention Switch-as-is																
	2W Loop-Dedicated IO Transport/2W Line Port Combination-Convention Switch with change			UEPFP	USACZ		8.24	1.81									
	Unbundled Mac Rate Element, Tag Designated Loop at End User Premise			UEPFP	USACC		8.24	1.81									
	2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT			UEPFP	URETN		11.20	1.10									
LINE Loop Rates	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1					24.20											
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2					34.62											
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3					59.73											
LINE Loop Rates	2W Analog VG Loop - (S12) LINE Zone 1	1		UEPFX	UECD1	14.83											
	2W Analog VG Loop - (S12) LINE Zone 2	2		UEPFX	UECD1	25.35											
	2W Analog VG Loop - (S12) LINE Zone 3	3		UEPFX	UECD1	50.49											
LINE Port Rates	Exchange Ports 2W DID Port			UEPFX	UEPD1	9.27	217.35	83.82									
	NONRECURRING CHARGES - CURRENTLY COMBINED			UEPFX	USAC1		7.10	1.81									
	2W VG Loop/2W DID Trunk Port Combination - Switch-as-is																
	2W VG Loop/2W DID Trunk Port Combination with BellSouth Allowable Changes			UEPFX	USAC1		7.10	1.81									
ADDITIONAL NRCCs	2W DID Subsequent Activity-Add Trunk, Per Trunk			UEPFX	USAS1		28.01	28.01									
	Unbundled Mac Rate Element, Tag Designated Loop at End User Premise			UEPFX	URETN		11.20	1.10									
	Telephones Number/Trunk Group Establishment Charges			UEPFX	NDT	0.00	0.00	0.00									
	DID Trunk Termination (One Per Port)			UEPFX	ND4	0.00	0.00	0.00									
	Additional DID Numbers for each Group of 25 DID Numbers			UEPFX	ND5	0.00	0.00	0.00									
	DID Numbers, Non-consecutive DID Numbers, Per Number			UEPFX	ND6	0.00	0.00	0.00									
	Reserve Non-Consecutive DID Numbers			UEPFX	NDV	0.00	0.00	0.00									
	Reserve DID Numbers			UEPFX	NDV	0.00	0.00	0.00									
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
LINE Port/Loop Combination Rates	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1					28.46											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2					41.34											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3					71.99											
LINE Loop Rates	2W ISDN Digital Grade Loop-UNE Zone 1	1		UEPFB	USL2X	19.09											
	2W ISDN Digital Grade Loop-UNE Zone 2	2		UEPFB	USL2X	31.86											
	2W ISDN Digital Grade Loop-UNE Zone 3	3		UEPFB	USL2X	62.80											
UNE Port Rates	Exchange Port-2W ISDN Line Side Port			UEPFB	UEPFB	9.39	184.10	128.42									
	Exchange Port-2W ISDN Line Side Port			UEPFB	UEPFB	9.39	184.10	128.42									
NONRECURRING CHARGES - CURRENTLY COMBINED	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Convention			UEPFB	USACB	0.00	37.40	28.23									
ADDITIONAL NRCCs	Unbundled Mac Rate Element, Tag Designated Loop at End User Premise			UEPFB	URETN		11.20	1.10									
	Unbundled Mac Rate Element, Tag Loop at End User Premise			UEPFB	URETN		8.33	0.33									
B-CHANNEL USER PROFILE ACCESS:																	

UNBUNDLED NETWORK ELEMENTS - Louisiana														
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitte d Elec per L&R	Svc Order Submitted Manually per L&R	Attachment: 3 Edn A		
						Res	Nonrecurring		NRC Disconnect First Add'l			Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
							First	Add'l						
	2W VG Port (Centrex 800 termination)			UEP95	UEP0B	2.36	38.86	19.08						
	2W VG Port (Centrex with Call or ID1)			UEP95	UEP0H	2.36	38.86	19.08						
	2W VG Port (Centrex from diff SWC/2.3			UEP95	UEP0M	2.36	104.41	67.93						
	2W VG Port, DFT SWC-800 Service Term 2.3			UEP95	UEP0Z	2.36	104.41	67.93						
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEP0B	2.36	38.86	19.08						
	2W VG Port Terminated on 800 Service Term			UEP95	UEP0Z	2.36	38.86	19.08						
	Local Switching													
	Centrex Intercom Functionality, per port			UEP95	URECS	0.8577								
	Features													
	All Standard Features Offered, per port			UEP95	UEPVF	0.00								
	All Select Features Offered, per port			UEP95	UEPV6	0.00	412.26							
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00								
	NARS													
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Indial			UEP95	UARIY	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outdial			UEP95	UAROY	0.00	0.00	0.00	0.00					
	Mac Terminations													
	2-Wire Trunk Side													
	Trunk Side Terminations, each			UEP95	CEND6	8.29	116.85	19.20						
	4-Wire Digital (1.544 Megabits)			UEP95	M1HD1	68.47	186.18	62.92						
	DST Circuit Terminations, each			UEP95	M1HD0	0.00	14.06							
	DST Channels Activated, each			UEP95										
	Interface Channel Message - 2-Wire			UEP95	M136C	22.60	39.36	28.62						
	Interface Channel Facsimile Termination			UEP95	M136M	0.913								
	Interface Channel Message, per min or fraction of min													
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service													
	D4 Channel Bank Feature Activations													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQW5	0.6497								
	Feature Activation on D-4 Channel Bank FX Line Slot Loop Slot			UEP95	1PQW6	0.6497								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.6497								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different			UEP95	1PQW8	0.6497								
	WC			UEP95	1PQW9	0.6497								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWQ	0.6497								
	Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot			UEP95	1PQWV	0.6497								
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex													
	NRC Conversion Currently Combined Switch-Ae-it with allowed													
	changes, per port			UEP95	USAC2		0.10	0.10						
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10						
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40							
	New Centrex Customized Common Block			UEP95	M1ACG	0.00	680.40							
	NARS Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93							
	Additional Non-Recurring Charges (NRC)													
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83						
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETN		11.20	1.10						
	UNE-P CENTREX - DMS100 (Valid in All States)													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Centro													
	UNE Port/Loop Combination Rates (Non-Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					14.13								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					24.75								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					50.62								
	UNE Port/Loop Combination Rates (Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					17.29								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					27.71								
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					49.26								
	UNE Loop Rate													
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	11.77								
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	22.38								

UNBUNDLED NETWORK ELEMENTS - Louisiana																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: 2 Esh A				Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											Charge - Manual Svc Order vs. Electronic- Add'l					
						Nonrecurring	First	Add'l	First		Add'l	SOMAN	SOMAN	SOMAN		
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design					Rec	49.26									
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEPBE	UECS1	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEPBE	UECS1	22.39										
	2W VG Loop (SL 1)-Zone 3		3	UEPBE	UECS1	48.28										
	2W VG Loop (SL 2)-Zone 1		1	UEPBE	UECS2	14.93										
	2W VG Loop (SL 2)-Zone 2		2	UEPBE	UECS2	28.35										
	2W VG Loop (SL 2)-Zone 3		3	UEPBE	UECS2	50.48										
	Port Rate															
	AL, FL, KY, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area			UEPBE	UEPVA	2.36	38.85	19.08								
AL, KY, LA, MS, & TN Only	2W VG Port (Centrex) 800 Termination Basic Local Area			UEPBE	UEPVB	2.36	38.85	19.08								
	2W VG Port (Centrex) with Caller ID Basic Local Area			UEPBE	UEPVB	2.36	38.85	19.08								
	2W VG Port (Centrex) from diff SWC2.3 Basic Local Area			UEPBE	UEPVB	2.36	104.41	87.93								
	2W VG Port, DWF SWC 2.3-500 Service Term-Basic Local Area			UEPBE	UEPVB	2.36	104.41	87.93								
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEPBE	UEPVB	2.36	38.85	19.08								
	2W VG Port terminated on 800 Service Term-Basic Local Area			UEPBE	UEPVB	2.36	38.85	19.08								
	2W VG Port (Centrex)			UEPBE	UEPQA	2.36	38.85	19.08								
	2W VG Port (Centrex 800 Termination)			UEPBE	UEPQB	2.36	38.85	19.08								
	2W VG Port (Centrex with Caller ID)			UEPBE	UEPQB	2.36	38.85	19.08								
	2W VG Port (Centrex from diff SWC2.3)			UEPBE	UEPQB	2.36	104.41	87.93								
Local Switching	2W VG Port, DWF SWC 2.3-500 Service Term			UEPBE	UEPQB	2.36	104.41	87.93								
	2W VG Port terminated in on Megalink or equivalent			UEPBE	UEPQB	2.36	38.85	19.08								
	2W VG Port terminated on 800 Service Term			UEPBE	UEPQB	2.36	38.85	19.08								
	Centrex Intercom Functionality, per port			UEPBE	URES	0.8677										
	Features															
	All Standard Features Offered, per port			UEPBE	UEPVF	0.00										
	All Selected Features Offered, per port			UEPBE	UEPVF	0.00	412.25									
	All Centrex Control Features Offered, per port			UEPBE	UEPVC	0.00										
	NARS			UEPBE	UARCX	0.00	0.00	0.00	0.00	0.00						
	Misc Terminations	Unbundled Network Access Register-Combination			UEPBE	UARI X	0.00	0.00	0.00	0.00	0.00					
Unbundled Network Access Register-Initial				UEPBE	UARI X	0.00	0.00	0.00	0.00	0.00						
Unbundled Network Access Register-Outside				UEPBE	UARI X	0.00	0.00	0.00	0.00	0.00						
Trunk Side Terminations, each				UEPBE	CENDS	6.29	116.86	18.30								
4-Wire Digital (1.544 Megabit/s)				UEPBE	MTHD1	68.47	194.18	82.92								
DS1 Circuit Terminations, each				UEPBE	MTHD1	0.00	14.08									
DS0 Channel Activated Per Channel				UEPBE	MTHD1	0.00										
Interoffice Channel Mileage - 2-Wire				UEPBE	MTHD1	22.60	38.36	26.82								
Interoffice Channel Facilities Termination				UEPBE	MTHD1	0.013										
D4 Channel Bank Feature Activations		Interoffice Channel Mileage, per mile or fraction of mile			UEPBE	MTHD1										
	Feature Activation (200) Centrex Loops on Channelized DS1 Service			UEPBE	1PQW6	0.8487										
	D4 Channel Bank Feature Activations			UEPBE	1PQW6	0.8487										
	Feature Activation on D4 Channel Bank Centrex Loop Slot			UEPBE	1PQW6	0.8487										
	Feature Activation on D4 Channel Bank FX Line Slot			UEPBE	1PQW6	0.8487										
	Feature Activation on D4 Channel Bank FX Trunk Slot			UEPBE	1PQW6	0.8487										
	Feature Activation on D4 Channel Bank Centrex Loop Slot-Different WC			UEPBE	1PQW6	0.8487										
	Feature Activation on D4 Channel Bank Private Line Loop Slot			UEPBE	1PQW6	0.8487										
	Feature Activation on D4 Channel Bank Trunk Loop Slot			UEPBE	1PQW6	0.8487										
	Feature Activation on D4 Channel Bank WATS Loop Slot			UEPBE	1PQW6	0.8487										
Non-Recurring Charges (NRC) Associated with UNE-F Centrex				UEPBE	1PQW6	0.8487										
	NRC Conversion Currently Combined Switch-A6 is with allowed changes, per port			UEPBE	USAC2	0.10	0.10	0.10								
Conversion of Existing Centrex Common Block, each				UEPBE	USAC2	38.85	18.10									

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2 Exh A			
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st				
						Rec	Nonrecurring				SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
							First	Add'l	Adt'l								
	New Centrex Standard Common Block			UEPBE	M/ACS	0.00											
	New Centrex Customized Common Block			UEPBE	M/AGG	880.40											
	NAR Establishment Charge, Per Occasion			UEPBE	URECA	0.00											
	Additional Non-Recurring Charges (NRC)																
	(Unbundled Misc Rate Element), Tag Loop at End Use Premise			UEPBE	URETL												
						8.33											
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEPBE	URETN												
						11.20											
	UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
	UNE Port/Loop Combination Rates (Non-Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					14.13											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					24.75											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design					50.62											
	UNE Port/Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					17.29											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					27.71											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design					49.28											
	UNE Loop Rate																
	2W VG Loop (SL 1)-Zone 1	1		UEP93	UEC31	11.77											
	2W VG Loop (SL 1)-Zone 2	2		UEP93	UEC31	22.98											
	2W VG Loop (SL 1)-Zone 3	3		UEP93	UEC31	48.28											
	2W VG Loop (SL 2)-Zone 1	1		UEP93	UEC32	14.63											
	2W VG Loop (SL 2)-Zone 2	2		UEP93	UEC32	26.36											
	2W VG Loop (SL 2)-Zone 3	3		UEP93	UEC32	50.48											
	UNE Port Rate																
	AL, KY, LA, MS, & TN only																
	2W VG Port (Centrex) Basic Local Area			UEP93	UEPVA	2.36	38.85	19.08									
	2W VG Port (Centrex) 800 Termination/Basic Local Area			UEP93	UEPVB	2.36	38.85	19.08									
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP93	UEPVH	2.36	38.85	19.08									
	2W VG Port (Centrex from diff SWIC) Basic Local Area			UEP93	UEPYM	2.36	104.41	67.93									
	2W VG Port, Diff SWIC-2,3-800 Service Term-Basic Local Area			UEP93	UEPVZ	2.36	104.41	67.93									
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPV9	2.36	38.85	19.08									
	2W VG Port terminated on 800 Service Term-Basic Local Area			UEP93	UEPV2	2.36	38.85	19.08									
	2W VG Port (Centrex)			UEP93	UEPOA	2.36	38.85	19.08									
	2W VG Port (Centrex 800 Termination)			UEP93	UEPOB	2.36	38.85	19.08									
	2W VG Port (Centrex with Caller ID)			UEP93	UEPOH	2.36	38.85	19.08									
	2W VG Port (Centrex from diff SWIC) 2,3			UEP93	UEPOM	2.36	104.41	67.93									
	2W VG Port, Diff SWIC-2,3-800 Service Term			UEP93	UEPOZ	2.36	104.41	67.93									
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPO9	2.36	38.85	19.08									
	2W VG Port terminated on 800 Service Term			UEP93	UEPO2	2.36	38.85	19.08									
	Local Switching																
	Centrex Intercom Functionality, per port			UEP93	URECS	0.4577											
	Features																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00	73.93	27.14									
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00	73.93	27.14									
	NARS																
	Unbundled Network Access Register-Combination			UEP93	UAROX	0.00	0.00	0.00	0.00								
	Unbundled Network Access Register-Initial			UEP93	UARIX	0.00	0.00	0.00	0.00								
	Unbundled Network Access Register-Initial			UEP93	UAROX	0.00	0.00	0.00	0.00								
	Misc Terminations																
	2-Wire Trunk Side																
	Trunk Side Terminations, each			UEP93	CEND9	8.27	15.85	16.20									
	4-Wire Digital (1,544 Megabits)																
	DS1 Circuit Terminations, each			UEP93	M1H01	88.47	186.18	92.82									
	DS0 Channels Activated, Per Channel			UEP93	M1H00	0.00	12.09										
	Interoffice Channel Message - 2-Wire																
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.60	39.38	26.62									
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.013											

UNBUNDLED NETWORK ELEMENTS - Louisiana										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Inter- m	BCS	USOC	RATES(\$)	Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Nonrecurring First	Rec		NRC Disconnect First	First	ADD'l	ADD'l	OSS Rate(\$)	SOMAN
	Feature Activation (DS3) Centrex Loops on Channelized DS1 Service												
	D4 Channel Bank Feature Activations												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP93	1PQWS		0.6497							
	Feature Activation on D-4 Channel Bank FX Line Slot Loop Slot		UEP93	1PQW6		0.6497							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP93	1PQW7		0.6497							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC		UEP93	1PQWP		0.6497							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP93	1PQWV		0.6497							
	Feature Activation on D-4 Channel Bank To Line Trunk Loop Slot		UEP93	1PQWQ		0.6497							
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP93	1PQWA		0.6497							
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port		UEP93	USAC2	0.10								
	Conversion of Existing Centrex Common Block, each		UEP93	USACN	36.56								
	New Centrex Standard Common Block		UEP93	M1ACB	880.40	0.00							
	New Centrex Customized Common Block		UEP93	M1ACC	880.40	0.00							
	NAR Establishment Charges, Per Occasion		UEP93	URECA	73.93	0.00							
	Additional Non-Recurring Charges (NRC)												
	Unbundled Misc Rate Element, Tag Loop at End Use Premise		UEP93	URETL	8.33								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise		UEP93	URETN	11.20								
	Note 1 - Required Port for Centrex Control In 1A555, 5E56 & 5W60												
	Note 2 - Feature Interoffice Channel Mismatch												
	Note 3 - Installation is combination of installation charges for SL2 Loop and Port												
	Note 4 - Requires Specific Customer Premises Equipment												
	Note: Rates displaying an "m" in Interim column are interim as a result of a Commission order.												

UNBUNDLED NETWORK ELEMENTS - Miscellaneous												
CATEGORY	RATE ELEMENTS	Interf m	BCS	USOC	RATES(\$)				Attachment: 2 Exh A			
					Non recurring		MRC Disconnected		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Add'l	First	Add'l				
	Switch-As-Is Conversion rate per LINE Loop, Spreadsheet, (per DSU)		UEA	URESP								
	CLEC to CLEC Conversion Charge w/o outside dispatch		UEA	UREWO		28.50	5.02					
	Loop Tagging-SL2 (SL2)		UEA	URETL		87.56	36.28					
4-WIRE ANALOG VOICE GRADE LOOP						11.19	1.10					
4W Analog VG Loop-Zone 1	1	UEA	UEALA		27.47	132.27	94.58	60.68	14.64			
4W Analog VG Loop-Zone 2	2	UEA	UEALA		38.26	132.27	94.58	60.68	14.64			
4W Analog VG Loop-Zone 3	3	UEA	UEALA		50.03	132.27	94.58	60.68	14.64			
4W Analog VG Loop-Zone 4	4	UEA	UEALA		60.03	132.27	94.58	60.68	14.64			
Switch-As-Is Conversion rate per LINE Loop, Single LSR, (per DSU)		UEA	URESIL		26.01	3.53						
CLEC to CLEC Conversion rate per LINE Loop, Spreadsheet, (per DSU)		UEA	URESP		28.50	5.02						
CLEC to CLEC Conversion Charge w/o outside dispatch		UEA	UREWO		87.56	36.28						
2-WIRE ISDN DIGITAL GRADE LOOP												
2W ISDN Digital Grade Loop-Zone 1	1	UDN	UPLZX		21.01	117.61	78.92	62.62	10.37			
2W ISDN Digital Grade Loop-Zone 2	2	UDN	UPLZX		27.59	117.61	78.92	62.62	10.37			
2W ISDN Digital Grade Loop-Zone 3	3	UDN	UPLZX		37.84	117.61	78.92	62.62	10.37			
2W ISDN Digital Grade Loop-Zone 4	4	UDN	UPLZX		58.18	117.61	78.92	62.62	10.37			
CLEC to CLEC Conversion Charge w/o outside dispatch		UDN	UREWO		81.48	44.07						
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP												
2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 1	1	UAL	UALZX		11.11	121.27	70.81	50.38	7.83			
2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 2	2	UAL	UALZX		11.47	121.27	70.81	50.38	7.83			
2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 3	3	UAL	UALZX		11.74	121.27	70.81	50.38	7.83			
2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 4	4	UAL	UALZX		12.89	121.27	70.81	50.38	7.83			
2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 1	1	UAL	UALZX		11.11	98.15	58.03	50.38	7.83			
2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 2	2	UAL	UALZX		11.47	98.15	58.03	50.38	7.83			
2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 3	3	UAL	UALZX		11.74	98.15	58.03	50.38	7.83			
2W Unbundled ADSL Loop w/o manual service inquiry & facility reservation-Zone 4	4	UAL	UALZX		12.89	98.15	58.03	50.38	7.83			
CLEC to CLEC Conversion Charge w/o outside dispatch		UAL	UREWO		88.04	40.33						
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 1	1	UHL	UHLZX		8.76	128.98	78.52	50.38	7.83			
2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 2	2	UHL	UHLZX		9.22	128.98	78.52	50.38	7.83			
2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 3	3	UHL	UHLZX		9.87	128.98	78.52	50.38	7.83			
2W Unbundled HDSL Loop including manual service inquiry & facility reservation-Zone 4	4	UHL	UHLZX		10.46	128.98	78.52	50.38	7.83			
2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 1	1	UHL	UHLZX		8.76	104.88	66.74	50.38	7.83			
2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 2	2	UHL	UHLZX		9.22	104.88	66.74	50.38	7.83			
2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 3	3	UHL	UHLZX		9.87	104.88	66.74	50.38	7.83			
2W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 4	4	UHL	UHLZX		10.46	104.88	66.74	50.38	7.83			
CLEC to CLEC Conversion Charge w/o outside dispatch		UHL	UREWO		85.98	40.33						
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
4 Wires Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 1	1	UHL	UHLZX		13.76	158.74	108.28	66.72	10.88			
4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 2	2	UHL	UHLZX		13.43	158.74	108.28	66.72	10.88			

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment 2 Exh A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	UBOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
						Res	Nonrecurring		NRC Disconnect					
							First	Add'l	First					Add'l
	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	96.72	10.08				
	4W Unbundled HDSL Loop including manual service inquiry and facility reservation-Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.08				
	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.08				
	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.08				
	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.08				
	4W Unbundled HDSL Loop w/o manual service inquiry and facility reservation-Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.08				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		85.98	40.33						
	1-WIRE DS1 DIGITAL LOOP													
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	79.08	253.53	159.45	48.10	12.07				
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	129.39	253.53	159.45	48.10	12.07				
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	205.74	253.53	159.45	48.10	12.07				
	4W DS1 Digital Loop-Zone 4		4	USL	USLXX	483.46	253.53	159.45	48.10	12.07				
	Switch-A-B Conversion rate per UNE Loop, Single LSR, (per DS1)			USL	URES1	26.01	3.53							
	Switch-A-B Conversion rate per UNE Loop, Spreadsheet, (per DS1)			USL	URES1	26.50	3.02							
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.90	43.98						
	4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP													
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1		1	UDL	UDL2X	27.44	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 2		2	UDL	UDL2X	34.55	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 3		3	UDL	UDL2X	40.76	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 4		4	UDL	UDL2X	32.25	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 1		1	UDL	UDL4X	27.44	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 2		2	UDL	UDL4X	34.55	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 3		3	UDL	UDL4X	40.76	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 4.8 Kbps-Zone 4		4	UDL	UDL4X	32.25	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 1		1	UDL	UDL9X	27.44	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 2		2	UDL	UDL9X	34.55	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 3		3	UDL	UDL9X	40.76	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 9.6 Kbps-Zone 4		4	UDL	UDL9X	32.25	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 1		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 2		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 3		3	UDL	UDL19	40.76	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 19.2 Kbps-Zone 4		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 56 Kbps-Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 84 Kbps-Zone 1		1	UDL	UDL84	27.44	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 84 Kbps-Zone 2		2	UDL	UDL84	34.55	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 84 Kbps-Zone 3		3	UDL	UDL84	40.76	126.53	88.85	60.68	14.64				
	4 Wire Unbundled Digital Loop 84 Kbps-Zone 4		4	UDL	UDL84	32.25	126.53	88.85	60.68	14.64				
	Switch-A-B Conversion rate per UNE Loop, Single LSR, (per DS0)			UDL	URES1	25.01	3.63							
	Switch-A-B Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL	URES1	25.50	5.02							
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.94	49.64						
	2-WIRE UNBUNDLED COPPER LOOP													
	2W Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 1		1	UCL	UCLPB	11.11	120.34	89.87	50.38	7.93				
	2W Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 2		2	UCL	UCLPB	11.47	120.34	89.87	50.38	7.93				
	2W Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 3		3	UCL	UCLPB	11.74	120.34	89.87	50.38	7.93				
	2W Unbundled Copper Loop-Designed including manual service inquiry & facility reservation-Zone 4		4	UCL	UCLPB	12.89	120.34	89.87	50.38	7.93				

UNBUNDLED NETWORK ELEMENTS - Mississippi																
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: 2 Est A					
						Rec	Nonrecurring		NRC Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
							First	Add'l	First			Add'l	First	Add'l	First	Add'l
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						
	2W Unbundled Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 4		4	UCL	UCLPW	12.89	95.21	57.09	50.38	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Disc)			UCL	UREWO		95.21	42.40								
	4-WIRE COPPER LOOP															
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 1		1	UCL	UCLAS	17.30	144.68	94.22	56.72	10.68						
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 2		2	UCL	UCLAS	18.84	144.68	94.22	56.72	10.68						
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 3		3	UCL	UCLAS	21.33	144.68	94.22	56.72	10.68						
	4W Copper Loop-Designed including manual service inquiry and facility reservation-Zone 4		4	UCL	UCLAS	21.33	144.68	94.22	56.72	10.68						
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	4W Copper Loop-Designed w/o manual service inquiry and facility reservation-Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		119.56	81.44	56.72	10.68						
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Disc)			UCL	UREWO		95.21	42.40								
	Order Coordination for Spoiled Conversion Time (per LSR)			UEA, UDL, UAL, UHL, UDL, USL	OCOSL		18.19									
	Reassignments															
	FEEL to UNE-L Reassignment, per 2W Unbundled Voice Loop-SL2			UEA	UREEL		87.56	36.29								
	FEEL to UNE-L Reassignment, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.56	36.29								
	FEEL to UNE-L Reassignment, per 2W ISDN Loop			UDN	UREEL		91.49	44.07								
	FEEL to UNE-L Reassignment, per 4 Wire Unbundled Digital Loop			UDL	UREEL		101.94	49.68								
	FEEL to UNE-L Reassignment, per 4 Wire Unbundled DS1 Loop			USL	UREEL		100.80	42.98								
	UNE LOOP COMINGLING															
	2-WIRE ANALOG VOICE GRADE LOOP - COMINGLING															
	2W Analog VG Loop- SL2 w/Loop or Ground Start Signaling-Zone 1		1	NTCVG	UEAL2	13.89	103.56	68.28	52.82	10.37						
	2W Analog VG Loop- SL2 w/Loop or Ground Start Signaling-Zone 2		2	NTCVG	UEAL2	18.76	103.56	68.28	52.82	10.37						
	2W Analog VG Loop- SL2 w/Loop or Ground Start Signaling-Zone 3		3	NTCVG	UEAL2	27.68	103.56	68.28	52.82	10.37						
	2W Analog VG Loop- SL2 w/Loop or Ground Start Signaling-Zone 4		4	NTCVG	UEAL2	24.72	103.56	68.28	52.82	10.37						
	2W Analog VG Loop- SL2 w/Reverse Battery Signaling-Zone 1		1	NTCVG	UEAR2	13.89	103.56	68.28	52.82	10.37						
	2W Analog VG Loop- SL2 w/Reverse Battery Signaling-Zone 2		2	NTCVG	UEAR2	18.76	103.56	68.28	52.82	10.37						
	2W Analog VG Loop- SL2 w/Reverse Battery Signaling-Zone 3		3	NTCVG	UEAR2	27.55	103.56	68.28	52.82	10.37						
	2W Analog VG Loop- SL2 w/Reverse Battery Signaling-Zone 4		4	NTCVG	UEAR2	46.72	103.56	68.28	52.82	10.37						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)			NTCVG	URESL		26.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)			NTCVG	URESP		26.50	5.02								
	CLEC to CLEC Conversion Charge w/o outside dispatch			NTCVG	UREWO		87.56	36.29								
	Loop Tagging-SL2 (SL2)			NTCVG	URETL		11.19	1.10								
	2-WIRE ANALOG VOICE GRADE LOOP - COMINGLING															
	4W Analog VG Loop-Zone 1		1	NTCVG	UEAL4	27.47	132.27	94.99	60.68	14.64						
	4W Analog VG Loop-Zone 2		2	NTCVG	UEAL4	31.26	132.27	94.99	60.68	14.64						
	4W Analog VG Loop-Zone 3		3	NTCVG	UEAL4	50.03	132.27	94.99	60.68	14.64						
	4W Analog VG Loop-Zone 4		4	NTCVG	UEAL4	50.03	132.27	94.99	60.68	14.64						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)			NTCVG	URESL		26.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)			NTCVG	URESP		26.50	5.02								

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment 2 Each A									
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Electronically per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st			
						Nonrecurring		NRC Disconnect				SONEC	SOMAN	SONEC	SOMAN		SONEC	SOMAN	
						First	Add'l	First	Add'l										
	2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	38.53	16.16	22.06	4.42									
	2W Unbundled Copper Loop-Non-Designed Zone 2		2	UEQ	UEQ2X	11.61	38.53	16.16	22.06	4.42									
	2W Unbundled Copper Loop-Non-Designed Zone 3		3	UEQ	UEQ2X	11.67	38.53	16.16	22.06	4.42									
	2W Unbundled Copper Loop-Non-Designed Zone 4		4	UEQ	UEQ2X	13.10	38.53	16.16	22.06	4.42									
	Tag Loop at End User Premises			UEQ	URETL		8.82	0.00											
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		34.36	0.00											
	Loop Testing-Basic Additional Half Hour			UEQ	URET1		19.97	19.97											
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		8.20	8.20											
	Unbundled Copper Loop-Non-Design, billing for B&T providing make-up (Engineering Information-E.1)			UEQ	UEQMU		13.51	13.51											
	CLEC to CLEC Conversion Charge via Outside Dispatch			UEQ	UREWO		14.24	7.42											
LOOP MODIFICATION																			
	Unbundled Loop Modification, Removal of Load Coils-2W pair less than or equal to 18k ft. per Unbundled Loop			UHL, UCL, UEL, UEANL, UEPBR, UEPBS	UUMZL		32.57	32.57											
	Unbundled Loop Modification, Removal of Load Coils-4 Wire less than or equal to 18k ft. per Unbundled Loop			UHL, UCL, UEL, UEANL, UEPBR, UEPBS	UUMZL		32.57	32.57											
	Unbundled Loop Modification, Removal of Bridged Tap Removal, per unbundled loop			UHL, UCL, UEL, UEANL, UEPBR, UEPBS	UUMZL		32.58	32.58											
SUB-LOOPS																			
	Sub-Loop Distribution																		
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL, UEF	USBSA		259.89												
	Sub-Loop-Per Cross Box Location-Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		22.77												
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up			UEANL	USBSC		178.47												
	Sub-Loop-Per Building Equipment Room-Per 25 Pair Panel Set-Up			UEANL	USBSD		58.19												
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	7.15	68.18	31.14	45.36	6.71									
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	9.51	68.18	31.14	45.36	6.71									
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	12.45	68.18	31.14	45.36	6.71									
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 4		4	UEANL	USBN2	18.26	68.18	31.14	45.36	6.71									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20											
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35									
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2	UEANL	USBN4	13.62	79.49	44.45	51.27	9.35									
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 3		3	UEANL	USBN4	15.73	79.49	44.45	51.27	9.35									
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 4		4	UEANL	USBN4	18.73	79.49	44.45	51.27	9.35									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20											
	Sub-Loop 2W Intra-Building Network Cable (INC)			UEANL	USBR2	2.29	63.32	18.28	45.36	6.71									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20											
	Sub-Loop 4W Intra-Building Network Cable (INC)			UEANL	USBR4	4.40	65.60	21.65	51.27	9.35									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20											
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.36	0.00											
	Loop Testing-Basic Additional Half Hour			UEANL	URET1		19.97	19.97											
	2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	6.08	66.18	31.14	45.36	6.71									
	2W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS2X	7.08	66.18	31.14	45.36	6.71									
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71									
	2W Copper Unbundled Sub-Loop Distribution-Zone 4		4	UEF	UCS2X	9.80	66.18	31.14	45.36	6.71									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20											
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35									
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	8.11	79.49	44.45	51.27	9.35									
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35									
	4 Wire Copper Unbundled Sub-Loop Distribution-Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20											
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops			UEF, UEANL	URET1		8.92	0.00											
	Loop Testing-Basic 1st Half Hour			UEF	URET1		34.36	0.00											

UNBUNDLED NETWORK ELEMENTS - Miscellaneous														
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Attachment 2 Exh A			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
							First	Add'l	First	Add'l				
	Loop Testing-Basic Additional Half Hour			UEF	URETA			19.97	19.97					
	Unbundled Sub-Loop Modification													
	Removal per 2-W PR			UEF	ULM2X			5.13						
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip			UEF	ULMAX			5.13						
	Removal per 4-W PR													
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT			279.81	6.16					
	Unbundled Network Terminating Wire (UNTW)													
	Unbundled Network Terminating Wire (UNTW) per Pair			UNTW	UENPP	0.3368		30.55						
	Network Interface Device (NID)													
	Network Interface Device (NID)-1-2 lines			UNTW	UND12			43.84	28.80					
	Network Interface Device (NID)-1-8 lines			UNTW	UND18			65.30	50.38					
	Network Interface Device Cross Connect-2 W			UNTW	UND23			5.94	5.94					
	Network Interface Device Cross Connect-4W			UNTW	UND24			5.94	5.94					
	LINE OTHER, PROVISIONING ONLY - NO RATE													
				UAL, UCL, UDC, UPL, UDL, UEA, UHL, UHAL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, UBL				0.00						
	Unbundled Contact Name, Provisioning Only-no rate				UNECN	0.00		0.00						
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL, NTQD1	COOSF	0.00		0.00						
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL, NTQD1	COEEX	0.00		0.00						
	NID-Dispatch and Service Order for NID installation			UNTW	UNDBX	0.00		0.00						
	UNTW Circuit Establishment, Provisioning Only-No Rate			UNTW	UENCE	0.00		0.00						
	LOOP MAKE-UP													
	Loop MakeUp-Preordering w/o Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		24.12	24.12						
	Loop MakeUp-Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		25.58	25.58						
	Loop MakeUp-With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMD		0.9852	0.9852						
	LINE SPLITTING													
	END USER ORDERING-CENTRAL OFFICE BASED													
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.81								
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.81	18.62	10.68	10.04	4.93				
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.81	18.62	10.68	10.04	4.93				
	UNBUNDLED EXCHANGE ACCESS LOOP													
	2-WIRE ANALOG VOICE GRADE LOOP													
	2W Analog VG Loop-Service Level 1-Line Splitting-Zone 1	1		UEPSR UEPSB	UEALS	12.03	37.82	17.65	23.48	5.25				
	2W Analog VG Loop-Service Level 1-Line Splitting-Zone 1	1		UEPSR UEPSB	UEABS	12.03	37.82	17.65	23.48	5.25				
	2W Analog VG Loop-Service Level 1-Line Splitting-Zone 2	2		UEPSR UEPSB	UEALS	18.87	37.82	17.65	23.48	5.25				
	2W Analog VG Loop-Service Level 1-Line Splitting-Zone 2	2		UEPSR UEPSB	UEABS	18.87	37.82	17.65	23.48	5.25				
	2W Analog VG Loop-Service Level 1-Line Splitting-Zone 3	3		UEPSR UEPSB	UEALS	25.68	37.82	17.65	23.48	5.25				
	2W Analog VG Loop-Service Level 1-Line Splitting-Zone 3	3		UEPSR UEPSB	UEABS	25.68	37.82	17.65	23.48	5.25				
	2W Analog VG Loop-Service Level 1-Line Splitting-Zone 4	4		UEPSR UEPSB	UEALS	43.85	37.82	17.65	23.48	5.25				
	2W Analog VG Loop-Service Level 1-Line Splitting-Zone 4	4		UEPSR UEPSB	UEABS	43.85	37.82	17.65	23.48	5.25				
	PHYSICAL COLLOCATION													
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45				
	VIRTUAL COLLOCATION													
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0288	12.37	11.87	6.04	5.45				
	UNBUNDLED DEDICATED TRANSPORT													
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT													
	Interoffice Channel-2W VG-per mile			UTVXX	1LSXX	0.0088								
	Interoffice Channel-2W VG-Facility Termination			UTVXX	UTV2	22.52	40.77	27.57	17.26	7.11				
	Interoffice Channel-2W VG Rev Bat-per mile			UTVXX	1LSXX	0.0088								
	Interoffice Channel-2W VG Rev Bat-Facility Termination			UTVXX	UTV2	22.52	40.77	27.57	17.26	7.11				
	Interoffice Channel-4W VG-per mile			UTVXX	1LSXX	0.0088								

UNBUNDLED NETWORK ELEMENTS - Mississippi														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Attachment 2 Est A		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMECH	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service-Company Performed Session, Per Minute					0.8393								
HIGH CAPACITY UNBUNDLED LOCAL LOOP														
DS-1/STS-1 UNBUNDLED LOCAL LOOP - Stand Alone														
	DS3 Unbundled Local Loop-per mile			UES	11SND	11.20								
	DS3 Unbundled Local Loop-Facility Termination			UES	UESPX	328.15								
	STS-1 Unbundled Local Loop-per mile			UOLSX	11SND	11.20								
	STS-1 Unbundled Local Loop-Facility Termination			UOLSX	UOLST	338.95								
ENHANCED EXTENDED LINK (EELs)														
Network Elements Used In Combinations														
	2W VG Loop (SL2) In Combination-Zone 1		1	UNCOX	UEAL2	13.89	105.98	68.28	52.82	10.37				
	2W VG Loop (SL2) In Combination-Zone 2		2	UNCOX	UEAL2	18.75	105.98	68.28	52.82	10.37				
	2W VG Loop (SL2) In Combination-Zone 3		3	UNCOX	UEAL2	27.65	105.98	68.28	52.82	10.37				
	2W VG Loop (SL2) In Combination-Zone 4		4	UNCOX	UEAL2	46.72	105.98	68.28	52.82	10.37				
	4W Analog VG Loop In Combination-Zone 1		1	UNCOX	UEAL4	27.47	132.27	94.69	60.68	14.64				
	4W Analog VG Loop In Combination-Zone 2		2	UNCOX	UEAL4	38.26	132.27	94.69	60.68	14.64				
	4W Analog VG Loop In Combination-Zone 3		3	UNCOX	UEAL4	50.03	132.27	94.69	60.68	14.64				
	4W Analog VG Loop In Combination-Zone 4		4	UNCOX	UEAL4	50.03	132.27	94.69	60.68	14.64				
	2W ISDN Loop In Combination-Zone 1		1	UNCOX	U1L2X	27.01	117.61	79.82	52.82	10.37				
	2W ISDN Loop In Combination-Zone 2		2	UNCOX	U1L2X	27.01	117.61	79.82	52.82	10.37				
	2W ISDN Loop In Combination-Zone 3		3	UNCOX	U1L2X	27.01	117.61	79.82	52.82	10.37				
	2W ISDN Loop In Combination-Zone 4		4	UNCOX	U1L2X	27.01	117.61	79.82	52.82	10.37				
	4W 56Kbps Digital Grade Loop In Combination-Zone 1		1	UNCOX	U1L56	69.18	126.53	88.85	60.68	14.64				
	4W 56Kbps Digital Grade Loop In Combination-Zone 2		2	UNCOX	U1L56	69.18	126.53	88.85	60.68	14.64				
	4W 56Kbps Digital Grade Loop In Combination-Zone 3		3	UNCOX	U1L56	69.18	126.53	88.85	60.68	14.64				
	4W 56Kbps Digital Grade Loop In Combination-Zone 4		4	UNCOX	U1L56	69.18	126.53	88.85	60.68	14.64				
	4W 56Kbps Digital Grade Loop In Combination-Zone 1		1	UNCOX	U1L64	32.26	126.53	88.85	60.68	14.64				
	4W 56Kbps Digital Grade Loop In Combination-Zone 2		2	UNCOX	U1L64	32.26	126.53	88.85	60.68	14.64				
	4W 56Kbps Digital Grade Loop In Combination-Zone 3		3	UNCOX	U1L64	32.26	126.53	88.85	60.68	14.64				
	4W 56Kbps Digital Grade Loop In Combination-Zone 4		4	UNCOX	U1L64	32.26	126.53	88.85	60.68	14.64				
	4W DS1 Digital Loop In Combination-Zone 1		1	UNCOX	U1LXX	128.38	253.93	158.45	48.10	12.07				
	4W DS1 Digital Loop In Combination-Zone 2		2	UNCOX	U1LXX	128.38	253.93	158.45	48.10	12.07				
	4W DS1 Digital Loop In Combination-Zone 3		3	UNCOX	U1LXX	128.38	253.93	158.45	48.10	12.07				
	4W DS1 Digital Loop In Combination-Zone 4		4	UNCOX	U1LXX	128.38	253.93	158.45	48.10	12.07				
	DS3 Local Loop in combination-per mile			UNCOX	11SND	11.20								
	DS3 Local Loop in combination-Facility Termination			UNCOX	UESPX	326.16	464.13	285.47	123.23	86.19				
	STS-1 Local Loop in combination-per mile			UNCOX	11SND	11.20								
	STS-1 Local Loop in combination-Facility Termination			UNCOX	UOLST	338.25	454.13	285.47	123.23	86.19				
	Interoffice Channel in combination-2W VG-per mile			UNCOX	11SXX	0.0088								
	Interoffice Channel in combination-4W VG-per mile			UNCOX	U1V2	20.30	40.77	27.57	17.26	7.11				
	Interoffice Channel in combination-4W VG-Facility Termination			UNCOX	11SXX	0.0088								
	Interoffice Channel in combination-4W 56 Kbps-per mile			UNCOX	U1V4	17.80	40.77	27.57	17.26	7.11				
	Interoffice Channel in combination-4W 56 Kbps-Facility Termination			UNCOX	U1SXX	0.0088								
	Interoffice Channel in combination-4W 64 Kbps-per mile			UNCOX	U1V6	14.04	40.77	27.57	17.26	7.11				
	Interoffice Channel in combination-4W 64 Kbps-Facility Termination			UNCOX	U1V6	14.04	40.77	27.57	17.26	7.11				
	Interoffice Channel in combination-DS1-per mile			UNCOX	11SXX	0.201								
	Interoffice Channel in combination-DS1-Facility Termination			UNCOX	U1V1	51.72	88.78	82.28	18.66	14.90				
	Interoffice Channel in combination-DS3-per mile			UNCOX	11SXX	4.76								
	Interoffice Channel in combination-DS3-Facility Termination			UNCOX	U1V3	878.12	280.37	163.70	62.08	60.29				
	Interoffice Channel in combination-STS-1-per mile			UNCOX	11SXX	4.76								
	Interoffice Channel in combination-STS-1-Facility Termination			UNCOX	U1V5	581.21	280.37	163.70	62.08	60.29				
ADDITIONAL NETWORK ELEMENTS														
Optional Features & Functions:														
	Clear Channel Capability Extended Frame Option-per DS1			U1V1	CCDEF		0.00	0.00	0.00	0.00				
	Clear Channel Capability Super FrameOption-per DS1			U1V1	CCOSF		0.00	0.00	0.00	0.00				
	Clear Channel Capability (SPEEF) Option-Subsequent Activity-per DS1			U1V1	NRCCO		184.60	23.78	1.98	0.76				