FILE

8

BEFORE THE OHIO POWER SITING BOARD

- - -

In the Matter of the Application of American Municipal Power - Ohio, Inc. for a Certificate of Environmental Compatibility and Public Need for an Electric Generation Station and Related Facilities in Meigs County, Ohio.	:	Case No. 06-1358-EL-BGN

- - -

COMPOSITE INDEX

VOLUMES I THROUGH VI

- - -

RECEIVED-DOCKETING DIV
2008 JAN 14 AM 9:24
PUCO

ARMSTRONG & OKEY, INC.
185 South Fifth Street, Suite 101
Columbus, Ohio 43215-5201
(614) 224-9481 - (800) 223-9481
Fax - (614) 224-5724

- - -

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business
Technician _____ Date Processed 1/14/08

WITNESSES	PAGE
Richard Furman	
Direct examination by Mr. Fisk	I-26
Cross-examination by Mr. Bentine	I-27
Cross-exam (cont'd) by Mr. Bentine	I-92
Redirect examination by Mr. Fisk	I-182
Recross-examination by Ms. Young	I-221
Recross-examination by Mr. Bentine	I-228
Recross-examination by Ms. Malone	I-247
Examination by Examiner Bojko	I-250
Guy Rose	
Cross-examination by Ms. Bott	I-85
Redirect examination by Ms. Young	I-88
Evis C. Couppis, PhD, PE	
Direct examination by Mr. Bentine	II-11
Cross-examination by Mr. Colangelo	II-13
Cross-examination by Ms. Young	II-46
Redirect examination by Mr. Bentine	II-48
Recross-examination by Ms. Young	II-50
Examination by Examiner Bojko	II-53
Further redirect exam by Mr. Bentine	II-58
Lola Proffitt	
Cross-examination by Ms. Bott	II-63
Cross-examination by Ms. Malone	II-64
Redirect examination by Ms. Young	II-65
Randy Meyer	
Direct examination by Mr. Bentine	II-73
Cross-examination by Mr. Colangelo	II-77
Cross-examination by Ms. Young	II-108
Cross-examination by Ms. Malone	II-109
Redirect examination by Mr. Bentine	II-111
Recross-examination by Mr. Colangelo	II-124
Recross-examination by Ms. Malone	II-127
Examination by Examiner Bojko	II-128
Scott Kiesewetter	
Direct examination by Mr. Bentine	II-135
Cross-examination by Mr. Colangelo	II-137
Redirect examination by Mr. Bentine	II-165
Recross-examination by Ms. Young	II-180

David A. Schlissel
Direct examination by Ms. Jaiswal III-7
Cross-examination by Mr. Bentine III-52

Elisa Young
Voir dire by Ms. Bott IV-37
Cross-examination by Ms. Bott IV-67

David A. Schlissel
Cross-exam (cont'd) by Mr. Bentine IV-74
Cross-exam (cont'd) by Mr. Bentine IV-140
Redirect examination by Ms. Jaiswal IV-166
Recross-examination by Mr. Bentine IV-241
Examination by Examiner Bojko IV-284

Ivan Clark
Direct examination by Mr. Bentine V-8
Cross-examination by Mr. Fisk V-12
Redirect examination by Mr. Bentine V-17
Recross-examination by Mr. Fisk V-29

Jon Pawley
Direct examination by Mr. Wright V-38
Cross-examination by Ms. Young V-50
Cross-examination by Ms. Jaiswal V-91
Cross-examination by Mr. Bentine V-118

Ivan Clark
Rebuttal direct exam by Mr. Bentine VI-8
Rebuttal cross-exam by Mr. Fisk VI-16
Rebuttal redirect exam by Mr. Bentine VI-27
Rebuttal recross-exam by Mr. Fisk VI-31

Larry Marquis
Rebuttal direct exam by Mr. Bentine VI-35
Rebuttal cross-exam by Mr. Fisk VI-37
Rebuttal redirect exam by Mr. Bentine VI-42

Phillip E. Meier
Rebuttal direct exam by Mr. Bentine VI-49
Rebuttal cross-exam by Mr. Fisk VI-50
Rebuttal redirect exam by Mr. Bentine VI-61
Rebuttal examination by Examiner Bojko VI-68

- - -

AMP-OHIO EXHIBITS	ID'D	REC'D
1 - Direct Testimony of E. Couppis	II-12	II-60
2 - Direct Testimony of R. Meyer	II-74	II-131
3 - Direct Testimony of S. Kiesewetter	II-135	II-203
4 - Direct Testimony of I. Clark	V-7	V-38
5 - Tampa Electric press release	I-64	I-277
6 - "An Economic Scoping Study for CO2 Capture Using Aqueous Ammonia"	I-94	I-277
7 - AEP news release	I-103	I-278
8 - "Tracking New Coal-Fired Power Plants"	I-116	I-279
9 - "The Future of Coal" excerpts	I-129	I-280
10 - Synapse/Oberlin document	III-112	IV-305
11 - R.W. Beck Initial Project Feasibility Study	III-116	IV-305
12 - City of Cuyahoga Falls, Ohio Council Meeting 9/17/07 document	III-127	IV-305
13 - Burns & Roe Consulting Engineer's Report	III-188	IV-305
14 - R.W. Beck Initial Project Feasibility Study (full report) (**CONFIDENTIAL**)	IV-112	--
15 - Power Supply Plan for City of Cleveland, 2/16/07 (**CONFIDENTIAL**)	IV-139	IV-305
16 - Rebuttal Testimony of I. Clark	VI-8	VI-75
16C- Rebuttal Testimony of I. Clark (**CONFIDENTIAL**)	VI-8	VI-75

17 -	Rebuttal Testimony of L. Marquis	VI-35	VI-75
18 -	Rebuttal Testimony of P.E. Meier	VI-49	VI-75
18C-	Rebuttal Testimony of P.E. Meier (**CONFIDENTIAL**)	VI-49	VI-75
19 -	Notices (Late-filed exhibit)	VI-77	VI-77

- - -

CITIZEN GROUP'S EXHIBIT		ID'D	REC'D
1 -	Direct Testimony of R.C. Furman	I-27	--
2 -	IC-4	II-20	II-60
3 -	Excerpt from "Climate Change 2007: Physical Science Basis"	II-99	--
4 -	Excerpt from "Climate Change 2007: Impacts, Adaptation, Vulnerability"	II-99	--
5 -	Excerpt from "Climate Change 2007: Mitigation"	II-99	--
6 -	Direct Testimony of D.A. Schlissel	III-9	IV-299
7 -	"The Future of Coal" black and white version	IV-178	--
7A -	Article: "The Future of Coal"	V-6	V-7
8 -	Synapse & MIT CO2 Price Scenarios graph	IV-183	IV-299
9 -	Cost and Performance Baseline for Fossil Energy Plants by NETL	IV-193	V-38
10 -	Evaluation of Powerspan Corp. Technologies, 9/06 (**CONFIDENTIAL**)	IV-199	IV-299
11 -	Article: "Climate Change and Ohio"	V-97	--

12 - OhioEPA News Release, 4/30/07	V-98	--
13 - USEPA Website: "Climate Change"	V-100	--

- - -

ROSE EXHIBIT	ID'D	REC'D
1 - Notarized Statement of G. Rose	I-83	I-91

- - -

PROFFITT EXHIBIT	ID'D	REC'D
1 - Notarized statement of L. Proffitt	II-61	II-66

- - -

YOUNG EXHIBITS	ID'D	REC'D
1 - Original testimony of E. Young	IV-28	IV-138
2 - Additional testimony of E. Young	IV-31	IV-138
3 - Drinking Water Source Assessment for the Village of Racine, Tupper Plains/Chester Water	IV-131	IV-138

- - -

STAFF EXHIBITS	ID'D	REC'D
1 - Staff Report of Investigation	V-41	V-120
2 - Recommended Conditions of Certificate	V-43	V-120

- - -

A

Adaptation 5:12
Additional 6:12
AEP 4:9
American 1:3
Ammonia 4:8
AMP-OHIO 4:1
Application 1:3
Aqueous 4:8
ARMSTRONG 1:21
Article 5:18,24
Assessment 6:13

B

Baseline 5:20
Basis 5:10
Beck 4:14,19
BEFORE 1:1
Bentine 2:3,3,5 2:9,11,12,16 2:18,21,22 3:2 3:5,6,7,9,10 3:13,15,16,18 3:19,20,21
black 5:17
BOARD 1:1
Bojko 2:6,12,20 3:7,22
Bott 2:7,14 3:3 3:4
Burns 4:17

C

C 2:9
Capture 4:8
Case 1:5
Certificate 1:4 6:18
Change 5:10,11 5:13,24 6:2
CITIZEN 5:7
City 4:15,21
Clark 3:8,14 4:5 4:23,24
Cleveland 4:21
Climate 5:10,11 5:13,24 6:2
Coal 4:12 5:16 5:18
Coal-Fired 4:10
Colangelo 2:10 2:17,19,22
Columbus 1:22
Compatibility 1:5
COMPOSITE 1:10
Conditions 6:18
CONFIDENTIAL 4:20,22,24 5:3 5:23
Consulting 4:17
cont'd 2:3 3:5,6
Corp 5:22
Cost 5:20
Council 4:16
County 1:7
Couppis 2:9 4:2
CO2 4:8 5:19
cross-exam 2:3 3:5,6,15,18,21
Cross-examina... 2:3,7,10,10,14 2:14,17,17,18 2:22 3:2,4,9 3:12,13,13
Cuyahoga 4:15

D

David 3:1,5
dire 3:3
direct 2:2,9,16 2:21 3:1,9,12 3:15,18,20 4:2 4:3,4,5 5:8,15
document 4:13,16
Drinking 6:13
D.A 5:15

E

E 3:20 4:2 6:11 6:12
Economic 4:7
Electric 1:6 4:6
Elisa 3:3
Energy 5:21
Engineer's 4:18
Environmental 1:5
Evaluation 5:22
Evis 2:9
exam 2:12 3:15 3:16,18,19,20 3:21
examination 2:2 2:4,6,8,9,11 2:12,15,16,18 2:20,21,22 3:1 3:6,7,9,10,12 3:22
Examiner 2:6,12 2:20 3:7,22
Excerpt 5:10,11 5:13
excerpts 4:12
exhibit 5:5,7 6:4,7
EXHIBITS 4:1 6:10,16

F

Facilities 1:7
Falls 4:15
Fax 1:23
Feasibility 4:14 4:19
Fifth 1:21
Fisk 2:2,4 3:9 3:10,15,16,18 3:21
Fossil 5:21
from 5:10,11,13
full 4:19
Furman 2:2 5:8
Further 2:12
Future 4:12 5:16 5:18

G

G 6:5
Generation 1:6
graph 5:19
GROUP'S 5:7
Guy 2:7

I

IC-4 5:9
ID'D 4:1 5:7 6:4 6:7,10,16
III-112 4:13
III-116 4:14
III-127 4:15
III-188 4:17
III-52 3:2
III-7 3:1
III-9 5:15
II-108 2:17
II-109 2:18
II-11 2:9
II-111 2:18
II-12 4:2
II-124 2:19
II-127 2:19
II-128 2:20
II-13 2:10
II-131 4:3
II-135 2:21 4:4
II-137 2:22
II-165 2:22
II-180 2:23
II-20 5:9
II-203 4:4
II-46 2:10
II-48 2:11
II-50 2:11
II-53 2:12
II-58 2:12
II-60 4:2 5:9
II-61 6:8
II-63 2:14
II-64 2:14
II-65 2:15
II-66 6:8
II-73 2:16
II-74 4:3
II-77 2:17
II-99 5:10,11,13
Impacts 5:12
Inc 1:4,21
INDEX 1:10
Initial 4:14,19
Investigation 6:17
Ivan 3:8,14
IV-112 4:19
IV-131 6:13
IV-138 6:11,12 6:13
IV-139 4:21
IV-140 3:6
IV-166 3:6
IV-178 5:16
IV-183 5:19
IV-193 5:20
IV-199 5:22
IV-241 3:7
IV-28 6:11
IV-284 3:7
IV-299 5:15,19 5:22
IV-305 4:13,14 4:15,17,21
IV-31 6:12
IV-37 3:3
IV-67 3:4
IV-74 3:5
I-103 4:9
I-116 4:10
I-129 4:12
I-182 2:4
I-221 2:4
I-228 2:5
I-247 2:5
I-250 2:6
I-26 2:2
I-27 2:3 5:8
I-277 4:6,7
I-278 4:9
I-279 4:10
I-280 4:12
I-64 4:6
I-83 6:5
I-85 2:7
I-88 2:8
I-91 6:5
I-92 2:3
I-94 4:7

J

Jaiswal 3:1,6,13
Jon 3:11

K

Kiesewetter 2:21 4:4

L

L 5:1 6:8
Larry 3:17
Late-filed 5:5
Lola 2:13

M

Malone 2:5,14,18 2:19
Marquis 3:17 5:1
Matter 1:3
Meeting 4:16
Meier 3:20 5:2,3
Meigs 1:7
Meyer 2:16 4:3
MIT 5:19
Mitigation 5:14
Municipal 1:4

N

Need 1:6
NETL 5:21
New 4:10
news 4:9 6:1
Notarized 6:5,8
Notices 5:4

O

Ohio 1:1,4,7,22 4:15 5:24
OhioEPA 6:1
OKEY 1:21
Original 6:11

P

PAGE 2:1
Pawley 3:11
PE 2:9
Performance 5:20
PhD 2:9
Phillip 3:20
Physical 5:10
Plains/Chester 6:14
Plan 4:21
Plants 4:11 5:21
Power 1:1,4 4:10 4:21
Powerspan 5:22
press 4:6
Price 5:19

Proffitt 2:13 6:7,8
Project 4:14,19
Public 1:5
P.E 5:2,3

R

R 4:3
Racine 6:13
Randy 2:16
Rebuttal 3:15,15 3:16,16,18,18 3:19,20,21,21 3:22 4:23,24 5:1,2,3
Recommended 6:18
recross-exam 3:16
Recross-exami... 2:4,5,5,11,19 2:19,23 3:7,10
REC'D 4:1 5:7 6:4,7,10,16
redirect 2:4,8 2:11,12,15,18 2:22 3:6,10,16 3:19,21
Related 1:7
release 4:6,9 6:1
report 4:18,19 6:17
Richard 2:2
Roe 4:17
Rose 2:7 6:4,5
R.C 5:8
R.W 4:14,19

S

S 4:4
Scenarios 5:19
Schlissel 3:1,5 5:15
Science 5:10
Scoping 4:7
Scott 2:21
SITING 1:1
Source 6:13
South 1:21
Staff 6:16,17
statement 6:5,8
Station 1:6
Street 1:21
Study 4:7,14,19
Suite 1:21
Supply 4:21
Synapse 5:19
Synapse/Oberlin 4:13

T

Tampa 4:6
Technologies 5:22
testimony 4:2,3 4:4,5,23,24 5:1,2,3,8,15 6:11,12
THROUGH 1:11
Tracking 4:10
Tupper 6:14

U

USEPA 6:2
Using 4:8

V

version 5:17
VI 1:11
Village 6:13
VI-16 3:15
VI-27 3:16
VI-31 3:16
VI-35 3:18 5:1
VI-37 3:18
VI-42 3:19
VI-49 3:20 5:2,3
VI-50 3:21
VI-61 3:21
VI-68 3:22
VI-75 4:23,24 5:1,2,3
VI-77 5:4,4
VI-8 3:15 4:23 4:24
Voir 3:3
VOLUMES 1:11
Vulnerability 5:12
V-100 6:2
V-118 3:13
V-12 3:9
V-120 6:17,18
V-17 3:10
V-29 3:10
V-38 3:12 4:5 5:20
V-41 6:17
V-43 6:18
V-50 3:12
V-6 5:18
V-7 4:5 5:18
V-8 3:9
V-91 3:13
V-97 5:24
V-98 6:1

W

Water 6:13,14
Website 6:2
white 5:17
WITNESSES 2:1
Wright 3:12

Y

Young 2:4,8,10 2:11,15,17,23 3:3,12 6:10,11 6:12

0

06-1358-EL-BGN 1:5

1

1 4:2 5:8 6:5,8 6:11,17
10 4:13 5:22
101 1:21
11 4:14 5:24
12 4:15 6:1
13 4:17 6:2
14 4:19
15 4:21
16 4:23
16C 4:24
17 5:1
18 5:2
18C 5:3
185 1:21
19 5:4

2

2 4:3 5:9 6:12 6:18
2/16/07 4:21
2007 5:10,12,14
223-9481 1:22
224-5724 1:23
224-9481 1:22

3

3 4:4 5:10 6:13

4

4 4:5 5:11
4/30/07 6:1
43215-5201 1:22

5

5 4:6 5:13

6

6 4:7 5:15
614 1:22,23

7

7 4:9 5:16
7A 5:18

8

8 4:10 5:19
800 1:22

9

9 4:12 5:20
9/06 5:22
9/17/07 4:16