

06-1142-GA-BIN

CP07-208-000 REX Pipeline East

Dear FERC,

In the matter of the coating of the pipeline many people have told me that it is toxic, but no one has told what this material is. I will probably contact the Ohio EPA to see if they know what this material is. Then maybe check with the Ohio State University's main library and the Ohio State College of Engineering. As that the Rockies Express people do not answer question concerning safety, asking them is a waste of time.

I hope this coating is not as toxic as people are saying it is, because where the REX Pipeline East is going through my area is in the water shed that flows into the Barnesville reservoir. This reservoir feeds many communities in my area, there are people near one or the other proposed pathways the pipeline wishes to take that people do not have access to the county water system and must use ground water for their drinking water, which if this water source is contaminated by the pipeline coating this can have many bad effects on the people and to the agriculture of the area.

Jerry Smith, PhD.
Somerset Township
Somerton, Ohio 43784

RECEIVED-DOCKETING DIV
2008 FEB 21 PM 2:36
PUCO

Witness and certify that the foregoing information is true and correct and complete representation of a civil file submitted and/or received in the regular course of business.
Technician Amr Date Processed 2/21/08

Submission Contents

Pipeline coating possible contamination of the drink water system	
CP07-208-18-02-08.doc.....	1-1