

FILE

BEFORE THE PUBLIC UTILITIES COMMISSION OF OHIO

In the Matter of the :
Application of Ohio :
American Water Company to :
Increase its Rates in its : Case No. 07-1112-WS-AIR
Entire Service Area for :
Water Service and Sewer :
Service. :

PROCEEDINGS

before Mr. Dick Bulgrin, Hearing Examiner, at the
Public Utilities Commission of Ohio, 180 East Broad
Street, Room 11-G, Columbus, Ohio, called at 10:00
a.m. on Tuesday, August 26, 2008.

VOLUME II

9-19-08

Transcript docketed electronically

Exhibits

ARMSTRONG & OKEY, INC.
185 South Fifth Street, Suite 101
Columbus, Ohio 43215-5201
(614) 224-9481 - (800) 223-9481
Fax - (614) 224-5724

This is to certify that the images appearing are an
accurate and complete reproduction of a case file
document delivered in the regular course of business.

Technician Am Date Processed 9/19/08

RECEIVED-DOCKETING DIV

2008 SEP 19 AM 9:42

PUCO

Independent test data collected by Steve Kennedy and verified by third party lab

[illegible]

* readings not available
at present time

These documents prove there is an accountability issue with the current stipulation for hardness testing at O.A.W. Lake Darby plant. These tests prove that the Lake Darby plant was out of the stipulated hardness range 10 confirmed times since Dec 2007 and one unconfirmed time as late as Aug 24 2008. These documents also show that O.A.W. self testing on 9 of these 10 days to be within the stipulated range

These documents also show that O.A.W. should have been fined under the current stipulations for the months of Dec 2007, Jan. 2008, and July 2008 for being outside of the stipulated range more than 5% of the time for these months. The stipulations that require the company operators to self test themselves is flawed and needs changed. The next set of stipulations needs to address the accountability of hardness testing

Ohio American Water Co.
Franklin County Operations
Lake Darby Water Treatment Plant
PWSID#2502612

Reporting Period December 2007

Date	Plant Process Control Concentration (mg/l)	Central Laboratory Concentration (mg/l)	Approved by Plant Operator (Date, Hardness (mg/l))
1	140	140	140
2	142	140	141
3	132	136	134
4	126	120	123
5	140	136	138
6	135	132	134
7	134	136	135
8	143	140	142
9	130	132	131
10	136	136	136
11	134	134	134
12	137	140	139
13	138	140	139
14	130	126	128
15	134	132	133
16	135	132	134
17	133	130	132
18	131	130	131
19	142	140	141
20	138	138	138
21	139	134	137
22	129	122	126
23	130	130	130
24	132	124	126
25	132	134	133
26	130	130	130
27	126	136	131
28	130	124	127
29	125	128	127
30	128	130	129
31	132	122	127
Min.			123
Max			142
Average			133
% Above 150 mg/l			0.0
% Below 120 mg/l			0.0

*All Hardness analyses were done using Standard Methods, 20th Ed., Method 2340c (Hardness as CaCO₃)

Ohio American Water Co.
Franklin County Operations
Lake Darby Water Treatment Plant
PWSID#2502612

Reporting Period January 2008

Date	Plant Process Control Concentration (mg/l)	Control Laboratory Concentration (mg/l)	Average Daily Plant Hardness Water Hardness (mg/l)
1	132	130	131
2	130	120	125
3	127	132	130
4	126	136	131
5	135	138	137
6	138	136	137
7	139	144	142
8	126	130	128
9	130	134	132
10	130	128	129
11	136	142	139
12	135	138	137
13	137	131	134
14	133	134	134
15	132	124	128
16	130	140	135
17	131	124	128
18	130	126	128
19	127	122	125
20	130	128	129
21	134	132	133
22	132	134	133
23	127	140	134
24	128	124	126
25	132	136	134
26	135	134	135
27	130	130	130
28	128	134	131
29	124	122	123
30	125	122	124
31	128	130	129
Min.			123
Max			142
Average			131
% Above 150 mg/l			0.0
% Below 120 mg/l			0.0

*All Hardness analyses were done using Standard Methods, 20th Ed., Method 2340c (Hardness as CaCO₃).

Ohio American Water Co.
Franklin County Operations
Lake Darby Water Treatment Plant

PWSID#2502612

Reporting Period February 2008

Date	Plant Process Control Concentration (mg/l)	Central Laboratory Concentration (mg/l)*	Average Daily Plant Finished Water Hardness (mg/L)
1	125	144	135
2	125	120	123
3	124	124	124
4	124	120	122
5	125	122	124
6	123	134	129
7	128	130	129
8	124	118	121
9	127	122	125
10	128	124	128
11	124	120	122
12	129	128	129
13	128	122	125
14	124	124	124
15	130	126	128
16	129	124	127
17	124	115	120
18	126	126	126
19	127	150	139
20	127	126	127
21	346	366	356
22	127	128	128
23	126	124	125
24	128	130	129
25	127	128	128
26	129	132	131
27	128	120	124
28	125	119	122
29	127	124	126
		Min.	120
		Max	356
		Average	134
		% Above 150 mg/l	3.4
		% Below 120 mg/l	0.0

*All Hardness analyses were done using Standard Methods, 20th Ed., Method 2340c (Hardness as CaCO₃)

Ohio American Water Co.
Franklin County Operations
Lake Darby Water Treatment Plant

PWSID#2502612

Reporting Period March 2008

Date	Plant Process Control Concentration (mg/l)	Central Laboratory Concentration (mg/l)*	Average Daily Plant Finished Water Hardness (mg/L)
1	128	124	126
2	127	124	126
3	126	122	124
4	126	120	123
5	127	120	124
6	126	122	124
7	126	130	128
8	124	120	122
9	123	122	123
10	127	124	126
11	128	126	127
12	128	126	127
13	127	124	126
14	130	130	130
15	126	124	125
16	128	128	128
17	128	128	128
18	129	138	134
19	131	134	133
20	127	126	127
21	126	124	125
22	126	124	125
23	129	132	131
24	127	128	128
25	129	128	129
26	127	130	129
27	130	128	129
28	127	128	128
29	126	124	125
30	127	130	129
31	128	124	126
		Min.	122
		Max	134
		Average	127
		% Above 150 mg/l	0.0
		% Below 120 mg/l	0.0

*All Hardness analyses were done using Standard Methods, 20th Ed., Method 2340c (Hardness as CaCO₃).

Ohio American Water Co.
Franklin County Operations
Lake Darby Water Treatment Plant
PWSID#2502612

Reporting Period April 2008

Date	Plant Process Control Concentration (mg/l)	Central Laboratory Concentration (mg/l)*	Average Daily Plant Finished Water Hardness (mg/l)
1	127	124	126
2	128	130	129
3	128	130	129
4	128	126	127
5	127	123	125
6	129	126	128
7	126	124	125
8	129	128	129
9	130	130	130
10	128	124	126
11	127	124	126
12	128	126	127
13	127	128	128
14	128	122	125
15	130	128	129
16	125	124	125
17	124	124	124
18	129	126	128
19	128	126	127
20	125	124	125
21	128	126	127
22	128	126	127
23	125	124	125
24	127	126	127
25	127	124	126
26	129	128	129
27	125	128	127
28	129	124	127
29	126	126	126
30	128	130	129
		Min.	124
		Max	130
		Average	127
		% Above 150 mg/l	0.0
		% Below 120 mg/l	0.0

*All Hardness analyses were done using Standard Methods, 20th Ed., Method 2340c (Hardness as CaCO₃).

Ohio American Water Co.
Franklin County Operations
Lake Darby Water Treatment Plant

PWSID#2502612

Reporting Period May 2008

Date	Plant Process Control Concentration (mg/l)	Central Laboratory Concentration (mg/l)	Average Daily Plant Finished Water Hardness (mg/l)
1	130	128	129
2	124	120	122
3	125	122	124
4	127	124	126
5	126	120	123
6	126	130	128
7	128	124	126
8	129	124	127
9	127	128	128
10	127	128	128
11	128	126	127
12	128	128	128
13	127	124	126
14	124	126	125
15	127	122	125
16	125	124	125
17	127	127	127
18	126	130	128
19	126	126	126
20	125	124	125
21	128	128	128
22	129	126	128
23	128	128	128
24	128	130	129
25	129	134	132
26	128	130	129
27	128	130	129
28	127	139	133
29	127	124	126
30	129	130	130
31	129	128	129
Min.			122
Max			133
Average			127
% Above 150 mg/l			0.0
% Below 120 mg/l			0.0

*All Hardness analyses were done using Standard Methods, 20th Ed., Method 2340c (Hardness as CaCO₃)

Ohio American Water Co.
Franklin County Operations
Lake Darby Water Treatment Plant

PWSID#2502612

Reporting Period June 2008

Date	Plant Process Control Concentration (mg/l)	Central Laboratory Concentration (mg/l)*	Average Daily Plant Finished Water Hardness (mg/L)
1	129	130	130
2	130	128	129
3	128	132	130
4	126	124	125
5	124	122	123
6	129	132	131
7	128	126	127
8	124	126	125
9	127	124	126
10	128	122	125
11	125	124	125
12	130	128	129
13	128	132	130
14	127	126	127
15	126	120	123
16	125	124	125
17	124	126	125
18	126	126	126
19	128	124	126
20	124	126	125
21	127	128	128
22	125	126	126
23	130	124	127
24	124	120	122
25	124	120	122
26	125	124	125
27	125	122	124
28	129	126	128
29	130	136	133
30	125	122	124
Min.			122
Max			133
Average			126
% Above 150 mg/l			0.0
% Below 120 mg/l			0.0

*All Hardness analyses were done using Standard Methods, 20th Ed., Method 2340c (Hardness as CaCO₃)

Ohio American Water Co.
Franklin County Operations
Lake Darby Water Treatment Plant

PWSID#2502612

Reporting
Period

July

2008

Date	Plant Process Control Concentration (mg/l)	Central Laboratory Concentration (mg/l)*	Average Daily Plant Finished Water Hardness (mg/L)
1	128	128	128
2	130	120	125
3	127	120	124
4	125	126	126
5	128	130	128
6	126	126	126
7	127	126	127
8	126	128	127
9	129	130	130
10	130	138	134
11	131	140	136
12	126	122	124
13	125	124	125
14	128	126	127
15	128	138	133
16	129	128	129
17	125	122	124
18	128	128	128
19	128	130	129
20	130	134	132
21	127	130	129
22	124	120	122
23	129	134	132
24	123	120	122
25	130	132	131
26	128	122	125
27	127	130	129
28	130	136	133
29	128	130	129
30	128	126	127
31	128	124	126
Min.			122
Max			138
Average			128
% Above 150 mg/l			0.0
% Below 120 mg/l			0.0

*All Hardness analyses were done using Standard Methods, 20th Ed., Method 2340c (Hardness as CaCO₃).

December-07	Date	Day	Reading	Temp	Drops	Time	mg/ Hardness
	1	Saturday					
	2	Sunday					
	3	Monday	634	63.5	11	12:30pm	188
	4	Tuesday	725	71	9	9:00pm	153
	5	Wednesday					
	6	Thursday	117	71.2	9	12:10pm	153
	7	Friday					
	8	Saturday					
	9	Sunday					
	10	Monday	654	64.4	8	9:32am	136
	11	Tuesday	700	69.6	8	11:27	136
	12	Wednesday	725	71.6	8	11:43	136
	13	Thursday	727	73.2	8	9:33am	136
	14	Friday	680	68	7	12:53pm	119
	15	Saturday					
	16	Sunday					
	17	Monday	667	62	7	9:32am	119
	18	Tuesday					
	19	Wednesday	690	73	7	1:20pm	119
	20	Thursday	714	68.1	8	9:33am	136
	21	Friday					
	22	Saturday					
	23	Sunday					
	24	Monday	711	68	7	9:25am	119
	25	Tuesday					
	26	Wednesday					
	27	Thursday	705	70.7	7	12:05pm	119
	28	Friday					
	29	Saturday					
	30	Sunday					
	31	Monday	653	63.8	10	8:10am	171

January-08	Date	Day	Conductivity Reading	Temp	Drops	Time	mg/l Hardness
	1	Tuesday	725	71.2	7	1:15am	119
	2	Wednesday	703	68	7	9:30pm	119
	3	Thursday	675	60	7	3:30pm	119
	4	Friday	690	58.8	7	9:30am	119
	5	Saturday	625	66.5	7	3:02pm	119
	6	Sunday	715	72.8	7	3:15pm	119
	7	Monday	694	72.8	9	6:31pm	153
	8	Tuesday	734	75	8	8:42pm	136
	9	Wednesday	742	74.6	8	8:51pm	136
	10	Thursday	754	74.4	8	9:05pm	136
	11	Friday	850	61.8	8	7:32pm	136
	12	Saturday	720	69	8	9:05pm	136
	13	Sunday	731	68	9	7:47pm	153
	14	Monday	672	63.6	11	9:41am	188
	15	Tuesday	728	65.1	8	2:10pm	136
	16	Wednesday	747	70.1	8	2:05pm	136
	17	Thursday	789	61.5	7	2:25pm	119
	18	Friday	728	69	8	7:31pm	136
	19	Saturday	745	70.8	7	3:02pm	119
	20	Sunday	653	59.5	11	6:33pm	188
	21	Monday	683	61.8	11	7:00am	188
	22	Tuesday	718	69	8	9:01pm	136
	23	Wednesday	680	63.8	8	9:01pm	136
	24	Thursday	677	63.5	8	2:45pm	136
	25	Friday	692	64.2	8	2:15pm	136
	26	Saturday	666	67.4	10	5:13pm	171
	27	Sunday	673	65.1	8	8:31pm	136
	28	Monday	679	64.2	8	9:22am	136
	29	Tuesday	652	68.7	8	3:03pm	136
	30	Wednesday	677	64	7	9:03pm	119
	31	Thursday	702	66	7	1:20pm	119
	*21	Monday	679	67.4	10	7:15pm	171

February-08	Date	Day	Conductivity Reading	Temp	Drops	Time	mg/l Hardness
	1	Friday	689	66.7	7	9:41pm	119
	2	Saturday	742	64.5	7	1:01pm	119
	3	Sunday	756	68.4	7	8:53pm	119
	4	Monday	711	70.1	7	12:05pm	119
	5	Tuesday	713	71.6	7	3:01pm	119
	6	Wednesday	728	67.8	7	9:16pm	119
	7	Thursday	696	66.3	7	3:10pm	119
	8	Friday	683	63.5	7	1:23pm	119
	9	Saturday	696	68	8	9:26pm	136
	10	Sunday	666	58.4	7	7:18pm	119
	11	Monday	866	51.9	7	7:48am	119
	12	Tuesday	752	68.3	8	9:03pm	136
	13	Wednesday	704	66.3	8	2:15pm	136
	14	Thursday	719	64.9	7	9:33am	119
	15	Friday	659	63.5	8	10:44pm	136
	16	Saturday	740	68	9	12:52pm	153
	17	Sunday	705	68.7	8	7:03pm	136
	18	Monday	680	64.1	9	9:52pm	153
	19	Tuesday	682	60.2	8	12:49pm	136
	20	Wednesday	709	66.3	8	2:01pm	136
	21	Thursday	655	60.6	15	3:05pm	256
	22	Friday	684	66.7	8	2:15pm	136
	23	Saturday	725	67.6	9	11:33am	153
	24	Sunday	725	72.3	7	5:05pm	119
	25	Monday	694	65.3	8	1:45pm	136
	26	Tuesday	659	64	7	12:15pm	119
	27	Wednesday	683	63.3	8	2:05pm	136
	28	Thursday	736	68	7	1:57pm	119
	29	Friday	705	64.7	8	2:10pm	136
	30						
	31						

ppm
442

March-08	Date	Day	Conductivity Reading	Temp	Drops	Time	mg/l Hardness
	1	Saturday	664	64.5	8	8:35PM	136
	2	Sunday	710	71.6	7	6:35PM	119
	3	Monday	702	74.3	7	2:36PM	119
	4	Tuesday	688	61.5	8	12:20PM	136
	5	Wednesday	690	61.7	8	3:02PM	136
	6	Thursday	769	68	7	12:56PM	119
	7	Friday	715	69.6	8	1:25PM	136
	8	Saturday	650	61.8	7	3:16PM	119
	9	Sunday	662	62.9	7	3:36PM	119
	10	Monday	674	70.1	7	2:21PM	119
	11	Tuesday	674	66.2	7	1:05PM	119
	12	Wednesday	743	72.8	7	2:12PM	119
	13	Thursday	730	72.8	7	2:06PM	119
	14	Friday	830	68.5	8	1:57PM	136
	15	Saturday	668	60	8	1:01PM	136
	16	Sunday	657	60.9	7	12:30PM	119
	17	Monday	657	61.3	7	1:15PM	119
	18	Tuesday	640	64.9	8	1:01PM	136
	19	Wednesday	666	66.9	7	2:05PM	119
	20	Thursday	721	68	9	2:30PM	153
	21	Friday	703	67.6	7	1:44PM	119
	22	Saturday	700	63.6	7	12:05PM	119
	23	Sunday	680	63.1	8	3:05PM	136
	24	Monday	671	66.2	7	1:30PM	119
	25	Tuesday	606	62.4	7	1:15PM	119
	26	Wednesday	710	71.2	7	2:50PM	119
	27	Thursday	686	65.3	7	1:20PM	119
	28	Friday	681	66.7	7	2:10PM	119
	29	Saturday	740	68	7	11:45AM	119
	30	Sunday	635	59	7	6:30PM	119
	31	Monday	675	69.6	7	1:45PM	119

April-08	Date	Day	Reading	Temp	Drops	Time	mg/l Hardness
	1	Tuesday	679	68.5	7	2:05pm	119
	2	Wednesday	691	67.5	8	2:20pm	136
	3	Thursday	705	68	8	1:35pm	136
	4	Friday	692	66.5	8	9:25pm	136
	5	Saturday	715	64.5	8	11:56am	136
	6	Sunday	667	68	8	8:35pm	136
	7	Monday	768	77.3	7	12:35pm	119
	8	Tuesday	725	77	7	11:50am	119
	9	Wednesday	726	76	7	2:22pm	119
	10	Thursday	679	73.2	8	2:25pm	136
	11	Friday	707	71.2	8	9:40pm	136
	12	Saturday	705	63.1	7	6:20pm	119
	13	Sunday	650	53.4	7	2:10pm	119
	14	Monday	786	66.3	8	1:52pm	136
	15	Tuesday	693	64.5	8	1:35pm	136
	16	Wednesday	693	68.9	7	8:35pm	119
	17	Thursday	700	67.4	8	8:30am	136
	18	Friday	754	66.9	8	2:10pm	136
	19	Saturday	717	68	7	11:45am	119
	20	Sunday	667	66.9	7	8:30pm	119
	21	Monday	698	69.2	7	9:30am	119
	22	Tuesday	725	71.2	7	1:45pm	119
	23	Wednesday	725	71.4	8	1:15pm	136
	24	Thursday	722	73	8	3:10pm	136
	25	Friday	730	71.4	7	2:15pm	119
	26	Saturday	754	68.7	7	10:30am	119
	27	Sunday	690	68.3	8	5:15pm	136
	28	Monday	729	67.2	7	9:25am	119
	29	Tuesday	684	67.2	8	7:40pm	136
	30	Wednesday	745	69.8	8	7:50pm	136
	31	Thursday					

May-08	Date	Day	Reading	Temp	Drops	Time	mg/l Hardness
	1	Thursday	740	73.2	7	2:35pm	119
	2	Friday	688	73.2	7	2:10pm	119
	3	Saturday	711	68	8	10:30am	136
	4	Sunday	707	74.1	7	8:06pm	119
	5	Monday	672	73.4	7	12:05pm	119
	6	Tuesday	675	70.7	7	10:53am	119
	7	Wednesday	700	70.7	7	3:45pm	119
	8	Thursday	665	69.9	7	1:05pm	119
	9	Friday	685	71.2	8	12:10pm	136
	10	Saturday	667	69.2	8	1:35pm	136
	11	Sunday	670	67.2	8	4:05pm	136
	12	Monday	667	68.9	7	1:46pm	119
	13	Tuesday	692	71.4	8	12:30pm	136
	14	Wednesday	707	70.1	7	8:05pm	119
	15	Thursday	714	72.5	7	12:05pm	119
	16	Friday	685	72.8	7	2:35pm	119
	17	Saturday	682	68.2	7	11:15am	119
	18	Sunday	688	71.4	8	1:15pm	136
	19	Monday	673	68.3	7	7:15pm	119
	20	Tuesday	672	72.1	7	12:32pm	119
	21	Wednesday	670	71.8	7	12:19pm	119
	22	Thursday		no test			
	23	Friday		no test			
	24	Saturday		no test			
	25	Sunday		no test			
	26	Monday		no test			
	27	Tuesday	692	71.9	7	9:33am	119
	28	Wednesday	682	71.4	7	7:15pm	119
	29	Thursday	711	74.6	8	12:03pm	136
	30	Friday	718	72.3	8	7:50pm	136
	31	Saturday	721	70.7	8	10:50am	136

June-08	Date	Day	Reading	Temp	Drops	Time	mg/l Hardness
	1	Sunday	721	74.3	7	12:30pm	119
	2	Monday	716	73.4	7	1:05pm	119
	3	Tuesday	703	69.9	8	1:10pm	136
	4	Wednesday	704	69.6	8	2:10pm	136
	5	Thursday	777	74.6	8	1:45pm	136
	6	Friday	745	77.3	7	1:45pm	119
	7	Saturday	759	72.8	7	10:42am	119
	8	Sunday	709	72.4	6	12:10pm	102
	9	Monday	725	75.5	8	2:50pm	136
	10	Tuesday	707	70.5	8	12:10pm	136
	11	Wednesday	750	72.4	7	1:05pm	119
	12	Thursday	782	76.6	8	12:05pm	136
	13	Friday	774	74.6	8	1:15pm	136
	14	Saturday	732	73.7	7	10:31am	119
	15	Sunday	726	72.1	7	12:10pm	119
	16	Monday	741	73.7	7	10:25am	119
	17	Tuesday	719	72.1	8	12:02pm	136
	18	Wednesday	736	71.5	8	3:05pm	136
	19	Thursday	844	74.6	7	12:30pm	119
	20	Friday	720	71.2	7	1:10pm	119
	21	Saturday	761	73.9	8	11:30am	136
	22	Sunday	745	70.8	8	10:40am	136
	23	Monday	705	70.3	7	11:03am	119
	24	Tuesday	700	72.1	7	11:40am	119
	25	Wednesday	695	71.6	7	12:42pm	119
	26	Thursday	750	78.1	7	11:37am	119
	27	Friday	729	73.7	7	11:23am	119
	28	Saturday	729	73.7	8	9:02pm	136
	29	Sunday	737	70.3	7	2:45pm	119
	30	Monday	692	72.8	8	11:45am	136

July-08	Date	Day	Conductivity Reading	Temp	Drops	Time	mg/l Hardness
	1	Tuesday	833	71.2	2	1:15pm	34
	2	Wednesday	719	73.5	8	2:11pm	136
	3	Thursday	710	73.9	8	1:53pm	136
	4	Friday	700	74.3	8	4:11pm	136
	5	Saturday	696	71.2	8	1:15pm	136
	6	Sunday	691	70.7	7	4:45pm	119
	7	Monday	675	68	7	11:11am	119
	8	Tuesday	697	74.3	7	7:16pm	119
	9	Wednesday	705	74.5	8	9:16pm	136
	10	Thursday	711	74.6	8	11:50am	136
	11	Friday	752	74.6	8	9:03pm	136
	12	Saturday	694	71.4	8	10:33am	136
	13	Sunday	785	74.3	13	9:03pm	222
	14	Monday	715	74.3	8	12:11pm	136
	15	Tuesday	693	72.5	8	12:41pm	136
	16	Wednesday	761	76.1	7	12:22pm	119
	17	Thursday	718	74.3	7	11:37am	119
	18	Friday	706	75.9	8	12:43pm	136
	19	Saturday	718	73	8	1:11pm	136
	20	Sunday	715	72.1	8	5:41pm	136
	21	Monday	711	73	7	1:47pm	119
	22	Tuesday	709	73.5	7	1:35pm	119
	23	Wednesday	692	72.1	8	2:16pm	136
	24	Thursday	804	70.3	8	9:21am	136
	25	Friday	783	72.4	7	12:04pm	119
	26	Saturday	700	72.3	8	10:00am	136
	27	Sunday	731	72.6	7	7:23pm	119
	28	Monday	742	73.4	8	11:15pm	136
	29	Tuesday	712	73.9	8	6:53pm	136
	30	Wednesday	730	73.5	7	2:37pm	119
	31	Thursday	726	75.9	8	1:37pm	136



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Tel: (614) 728-6230
Fax: (614) 728-6322

Customer Information

Customer: Steve Kennedy
Address: 6611 W. Broad St.
Galloway, OH 43119

Invoice Id:

Sample Receipt Information

Sample number: 0711422-01
Collection date: 12/3/2007
Collection time: 12:30:00 PM
Date received: 12/4/2007
Time received: 12:15 PM/EP

Collector: Kennedy, S
Customer sample #:

Collection Site: Fire House
451 Hubbard Rd.
Galloway, OH 43119

Sample Information

Description: Water, drinking
Comments:

Identification: Fire House, 451 Hubbard Rd., Galloway, OH

<u>Test</u>	<u>Method</u>	<u>Result</u>	<u>Units</u>	<u>Analysis Date</u>
Calcium	EPA 200.7	41.4	mg/L	12/11/2007
Hardness	SM 2340B	182	mg/L	12/11/2007
Magnesium	EPA 200.7	19.2	mg/L	12/11/2007

Approved by: Consumer Analytical Laboratory

Signature and date: William Friz
Chemistry Supervisor

Approved Date: 12/19/2007
Print Date: 12/31/2007



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Tel: (614) 728-6230
Fax: (614) 728-6322

Customer Information

Customer: Steve Kennedy
Address: 6611 W. Broad St.
Galloway, OH 43119

Invoice Id:

Sample Receipt Information

Sample number:	0712117-01	Collection Site:	Fire House
Collection date:	12/31/2007	Collector:	Kennedy, S
Collection time:	8:10:00 AM	Customer sample #:	Firehouse Kitchen Sink
			Galloway, OH
Date received:	12/31/2007		
Time received:	12:10 PM/EP		

Sample Information

Description: Water, drinking
Comments:

Identification: Firehouse Kitchen Sink, Hardness Test

<u>Test</u>	<u>Method</u>	<u>Result</u>	<u>Units</u>	<u>Analysis Date</u>
Calcium	EPA 200.7	37	mg/L	1/15/2008
Hardness	SM 2340B	165	mg/L	1/15/2008
Magnesium	EPA 200.7	17.6	mg/L	1/15/2008

Approved by: Consumer Analytical Laboratory

Signature and date:

William Friz
Chemistry Supervisor

Approved Date: 1/17/2008
Print Date: 1/17/2008



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Tel: (614) 728-6230
Fax: (614) 728-6322

Customer Information

Customer: Steve Kennedy
Address: 6611 W. Broad St.
Galloway, OH 43119

Invoice Id:

Sample Receipt Information

Sample number: 0800408-01
Collection date: 1/14/2008
Collection time: 9:41:00 AM

Collector: Kennedy, S
Customer sample #: Sink

Collection Site: Sink at Firehouse
451 Hubbard Rd.
Galloway, OH

Date received: 1/14/2008
Time received: 12:00 PM/EP

Sample Information

Description: Water, drinking
Comments:

Identification: Hardness, Sink, Firehouse

Test	Method	Result	Units	Analysis Date
Calcium	EPA 200.7	35.9	mg/L	1/15/2008
Hardness	SM 2340B	165	mg/L	1/15/2008
Magnesium	EPA 200.7	18.2	mg/L	1/15/2008

Approved by: Consumer Analytical Laboratory

Signature and date:

W. Friz
William Friz

Approved Date: 1/17/2008

Print Date: 1/17/2008

Chemistry Supervisor



Consumer Analytical Laboratory

Ohio Department of Agriculture
 Consumer Analytical Laboratory
 8995 East Main St. Bldg 3
 Reynoldsburg, OH 43068
 Tel: (614) 728-6230
 Fax: (614) 728-6322

Customer Information

Customer: Steve Kennedy
 Address: 6611 W. Broad St.
 Galloway, OH 43119

Invoice Id:

Sample Receipt Information

Sample number:	0800567-03	Collector:	Kennedy, S	Collection Site:	Fire House
Collection date:	1/20/2008	Customer sample #:	03		451 Hubbard Rd.
Collection time:	6:33:00 PM				Galloway, OH 43119
Date received:	1/22/2008				
Time received:	2:15 PM/MJ				

Sample Information

Description: Water, drinking
 Comments:

Identification: Firehouse Sink, 451 Hubbard Rd., Hardness Test

Test	Method	Result	Units	Analysis Date
Calcium	EPA 200.7	36.9	mg/L	1/29/2008
Hardness	SM 2840B	188	mg/L	1/29/2008
Magnesium	EPA 200.7	18.7	mg/L	1/29/2008

Approved by: Consumer Analytical Laboratory

Signature and date:

W. Friz
 William Friz
 Chemistry Supervisor

Approved Date: 1/31/2008

Print Date: 2/6/2008



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Tel: (614) 728-6230
Fax: (614) 728-6322

Customer Information

Customer: Steve Kennedy
Address: 6611 W. Broad St.
Galloway, OH 43119

Invoice Id:

Sample Receipt Information

Sample number:	0800587-02	Collection Site:	Fire House
Collection date:	1/21/2008	Collector:	Snyder, Chris
Collection time:	7:00:00 AM	Customer sample #:	02
			451 Hubbard Rd.
			Galloway, OH 43119
Date received:	1/22/2008		
Time received:	2:15 PM/MJ		

Sample Information

Description: Water, drinking
Comments:

Identification: Firehouse Sink, 451 Hubbard Rd, Hardness Test

<u>Test</u>	<u>Method</u>	<u>Result</u>	<u>Units</u>	<u>Analysis Date</u>
Calcium	EPA 200.7	34.8	mg/L	1/29/2008
Hardness	SM 2340B	167	mg/L	1/29/2008
Magnesium	EPA 200.7	19.5	mg/L	1/29/2008

Approved by: Consumer Analytical Laboratory

Signature and date:

William Friz
William Friz
Chemistry Supervisor

Approved Date: 1/31/2008
Print Date: 1/31/2008



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Tel: (614) 728-6230
Fax: (614) 728-6322

Customer Information

Customer: Steve Kennedy
Address: 6811 W. Broad St.
Galloway, OH 43119

Invoice Id:

Sample Receipt Information

Sample number:	0800587-01	Collection Site:	Fire House
Collection date:	1/21/2008	Collector:	Kennedy, S
Collection time:	7:15:00 PM	Customer sample #:	01
			451 Hubbard Rd.
			Galloway, OH 43119
Date received:	1/22/2008		
Time received:	2:15 PM/MJ		

Sample Information

Description: Water, drinking
Comments:

Identification: Firehouse Sink, 451 Hubbard Rd, Hardness Test

<u>Test</u>	<u>Method</u>	<u>Result</u>	<u>Units</u>	<u>Analysis Date</u>
Calcium	EPA 200.7	34.8	mg/L	1/29/2008
Hardness	SM 2340B	160	mg/L	1/29/2008
Magnesium	EPA 200.7	17.7	mg/L	1/29/2008

Approved by: Consumer Analytical Laboratory

Signature and date:

W. Friz

William Friz

Chemistry Supervisor

Approved Date: 1/31/2008

Print Date: 1/31/2008



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Tel: (614) 728-6230
Fax: (614) 728-6322

Customer Information

Customer: Steve Kennedy
Address: 6611 W. Broad St.
Galloway, OH 43119

Invoice Id:

Sample Receipt Information

Sample number: 0800726-01
Collection date: 1/26/2008
Collection time: 5:13:00 PM

Collector: Kennedy, S
Customer sample #: Fire House

Collection Site: Fire House
Hubbard Road
Galloway, Ohio 43119

Date received: 1/28/2008
Time received: 12:25PM/MJ

Sample Information

Description: Water, drinking
Comments:

Identification: Firehouse Sink, Hubbard Road

Test	Method	Result	Units	Analysis Date
Calcium	EPA 200.7	33.7	mg/L	1/29/2008
Hardness	SM 2040B	156	mg/L	1/29/2008
Magnesium	EPA 200.7	17.5	mg/L	1/29/2008

Approved by: Consumer Analytical Laboratory

Signature and date:

W. Friz
William Friz

Approved Date: 1/31/2008

Print Date: 2/5/2008

Chemistry Supervisor

Certificate of Analysis - Fax Copy

MAEI ENVIRONMENTAL SERVICES
P.O. Box 1440
Dublin, Ohio 43017
(614) 873-4654

Page: 1
Date: 02/29/08

STEVE'S COUNTRY DRIVE THRU
STEVE KENNEDY
6611 WEST BROAD STREET

GALLOWAY OH 43119

Client No: 0000005847
AR Sheet No: 0023788-AR
Chemical Certification 4039
Bacterial Certification 877
PWS ID No: 2502612
STU ID No:
PO No: 022108

Dear Client:

Along with your results listed below we would like to thank you for allowing MASI to assist you with your environmental testing requirements.

Account Name: STEVE'S COUNTRY DRIVE THRU	Public
Sampler Name: STEVE KENNEDY	County: FRANKLIN
Sample Date: 02/21/08	Chlorinated:
Sample Time: 15:03	Repeat No:
Sample Type: POTABLE	Cl2 Total:
Sample Monitoring Point:	Cl2 Free:
Sample Tap: SEE BELOW	Cl2 Combined:
Sample Class:	
Sample Address: KITCHEN SINK 451 HUBBARD RD GALLOWAY OH 43119	
Sample ID: FIREHOUSE	

Test Requested	Lab Number	Method Number	Analyst Number	Date Analyzed
Hardness, total	64698	2340-B	1147	02/28/08
311 mg/l				

Certificate of Analysis - Fax Copy

MASI ENVIRONMENTAL SERVICES

P. O. Box 1440
Dublin, Ohio 43017
(614) 873-4654

Page: 1

Date: 07/09/08

STEVE'S COUNTRY DRIVE THRU
STEVE KENNEDY
6611 WEST BROAD STREET

GALLOWAY OH 43119

Client No: 0000005847
AR Sheet No: 0114276-AR
Chemical Certification 4039
Bacterial Certification 877
PWS ID No:
STU ID No:
PO No:

Dear Client:

Along with your results listed below we would like to thank you for
allowing MASI to assist you with your environmental testing requirements.

Account Name: STEVE'S COUNTRY DRIVE THRU	Private
Sampler Name: STEVE KENNEDY	County: FRANKLIN
Sample Date: 07/01/08	Chlorinated:
Sample Time: 13:15	Repeat No:
Sample Type: POTABLE	Cl2 Total:
Sample Monitoring Point:	Cl2 Free:
Sample Tap: SEE BELOW	Cl2 Combined:
Sample Class:	
Sample Address: KITCHEN SINK FIREHOUSE 451 HUBBARD RD GALLOWAY	
Sample ID: OHIO 43119	

Test Requested	Lab	Method	Analyst	Date
Test Result	Number	Number	Number	Analyzed
Hardness, total	17125	2340-B	1147	07/07/08
35.6 mg/l				

Certificate of Analysis - Fax Copy

MASI ENVIRONMENTAL SERVICES

P.O. Box 1440
Dublin, Ohio 43017
(614) 873-4854

Page: 1
Date: 07/22/08

STEVE'S COUNTRY DRIVE THRU
STEVE KENNEDY
6611 WEST BROAD STREET

GALLOWAY OH 43119

Client No: 0000005847
AR Sheet No: 0114277-AR
Chemical Certification 4039
Bacterial Certification 877
PWS ID No:
STU ID No:
PO No:

Dear Client:

Along with your results listed below we would like to thank you for allowing MASI to assist you with your environmental testing requirements.

Account Name: STEVE'S COUNTRY DRIVE THRU	Private
Sampler Name: STEVE KENNEDY	County: FRANKLIN
Sample Date: 07/13/08	Chlorinated:
Sample Time: 21:03	Repeat No:
Sample Type: POTABLE	Cl2 Total:
Sample Monitoring Point:	Cl2 Free:
Sample Tap: SEE BELOW	Cl2 Combined:
Sample Class:	
Sample Address: KITCHEN SINK 451 HUBBARD RD FIREHOUSE	
Sample ID:	

Test Requested	Lab Number	Method Number	Analyst Number	Date Analyzed
Hardness, total	22790	2340-B	1147	07/17/08
232 mg/l				

PETITION FROM THE NEIGHBORHOOD OF HUBER RIDGE, BLENDON TOWNSHIP,
WESTERVILLE, OHIO 43081

Prepared for: PUCO - Case #: 07-1112-WS-AIR
Attention: Docketing Division
180 E. Broad Street
Columbus, OH 43215

We, the undersigned, object to the proposed Ohio American Water Rate Increase (PUCO Case #: 07-1112-WS-AIR)

DATE	PRINT NAME	ADDRESS	PHONE	SIGNATURE
	Anthony Patis	3718 Caracas Dr.	(614) 899-2427	Anthony Patis
	Brian Schumacher	3714 Caracas Dr	614 392-0271	Brian Schumacher
	Elin Schumacher	3714 Caracas Dr	614-392-5271	Elin Schumacher
	Ronald Swadlow	3715 Caracas Dr	614-794-6356	Ronald Swadlow
	Glenn & Bonnie Forrest	3719 Caracas Dr.	614-890-6385	Bonnie Forrest
	Jane and Greg Grossman	3795 Caracas Dr	614-882-3942	Jane Grossman
	Luke Ernst	3801 Caracas Dr	614-948-0802	Luke Ernst
	Pick Mugh	388 Caracas Dr	614 255-3012	Pick Mugh
	Eric Cordray	3734 CARACAS Dr	614-446-4030	Eric Cordray

**PETITION FROM THE NEIGHBORHOOD OF HUBER RIDGE, BLENDON TOWNSHIP,
WESTERVILLE, OHIO 43081**

Prepared for: PUCO - Case #: 07-1112-W/S-AIR
Attention: Docketing Division
180 E. Broad Street
Columbus, OH 43215

We, the undersigned, object to the proposed Ohio American Water Rate Increase (PUCO Case #: 07-1112-W/S-AIR)

DATE	PRINT NAME	ADDRESS	PHONE	SIGNATURE
6-28-08	Amly Chafin	3391 Paris Blvd.	948-5234	Amly Chafin
6-29-08	Michael Chafin	3391 Paris Blvd	948-5234	Michael Chafin
6-29-08	Kathleen McCuskey	5744 Buenos Aires Blvd	890-7156	Kathleen McCuskey
6-29-08	J. A. McCuskey	5744 Buenos Aires Blvd	890-7156	J. A. McCuskey
6-29-08	Roger Barr	5765 Buenos Aires Blvd	899-2788	Roger Barr
6-29-08	Lyne Hays	5788 Buenos Aires Blvd		Lyne Hays
6-29-08	Lorena Talbot	5768 Buenos Aires Blvd	882-3934	Lorena Talbot
6-29-08	Tom Anderson	3-RLSIXEN DR	523-3281	Tom Anderson
6/29/08	Janet Anderson	3426 Sargis Dr		Janet Anderson
6/29/08	DWIGHT + LISA WAHALA	3425 SARGIS DR	541600 OR	Dwight + Lisa Wacland

**PETITION FROM THE NEIGHBORHOOD OF HUBER RIDGE, BLENDON TOWNSHIP,
WESTERVILLE, OHIO 43081**

Prepared for: PUCO - Case #: 07-1112-WS-AIR
Attention: Docketing Division
180 E. Broad Street
Columbus, OH 43215

We, the undersigned, object to the proposed Ohio American Water Rate Increase (PUCO Case #: 07-1112-WS-AIR)

DATE	PRINT NAME	ADDRESS	PHONE	SIGNATURE
8-20-08	Phyllis Mae	5809 Buenos Aires	882-6032	Phyllis Mae
8-20-08	Ed Bozynski	5806 Buenos Aires	882-0217	Ed Bozynski
8/21/08	Bonnie DeCorto	5811 Buenos Aires	523-2477	Bonnie DeCorto
8/21/08	Sarah Mann	5816 Buenos Aires	523-3717	Sarah Mann
8/20/08	Martha Fuehrer	5829 Buenos Aires	523-1923	Martha Fuehrer
8/20/08	Robert Fuehrer	3623 Karika	708-9387	Robert Fuehrer
8-20-08	Thomas M. Water	5791 Buenos Aires	890-3905	Thomas M. Water
8-20-08	Ron Reio	5837 Buenos Aires	965-1514	Ron Reio
8/20/08	Terry Billingsley	5845 Buenos Aires	948-2748	Terry Billingsley
8/20/08	Bonnie Anelink	3461 Rangoon Dr	895-3331	Bonnie Anelink

**PETITION FROM THE NEIGHBORHOOD OF HUBER RIDGE, BLENDON TOWNSHIP,
WESTERVILLE, OHIO 43081**

Prepared for: PUCO - Case #: 07-1112-WS-AIR
Attention: Docketing Division
180 E. Broad Street
Columbus, OH 43215

We, the undersigned, object to the proposed Ohio American Water Rate Increase (PUCO Case #: 07-1112-WS-AIR)

DATE	PRINT NAME	ADDRESS	PHONE	SIGNATURE
8/20	Jennie Dapore	3495 Rangoon	899 2109	Jennie Dapore
8/20	ROBERT DOTY	3545 RANGOON	891-1587	Robert W. Doty
8/20	Doroth Haddleton	3501 Rangoon	523-2533	Doroth Haddleton
8/20	Alanya Kuntur	3835 Rangoon	843-4128	Al Kuntur
8/20	GENE F. BREWER III	3608 Rangoon Dr	890-0741	Gene F. Brewer III
8/20	DAVIS WILLIAMS	3586 Rangoon	882-2516	Sari Williams
8/20	CL Vazquez	3580 Rangoon Dr	899/204	CL Vazquez
8/20	Evelyn Heinrich	3518 Rangoon Dr	882-649	Evelyn Heinrich
8/20	A. HACHIDA	3504 Rangoon DR	882/7016	A. Hachida
8/20	Margherita Wachter	3504 Rangoon Dr	882-7016	M. Wachter

**PETITION FROM THE NEIGHBORHOOD OF HUBER RIDGE, BLENDON TOWNSHIP,
WESTERVILLE, OHIO 43081**

Prepared for: PUCO - Case #: 07-1112-WS-AIR
Attention: Docketing Division
180 E. Broad Street
Columbus, OH 43215

We, the undersigned, object to the proposed Ohio American Water Rate Increase (PUCO Case #: 07-1112-WS-AIR)

[illegible]

**PETITION FROM THE NEIGHBORHOOD OF HUBER RIDGE, BLENDON TOWNSHIP,
WESTERVILLE, OHIO 43081**

Prepared for: PUCO - Case #: 07-1112-WS-AIR
Attention: Docketing Division
180 E. Broad Street
Columbus, OH 43215

We, the undersigned, object to the proposed Ohio American Water Rate Increase (PUCO Case #: 07-1112-WS-AIR)

[illegible]