



RECEIVED-DOCKETING DIV

1569 Broadview Terrace
Columbus, Ohio 43212

2009 MAY 27 PM 1:35

PUCO

May 27, 2009

Ms. Betty McCauley
Docketing Chief
Public Utilities Commission of Ohio
180 East Broad Street, 14th Floor
Columbus, OH 43215

May 27, 2009

Re: Case No. 09-90-EL-COI

Dear Ms. McCauley:

On May 26, 2009, PJM Interconnection filed Initial Comments in the above-captioned case. Unfortunately, the attached signature page was inadvertently omitted from the filing. Please accept the attached signature page as an addendum to PJM's Initial Comments in this proceeding, and please add my name to the service list for Case No. 09-90-EL-COI.


Sincerely,

A handwritten signature in black ink, appearing to read "Kerry M. Stroup".

Kerry M. Stroup
Manager, State Government Policy
PJM Interconnection, L.L.C.
484-919-5554

This is to certify that the images appearing are an
accurate and complete reproduction of a case file
document delivered in the regular course of business.
Technician DA Date Processed 5/27/09

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Kerry M. Stroup", written over a horizontal line.

Kerry M. Stroup
Manager, State Government Policy
PJM Interconnection
1569 Broadview Terrace
Columbus, OH 43212
strouk@pjm.com
484-919-5554