

Manuel Camacho Area Manager-Regulatory Relations

RECEIVED-DOCKETING DIV

2009 OCT 29 PM 1:56

PUCO

AT&T Operations, Inc. 1010 N. St. Mary's St. Room 1317 San Antonio Texas 78215

210-246-8161 Phone 210-246-8152 Fax

manuel camacho@att.com

www.alt.com

NECEIVED-DOCKETING UV 2009 OCT 29 PM 2: 18 PUCO

October 27, 2009

Attn: Lori Sternisha Docketing Division Public Utilities Commission of Ohio 180 E. Broad St. Columbus, Ohio 43215-3793

Re: SBC Internet Services, Inc. d/b/a AT&T Internet Services request for Numbering Resources Pursuant to Administration of the North American Numbering Plan, FCC Docket No. 99-200, Order, FCC 05-20 (released Feb. 1, 2005) and submitting it under Docket 97-884-TP-COI.

Dear Ms. Sternisha:

Pursuant to the Federal Communications Commission's Docket No. 99-200, SBC Internet Services, Inc. d/b/a AT&T Internet Services (ATTIS) hereby notifies this Commission of its intent to request a growth block for the rate center listed in the attached Part 1A. We are providing this Commission with this notice before requesting the growth block from the North American Numbering Plan Administrator and/or the Pooling Administrator¹. In addition to filing the attached information with this Commission, we are also submitting this information to the Federal Communications Commission.

If you have any questions please feel free to contact me.

Sincerely,

Manuel Canocho

Manuel Camacho Area Manager-Regulatory Relations

Enclosure: Rate Center

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business rechnician And Date Processed 10/29/09

¹ Id. ¶ 9 (imposing 30-day notice requirement).

Tracking Number: TBPAG Attachment 1 ATIS-0300066.at1			November 17, 2008
Tho	isands-Block	Application Forn	
mot	Part		
Type of Application (check one):			Disconnect
GEN	ERAL APPLICAT	ION INFORMATION	
1.1 Contact Information:			
Block Applicant: Company Name: <u>SBC INTERNET SER</u> Headquarters Address: <u>208 S. AKARD</u> Contact Name: <u>TERESA JERNIGAN</u> Contact Address <u>1111 WEST CAPITOL</u> Phone: <u>501-373-0047</u> Fax: <u>501-373-37</u> E-Mail: <u>tj2738@att.com</u>	<u>ST.</u> City <u>DALLA</u> . Room 525 City	<u>S</u> State <u>TX</u> Zip <u>75</u>	<u>202</u>
Pooling Administrator":			
Contact Name: Contact Address:			
Phone:	Fax:		
E-Mail:			
1.2 General Information			
Check one: No LRN needed <u>X</u>	LRN needed ⁱⁿ		
NPA: <u>216</u> LATA <u>320</u> OCN ^{iv} : <u>516</u> Number of Thousands-Blocks Requeste		ny's OCN <u>0555</u>	
Switch Identification (Switching Entity/PC Rate Center ^{vi} : <u>CLEVELAND</u> Rate Cente	DI) ^v : <u>CLEVOH02N</u> r Sub Zone:	MD City or Wire Cen	ter Name
1.3 Dates			
Date of Application ^{vii} : Request Expedited Treatment? (See Se	Requested Block ction 8.6) Yes <u>></u>	t Effective Date ^{viii} : <u>{</u> No	
	applies to a reduc		possible effective date the Administrator ator's processing time, however the request
1.4 Type of Service Provider Request	ing the Thousan	ds-Block:	
a) Type of Service Provider: <u>VOIP</u> (L b) Primary type of service Blocks to c) Thousands-Block(s) (NXX-X) assig d) Thousands-Block(s) (NXX-X) that	be used for: <u>VOIP</u>		any

e) If requesting a code for LRN purposes, indicate which block(s) you will be keeping (the remainder of the blocks will be given to the pool)

į

Thousands-Block Application Form Part 1A

1.5 Type of Request

Initial block for rate center: Yes __ If Yes attach evidence of authorization and proof of capability to provide Service within 60 days

Growth block for rate center: Yes X, If Yes, attach months to exhaust worksheet

By selecting this checkbox, I acknowledge that I am willing to accept a block in red and explicitly understand that the underlying CO code may not yet be activated in the PSTN and loaded in the NPAC on the block effective date.

Type of Change (Mark all that apply):

☐ OCN: Intra-company [⊮] ☐ OCN: Inter-company [×]	Switching Id	Part 1B	
Change block: Yes, If Yes, Ii	st NPA-NXX-X	· · · · · · · · · · · · · · · · · · ·	
1.6 Block Return			
 a) Is this block Contaminated 	: Yes or No		
b) If Yes how many TNs are I	VOT available for assign	ment:	

Disconnect block: Yes____, If Yes, list NPA-NXX-X]

Remarks: REQUEST GROWTH BLOCK.

I hereby certify that the above information requesting an NXX-X block is true and accurate to the best of my knowledge and that this application has been prepared in accordance with the Thousands-Block (NXX-X) Pooling Administration Guidelines ATIS-0300066 available on the ATIS web site (www.atis.org/inc) or by contacting <u>inc@atis.org</u> as of the date of this application.

TERESA JERNIGAN	MANAGER NETWORK PLANNING	OCTOBER 26, 2009	
Signature of Block Applicant	Title	Date	

Thousands-Block Application Form Part 1A

Instructions for filling out each Section of the Part 1A form:

Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.

Section 1.2 Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the TelcordiaTM LERGTM Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by TelcordiaTM Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLITM tandem of the facilities based provider^M. Explanations of these terms may be found in the footnotes.

Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.

Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.

Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

Section 1.6 Service Providers must indicate the updated/current information in regards to contaminated TNs on the block they are returning to the pool. Blocks with over 10% contamination (101 TNs or more) shall not be returned to the pool unless they meet criteria outlined in section 9.1.2 of these Guidelines. If the block being returned is over 10% contaminated the PA shall seek a new block holder. If question c and/or d have a response of No, the request for return shall be denied.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

Thousands-Block Application Form Part 1A

Footnotes:

^v This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI[™] code of the switch /POI.

vi Rate Center name must be a tariffed Rate Center.

^{vii} Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.

viii Please ensure that the NPA-NXX of the LRN to be associated with this block(s) is/will be active in the PSTN prior to the effective date of the block(s).

^{ix} Select if you are the current Block Holder

* Select if you are not the current Block Holder

xi Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.

ⁱ Identify the type of change(s) in Section 1.5.

ⁱⁱ The Pool Administrator is available to assist in completing these forms.

ii A CO Code application will also need to be submitted to the PA

^{iv} Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

	n - Whh	endix 3	5						JU	ne 6, 2	2008	
MONTHS								ORKSHI k Reque		N Leve	1	
Date: 10/26/2009	DCN: <u>516</u>	<u>5C</u> Com	ipany Na	me: <u>SB</u>		NET SER	VICES, I	NC. d/b/a	AT&T IN	TERNE	T SERV	ICES
Rate Center: CLEV	ELAND				-							
List all Codes NPA(s	s)-NXXs	and Blo	cks NPA	(s)-NXX	(-X(s):							
Name of Block Appli	cant: <u>TE</u>	RESA J	ERNIGAN	V_Signa	iture: <u>TE</u>	RESA JE	RNIGAN	<u> </u>				
Title: <u>Manager-Code</u> E-Mail: <u>ti2738@att.co</u>		tration	Telephor	ne No.: <u>(</u>	<u>501-373-(</u>	0 <u>047</u> FA	X No.:	<u>501-373-</u>	<u>3716</u>			
A. Available Numbe	rs:											
B. Assigned Numbe	ers:											
C. Total Numbering												
D. Quantity of number calculation ² :				tays (inci	rements o	of 1,000 o	r 10,000)	and exclu	uded fron	n the Uti	lization	
calculation ² :				days (inci Month #4	Month #5	of 1,000 o Month #6	or 10,000) Month #7	and exclu Month #8	uded from Month #9	Month #10	lization Month #11	Month #12
calculation ² : List excluded Co Growth History Previous 6	ode(s) or _{Month}	Block(s	5): Month	Month	Month	Month	Month	Month	Month	Month	Month	
calculation ² : List excluded Co List excluded Co Growth History Previous 6 monihs3	ode(s) or _{Month}	Block(s	5): Month	Month	Month	Month	Month	Month	Month	Month	Month	
calculation ² :	ode(s) or Month #1	Block(s Month #2	3): Month #3	Month #4	Month #5	Month #6	Month	Month	Month	Month	Month	
calculation ² : List excluded Co Growth History Previous 6 months3 Forecast Next 12 months4	ode(s) or Month #1	Block(s Month #2	6 (Part F a	Month #4	Month #5	Month #6	Month #7	Month	Month	Month	Month	
calculation ² : List excluded Co Growth History - Previous 6 months3 Forecast - Next 12 months4 Average Monthly Forecast	ode(s) or Month #1 (Sum of m	Block(s Month #2 Months #1- Numbers	6 (Part F a Averiage Month #3 6 (Part F a Average g Resourc	Month #4	Month #5 ded by 6): <u>ment to Cu</u> precast (G	Month #6	Month #7	Month #8	Month	Month	Month	

1 A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document,

² Quantity of numbers activated in the past 90 days is based on blocks and/or codes received from the administrator and shall be reported in increments of 1,000 or 10,000 TNs (e. g.: 2 blocks received=2,000 and 1 code received=10,000).
 3 Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month

#6 as the current month.

4 Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

Ξ.

ŧ.,

Э.

4.

5 To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, § 52.15 (g) (3) (iii)).

⁶ Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))