FILE

# BEFORE THE PUBLIC UTILITIES COMMISSION OF OHIO

Case No. 10-884-TP-UNC 29

In the Matter of the Commission's Consideration of Telephone Safety Valve Requests and Other Number Resource Related Filings

# WINDSTREAM OHIO, INC.'S MOTION FOR REVIEW OF DECISION OF NEUSTAR – POOLING ADMINISTRATOR

Pursuant to 47 CFR § 52.15(g)(3)(iv), Windstream Ohio, Inc. ("Windstream") hereby moves the Public Utilities Commission of Ohio ("Commission") to review a decision of the Pooling Administrator ("PA" or "NeuStar") denying Windstream's request for numbering resources in one Ohio rate center. For the reasons set forth below, Windstream respectfully requests that the Commission overturn the PA's decision and direct it to assign the requested one thousand number block to Windstream.

Windstream recently submitted a request to NeuStar for a one thousand number block in accordance with current guidelines, including the months-to-exhaust ("MTE") certification procedures established in the Central Office Code Assignment Guidelines. Windstream is deploying a new packet switch to support a new VOIP product offering called Unified Communications. Windstream needs a one thousand number NXX block to establish the local routing number for the new switch. It does not have any one-thousand number blocks available in inventory to be moved to the new switch.

Windstream's request for the additional numbers from NeuStar was denied because Windstream does not meet the utilization threshold necessary in order to obtain numbering

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business.

Technician Date Processed 428 2011

#675388v1 11228.03320 resources. The Federal Communication Commission ("FCC") requires a MTE of six months or less and Windstream is now at 31.284.

The FCC's rules set forth the instant procedure for state commission review of a denial of a numbering resource request. 47 CFR § 52.15(g)(3)(iv). The FCC's rules allow a state commission to, "... overturn the NANPA's decision to withhold numbering resources from the carrier based on its determination that the carrier has demonstrated a verifiable need for numbering resources and has exhausted all other available remedies." 47 CFR § 52.15(g)(4). The FCC Report and Order adopting this rule elaborates as follows:

We therefore clarify that states may also grant relief if a carrier demonstrates that it has received a customer request for numbering resources in a given rate center that it cannot meet with its current inventory. Carriers may demonstrate such a need by providing the state with documentation of the customer request and current proof of utilization in the rate center. States may not accommodate requests for specific numbers (i.e., vanity numbers), but may grant requests for customers seeking contiguous blocks of numbers.

Third Report and Order and Second Order on Reconsideration, Numbering Resource Optimization, FCC 01-362, CC Docket Nos. 96-98 and 99-200, ¶ 64 (December 28, 2001).

This Commission has the authority to overturn the PA's decision when a carrier demonstrates that it cannot meet a customer need for a contiguous block of numbers from its current inventory. Windstream does not have the inventory for one thousand consecutive numbers in the Granville rate center to be able to offer this new service. Copies of the thousand-block application, the MTE certification, and NeuStar's denial are attached and incorporated herein.

For the reasons set forth herein, Windstream respectfully requests that the Commission overturn NeuStar's denial and direct NeuStar to allocate to Windstream the requested additional one thousand number block.

Respectfully submitted,

William A. Adams, Counsel of Record

BAILEY CAVALIERI LLC

10 West Broad Street, Suite 2100

Columbus, OH 43215-3422

(614) 229-3278 (telephone)

(614) 221-0479 (fax)

William.Adams@baileycavalieri.com

Attorneys for Windstream Ohio, Inc.

November 21, 2003 ATIS-0300066.at3

Attachment 3

# Pooling Administrator's Response/Confirmation TBPAG Part 3

Tracking Number :	740-GRAN OH-438460	VILLE-						
Date of Application:	04/28/2011		Effective Date:					
Date of Receipt:	04/28/2011		Date of Response:	04/28/201	11			
Service Provider Name:	WINDSTRE	АМ ОНЮ	), INC.					
(Telcordia <sup>TM</sup> LERG <sup>TM</sup> Routing Guide ) OCN:	0665							
NPAC SOA SPID :								
Pooling Administrator Co	ontact Informa	ation: Phone:		925-363	-7656			
Signature of Pooling Admir	nistrator	•		<del></del>	_			
Diane Calhoun		Fax:		925-363	-7655			
Name (print)								
Email:		diane.ca	lhoun@neustar.biz	<u>.</u>				
NPA-NXX or NPA- NXX-X :			Block Assigne	d:				
<del></del>			Block Reserve	d:				
			Block Reserva Expiration Date					
			Block/Code Mo	odified:				
			Block/Code	·				
Dia de Cambamina da do			Disconnected:					
Block Contaminated()  If Yes,enter the numb	•	taminatad	•					
Switch Identification(S		GRVIOHXARI	 P0					
Rate Center:	J.,.	GRANVILLE						
Rate Center Sub Zone	<b>)</b> :							
X Form Complete, requestion: DR-57: You do not me request for a new blow Waiver from the apprare in disagreement Thousands-Block Number appeals process.	est denied.  eet the MTE a  ck is denied.  ropriate state  with the dispe	You may commissosition of	/ proceed with requ sion using this Part this request, pleas	resting a S t 3 denial. I se refer to	tate If you the			
Request withdrawn.								

Explai	ination:				
Assig	jnment activi	ty suspended by	y the administrate	or.	
Explai	nation:				
	<del></del>				
emarks:					

<sup>&</sup>lt;sup>1</sup> This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI <sup>TM</sup> Location Identification code of the switching entity/POI shown on the Part 1A form (Telcordia, LERG ROUTING Guide and CLLI are trademarks of Telcordia Technologies, Inc.)

### TBPAG Attachment 1 - March 19, 2007

## Thousands-Block Application Form - Part 1A

Tracking

740-GRANVILLE-

Number:

OH-438460

Individual Block

Request

Type of

New

Change

Application:

Disconnect

#### **GENERAL APPLICATION INFORMATION**

#### 1.1 Contact Information:

Block Applicant:

Company Name:

WINDSTREAM OHIO, INC.

Headquarters

4001 Rodney Parham Rd

Address:

City, State,

Little Rock, AR, 72212

Zip:

Contact

Paula Hustead

Name: Contact

Contact

10005 Monroe Rd, B1F01

Address:

City, State, Zip: Matthews , NC , 28105

Phone: <u>704-</u>

FAX:

E-mail: paula.hustead@windstream.com

<u>845-7489</u>

Pooling Administrator: ii

Contact

**Diane Calhoun** 

Name: Contact

1800 Sutter St

Address:

City, State, Zip: Concord, CA, 94520

Phone:

925-363-7656

FAX: 925-363-7655

E-mail: diane.calhoun@neustar.biz

## 1.2 General Information:

Check one: No LRN needed X LRN needed iii

NPA: 740 LATA: 324 OCN: iv 0665 Parent Company's OCN G118								
Number of Thousands-Blocks Requested: 1								
Switching Identification(Switch Entity/POI): V  GRVIOHXARP0								
City or Wire Center Name : Rate Center: vi GRANVILLE  Rate Center Sub Zone:								
1.3 Dates:								
Date of Application: vii _ Requested Block Effective Date: viii 04/28/2011 _ 07/06/2011 _								
By selecting this checkbox, I acknowledge that I am requesting the earliest possible effective date the Administrator can grant. Please note that this only applies to a reduction in the Administrator's processing time, however the request will still be processed in the order received.								
Request Expedited Treatment? (See Section 8.6) YesNoX								
1.4 Type of Service Provider Requesting the Thousands-Block:								
a) Type of Service Provider: <u>Incumbent Local Exchange Carrier (ILEC)</u> (LEC, IXC, CMRS, Other)								
b) Primary type of service Blocks to be used for: Wireline								
c) Thousands-Block(s) (NXX-X) assignment Preference (Optional)								
d) Thousands-Block(s) (NXX-X) that are undesirable for this assignment, if any								
e) If requesting a code for LRN purposes, indicate which block(s) you will be keeping(the remainder of the blocks will be given to the pool)								
1.5 Type of Request:								
Initial block for rate center: YesIf Yes, attach evidence of authorization and proof of capability to provide service within 60 days.								
Growth block for rate center: Yes X If Yes, attach months to exhaust worksheet								
By selecting this checkbox, I acknowledge that I am willing to accept a block in red and explicitly understand that the underlying CO code may not yet be activated in the PSTN and loaded in the NPAC on the block effective date.								
Type of change(Mark all that apply)								
■ OCN:Intra-company ix								

Signature of Block Applicant	Title	Date
Paula Hustead	<u>CODE</u> <u>ADMINIS</u>	TRATION 04/28/2011
I hereby certify that the above information request the best of my knowledge and that this application Thousands-Block (NXX-X) Pooling Administration the ATIS web site (http://www.atis.org/inc) or by capplication.	has been prepared on Guidelines(ATI	I in accordance with the (S-0300066) available on
Remarks: Need a 1K block for a new remote p that legacy switch(es) do not offer.	acket switch dep	loyment for new service
Disconnect block: YesIf Yes, list NPA	-NXX-X	<del></del>
d) Has this block been protected from further as	signment Yes	No
c) Have all new Intra SP ports been completed in	n the NPAC Yes_	No
b) If Yes how many TNs are NOT available for	assignment :	
a) Is this block Contaminated Yes No		
1.6 Block Return:		
Change block: YesIf Yes, list NPA-N2	ΚΧ-X	
■ OCN:Inter-company * ■ Effective Date	te	

### Instructions for filling out each Section of the Part 1A form:

Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.

Section 1.2 Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the Telcordia<sup>TM</sup> LERG<sup>TM</sup> Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by Telcordia<sup>TM</sup> Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI<sup>TM</sup> tandem of the facilities based provider xi. Explanations of these terms may be found in the footnotes.

- Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.
- Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.
- Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.
- Section 1.6 Service Providers must indicate the updated/current information in regards to contaminated TNs on the block they are returning to the pool. Blocks with over 10% contamination (101 TNs or more) shall not be returned to the pool unless they meet criteria outlined in section 9.1.2 of these Guidelines. If the block being returned is over 10% contaminated the PA shall seek a new block holder. If question c and/or d have a response of No, the request for return shall be denied. The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

### Foot Notes:

<sup>&</sup>lt;sup>1</sup> Identify the type of change(s) in Section 1.5.

ii The Pool Administrator is available to assist in completing these forms.

iii A CO Code application will also need to be submitted to the PA.

iv Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

<sup>&</sup>lt;sup>v</sup> This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI<sup>TM</sup> code of the switch /POI.

vi Rate Center name must be a tariffed Rate Center.

vii Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.

viii Please ensure that the NPA-NXX of the LRN to be associated with this block(s) is/will be active in the network prior to the effective date of the block(s).

ix Select if you are the current Block Holder.

<sup>\*</sup> Select if you are not the current Block Holder

xi Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.

Appendix 3 May 16, 2008

MONTHS TO EXHAUST and UTILIZATION CERTIFICATION WORK SHEET - TN Level<sup>1</sup>
(Thousands-Block Number Pooling Growth Block Request)

Tracking Number: 740-GRANVILLE-OH-438460

Date: 04/28/2011

OCN:0665

Company Name: WINDSTREAM OHIO,

INC.

Rate Center: **GRANVILLE** 

List all Codes NPA(s)-NXX(s) and Blocks NPA(s)-NXX-X(s):740-321; 740-587

Name of Block Applicant: Paula Hustead

Signature: Paula Hustead

Title: CODE ADMINISTRATION

Telephone No.: 704-845-7489

FAX

No.:

E-mail: paula.hustead@windstream.com

- A. Available Numbers: 5334
- B. Assigned Numbers: 14666
- C. Total Numbering Resources:20000
- D. Quantity of numbers activated in the past 90 days (increments of 1,000 or 10,000) and excluded from the Utilization calculation <sup>2</sup>:0

List Excluded Code(s) or Block(s):

Month Month

7

E. Growth History - 7 44 1 15 823 Previous 6

months <sup>3</sup>					•							
F. Forecast - Next 12 months <sup>4</sup>	<u>150</u>	<u>158</u>	<u>166</u>	<u>174</u>	<u>183</u>	<u>192</u>	<u>202</u>	<u>212</u>	<u>223</u>	<u>234</u>	<u>246</u>	<u>258</u>
G. Average Monthly Forecast (Sum of months 1-6 (Part F above) divided by 6):170.5												
H. Months to Exhaust <sup>5</sup> = Numbers Available for Assignment to Customers(A)												
Average Monthly Forecast(G)												
	Block Requested  1				Available Numbers 5334			Months To Exhaust 31.284				
I. Utilization <sup>6</sup> Assigned Numbers(B) - Excluded Numbers X 100 = (D) 73.33												

Numbers(D)

Total Numbering Resources(C)-Excluded

Explanation:

<sup>&</sup>lt;sup>1</sup>A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>&</sup>lt;sup>2</sup>Quantity of numbers activated in the past 90 days is based on blocks and/or codes received from the administrator and shall be reported in increments of 1,000 or 10,000 TNs (e. g.: 2 blocks received=2,000 and 1 code received=10,000).

<sup>&</sup>lt;sup>3</sup>Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

<sup>&</sup>lt;sup>4</sup>Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

<sup>&</sup>lt;sup>5</sup>To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, section 52.15 (g) (3) (iii)).

<sup>&</sup>lt;sup>6</sup>Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))