

FILE

22



76 South Main St.  
Akron, Ohio 44308

RECEIVED-DOCKETING DIV

2011 JUL 20 AM 8:54

1-800-646-0400

July 18, 2011

PUCO

Ms. Renee J. Jenkins  
Director, Administration Department  
Secretary to the Commission  
Docketing Division  
The Public Utilities Commission of Ohio  
180 East Broad Street  
Columbus, OH 43215-3793

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11-~~4387~~-EL-BNR**

4387

Dear Ms. Jenkins:

In accordance with Rule 4906-1-11, American Transmission Systems, Incorporated ("ATSI"), transmits one (1) original and eleven (11) copies of the enclosed Construction Notice for the above captioned project. In this project, ATSI is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit, with two of the conductors being replaced located on the south side of the existing transmission structure and one conductor located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little to no incremental land-use impact for the Project.

Please be advised of the following:

a) Name and address of the applicants:

American Transmission Systems, Incorporated  
76 South Main Street  
Akron, Ohio 44308

b) Name of proposed facilities:

Ottawa-Lakeview 138kV Transmission Line Reconductoring

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business.  
Technician AMT Date Processed 7/20/11

c) Location of proposed facilities:

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio.

d) Description of proposed facilities:

The Project involves reconductoring an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

e) Applicant's representative:

Scott M. Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation Design  
FirstEnergy Service Company  
76 South Main Street  
Akron, OH 44308-1890

After docketing this filing, please return one time-stamped copy of the Letter of Notification for our records to us in the enclosed envelope. We have provided a copy of the Letter of Notification by certified mail, with return receipt requested, to each official of the political subdivisions immediately affected by the proposed project as listed in the attached Exhibit 1. Copies of the transmittal letters addressed to the local government representatives of the Bay and Portage Townships and Ottawa County are enclosed for your file.

Should staff of the Ohio Power Siting Board desire further information or discussion of this submittal, please contact me at (330) 384-2526.

Sincerely,



Scott M. Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachments

**AMERICAN TRANSMISSION SYSTEMS, INCORPORATED**  
**A Subsidiary of FirstEnergy Corp.**

**CONSTRUCTION NOTICE**

**OTTAWA-LAKEVIEW 138kV  
TRANSMISSION LINE RECONDUCTORING PROJECT**

**OPSB CASE NO. 11- 4387 -EL-BNR**

**July 18, 2011**

**American Transmission Systems, Incorporated  
76 South Main Street  
Akron, Ohio 44308**

**CONSTRUCTION NOTICE  
OTTAWA-LAKEVIEW 138kV  
TRANSMISSION LINE RECONDUCTORING**

The following information is being provided in accordance with the procedures delineated in Ohio Administrative Code Section 4906-11-02: Construction Notice Requirements of the Rules and Regulations of the Ohio Power Siting Board.

**4906-11-02 (B): Construction Notice**

**4906-11-02 (B) (1): Name and Reference Number**

Name of Project: Ottawa-Lakeview 138 kV Transmission Line  
Reconductoring Project (“Project”)

2011 LTFR Reference: This project is identified in the FirstEnergy Corp. 2011 Long-Term Forecast Report (LTFR) submitted to the Public Utility Commission of Ohio in Case Number 11-1435-EL-FOR.

**4906-11-02 (B) (2) a : Brief Description of Project**

In this Project, American Transmission Systems, Incorporated (“ATSI”), a FirstEnergy Corp. subsidiary, is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three of the existing conductors of the transmission line with new conductors. The transmission line is currently operated in a six wire configuration where 2 conductors are used for each of the three phases of the transmission line. Three of the existing conductors, two conductors located on the south side of the existing transmission structure and one conductor located on the north side, are 4/0 copper conductor and will be replaced with 336.4 kcmil 26/7 ACSR conductors in this proposed Project. Exhibit 1, which is a partial copy of the United States Geologic Survey, Sandusky and Ottawa County Ohio Quad Map ID 41083-D1.

shows the General Location and General Layout of the section of the Ottawa-Lakeview 138 kV transmission line to be recondotored.

The Project is located in Bay and Portage Townships, Ottawa County, Ohio. The existing and recondotored Transmission Line will be owned and operated by ATSI.

**4906-11-02 (B) (2) b : Why the Project Meets the Requirements for a Construction Notice**

The project meets the requirements for a Construction Notice because the project is within the types of project defined by Item (3) of the Application Requirement Matrix for Electric Power Transmission Lines in Appendix A of 4906-1-01 of the Ohio Administrative Code. Appendix A provides:

- (3) Replacing conductors on existing structures with larger or bundled conductors.*

The proposed Project replaces approximately 6.7 miles of three of the existing 6 conductors of the circuit that are currently 4/0 copper conductors with 336.4 kmil 26/7 ACSR conductors. These conductors are part of a six wire arrangement, with 2 conductors located on the south side of the existing transmission structure and one conductor located on the north side of the existing transmission structure.

**4906-11-02 (B) (3): Need for the Project**

This Project is needed to avoid derating of the current Ottawa-Lakeview 138 kV Transmission Line, with its current configuration and needed to mitigate line overloading due to the potential loss of the Beaver-Davis Besse 345 kV Transmission Line and any future 345 kV transmission lines. This Project has also been identified as a PJM Regional Transmission Expansion Plan (RTEP) Project.

**4906-11-02 (B) (4): Construction Schedule**

Construction on the project is expected to begin as early as September 1, 2011 and be completed by December 31, 2011.

**4906-11-02 (B) (5): Estimated Costs**

The following is the estimated capital costs for the proposed project:

Total	\$ 1,294,000
-------	--------------

**4906-11-02 (B) (6): Operating Characteristics**

The reconductored Transmission Line will have the following characteristics:

Voltage:	138 kV
Conductors:	
Existing – to be removed	4/0 Copper
(2 Conductors South)	
(1 Conductor North)	
New – to be installed	336.4 kcmil 26/7 ACSR
(2 Conductors South)	
(1 Conductor North)	
Static wire:	
Existing – to remain	7#8 Alumoweld
Insulators: (North and South)	138 kV polymer horizontal post or suspension insulators

The proposed Project will be located on the existing transmission line right-of-way with no new right-of-way to be acquired.

**4906-11-02 (B) (7): Area Map**

Exhibit No. 1 depicts the General Project Location. To locate and view the project site from the Columbus, Ohio area, travel north on I-71 toward Cleveland approximately 10 miles. Take exit 119 to merge onto I-270 west toward Dayton approximately 2.2 miles. Take exit 23 for US-23 north toward Delaware and continue to follow US-23 for approximately 57 miles. Take exit OH-53 N/OH-67 toward Upper Sandusky/Tiffin for approximately 0.3 miles. Turn right onto OH-53 N/ OH-67 E and continue to follow OH-53 N for approximately 39 miles. Take exit 95 to merge onto OH-53 N for approximately 9.1 miles. Turn left onto S. Mulcahy Rd. and go approximately 1.6 miles. The western extent of the reconductoring project will be on the left and trend east for approximately 6.7 miles.

**4906-11-02 (B) (8): Property Owner List**

The Project will be constructed within existing easements in an existing transmission corridor. No new easements or rights of way are needed.

**4906-11-02 (C) : Documentation of Construction Notice Transmittal**

This Construction Notice is being provided concurrently to the following officials of Bay and Portage Townships, Ottawa County, Ohio. Copies of the transmittal letters to these officials have been included with the transmittal letter submitting this Construction Notice to the Ohio Power Siting Board.

**Portage Township**

Mr. Drew A. Surovjak  
Trustee, Portage Township  
2501 East State Road  
Port Clinton, OH 43452

Mr. Jack Stables  
Trustee, Portage Township  
2501 East State Road  
Port Clinton, OH 43452

Mr. Sam Conte  
Trustee, Portage Township  
2501 East State Road  
Port Clinton, OH 43452

Ms. Judith A. Johannsen  
Fiscal Officer, Portage Township  
2501 East State Road  
Port Clinton, OH 43452

**Bay Township**

Mr. Gerry Perry  
Trustee, Bay Township  
5530 W. Little Portage East Road  
Port Clinton, OH 43452

Ms. Virginia M. Park  
Trustee, Bay Township  
5530 W. Little Portage East Road  
Port Clinton, OH 43452

Mr. Daniel C. Mulligan  
Trustee, Bay Township  
5530 W. Little Portage East Road  
Port Clinton, OH 43452

Ms. Bonnie S. Kaspar  
Fiscal Officer, Bay Township  
5530 W. Little Portage East Road  
Port Clinton, OH 43452

**Ottawa County**

The Honorable James M. Sass  
Ottawa County Commissioner  
315 Madison Street, Room 103  
Port Clinton, OH 43452

The Honorable Steven M. Arndt  
Ottawa County Commissioner  
315 Madison Street, Room 103  
Port Clinton, OH 43452


The Honorable Mark W. Stahl  
Ottawa County Commissioner  
315 Madison Street, Room 103  
Port Clinton, OH 43452

Mr. David Brunkhorst P.E., P.S.  
Ottawa County Engineer  
315 Madison Street, Room 106  
Port Clinton, OH 43452


Ottawa County Regional Planning  
Commission  
315 Madison Street, Room 107  
Port Clinton, OH 43452



# EXHIBIT 1



<p>Orig Date: 1977          Quad Series: 7.5          Paper Source: Topographic          1:24,000          Quad Order ID: 41082-D8          Coverage:          Sandusky County, OH          Ottawa County, OH          Erie County, OH          Vendor: USGS</p>	<p>Orig Date: 1979          Quad Series: 7.5          Paper Source: Topographic          1:24,000          Quad Order ID: 41083-D1          Coverage:          Sandusky County, OH          Ottawa County, OH          Vendor: USGS</p>
--	---



July 18, 2011

Mr. Drew A. Surovjak  
Trustee, Portage Township  
2501 East State Road  
Port Clinton, OH 43452

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11-            -EL-BNR**

4387

Dear Mr. Surovjak,

In the above captioned project, American Transmission Systems, Incorporated (“ATSI”), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.

In accordance with the provisions of Ohio Administrative Code (“OAC”) Rule 4906-1-01, this project falls within the Ohio Power Siting Board’s requirements for a Construction Notice (“CN”). Therefore, in compliance with OAC 4906-11-02 of the OPSB’s Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment

Mr. Sam Conte  
Trustee, Portage Township  
2501 East State Road  
Port Clinton, OH 43452

July 18, 2011

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11- -EL-BNR**

Dear Mr. Conte,

In the above captioned project, American Transmission Systems, Incorporated ("ATSI"), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.

In accordance with the provisions of Ohio Administrative Code ("OAC") Rule 4906-1-01, this project falls within the Ohio Power Siting Board's requirements for a Construction Notice ("CN"). Therefore, in compliance with OAC 4906-11-02 of the OPSB's Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment

Mr. Jack Stables  
Trustee, Portage Township  
2501 East State Road  
Port Clinton, OH 43452

July 18, 2011

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11- -EL-BNR**

Dear Mr. Stables,

In the above captioned project, American Transmission Systems, Incorporated ("ATSI"), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.

In accordance with the provisions of Ohio Administrative Code ("OAC") Rule 4906-1-01, this project falls within the Ohio Power Siting Board's requirements for a Construction Notice ("CN"). Therefore, in compliance with OAC 4906-11-02 of the OPSB's Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment

Ms. Judith A. Johannsen  
Fiscal Officer, Portage Township  
2501 East State Road  
Port Clinton, OH 43452

July 18, 2011

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11- -EL-BNR**

Dear Ms. Johannsen,

In the above captioned project, American Transmission Systems, Incorporated (“ATSI”), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.

In accordance with the provisions of Ohio Administrative Code (“OAC”) Rule 4906-1-01, this project falls within the Ohio Power Siting Board’s requirements for a Construction Notice (“CN”). Therefore, in compliance with OAC 4906-11-02 of the OPSB’s Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment

Mr. Gerry Perry  
Trustee, Bay Township  
5530 W. Little Portage East Road  
Port Clinton, OH 43452

July 18, 2011

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11- -EL-BNR**

Dear Mr. Perry,

In the above captioned project, American Transmission Systems, Incorporated ("ATSI"), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.

In accordance with the provisions of Ohio Administrative Code ("OAC") Rule 4906-1-01, this project falls within the Ohio Power Siting Board's requirements for a Construction Notice ("CN"). Therefore, in compliance with OAC 4906-11-02 of the OPSB's Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment

Mr. Daniel C. Mulligan  
Trustee, Bay Township  
5530 W. Little Portage East Road  
Port Clinton, OH 43452

July 18, 2011

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11- -EL-BNR**

Dear Mr. Mulligan,

In the above captioned project, American Transmission Systems, Incorporated ("ATSI"), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.

In accordance with the provisions of Ohio Administrative Code ("OAC") Rule 4906-1-01, this project falls within the Ohio Power Siting Board's requirements for a Construction Notice ("CN"). Therefore, in compliance with OAC 4906-11-02 of the OPSB's Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment

Ms. Virginia M. Park  
Trustee, Bay Township  
5530 W. Little Portage East Road  
Port Clinton, OH 43452

July 18, 2011

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11- -EL-BNR**

Dear Ms. Park,

In the above captioned project, American Transmission Systems, Incorporated ("ATSI"), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.

In accordance with the provisions of Ohio Administrative Code ("OAC") Rule 4906-1-01, this project falls within the Ohio Power Siting Board's requirements for a Construction Notice ("CN"). Therefore, in compliance with OAC 4906-11-02 of the OPSB's Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment



Ms. Bonnie S. Kaspar  
Fiscal Officer, Bay Township  
5530 W. Little Portage East Road  
Port Clinton, OH 43452

July 18, 2011

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11- -EL-BNR**

Dear Ms. Kaspar,

In the above captioned project, American Transmission Systems, Incorporated ("ATSI"), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.

In accordance with the provisions of Ohio Administrative Code ("OAC") Rule 4906-1-01, this project falls within the Ohio Power Siting Board's requirements for a Construction Notice ("CN"). Therefore, in compliance with OAC 4906-11-02 of the OPSB's Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment

The Honorable James M. Sass  
Ottawa County Commissioner  
315 Madison Street, Room 103  
Port Clinton, OH 43452

July 18, 2011

1-800-646-0400

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11- -EL-BNR**

Dear Mr. Sass,

In the above captioned project, American Transmission Systems, Incorporated ("ATSI"), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.

In accordance with the provisions of Ohio Administrative Code ("OAC") Rule 4906-1-01, this project falls within the Ohio Power Siting Board's requirements for a Construction Notice ("CN"). Therefore, in compliance with OAC 4906-11-02 of the OPSB's Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment

The Honorable Steven M. Arndt  
Ottawa County Commissioner  
315 Madison Street, Room 103  
Port Clinton, OH 43452

July 18, 2011

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11- -EL-BNR**

Dear Mr. Arndt,

In the above captioned project, American Transmission Systems, Incorporated ("ATSI"), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

*The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.*

In accordance with the provisions of Ohio Administrative Code ("OAC") Rule 4906-1-01, this project falls within the Ohio Power Siting Board's requirements for a Construction Notice ("CN"). Therefore, in compliance with OAC 4906-11-02 of the OPSB's Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment

The Honorable Mark W. Stahl  
Ottawa County Commissioner  
315 Madison Street, Room 103  
Port Clinton, OH 43452

July 18, 2011

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11- -EL-BNR**

Dear Mr. Stahl,

In the above captioned project, American Transmission Systems, Incorporated ("ATSI"), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.

In accordance with the provisions of Ohio Administrative Code ("OAC") Rule 4906-1-01, this project falls within the Ohio Power Siting Board's requirements for a Construction Notice ("CN"). Therefore, in compliance with OAC 4906-11-02 of the OPSB's Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment

Mr. David Brunkhorst P.E., P.S.  
Ottawa County Engineer  
315 Madison Street, Room 106  
Port Clinton, OH 43452

July 18, 2011

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11- -EL-BNR**

Dear Mr. Brunkhorst,

In the above captioned project, American Transmission Systems, Incorporated ("ATSI"), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.

In accordance with the provisions of Ohio Administrative Code ("OAC") Rule 4906-1-01, this project falls within the Ohio Power Siting Board's requirements for a Construction Notice ("CN"). Therefore, in compliance with OAC 4906-11-02 of the OPSB's Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment

Ottawa County Regional Planning  
Commission  
315 Madison Street, Room 107  
Port Clinton, OH 43452

July 18, 2011

**Construction Notice**  
**Ottawa-Lakeview 138 kV Transmission Line**  
**Reconductoring Project**  
**Case No. 11- -EL-BNR**

To Whom It May Concern:

In the above captioned project, American Transmission Systems, Incorporated ("ATSI"), a subsidiary of FirstEnergy Corp., is proposing to reconductor an approximately 6.7 mile long segment of the Ottawa-Lakeview 138 kV Transmission Line. This will be accomplished by replacing three conductors of the existing transmission line, which is part of a six wire circuit. Two of the conductors being replaced are located on the south side of the existing transmission structure and one conductor is located on the north side.

The Project area is located in an existing transmission corridor extending in Bay and Portage Townships, Ottawa County, Ohio. The entire Project will be built on land that already is used by the applicants for existing transmission and distribution facilities. As such, there should be little incremental to no land-use impact for the affected communities.

In accordance with the provisions of Ohio Administrative Code ("OAC") Rule 4906-1-01, this project falls within the Ohio Power Siting Board's requirements for a Construction Notice ("CN"). Therefore, in compliance with OAC 4906-11-02 of the OPSB's Rules and Regulations, we have prepared and filed the attached CN with the OPSB for their review and approval. The CN contains a description of the project, and is provided for your information.

I will be happy to answer your questions concerning this matter. You can contact me at (330) 384-2526.

Sincerely,



Scott Humphrys  
Transmission Specialist  
Energy Delivery Transmission and Substation  
Design  
FirstEnergy Service Company

Attachment