The Public Utilities Commission of Ohio TELECOMMUNICATIONS FILING FORM

(Effective: 01/20/2011)

This form is intended to be used with most types of required filings. It provides check boxes with rule references for the most common types of filings. It does not replace or supersede Commission rules in any way,

In the Matter of the Application of) TRF Docket No. 90	1- <u>90 17</u>
to) Case No. 12 -1877 ·) NOTE: Unless you hav) BLANK.	-TP - ATA e reserved a Case #, leave the "Case No" fields
Name of Registrant(s) XO Communications Services,	<u>Inc.</u>	
DBA(s) of Registrant(s)		
Address of Registrant(s) 13865 Sunrise Valley Dr., He	rndon, VA 20171	
Company Web Address www.xo.com		
Regulatory Contact Person(s) Kelly Fau;	Phone <u>703-5</u>	547-2536 Fax <u>703-547-2630</u>
Regulatory Contact Person's Email Address Kelly.faul	<u>@xo.com</u>	
Contact Person for Annual Report Sharon Adams		Phone <u>703-547-2615</u>
Address (if different from above)		
Consumer Contact Information _ Teresa Miller		Phone <u>214-261-7509</u>
Address (if different from above)		
Motion for protective order included with filing? \(\subseteq \) \(\text{Notion for waiver(s) filed affecting this case? } \(\subseteq \text{Yes} \)		y automatic timeframe.]
Notes:		
Section I and II are Pursuant to Chapter 4901:1-6 OAC Section III – Carrier to Carrier is Pursuant to 4901:1-7 Section IV – Attestation		<u>01:1-6-24</u> OAC.

- (1) Indicate the Carrier Type and the reason for submitting this form by checking the boxes below.
- (2) For requirements for various applications, see the identified section of Ohio Administrative Code Section 4901 and/or the supplemental application form noted.
- (3) Information regarding the number of copies required by the Commission may be obtained from the Commission's web site at www.puco.ohio.gov under the docketing information system section, by calling the docketing division at 614-466-4095, or by visiting the docketing division at the offices of the Commission.
- (4) An Incumbent Local Exchange Carrier (ILEC) offering basic local exchange service (BLES) outside its traditional service area should choose CLEC designation when proposing to offer BLES outside its traditional service area or when proposing to make changes to that service.

All Filings that result in a change to one or more tariff pages require, at a minimum, the following exhibits.

Exhibit	Description:
A	The tariff pages subject to the proposed change(s) as they exist before the change(s)
В	The Tariff pages subject to the proposed change(s), reflecting the change, with the change(s) marked in the right margin.
· C	A short description of the nature of the change(s), the intent of the change(s), and the customers affected.
D	A copy of the notice provided to customers, along with an affidavit that the notice was provided according to the applicable rule(s).

Section I – Part I - Common Filings

Carrier Type Other (explain below)	For Pro	fit ILEC	Not For I	Profit ILEC	C	LEC
Change terms & conditions existing BLES				ATA <u>1-6-14(H)</u> (Auto 30 days)		☐ ATA <u>1-6-14(H)</u> (Auto 30 days)	
Introduce non-recurring ch surcharge, or fee to BLES	arge,						ΓΑ <u>1-6-14(H)</u> 30 days)
Introduce or Increase Late	Payment	ment ATA 1-		ATA <u>1-6-14(1)</u> (Auto 30 days)		ATA <u>1-6-14(1)</u> (Auto 30 days)	
Revisions to BLES Cap.		☐ ZTA <u>1-0</u> (0 day Notic	e)				
Introduce BLES or expand service area (calling area)	local	☐ ZTA <u>1-0</u> (0 day Notic		ZTA <u>1-6-</u> (0 day Notice			TA <u>1-6-14(H)</u> Notice)
Notice of no obligation to facilities and provide BLE		ZTA <u>1-0</u> (0 day Notic		ZTA <u>1-6-</u> (0 day Notice			
Change BLES Rates		TRF <u>1-6</u> (0 day Notic		TRF <u>1-6-14(F)(4)</u> (0 day Notice)		☐ TRF <u>1-6-14(G)</u> (0 day Notice)	
To obtain BLES pricing flexibility BLS 1-6- (C)(1)(c) (Auto 30 da							
Change in boundary	ACR L.			ACB <u>1-6-32</u> (Auto 14 days)			
Expand service operation area						RF <u>1-6-08(G)</u> (0 day)	
BLES withdrawal						TA <u>1-6-25(B)</u> Notice)	
Other* (explain)				<u> </u>			
Section I - Part II - Cus	stomer Not	ification Of	ferings Purs	suant to Chapt	er <u>4901:1-6-7</u>	OAC	
Type of Notice	Direc	et Mail	Bill	Insert	Bill Nota	tion	Electronic Mail
☐ 15-day Notice	[
30-day Notice							
Date Notice Sent:							
Section I – Part III –IO	S Offerings	s Pursuant to	Chapter 490	01:1-6-22 OAC		. —	
IOS	Introduce New		Tariff Change		Price Change		Withdraw
□ ios							

Section II - Part I - Carrier Certification - Pursuant to Chapter 4901:1-6-08, 09 & 10 OAC

Certification	ILEC (Out of Territory)	CLEC	Carrier's Not Offering BLES	CESTC	CETC
* See Supplemental form	ACE <u>1-6-08</u> * (Auto 30- day)	ACE <u>1-6-08</u> *(Auto 30 day)	☐ ACE <u>1-6-</u> 08 *(Auto 30 day)	ACE <u>1-6-</u> 10 (Auto 30 day)	☐ UNC <u>1-6-</u> 09 *(Non-Auto)

^{*}Supplemental Certification forms can be found on the Commission Web Page.

Section II - Part II - Certificate Status & Procedural

Certificate Status	ILEC	CLEC	Carrier's Not Offering BLES
Abandon all Services		ABN <u>1-6-26</u> (Auto 30 days)	ABN <u>1-6-26</u> (Auto 30 days)
Change of Official Name *	ACN <u>1-6-29(B)</u> (Auto 30 days)	ACN <u>1-6-29(B)</u> (Auto 30 days)	CIO <u>1-6-29(C)</u> (0 day Notice)
Change in Ownership *	ACO <u>1-6-29(E)</u> (Auto 30 days)	ACO <u>1-6-29(E)</u> (Auto 30 days)	☐ CIO <u>1-6-29(C)</u> (0 day Notice)
Merger *	AMT <u>1-6-29(E)</u> (Auto 30 days)	AMT <u>1-6-29(E)</u> (Auto 30 days)	CIO <u>1-6-29(C)</u> (0 day Notice)
Transfer a Certificate *	ATC <u>1-6-29(B)</u> (Auto 30 days)	ATC <u>1-6-29(B)</u> (Auto 30 days)	CIO <u>1-6-29(C)</u> (0 day Notice)
Transaction for transfer or lease of property, plant or business *	ATR <u>1-6-29(B)</u> (Auto 30 days)	ATR <u>1-6-29(B)</u> (Auto 30 days)	CIO <u>1-6-29(C)</u> (0 day Notice)

^{*} Other exhibits may be required under the applicable rule(s). ACN, ACO, AMT, ATC, ATR and CIO applications see the 4901:1-6-29 Filing Requirements on the Commission's Web Page for a complete list of exhibits.

Section III - Carrier to Carrier (Pursuant to 4901:1-7), and Wireless (Pursuant to 4901:1-6-24)

Carrier to Carrier	ILEC	CLEC
Interconnection agreement, or amendment to an approved agreement	NAG <u>1-7-07</u> (Auto 90 day)	☐ NAG <u>1-7-07</u> (Auto 90 day)
Request for Arbitration	ARB <u>1-7-09</u> (Non-Auto)	☐ ARB <u>1-7-09</u> (Non-Auto)
Introduce or change c-t-c service tariffs,	ATA <u>1-7-14</u> (Auto 30 day)	✓ ATA <u>1-7-14</u>(Auto 30 day)
Request rural carrier exemption, rural carrier suspension or modification	UNC <u>1-7-04</u> or 05 (Non-Auto)	
Changes in rates, terms & conditions to Pole Attachment, Conduit Occupancy and Rights-of-Way.	UNC 1-7-23(B) (Non-Auto)	
Wireless Providers See 4901:1-6-24	RCC [Registration & Change in Operations]	NAG [Interconnection Agreement or

Registrant hereby attests to its compliance with pertinent entries and orders issued by the Commission.

AFFIDAVIT

Compliance with Commission Rules

, and am authorized to make this statement on its I am an officer/agent of the applicant corporation, Kelly Faul behalf.

(XO Communications Services, Inc.)

Please Check ALL that apply:

🛛 I attest that these tariffs comply with all applicable rules for the state of Ohio. I understand that tariff notification filings do not imply Commission approval and that the Commission's rules as modified and clarified from time to time, supersede any contradictory provisions in our tariff. We will fully comply with the rules of the state of Ohio and understand that noncompliance can result in various penalties, including the suspension of our certificate to operate within the state of Ohio.

🔯 I attest that customer notices accompanying this filing form were sent to affected customers, as specified in Section II, in accordance with Rule 4901:1-6-7, Ohio Administrative Code.

I declare under penalty of perjury that the foregoing is true and correct.

Executed on (Date) <u>06/20/12</u>

at (Location) Herndon, VA

*(Kelly Faul, Regulatory Affairs Director)

This affidavit is required for every tariff-affecting filing. It may be signed by counsel or an officer of the applicant, or an authorized agent of the applicant.

VERIFICATION

I, Kelly Faul verify that I have utilized the Telecommunications Filing Form for most proceedings provided by the Commission and that all of the information submitted here, and all additional information submitted in connection with this case, is true and correct to the best of my knowledge.

*(Kelly Faul - Regulatory Affairs Director)

*(Kelly raul – Regulatory Allairs Director) (Date) <u>06/20/12</u>
*Verification is required for every filing. It may be signed by counsel of an officer of the applicant, or an authorized agent of the applicant.

Send your completed Application Form, including all required attachments as well as the required number of copies, to:

> **Public Utilities Commission of Ohio** Attention: Docketing Division 180 East Broad Street, Columbus, OH 43215-3793

> > Or

Make such filing electronically as directed in Case No 06-900-AU-WVR

EXHIBIT A Superseded Tariff Pages

Case No. 12-663-TP-ATA

INTRASTATE ACCESS SERVICES

CHECK SHEET

Pages of this tariff, as indicated below, are effective as of the date shown at the bottom of the respective pages. Original and revised pages, as named below, comprise all changes from the original tariff and are currently in effect as of the date on the bottom of this page.

PAGE	REVISION		PAGE	REVISION		PAGE	REVISION
1	10th Rev.	*	31	Original		55	Original
2	7th Rev.		31.1	Original	*	56	Original
3	Original		31.2	Original	*	57	Original
4	Original		31.3	Original	*	58	Original
5	3 rd Rev.		31.4	Original	*	59	Original
6	1st Rev.		31.5	Original	*	60	Original
7	Original		31.6	Original	*	61	Original
8	Original		32	Original		62	Original
9	2nd Rev.	*	33	Original		63	Original
10	1st Rev.	*	34	Original		64	Original
11	1st Rev.		35	Original		65	Original
12	1st Rev.	*	36	Original		66	2nd Rev.
13	Original		37	Original		67	Original
14	Original		38	1st Rev.		68	Original
15	Original		39	1st Rev.		69	1 st Rev.
16	Original		40	1st Rev.		70	1st Rev.
17	Original		41	Original		71	Original
18	Original		42	Original		72	Original
19	Original		43	Original		73	Original
20	Original		44	Original		74	Original
21	Original		45	Original		75	Original
22	Original		46	Original			
23	Original		47	Original			
24	Original		48	Original			
25	Original		49	Original			
26	Original		50	Original			
27	Original		51	Original			
28	1st Rev.		52	Original			
29	Original		53	Original			
30	Original		54	Original			
	ķ	k indi	anton thosa	nages included a	with th	sie filina	

^{* -} indicates those pages included with this filing

SECTION 2 - REGULATIONS, (CONT'D.)

2.3 Obligations to the Customer, (Cont'd.)

2.3.4 <u>Identification and Rating of Toll VoIP-PSTN Traffic</u>

A. Scope

- Toll VoIP-PSTN Traffic is a Customer's interexchange voice traffic that

 is exchanged with the Company in Time Division Multiplexing
 ("TDM") format over Public Switched Telephone Network ("PSTN")
 facilities and (2) originates and/or terminates in Internet Protocol (IP)
 format. Toll VoIP-PSTN Traffic originates and/or terminates in IP format
 when it originates from and/or terminates to an end user of a service that
 requires IP-compatible customer premises equipment.
- 2. In the absence of an agreement between the Company and the Customer specifying the treatment of Toll VoIP-PSTN Traffic, this section governs the treatment of Toll VoIP-PSTN Traffic pursuant to the Federal Communications Commission's Part 51 Interconnection Rules and in compliance with the Federal Communications Commission's Report and Order and Further Notice of Proposed Rulemaking in CC Docket Nos. 96-45 and 01-92; GN Docket No. 09-51; WC Docket Nos. 03-109, 05-337, 07-135 and 10-90; and WT Docket No. 10-08, adopted October 27, 2011 and released November 18, 2011 ("FCC 11-161")
- 3. This section will be applied to identify intrastate Toll VoIP-PSTN Traffic exchanged with a Customer that is a local exchange carrier only to the extent that the Customer has also implemented billing for intrastate Toll VoIP-PSTN Traffic in accordance with FCC 11-161.

B. Rating of Toll VoIP-PSTN Traffic

As of December 29, 2011, all interstate Toll VoIP-PSTN Traffic and any intrastate Toll VoIP-PSTN Traffic identified in accordance with this tariff section will be billed at rates equal to the Company's interstate switched access rates as provided in sections 5 and 6 of Tariff FCC No. 1.

C. Calculation and Application of Percent-VoIP-Usage Factor

The Company will determine the number of intrastate Toll VoIP-PSTN Traffic minutes of use ("MOU") to which interstate switched access rates will be applied under section 2.3.4.B, above, by applying a Percent VoIP Usage ("PVU") factor to the total intrastate access MOU exchanged between the Company and the Customer. The PVU will be derived and applied as follows:

Issued: February 16, 2012

Effective: March 18, 2012

SECTION 2 - REGULATIONS, (CONT'D.)

2.3 Obligations to the Customer, (Cont'd.)

2.3.4 Identification and Rating of Toll VoIP-PSTN Traffic (Cont'd)

C. Calculation and Application of Percent-VoIP-Usage Factor (Cont'd)

- 1. The Customer will calculate and furnish to the Company a factor (the "PVU-C") representing the percentage of the total intrastate switched access MOU that the Customer exchanges with the Company in the state, that (a) is sent to the Company and that originated in IP format; or (b) is received from the Company and terminated in IP format. This PVU-C shall be based on information such as the number of the Customer's retail VoIP subscriptions in the state (e.g., as reported on FCC Form 477), traffic studies, actual call detail, or other relevant and verifiable information.
- 2. The Company will, likewise, calculate a factor (the "PVU-X") representing the percentage of the Company's total intrastate access MOU that the Company exchanges with the Customer in the State that switched (a) is sent to the Customer and that originated in IP format; or (b) is received from the Customer and terminated in IP format. This PVU-X shall be based on information, such as the number of the Company's retail VoIP subscriptions in the state (e.g., as reported on FCC Form 477), traffic studies, actual call detail, or other relevant and verifiable information.
- 3. The Company will use the PVU-C and PVU-X factors to calculate a PVU factor that represents the percentage of total intrastate access MOU exchanged between the Company and the Customer that is originated or terminated in IP format, whether at the Company's end, at the Customer's end, or at both ends. The PVU factor will be calculated as the sum of: (A) the PVU-C factor and (B) the PVU-X factor times (1.0 minus the PVU-C factor).
- 4. The Company will apply the PVU factor to the total intrastate access MOU exchanged with the Customer in order to determine the number of intrastate Toll VolP-PSTN Traffic MOU.

Example 1: The PVU-C is 40% and the PVU-X is 10%. The PVU factor is equal to $40\% + (10\% \times 60\%) = 46\%$. The Company will bill 46% of the Customer's intrastate access MOU at the Company's tariffed interstate switched access rates.

Example 2: The PVU-C is 0% and the PVU-X is 10%. The PVU factor is equal to $0\% + (10\% \times 100\%) = 10\%$. The Company will bill 10% of the Customer's intrastate access MOU at the Company's tariffed interstate switched access rates.

Example 3: The PVU-C is 100%. No matter what the PVU-X factor is, the PVU is 100%. The Company will bill 100% of the Customer's intrastate access MOU at the Company's tariffed interstate switched access rates.

Issued: February 16, 2012

Effective: March 18, 2012

SECTION 2 - REGULATIONS, (CONT'D.)

2.3 Obligations to the Customer, (Cont'd.)

2.3.5 Call Signaling

Depending on the signaling system used by the Customer in its network, the Customer's facilities shall transmit the following call signaling information, consistent with the requirements of 47 C.F.R. § 64.1600 et seq, as may be amended by the Federal Communications Commission, to the Company on traffic the Customer's end users originate which is handed off for termination on the Company's network.

A. Signaling System 7 (SS7) Signaling

When the Customer uses SS7 signaling, it will transmit the Calling Party Number (CPN) or, if different from the CPN, the Charge Number (CN) information in the SS7 signaling stream.

B. <u>Multi-Frequency (MF) Signaling</u>

When the Customer uses MF signaling, it will transmit the number of the calling party or, if different from the number of the calling party, the Charge Number (CN) information in the MF Automatic Number Identification (ANI) field.

C. Internet Protocol (IP) Signaling

When the Customer uses IP signaling, it will transmit the telephone number of the calling party or, if different from the telephone number, the billing number of the calling party.

Issued: February 16, 2012

EXHIBIT B Revised Tariff Pages

CHECK SHEET

Pages of this tariff, as indicated below, are effective as of the date shown at the bottom of the respective pages. Original and revised pages, as named below, comprise all changes from the original tariff and are currently in effect as of the date on the bottom of this page.

PAGE REVISION		PAGE	REVISION		PAGE	REVISION
1 11th Rev.	*	31	Original		55	Original
2 7th Rev.		31.1	1st Rev.	*	56	Original
3 Original		31.2	1st Rev.	*	57	Original
4 Original		31.3	Original		58	Original
5 3 rd Rev.		31.4	Original		59	Original
6 1st Rev.		31.5	Original		60	Original
7 Original		31.6	1st Rev.	*	61	Original
8 Original		32	Original		62	Original
9 2nd Rev.		33	Original		63	Original
10 1st Rev.		34	Original		64	Original
11 1st Rev.		35	Original		65	Original
12 lst Rev.		36	Original		66	2nd Rev.
13 Original		37	Original		67	Original
14 Original		38	1st Rev.		68	Original
15 Original		39	1st Rev.		69	1 st Rev.
16 Original		40	1st Rev.		70	1st Rev.
17 Original		41	Original		71	Original
18 Original		42	Original		72	Original
19 Original		43	Original		73	Original
20 Original		44	Original		74	Original
21 Original		45	Original		75	Original
22 Original		46	Original			
23 Original		47	Original			
24 Original		48	Original			
25 Original		49	Original			
26 Original		50	Original			
27 Original		51	Original			
28 1st Rev.		52	Original			
29 Original		53	Original			
30 Original		54	Original			

^{* -} indicates those pages included with this filing

Issued: June 21, 2012 Effective: July 22, 2012

(C)

(C)

(D)

(D)

(C)

(C)

(C)

(C)

(C)

(N)

(N)

(C)

(C)

INTRASTATE ACCESS SERVICES

SECTION 2 - REGULATIONS, (CONT'D.)

2.3 Obligations to the Customer, (Cont'd.)

2.3.4 <u>Identification and Rating of Toll VoIP-PSTN Traffic</u>

A. Scope

- Toll VoIP-PSTN Traffic is a Customer's interexchange voice traffic that

 is exchanged with the Company in Time Division Multiplexing
 ("TDM") format over Public Switched Telephone Network ("PSTN")
 facilities and (2) originates and/or terminates in Internet Protocol (IP)
 format. Toll VoIP-PSTN Traffic originates and/or terminates in IP format
 when it originates from and/or terminates to an end user of a service that
 requires IP-compatible customer premises equipment.
- 2. In the absence of an agreement between the Company and the Customer specifying the treatment of Toll VoIP-PSTN Traffic, this section governs the treatment of Toll VoIP-PSTN Traffic pursuant to 47 C.F.R. § 51.913 and the Federal Communications Commission's orders adopting and amending those rules ("Section 51.913").
- This section will be applied to identify intrastate Toll VoIP-PSTN Traffic exchanged with a Customer or its affiliate that is a local exchange carrier only to the extent that the Customer or its local exchange carrier affiliate has also implemented billing for intrastate Toll VoIP-PSTN Traffic in accordance with Section 51.913.

B. Rating of Toll VolP-PSTN Traffic

All interstate Toll VoIP-PSTN Traffic and any intrastate terminating Toll VoIP-PSTN Traffic identified in accordance with this tariff section will be billed at rates equal to the Company's relevant interstate switched access rates as provided in sections 5 and 6 of this tariff or XO Communications, LLC. Tariff FCC No. 1, Section 6.

As of July 11, 2012, any intrastate originating Toll VoIP-PSTN Traffic will be billed at rates equal to the Company's intrastate originating switched access rates as provided in sections [sections 5 and 6 of this tariff or XO Communications, LLC Tariff FCC No. 1, Section 6.].

C. Calculation and Application of Percent-VoIP-Usage Factor

The Company will determine the number of intrastate terminating Toll VoIP-PSTN Traffic minutes of use ("MOU") to which interstate terminating switched access rates will be applied under section 2.3.4.B, above, by applying a Percentage VoIP Usage ("PVU") factor to the total intrastate terminating switched access MOU received by the Company from the Customer. The PVU will be derived and applied as follows:

Effective: July 22, 2012

Issued: June 21, 2012

SECTION 2 - REGULATIONS, (CONT'D.)

2.3 Obligations to the Customer, (Cont'd.)

2.3.4 Identification and Rating of Toll VoIP-PSTN Traffic (Cont'd)

C. Calculation and Application of Percent-VoIP-Usage Factor (Cont'd)

- The Customer will calculate and furnish to the Company a factor (the "PVU-C") representing the percentage of the total intrastate terminating switched access MOU that the Customer delivers to the Company for termination in the state, that originated in IP format. This PVU-C shall be based on information such as the number of the Customer's retail VoIP subscriptions in the state (e.g., as reported on FCC Form 477), traffic studies, actual call detail, or other relevant and verifiable information.
- 2. The Company will, likewise, calculate a factor (the "PVU-X") representing the percentage of the Company's total intrastate terminating switched access MOU that the Company exchanges with the Customer in the State that switched (a) is sent to the Customer and that originated in IP format; or (b) is received from the Customer and terminated in IP format. This PVU-X shall be based on information, such as the number of the Company's retail VoIP subscriptions in the state (e.g., as reported on FCC Form 477), traffic studies, actual call detail, or other relevant and verifiable information.
- 3. The Company will use the PVU-C and PVU-X factors to calculate a PVU factor that represents the percentage of total intrastate terminating switched access MOU received by the Company from the Customer that is originated or terminated in IP format, whether at the Company's end, at the Customer's end, or at both ends. The PVU factor will be calculated as the sum of: (A) the PVU-C factor and (B) the PVU-X factor times (1.0 minus the PVU-C factor).
- 4. The Company will apply the PVU factor to the total intrastate terminating switched access MOU received from the Customer in order to determine the number of intrastate terminating Toll VoIP-PSTN Traffic MOU.
 - Example 1: The PVU-C is 40% and the PVU-X is 10%. The PVU factor is equal to $40\% + (10\% \times 60\%) = 46\%$. The Company will bill 46% of the Customer's intrastate terminating switched access MOU at the Company's tariffed interstate terminating switched access rates.
 - Example 2: The PVU-C is 0% and the PVU-X is 10%. The PVU factor is equal to $0\% + (10\% \times 100\%) = 10\%$. The Company will bill 10% of the Customer's intrastate terminating switched access MOU at the Company's tariffed interstate terminating switched access rates.
 - Example 3: The PVU-C is 100%. No matter what the PVU-X factor is, the PVU is 100%. The Company will bill 100% of the Customer's intrastate terminating switched access MOU at the Company's tariffed interstate terminating switched access rates.

 (C)

Issued: June 21, 2012

Effective: July 22, 2012

(C)

(C)

(C)

(C)

(C)

(C)

SECTION 2 - REGULATIONS, (CONT'D.)

2.3 Obligations to the Customer, (Cont'd.)

2.3.5 <u>Call Signaling</u>

Depending on the signaling system used by the Customer in its network, the Customer's facilities shall transmit the following call signaling information, consistent with the requirements of 47 C.F.R. § 64.1600 et seq, as may be amended by the Federal Communications Commission, to the Company on traffic that the Customer delivers for termination on the Company's network.

(C) (C)

A. Signaling System 7 (SS7) Signaling

When the Customer uses SS7 signaling, it will transmit the Calling Party Number (CPN) or, if different from the CPN, the Charge Number (CN) information in the SS7 signaling stream.

B. Multi-Frequency (MF) Signaling

When the Customer uses MF signaling, it will transmit the number of the calling party or, if different from the number of the calling party, the Charge Number (CN) information in the MF Automatic Number Identification (ANI) field.

C. <u>Internet Protocol (IP) Signaling</u>

When the Customer uses IP signaling, it will transmit the telephone number of the calling party or, if different from the telephone number, the billing number of the calling party.

Issued: June 21, 2012

Effective: July 22, 2012

EXHIBIT C Transmittal

Herndon, VA 20171

VIA ELECTRONIC FILING

June 20, 2012

Public Utilities Commission of Ohio Attention: Docketing Division 180 East Broad Street Columbus, Ohio 43215-3793

Re: XO Communications Services, Inc, P.U.C.O. Tariff No. 3 Revisions

To Whom It May Concern:

Please find enclosed an electronic copy of revisions to XO Communications Services, Inc. ("XO"), P.U.C.O. Tariff No. 3. This filing revises VoIP-PSTN tariff language.

The following revised pages have been included with this filing:

11th Revised Page 1 1st Revised Page 31.1 1st Revised Page 31.2 1st Revised Page 31.6

This tariff is being filed with an issued date of June 21, 2012 and an effective date of July 22, 2012.

If you have any questions, please contact me at 703-547-2615 or sharon.e.adams@xo.com.

Sincerely

Sharon Adams

Senior Regulatory Analyst

Enclosures

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

6/20/2012 4:34:55 PM

in

Case No(s). 12-1877-TP-ATA

Summary: Tariff Revises VoIP-PSTN Tariff Language electronically filed by Sharon Adams on behalf of XO Communications Services, Inc.