

BEFORE

THE PUBLIC UTILITIES COMMISSION OF OHIO

In the Matter of the Request of Norfolk)
Southern Railway Company to Modify the)
Existing Warning Devices at the Holland-) Case No. 12-2436-RR-RCP
Sylvania Road Grade Crossing (509-457F),)
in Toledo, Lucas County.)

ENTRY

The attorney examiner finds:

- (1) On September 4, 2012, Norfolk Southern Railway Company (NS) filed a request to modify the warning devices at the Holland-Sylvania Road Grade Crossing (509-457F), located in the city of Toledo, Lucas County. In its request, NS states that lights and gates were installed at this crossing pursuant to the Commission finding and order in Case No. 06-1152-RR-FED. According to NS, the city of Toledo and Lucas County are participating in a highway improvement project in the vicinity of the crossing and they have requested that NS install a cantilever at the crossing in order to direct two lanes of traffic. As a result, NS requests that the Commission convene a diagnostic review at the crossing toward confirming that the requested installation is compliant with the Manual of Uniform Traffic Control Devices and, assuming so, issue an order authorizing NS to install the cantilever.
- (2) The attorney examiner directs Commission Staff (Staff) to conduct a diagnostic review of the Sylvania Road grade crossing and file a response to NS's request by October 15, 2012.
- (3) The attorney examiner also finds it appropriate that the city of Toledo, as the local highway authority for this crossing, have the opportunity to file comments on NS's request. Accordingly, the city of Toledo should file any comments on NS's request by October 31, 2012.

It is, therefore,

ORDERED, That Staff conduct a diagnostic review and file a response to NS's request by October 15, 2012. It is, further,

ORDERED, That the city of Toledo file any comments on NS's request by October 31, 2012. It is, further,

ORDERED, That a copy of this entry be served on NS, city of Toledo, and all other parties of record.

THE PUBLIC UTILITIES COMMISSION OF OHIO

s/Scott Farkas

By: Scott E. Farkas
Attorney Examiner

JRJ/sc

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

9/13/2012 11:57:34 AM

in

Case No(s). 12-2436-RR-RCP

Summary: Attorney Examiner Entry ordering Staff to conduct a diagnostic review and file a response to NS's request by 10/15/12 and ordering the city of Toledo to file any comments on NS's request by 10/31/12. - electronically filed by Sandra Coffey on behalf of Scott Farkas, Attorney Examiner, Public Utilities Commission of Ohio