

FILE

24

RECEIVED-DOCKETING DIV

2012 NOV 13 PM 4:55

PUCO

November 13, 2012

FILED VIA COURIER

The Ohio Power Siting Board
180 East Broad Street
Columbus, Ohio 43215

Re: Case No. 12-0160-EL-GBN

Dear Sir or Madam:

Enclosed on behalf of Gamesa Wind US, LLC please find *Motion For Protective Order and Expedited Ruling*.

Very truly yours,



Timothy J. Neal

Enclosure

Baker & Hostetler LLP


PNC Center
1900 East 9th Street, Suite 3200
Cleveland, OH 44114-3482

T 216.621.0200
F 216.696.0740
www.bakerlaw.com

Timothy J. Neal
direct dial: 216.861.6814
tneal@bakerlaw.com

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business
Technician Date Processed **NOV 13 2012**

Chicago Cincinnati Cleveland Columbus Costa Mesa
Denver Houston Los Angeles New York Orlando Washington, DC


	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD154515-en	Rev: 0
		Date: 28/05/12	Page: 1 of 6
Documentation Type: PDTD - Product	Title: G97 2.0MW CII/CIIIA 50/60 Hz	Approval process:	Electronic: PDM Flow + Translation
Deliverable: S12	Noise	Prepared:	PSEGRS
	Emission Levels	Verified:	JEJGUERRERO
		Approved:	BLC


The present document, its content, its annexes and/or amendments (the "Document") has been drawn up by GAMESA CORPORACION TECNOLÓGICA, S.A. ("Gamesa") for information purposes only, and contains private and confidential information regarding Gamesa and its subsidiaries (the "Company"), directed exclusively to its addressee. Therefore it must not be disclosed, published or distributed, partially or totally, without the prior written consent of Gamesa, and in any case expressly indicating the fact that Gamesa is the owner of all the intellectual property. All the content of the Document, whether it is texts, images, brands, trademarks, combination of colours or any other element, its structure and design, the selection and way of presenting the information, are protected by intellectual and industrial property rights owned by Gamesa, that the addressee of the Document must respect. In particular (notwithstanding the general confidentiality obligation), the addressee shall not reproduce (except for private use), copy, transform, distribute or publish to any other third party, any of the information, totally or partially.


RECEIVED-DOCKETING DIV


2012 NOV 13 PM 4:56


PUCO


	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD154515-en Rev: 0
		Date: 28/05/12 Page. 2 of 6
Title: G97 2.0MW CII/CIIIA 50/60 Hz Wind Turbine Power Curve and Noise Emission Levels		


	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD154515-en	Rev: 0
		Date: 28/05/12	Page: 3 of 6
Title:	G97 2.0MW CII/CIIIA 50/60 Hz [REDACTED]	Noise Emission Levels	


	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD154515-en	Rev: 0
		Date: 28/05/12	Page: 4 of 6
Title:	G97 2.0MW CII/CIIIA 50/60 Hz [REDACTED]	Noise Emission Levels	

	GENERAL CHARACTERISTICS MANUAL (GCM)	<i>Code:</i> GD154515-en	<i>Rev:</i> 0
		<i>Date:</i> 28/05/12	<i>Page:</i> 5 of 6
<i>Title:</i> G97 2.0MW CII/CIIIA 50/60 Hz [REDACTED]		Noise Emission Levels	

	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD154515-en	Rev: 0
		Date: 28/05/12	Page: 6 of 6
Title: G97 2.0MW CII/CIIIA 50/60 Hz [REDACTED]		Noise Emission Levels	

	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en Rev: 1
Documentation Type: PDTD - Product	Title: G97 2.0MW CIIA 50/60 Hz	Date: 24/05/12 Page 1 of 17
Deliverable: S12	Noise Curves for Low Noise Operating Mode	Approval process: Electronic: PDM Flow + Translation
		Prepared: PSEGRS
		Verified: JEJGUERRERO
		Approved: BLC
<p>The present document, its content, its annexes and/or amendments (the "Document") has been drawn up by GAMESA CORPORACIÓN TECNOLÓGICA, S.A. ("Gamesa") for information purposes only, and contains private and confidential information regarding Gamesa and its subsidiaries (the "Company"), directed exclusively to its addressee. Therefore it must not be disclosed, published or distributed, partially or totally, without the prior written consent of Gamesa, and in any case expressly indicating the fact that Gamesa is the owner of all the intellectual property. All the content of the Document, whether it is texts, images, brands, trademarks, combination of colours or any other element, its structure and design, the selection and way of presenting the information, are protected by intellectual and industrial property rights owned by Gamesa, that the addressee of the Document must respect. In particular (notwithstanding the general confidentiality obligation), the addressee shall not reproduce (except for private use), copy, transform, distribute or publish to any other third party, any of the information, totally or partially.</p>		

	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en	Rev: 1
		Date: 24/05/12	Page 2 of 17
Title: G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode			

	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en	Rev: 1
		Date: 24/05/12	Page 3 of 17
Title: G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode			






	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en	Rev: 1
		Date: 24/05/12	Page 4 of 17
Title:	G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode		


FIGURE 1. G97 2.0MW CIIA noise curves for the different low noise versions for


	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en Rev: 1
		Date: 24/05/12 Page 5 of 17
Title: G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode		


	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en	Rev: 1
		Date: 24/05/12	Page 6 of 17
Title:	G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode		


	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en	Rev: 1
Title:	G97 2.0MW CIIA 50/60 Hz [REDACTED]	Date: 24/05/12	Page 7 of 17
Noise Curves for Low Noise Operating Mode			


	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en	Rev: 1
		Date: 24/05/12	Page 8 of 17
Title: G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode			


	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en	Rev: 1
		Date: 24/05/12	Page 9 of 17
Title:	G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode		


	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en Rev: 1
		Date: 24/05/12 Page 10 of 17
Title: G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode		


	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en	Rev: 1
		Date: 24/05/12	Page 11 of 17
Title:	G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode		


	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en	Rev: 1
Title:	G97 2.0MW CIIA 50/60 Hz	Date: 24/05/12	Page 12 of 17
Noise Curves for Low Noise Operating Mode			

	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en	Rev: 1
		Date: 24/05/12	Page 13 of 17
Title:	G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode		

	GENERAL CHARACTERISTICS MANUAL (GCM)	<i>Code:</i> GD149685-en	<i>Rev:</i> 1
		<i>Date:</i> 24/05/12	<i>Page</i> 14 <i>of</i> 17
<i>Title:</i> G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode			

	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en Rev: 1
		Date: 24/05/12 Page 15 of 17
Title:	G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode	

	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en Rev: 1
Title:	G97 2.0MW CIIA 50/60 Hz [REDACTED]	Date: 24/05/12 Page 16 of 17
Noise Curves for Low Noise Operating Mode		

	GENERAL CHARACTERISTICS MANUAL (GCM)	Code: GD149685-en	Rev: 1
		Date: 24/05/12	Page 17 of 17
Title: G97 2.0MW CIIA 50/60 Hz [REDACTED] Noise Curves for Low Noise Operating Mode			