

Photo 33: Upstream view of S009 looking west.



Photo 34: Downstream view of S009 looking east.



Photo 35: Upstream view of S010 looking north.



Photo 36: Downstream view of S010 looking south.



Photo 37: Upstream view of S011 looking south.



Photo 38: Downstream view of S011 looking north.



Photo 39: Upstream view of S012 looking west.



Photo 40: Downstream view of S012 looking east.



Photo 41: Upstream view of S013 looking south.



Photo 42: Downstream view of S013 looking north.



Photo 43: Upstream view of S014 looking west.



Photo 44: Downstream view of S014 looking east.



Photo 45: Upstream view of S015 looking south.



Photo 46: Downstream view of S015 looking north.



Photo 47: Upstream view of S016 looking west.



Photo 48: Downstream view of S016 looking east.



Photo 49: Upstream view of S017 looking south.



Photo 50: Downstream view of S017 looking north.



Photo 51: Representative photo of scrub-shrub habitat near the Ohio Central Station looking north.



Photo 52: Representative photo of PSS wetlands along the proposed transmission line looking east.



Photo 53: Representative photo of PEM wetlands along the proposed transmission line looking west.



Photo 54: Representative photo of riparian habitat along the proposed transmission line looking west.



Photo 55: Representative photo of forest habitat along the proposed transmission line looking north.

ATTACHMENT C

Wetland Datasheets

Site: W	/002	Rater(s): MME	Date: 8/12/13
1	1	Metric 1. Wetland Area (size).	
max 6 pts.	subtotal	Select one size class and assign score. >50 acres (>20.2ha) (6 pts) 25 to <50 acres (10.1 to <20.2ha) (5 pts) 10 to <25 acres (4 to <10.1ha) (4 pts) 3 to <10 acres (1.2 to <4ha) (3 pts) 0.3 to <3 acres (0.12 to <1.2ha) (2pts) ✓ 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt) <0.1 acres (0.04ha) (0 pts)	
7	8	Metric 2. Upland buffers and surrounding land use.	
max 14 pts.	subtotal	2a. Calculate average buffer width. Select only one and assign score. Do not double check. WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7) ✓ MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4) NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1) VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0) 2b. Intensity of surrounding land use. Select one or double check and average. VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7) ✓ LOW. Old field (>10 years), shrubland, young second growth forest. (5) MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow. ✓ HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)	ow field. (3)
10	18	Metric 3. Hydrology.	
max 30 pts.	subtotal	3a. Sources of Water. Score all that apply. High pH groundwater (5) Other groundwater (3) Precipitation (1) Seasonal/Intermittent surface water (3) Perennial surface water (lake or stream) (5) 3c. Maximum water depth. Select only one and assign score. >0.7 (27.6in) (3) 0.4 to 0.7m (15.7 to 27.6in) (2) 3b. Connectivity. Score all 100 year floodpla Between stream/I Part of wetland/up Part of riparian or 3d. Duration inundation/satu Semi- to permane Regularly inundat Seasonally inundat	in (1) lake and other human use (1) lake and other human use (1) land (e.g. forest), complex (1) lupland corridor (1) luration. Score one or dbl check lently inundated/saturated (4) led/saturated (3) lated (2) lated in upper 30cm (12in) (1) lates stormwater)
8.5	26.5	Metric 4. Habitat Alteration and Development.	
max 20 pts.	subtotal	4a. Substrate disturbance. Score one or double check and average. None or none apparent (4) Recovered (3) Recovering (2) Recent or no recovery (1) 4b. Habitat development. Select only one and assign score. Excellent (7) Very good (6) Good (5) Moderately good (4) Fair (3) ✓ Poor to fair (2) Poor (1) 4c. Habitat alteration. Score one or double check and average. None or none apparent (9) ✓ Recovered (6) Recovering (3) Check all disturbances observed mowing grazing herbaceous/aqua	
	26.5	Recent or no recovery (1) Image: Comparison of the content of t	nt

Site: W002		Rater(s): MME		Date: 8/12/13
26.5	_			
0 26.5	Metric 5. Special W	letlands.		
max 10 pts. subtotal	-	dicated. wetland-unrestricted hyd wetland-restricted hydrol Oak Openings) (10) dederal threatened or enda bird/water fowl habitat or the street of the street or the str	ngered species (10) usage (10)	
0 26.5	Metric 6. Plant com	munities inte	erspersion microto	nography
max 20 pts. subtotal	-	•	Community Cover Scale	, p - g : ap : i y :
max 20 pto. Subtotal	Score all present using 0 to 3 scale.	0	Absent or comprises <0.1ha (0.24	71 acres) contiguous area
	Aquatic bed 1 Emergent 1 Shrub	1	Present and either comprises sma vegetation and is of moderate q significant part but is of low qua	uality, or comprises a
	Forest Mudflats Open water	2	Present and either comprises sign vegetation and is of moderate q part and is of high quality	nificant part of wetland's
	Other6b. horizontal (plan view) Interspers	3 ion.	Present and comprises significant vegetation and is of high quality	
	Select only one. High (5)	Narrativo Do	escription of Vegetation Quality	
	Moderately high(4) Moderate (3)	low	Low spp diversity and/or predomin disturbance tolerant native spec	
	Moderately low (2) Low (1) None (0) 6c. Coverage of invasive plants. Re	mod	Native spp are dominant compone although nonnative and/or distu can also be present, and specie moderately high, but generally v	rbance tolerant native spp es diversity moderate to
	to Table 1 ORAM long form for list.		threatened or endangered spp	70 presence of fare
	or deduct points for coverage Extensive >75% cover (-5) Moderate 25-75% cover (-1) Sparse 5-25% cover (-1)	high	A predominance of native species and/or disturbance tolerant nativabsent, and high spp diversity a the presence of rare, threatened	ve spp absent or virtually and often, but not always,
	Nearly absent <5% cover (•		
	Absent (1)		Open Water Class Quality	
	6d. Microtopography. Score all present using 0 to 3 scale.	0	Absent <0.1ha (0.247 acres) Low 0.1 to <1ha (0.247 to 2.47 ac	res)
	Vegetated hummucks/tuss		Moderate 1 to <4ha (2.47 to 9.88	
	Coarse woody debris >150		High 4ha (9.88 acres) or more	
	Standing dead >25cm (10i			
	Amphibian breeding pools	<u>Microtopogi</u> 0	raphy Cover Scale Absent	
		1	Present very small amounts or if r	nore common
		2	of marginal quality Present in moderate amounts, bu	=
		3	quality or in small amounts of hi Present in moderate or greater an	
26.5 GRA	ND TOTAL (max 100 pts)		and of highest quality	
	• • •			

Site: W	/002	Rater(s): MME	Date: 8/12/13
1	1	Metric 1. Wetland Area (size).	
max 6 pts.	subtotal	Select one size class and assign score. >50 acres (>20.2ha) (6 pts) 25 to <50 acres (10.1 to <20.2ha) (5 pts) 10 to <25 acres (4 to <10.1ha) (4 pts) 3 to <10 acres (1.2 to <4ha) (3 pts) 0.3 to <3 acres (0.12 to <1.2ha) (2pts) ✓ 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt) <0.1 acres (0.04ha) (0 pts)	
7	8	Metric 2. Upland buffers and surrounding land use.	
max 14 pts.	subtotal	2a. Calculate average buffer width. Select only one and assign score. Do not double check. WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7) ✓ MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4) NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1) VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0) 2b. Intensity of surrounding land use. Select one or double check and average. VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7) ✓ LOW. Old field (>10 years), shrubland, young second growth forest. (5) MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow. ✓ HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)	ow field. (3)
10	18	Metric 3. Hydrology.	
max 30 pts.	subtotal	3a. Sources of Water. Score all that apply. High pH groundwater (5) Other groundwater (3) Precipitation (1) Seasonal/Intermittent surface water (3) Perennial surface water (lake or stream) (5) 3c. Maximum water depth. Select only one and assign score. >0.7 (27.6in) (3) 0.4 to 0.7m (15.7 to 27.6in) (2) 3b. Connectivity. Score all 100 year floodpla Between stream/I Part of wetland/up Part of riparian or 3d. Duration inundation/satu Semi- to permane Regularly inundat Seasonally inundat	in (1) lake and other human use (1) lake and other human use (1) land (e.g. forest), complex (1) lupland corridor (1) luration. Score one or dbl check lently inundated/saturated (4) led/saturated (3) lated (2) lated in upper 30cm (12in) (1) lates stormwater)
8.5	26.5	Metric 4. Habitat Alteration and Development.	
max 20 pts.	subtotal	4a. Substrate disturbance. Score one or double check and average. None or none apparent (4) Recovered (3) Recovering (2) Recent or no recovery (1) 4b. Habitat development. Select only one and assign score. Excellent (7) Very good (6) Good (5) Moderately good (4) Fair (3) ✓ Poor to fair (2) Poor (1) 4c. Habitat alteration. Score one or double check and average. None or none apparent (9) ✓ Recovered (6) Recovering (3) Check all disturbances observed mowing grazing herbaceous/aqua	
	26.5	Recent or no recovery (1) Image: Comparison of the content of t	nt

Site: W002		Rater(s): MME		Date: 8/12/13
26.5	_			
0 26.5	Metric 5. Special W	letlands.		
max 10 pts. subtotal	-	dicated. wetland-unrestricted hyd wetland-restricted hydrol Oak Openings) (10) dederal threatened or enda bird/water fowl habitat or the street of the street or the str	ngered species (10) usage (10)	
0 26.5	Metric 6. Plant com	munities inte	erspersion microto	nography
max 20 pts. subtotal	-	•	Community Cover Scale	, p - g : ap : i y :
max 20 pto. Subtotal	Score all present using 0 to 3 scale.	0	Absent or comprises <0.1ha (0.24	71 acres) contiguous area
	Aquatic bed 1 Emergent 1 Shrub	1	Present and either comprises sma vegetation and is of moderate q significant part but is of low qua	uality, or comprises a
	Forest Mudflats Open water	2	Present and either comprises sign vegetation and is of moderate q part and is of high quality	nificant part of wetland's
	Other6b. horizontal (plan view) Interspers	3 ion.	Present and comprises significant vegetation and is of high quality	
	Select only one. High (5)	Narrativo Do	escription of Vegetation Quality	
	Moderately high(4) Moderate (3)	low	Low spp diversity and/or predomin disturbance tolerant native spec	
	Moderately low (2) Low (1) None (0) 6c. Coverage of invasive plants. Re	mod	Native spp are dominant compone although nonnative and/or distu can also be present, and specie moderately high, but generally v	rbance tolerant native spp es diversity moderate to
	to Table 1 ORAM long form for list.		threatened or endangered spp	70 presence of fare
	or deduct points for coverage Extensive >75% cover (-5) Moderate 25-75% cover (-1) Sparse 5-25% cover (-1)	high	A predominance of native species and/or disturbance tolerant nativabsent, and high spp diversity a the presence of rare, threatened	ve spp absent or virtually and often, but not always,
	Nearly absent <5% cover (•		
	Absent (1)		Open Water Class Quality	
	6d. Microtopography. Score all present using 0 to 3 scale.	0	Absent <0.1ha (0.247 acres) Low 0.1 to <1ha (0.247 to 2.47 ac	res)
	Vegetated hummucks/tuss		Moderate 1 to <4ha (2.47 to 9.88	
	Coarse woody debris >150		High 4ha (9.88 acres) or more	
	Standing dead >25cm (10i			
	Amphibian breeding pools	<u>Microtopogi</u> 0	raphy Cover Scale Absent	
		1	Present very small amounts or if r	nore common
		2	of marginal quality Present in moderate amounts, bu	=
		3	quality or in small amounts of hi Present in moderate or greater an	
26.5 GRA	ND TOTAL (max 100 pts)		and of highest quality	
	• • •			

Site: W	/002	Rater(s): MME	Date: 8/12/13
1	1	Metric 1. Wetland Area (size).	
max 6 pts.	subtotal	Select one size class and assign score. >50 acres (>20.2ha) (6 pts) 25 to <50 acres (10.1 to <20.2ha) (5 pts) 10 to <25 acres (4 to <10.1ha) (4 pts) 3 to <10 acres (1.2 to <4ha) (3 pts) 0.3 to <3 acres (0.12 to <1.2ha) (2pts) ✓ 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt) <0.1 acres (0.04ha) (0 pts)	
7	8	Metric 2. Upland buffers and surrounding land use.	
max 14 pts.	subtotal	2a. Calculate average buffer width. Select only one and assign score. Do not double check. WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7) ✓ MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4) NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1) VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0) 2b. Intensity of surrounding land use. Select one or double check and average. VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7) ✓ LOW. Old field (>10 years), shrubland, young second growth forest. (5) MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow. ✓ HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)	ow field. (3)
10	18	Metric 3. Hydrology.	
max 30 pts.	subtotal	3a. Sources of Water. Score all that apply. High pH groundwater (5) Other groundwater (3) Precipitation (1) Seasonal/Intermittent surface water (3) Perennial surface water (lake or stream) (5) 3c. Maximum water depth. Select only one and assign score. >0.7 (27.6in) (3) 0.4 to 0.7m (15.7 to 27.6in) (2) 3b. Connectivity. Score all 100 year floodpla Between stream/I Part of wetland/up Part of riparian or 3d. Duration inundation/satu Semi- to permane Regularly inundat Seasonally inundat	in (1) lake and other human use (1) lake and other human use (1) land (e.g. forest), complex (1) lupland corridor (1) luration. Score one or dbl check lently inundated/saturated (4) led/saturated (3) lated (2) lated in upper 30cm (12in) (1) lates stormwater)
8.5	26.5	Metric 4. Habitat Alteration and Development.	
max 20 pts.	subtotal	4a. Substrate disturbance. Score one or double check and average. None or none apparent (4) Recovered (3) Recovering (2) Recent or no recovery (1) 4b. Habitat development. Select only one and assign score. Excellent (7) Very good (6) Good (5) Moderately good (4) Fair (3) ✓ Poor to fair (2) Poor (1) 4c. Habitat alteration. Score one or double check and average. None or none apparent (9) ✓ Recovered (6) Recovering (3) Check all disturbances observed mowing grazing herbaceous/aqua	
	26.5	Recent or no recovery (1) Image: Comparison of the content of t	nt

Site: W002		Rater(s): MME		Date: 8/12/13
26.5	_			
0 26.5	Metric 5. Special W	letlands.		
max 10 pts. subtotal	-	dicated. wetland-unrestricted hyd wetland-restricted hydrol Oak Openings) (10) dederal threatened or enda bird/water fowl habitat or the street of the street or the str	ngered species (10) usage (10)	
0 26.5	Metric 6. Plant com	munities inte	erspersion microto	nography
max 20 pts. subtotal	-	•	Community Cover Scale	, p - g : ap : i y :
max 20 pto. Subtotal	Score all present using 0 to 3 scale.	0	Absent or comprises <0.1ha (0.24	71 acres) contiguous area
	Aquatic bed 1 Emergent 1 Shrub	1	Present and either comprises sma vegetation and is of moderate q significant part but is of low qua	uality, or comprises a
	Forest Mudflats Open water	2	Present and either comprises sign vegetation and is of moderate q part and is of high quality	nificant part of wetland's
	Other6b. horizontal (plan view) Interspers	3 ion.	Present and comprises significant vegetation and is of high quality	
	Select only one. High (5)	Narrativo Do	escription of Vegetation Quality	
	Moderately high(4) Moderate (3)	low	Low spp diversity and/or predomin disturbance tolerant native spec	
	Moderately low (2) Low (1) None (0) 6c. Coverage of invasive plants. Re	mod	Native spp are dominant compone although nonnative and/or distu can also be present, and specie moderately high, but generally v	rbance tolerant native spp es diversity moderate to
	to Table 1 ORAM long form for list.		threatened or endangered spp	70 presence of fare
	or deduct points for coverage Extensive >75% cover (-5) Moderate 25-75% cover (-1) Sparse 5-25% cover (-1)	high	A predominance of native species and/or disturbance tolerant nativabsent, and high spp diversity a the presence of rare, threatened	ve spp absent or virtually and often, but not always,
	Nearly absent <5% cover (•		
	Absent (1)		Open Water Class Quality	
	6d. Microtopography. Score all present using 0 to 3 scale.	0	Absent <0.1ha (0.247 acres) Low 0.1 to <1ha (0.247 to 2.47 ac	res)
	Vegetated hummucks/tuss		Moderate 1 to <4ha (2.47 to 9.88	
	Coarse woody debris >150		High 4ha (9.88 acres) or more	
	Standing dead >25cm (10i			
	Amphibian breeding pools	<u>Microtopogi</u> 0	raphy Cover Scale Absent	
		1	Present very small amounts or if r	nore common
		2	of marginal quality Present in moderate amounts, bu	=
		3	quality or in small amounts of hi Present in moderate or greater an	
26.5 GRA	ND TOTAL (max 100 pts)		and of highest quality	
	• • •			

Site: W	/002	Rater(s): MME	Date: 8/12/13
1	1	Metric 1. Wetland Area (size).	
max 6 pts.	subtotal	Select one size class and assign score. >50 acres (>20.2ha) (6 pts) 25 to <50 acres (10.1 to <20.2ha) (5 pts) 10 to <25 acres (4 to <10.1ha) (4 pts) 3 to <10 acres (1.2 to <4ha) (3 pts) 0.3 to <3 acres (0.12 to <1.2ha) (2pts) ✓ 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt) <0.1 acres (0.04ha) (0 pts)	
7	8	Metric 2. Upland buffers and surrounding land use.	
max 14 pts.	subtotal	2a. Calculate average buffer width. Select only one and assign score. Do not double check. WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7) ✓ MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4) NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1) VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0) 2b. Intensity of surrounding land use. Select one or double check and average. VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7) ✓ LOW. Old field (>10 years), shrubland, young second growth forest. (5) MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow. ✓ HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)	ow field. (3)
10	18	Metric 3. Hydrology.	
max 30 pts.	subtotal	3a. Sources of Water. Score all that apply. High pH groundwater (5) Other groundwater (3) Precipitation (1) Seasonal/Intermittent surface water (3) Perennial surface water (lake or stream) (5) 3c. Maximum water depth. Select only one and assign score. >0.7 (27.6in) (3) 0.4 to 0.7m (15.7 to 27.6in) (2) 3b. Connectivity. Score all 100 year floodpla Between stream/I Part of wetland/up Part of riparian or 3d. Duration inundation/satu Semi- to permane Regularly inundat Seasonally inundat	in (1) lake and other human use (1) lake and other human use (1) land (e.g. forest), complex (1) lupland corridor (1) luration. Score one or dbl check lently inundated/saturated (4) led/saturated (3) lated (2) lated in upper 30cm (12in) (1) lates stormwater)
8.5	26.5	Metric 4. Habitat Alteration and Development.	
max 20 pts.	subtotal	4a. Substrate disturbance. Score one or double check and average. None or none apparent (4) Recovered (3) Recovering (2) Recent or no recovery (1) 4b. Habitat development. Select only one and assign score. Excellent (7) Very good (6) Good (5) Moderately good (4) Fair (3) ✓ Poor to fair (2) Poor (1) 4c. Habitat alteration. Score one or double check and average. None or none apparent (9) ✓ Recovered (6) Recovering (3) Check all disturbances observed mowing grazing herbaceous/aqua	
	26.5	Recent or no recovery (1) Image: Comparison of the content of t	nt

Site: W002		Rater(s): MME		Date: 8/12/13
26.5	_			
0 26.5	Metric 5. Special W	letlands.		
max 10 pts. subtotal	-	dicated. wetland-unrestricted hyd wetland-restricted hydrol Oak Openings) (10) dederal threatened or enda bird/water fowl habitat or the street of the street or the str	ngered species (10) usage (10)	
0 26.5	Metric 6. Plant com	munities inte	erspersion microto	nography
max 20 pts. subtotal	-	•	Community Cover Scale	, p - g : ap : i y :
max 20 pto. Subtotal	Score all present using 0 to 3 scale.	0	Absent or comprises <0.1ha (0.24	71 acres) contiguous area
	Aquatic bed 1 Emergent 1 Shrub	1	Present and either comprises sma vegetation and is of moderate q significant part but is of low qua	uality, or comprises a
	Forest Mudflats Open water	2	Present and either comprises sign vegetation and is of moderate q part and is of high quality	nificant part of wetland's
	Other6b. horizontal (plan view) Interspers	3 ion.	Present and comprises significant vegetation and is of high quality	
	Select only one. High (5)	Narrativo Do	escription of Vegetation Quality	
	Moderately high(4) Moderate (3)	low	Low spp diversity and/or predomin disturbance tolerant native spec	
	Moderately low (2) Low (1) None (0) 6c. Coverage of invasive plants. Re	mod	Native spp are dominant compone although nonnative and/or distu can also be present, and specie moderately high, but generally v	rbance tolerant native spp es diversity moderate to
	to Table 1 ORAM long form for list.		threatened or endangered spp	70 presence of fare
	or deduct points for coverage Extensive >75% cover (-5) Moderate 25-75% cover (-1) Sparse 5-25% cover (-1)	high	A predominance of native species and/or disturbance tolerant nativabsent, and high spp diversity a the presence of rare, threatened	ve spp absent or virtually and often, but not always,
	Nearly absent <5% cover (•		
	Absent (1)		Open Water Class Quality	
	6d. Microtopography. Score all present using 0 to 3 scale.	0	Absent <0.1ha (0.247 acres) Low 0.1 to <1ha (0.247 to 2.47 ac	res)
	Vegetated hummucks/tuss		Moderate 1 to <4ha (2.47 to 9.88	
	Coarse woody debris >150		High 4ha (9.88 acres) or more	
	Standing dead >25cm (10i			
	Amphibian breeding pools	<u>Microtopogi</u> 0	raphy Cover Scale Absent	
		1	Present very small amounts or if r	nore common
		2	of marginal quality Present in moderate amounts, bu	=
		3	quality or in small amounts of hi Present in moderate or greater an	
26.5 GRA	ND TOTAL (max 100 pts)		and of highest quality	
	• • •			

Site: W	/002	Rater(s): MME	Date: 8/12/13
1	1	Metric 1. Wetland Area (size).	
max 6 pts.	subtotal	Select one size class and assign score. >50 acres (>20.2ha) (6 pts) 25 to <50 acres (10.1 to <20.2ha) (5 pts) 10 to <25 acres (4 to <10.1ha) (4 pts) 3 to <10 acres (1.2 to <4ha) (3 pts) 0.3 to <3 acres (0.12 to <1.2ha) (2pts) ✓ 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt) <0.1 acres (0.04ha) (0 pts)	
7	8	Metric 2. Upland buffers and surrounding land use.	
max 14 pts.	subtotal	2a. Calculate average buffer width. Select only one and assign score. Do not double check. WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7) ✓ MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4) NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1) VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0) 2b. Intensity of surrounding land use. Select one or double check and average. VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7) ✓ LOW. Old field (>10 years), shrubland, young second growth forest. (5) MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow. ✓ HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)	ow field. (3)
10	18	Metric 3. Hydrology.	
max 30 pts.	subtotal	3a. Sources of Water. Score all that apply. High pH groundwater (5) Other groundwater (3) Precipitation (1) Seasonal/Intermittent surface water (3) Perennial surface water (lake or stream) (5) 3c. Maximum water depth. Select only one and assign score. >0.7 (27.6in) (3) 0.4 to 0.7m (15.7 to 27.6in) (2) 3b. Connectivity. Score all 100 year floodpla Between stream/I Part of wetland/up Part of riparian or 3d. Duration inundation/satu Semi- to permane Regularly inundat Seasonally inundat	in (1) lake and other human use (1) lake and other human use (1) land (e.g. forest), complex (1) lupland corridor (1) luration. Score one or dbl check lently inundated/saturated (4) led/saturated (3) lated (2) lated in upper 30cm (12in) (1) lates stormwater)
8.5	26.5	Metric 4. Habitat Alteration and Development.	
max 20 pts.	subtotal	4a. Substrate disturbance. Score one or double check and average. None or none apparent (4) Recovered (3) Recovering (2) Recent or no recovery (1) 4b. Habitat development. Select only one and assign score. Excellent (7) Very good (6) Good (5) Moderately good (4) Fair (3) ✓ Poor to fair (2) Poor (1) 4c. Habitat alteration. Score one or double check and average. None or none apparent (9) ✓ Recovered (6) Recovering (3) Check all disturbances observed mowing grazing herbaceous/aqua	
	26.5	Recent or no recovery (1) Image: Comparison of the content of t	nt

Site: W002		Rater(s): MME		Date: 8/12/13
26.5	_			
0 26.5	Metric 5. Special W	letlands.		
max 10 pts. subtotal	-	dicated. wetland-unrestricted hyd wetland-restricted hydrol Oak Openings) (10) dederal threatened or enda bird/water fowl habitat or the street of the street or the str	ngered species (10) usage (10)	
0 26.5	Metric 6. Plant com	munities inte	erspersion microto	nography
max 20 pts. subtotal	-	•	Community Cover Scale	, p - g : ap : i y :
max 20 pto. Subtotal	Score all present using 0 to 3 scale.	0	Absent or comprises <0.1ha (0.24	71 acres) contiguous area
	Aquatic bed 1 Emergent 1 Shrub	1	Present and either comprises sma vegetation and is of moderate q significant part but is of low qua	uality, or comprises a
	Forest Mudflats Open water	2	Present and either comprises sign vegetation and is of moderate q part and is of high quality	nificant part of wetland's
	Other6b. horizontal (plan view) Interspers	3 ion.	Present and comprises significant vegetation and is of high quality	
	Select only one. High (5)	Narrativo Do	escription of Vegetation Quality	
	Moderately high(4) Moderate (3)	low	Low spp diversity and/or predomin disturbance tolerant native spec	
	Moderately low (2) Low (1) None (0) 6c. Coverage of invasive plants. Re	mod	Native spp are dominant compone although nonnative and/or distu can also be present, and specie moderately high, but generally v	rbance tolerant native spp es diversity moderate to
	to Table 1 ORAM long form for list.		threatened or endangered spp	70 presence of fare
	or deduct points for coverage Extensive >75% cover (-5) Moderate 25-75% cover (-1) Sparse 5-25% cover (-1)	high	A predominance of native species and/or disturbance tolerant nativabsent, and high spp diversity a the presence of rare, threatened	ve spp absent or virtually and often, but not always,
	Nearly absent <5% cover (•		
	Absent (1)		Open Water Class Quality	
	6d. Microtopography. Score all present using 0 to 3 scale.	0	Absent <0.1ha (0.247 acres) Low 0.1 to <1ha (0.247 to 2.47 ac	res)
	Vegetated hummucks/tuss		Moderate 1 to <4ha (2.47 to 9.88	
	Coarse woody debris >150		High 4ha (9.88 acres) or more	
	Standing dead >25cm (10i			
	Amphibian breeding pools	<u>Microtopogi</u> 0	raphy Cover Scale Absent	
		1	Present very small amounts or if r	nore common
		2	of marginal quality Present in moderate amounts, bu	=
		3	quality or in small amounts of hi Present in moderate or greater an	
26.5 GRA	ND TOTAL (max 100 pts)		and of highest quality	
	• • •			

Site: W	/002	Rater(s): MME	Date: 8/12/13
1	1	Metric 1. Wetland Area (size).	
max 6 pts.	subtotal	Select one size class and assign score. >50 acres (>20.2ha) (6 pts) 25 to <50 acres (10.1 to <20.2ha) (5 pts) 10 to <25 acres (4 to <10.1ha) (4 pts) 3 to <10 acres (1.2 to <4ha) (3 pts) 0.3 to <3 acres (0.12 to <1.2ha) (2pts) ✓ 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt) <0.1 acres (0.04ha) (0 pts)	
7	8	Metric 2. Upland buffers and surrounding land use.	
max 14 pts.	subtotal	2a. Calculate average buffer width. Select only one and assign score. Do not double check. WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7) ✓ MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4) NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1) VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0) 2b. Intensity of surrounding land use. Select one or double check and average. VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7) ✓ LOW. Old field (>10 years), shrubland, young second growth forest. (5) MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow. ✓ HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)	ow field. (3)
10	18	Metric 3. Hydrology.	
max 30 pts.	subtotal	3a. Sources of Water. Score all that apply. High pH groundwater (5) Other groundwater (3) Precipitation (1) Seasonal/Intermittent surface water (3) Perennial surface water (lake or stream) (5) 3c. Maximum water depth. Select only one and assign score. >0.7 (27.6in) (3) 0.4 to 0.7m (15.7 to 27.6in) (2) 3b. Connectivity. Score all 100 year floodpla Between stream/I Part of wetland/up Part of riparian or 3d. Duration inundation/satu Semi- to permane Regularly inundat Seasonally inundat	in (1) lake and other human use (1) lake and other human use (1) land (e.g. forest), complex (1) lupland corridor (1) luration. Score one or dbl check lently inundated/saturated (4) led/saturated (3) lated (2) lated in upper 30cm (12in) (1) lates stormwater)
8.5	26.5	Metric 4. Habitat Alteration and Development.	
max 20 pts.	subtotal	4a. Substrate disturbance. Score one or double check and average. None or none apparent (4) Recovered (3) Recovering (2) Recent or no recovery (1) 4b. Habitat development. Select only one and assign score. Excellent (7) Very good (6) Good (5) Moderately good (4) Fair (3) ✓ Poor to fair (2) Poor (1) 4c. Habitat alteration. Score one or double check and average. None or none apparent (9) ✓ Recovered (6) Recovering (3) Check all disturbances observed mowing grazing herbaceous/aqua	
	26.5	Recent or no recovery (1) Image: Comparison of the content of t	nt

Site: W002		Rater(s): MME		Date: 8/12/13
26.5	_			
0 26.5	Metric 5. Special W	letlands.		
max 10 pts. subtotal	-	dicated. wetland-unrestricted hyd wetland-restricted hydrol Oak Openings) (10) dederal threatened or enda bird/water fowl habitat or the street of the street or the str	ngered species (10) usage (10)	
0 26.5	Metric 6. Plant com	munities inte	erspersion microto	nography
max 20 pts. subtotal	-	•	Community Cover Scale	, p - g : ap : i y :
max 20 pto. Subtotal	Score all present using 0 to 3 scale.	0	Absent or comprises <0.1ha (0.24	71 acres) contiguous area
	Aquatic bed 1 Emergent 1 Shrub	1	Present and either comprises sma vegetation and is of moderate q significant part but is of low qua	uality, or comprises a
	Forest Mudflats Open water	2	Present and either comprises sign vegetation and is of moderate q part and is of high quality	nificant part of wetland's
	Other6b. horizontal (plan view) Interspers	3 ion.	Present and comprises significant vegetation and is of high quality	
	Select only one. High (5)	Narrativo Do	escription of Vegetation Quality	
	Moderately high(4) Moderate (3)	low	Low spp diversity and/or predomin disturbance tolerant native spec	
	Moderately low (2) Low (1) None (0) 6c. Coverage of invasive plants. Re	mod	Native spp are dominant compone although nonnative and/or distu can also be present, and specie moderately high, but generally v	rbance tolerant native spp es diversity moderate to
	to Table 1 ORAM long form for list.		threatened or endangered spp	70 presence of fare
	or deduct points for coverage Extensive >75% cover (-5) Moderate 25-75% cover (-1) Sparse 5-25% cover (-1)	high	A predominance of native species and/or disturbance tolerant nativabsent, and high spp diversity a the presence of rare, threatened	ve spp absent or virtually and often, but not always,
	Nearly absent <5% cover (•		
	Absent (1)		Open Water Class Quality	
	6d. Microtopography. Score all present using 0 to 3 scale.	0	Absent <0.1ha (0.247 acres) Low 0.1 to <1ha (0.247 to 2.47 ac	res)
	Vegetated hummucks/tuss		Moderate 1 to <4ha (2.47 to 9.88	
	Coarse woody debris >150		High 4ha (9.88 acres) or more	
	Standing dead >25cm (10i			
	Amphibian breeding pools	<u>Microtopogi</u> 0	raphy Cover Scale Absent	
		1	Present very small amounts or if r	nore common
		2	of marginal quality Present in moderate amounts, bu	=
		3	quality or in small amounts of hi Present in moderate or greater an	
26.5 GRA	ND TOTAL (max 100 pts)		and of highest quality	
	• • •			

Site: W	/002	Rater(s): MME	Date: 8/12/13
1	1	Metric 1. Wetland Area (size).	
max 6 pts.	subtotal	Select one size class and assign score. >50 acres (>20.2ha) (6 pts) 25 to <50 acres (10.1 to <20.2ha) (5 pts) 10 to <25 acres (4 to <10.1ha) (4 pts) 3 to <10 acres (1.2 to <4ha) (3 pts) 0.3 to <3 acres (0.12 to <1.2ha) (2pts) ✓ 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt) <0.1 acres (0.04ha) (0 pts)	
7	8	Metric 2. Upland buffers and surrounding land use.	
max 14 pts.	subtotal	2a. Calculate average buffer width. Select only one and assign score. Do not double check. WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7) ✓ MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4) NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1) VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0) 2b. Intensity of surrounding land use. Select one or double check and average. VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7) ✓ LOW. Old field (>10 years), shrubland, young second growth forest. (5) MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow. ✓ HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)	ow field. (3)
10	18	Metric 3. Hydrology.	
max 30 pts.	subtotal	3a. Sources of Water. Score all that apply. High pH groundwater (5) Other groundwater (3) Precipitation (1) Seasonal/Intermittent surface water (3) Perennial surface water (lake or stream) (5) 3c. Maximum water depth. Select only one and assign score. >0.7 (27.6in) (3) 0.4 to 0.7m (15.7 to 27.6in) (2) 3b. Connectivity. Score all 100 year floodpla Between stream/I Part of wetland/up Part of riparian or 3d. Duration inundation/satu Semi- to permane Regularly inundat Seasonally inundat	in (1) lake and other human use (1) lake and other human use (1) land (e.g. forest), complex (1) lupland corridor (1) luration. Score one or dbl check lently inundated/saturated (4) led/saturated (3) lated (2) lated in upper 30cm (12in) (1) lates stormwater)
8.5	26.5	Metric 4. Habitat Alteration and Development.	
max 20 pts.	subtotal	4a. Substrate disturbance. Score one or double check and average. None or none apparent (4) Recovered (3) Recovering (2) Recent or no recovery (1) 4b. Habitat development. Select only one and assign score. Excellent (7) Very good (6) Good (5) Moderately good (4) Fair (3) ✓ Poor to fair (2) Poor (1) 4c. Habitat alteration. Score one or double check and average. None or none apparent (9) ✓ Recovered (6) Recovering (3) Check all disturbances observed mowing grazing herbaceous/aqua	
	26.5	Recent or no recovery (1) Image: Comparison of the content of t	nt

Site: W002		Rater(s): MME	iter(s): MME	
26.				
0 26.	Metric 5. Special W	letlands.		
max 10 pts. subtot		dicated. 5) wetland-unrestricted hyd wetland-restricted hydrol Oak Openings) (10) ederal threatened or enda bird/water fowl habitat or the second	ngered species (10) usage (10)	
0 26.	Metric 6. Plant con	nmunities inte	erspersion microto	nography
max 20 pts. subtota		•	Community Cover Scale	pograpity.
max 20 pts. Subtoti	Score all present using 0 to 3 scale.	0	Absent or comprises <0.1ha (0.24	171 acres) contiguous area
	Aquatic bed 1 Emergent 1 Shrub	1	Present and either comprises small vegetation and is of moderate q significant part but is of low qua	uality, or comprises a
	Forest Mudflats Open water	2	Present and either comprises sign vegetation and is of moderate q part and is of high quality	nificant part of wetland's
	Other6b. horizontal (plan view) Interspers	ion.	Present and comprises significant vegetation and is of high quality	
	Select only one. High (5)	Narrative De	escription of Vegetation Quality	
	Moderately high(4) Moderate (3)	low	Low spp diversity and/or predoming disturbance tolerant native spec	cies
	Moderately low (2) Low (1) None (0)	mod	Native spp are dominant compone although nonnative and/or distu can also be present, and specie	rbance tolerant native spp es diversity moderate to
	6c. Coverage of invasive plants. Re to Table 1 ORAM long form for list.		moderately high, but generally was threatened or endangered spp	wo presence or rare
	or deduct points for coverage Extensive >75% cover (-5) Moderate 25-75% cover (-1) Sparse 5-25% cover (-1)	high	A predominance of native species and/or disturbance tolerant native absent, and high spp diversity at the presence of rare, threatened	ve spp absent or virtually and often, but not always,
	Nearly absent <5% cover	(0)	independent of fairs, timeatories	., 2. dilaaliyorda opp
	Absent (1)	Mudflat and	Open Water Class Quality	
	6d. Microtopography.	0	Absent <0.1ha (0.247 acres)	
	Score all present using 0 to 3 scale. Vegetated hummucks/tuss	sucks 2	Low 0.1 to <1ha (0.247 to 2.47 ac Moderate 1 to <4ha (2.47 to 9.88	
	Coarse woody debris >150		High 4ha (9.88 acres) or more	40100)
	Standing dead >25cm (10	in) dbh		
	Amphibian breeding pools		raphy Cover Scale	
		0	Absent Present very small amounts or if r	more common
		ı	of marginal quality	noro common
		2	Present in moderate amounts, bu quality or in small amounts of hi	ghest quality
		3	Present in moderate or greater an	nounts
26.5 GR /	ND TOTAL (max 100 pts)		and of highest quality	

Site: W	/002	Rater(s): MME	Date: 8/12/13
1	1	Metric 1. Wetland Area (size).	
max 6 pts.	subtotal	Select one size class and assign score. >50 acres (>20.2ha) (6 pts) 25 to <50 acres (10.1 to <20.2ha) (5 pts) 10 to <25 acres (4 to <10.1ha) (4 pts) 3 to <10 acres (1.2 to <4ha) (3 pts) 0.3 to <3 acres (0.12 to <1.2ha) (2pts) ✓ 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt) <0.1 acres (0.04ha) (0 pts)	
7	8	Metric 2. Upland buffers and surrounding land use.	
max 14 pts.	subtotal	2a. Calculate average buffer width. Select only one and assign score. Do not double check. WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7) ✓ MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4) NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1) VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0) 2b. Intensity of surrounding land use. Select one or double check and average. VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7) ✓ LOW. Old field (>10 years), shrubland, young second growth forest. (5) MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow. ✓ HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)	ow field. (3)
10	18	Metric 3. Hydrology.	
max 30 pts.	subtotal	3a. Sources of Water. Score all that apply. High pH groundwater (5) Other groundwater (3) Precipitation (1) Seasonal/Intermittent surface water (3) Perennial surface water (lake or stream) (5) 3c. Maximum water depth. Select only one and assign score. >0.7 (27.6in) (3) 0.4 to 0.7m (15.7 to 27.6in) (2) 3b. Connectivity. Score all 100 year floodpla Between stream/I Part of wetland/up Part of riparian or 3d. Duration inundation/satu Semi- to permane Regularly inundat Seasonally inundat	in (1) lake and other human use (1) lake and other human use (1) land (e.g. forest), complex (1) lupland corridor (1) luration. Score one or dbl check lently inundated/saturated (4) led/saturated (3) lated (2) lated in upper 30cm (12in) (1) lates stormwater)
8.5	26.5	Metric 4. Habitat Alteration and Development.	
max 20 pts.	subtotal	4a. Substrate disturbance. Score one or double check and average. None or none apparent (4) Recovered (3) Recovering (2) Recent or no recovery (1) 4b. Habitat development. Select only one and assign score. Excellent (7) Very good (6) Good (5) Moderately good (4) Fair (3) ✓ Poor to fair (2) Poor (1) 4c. Habitat alteration. Score one or double check and average. None or none apparent (9) ✓ Recovered (6) Recovering (3) Check all disturbances observed mowing grazing herbaceous/aqua	
	26.5	Recent or no recovery (1) Image: Comparison of the content of t	nt

Site: W002		Rater(s): MME	iter(s): MME	
26.				
0 26.	Metric 5. Special W	letlands.		
max 10 pts. subtot		dicated. 5) wetland-unrestricted hyd wetland-restricted hydrol Oak Openings) (10) ederal threatened or enda bird/water fowl habitat or the second	ngered species (10) usage (10)	
0 26.	Metric 6. Plant con	nmunities inte	erspersion microto	nography
max 20 pts. subtota		•	Community Cover Scale	pograpity.
max 20 pts. Subtoti	Score all present using 0 to 3 scale.	0	Absent or comprises <0.1ha (0.24	171 acres) contiguous area
	Aquatic bed 1 Emergent 1 Shrub	1	Present and either comprises small vegetation and is of moderate q significant part but is of low qua	uality, or comprises a
	Forest Mudflats Open water	2	Present and either comprises sign vegetation and is of moderate q part and is of high quality	nificant part of wetland's
	Other6b. horizontal (plan view) Interspers	ion.	Present and comprises significant vegetation and is of high quality	
	Select only one. High (5)	Narrative De	escription of Vegetation Quality	
	Moderately high(4) Moderate (3)	low	Low spp diversity and/or predoming disturbance tolerant native spec	cies
	Moderately low (2) Low (1) None (0)	mod	Native spp are dominant compone although nonnative and/or distu can also be present, and specie	rbance tolerant native spp es diversity moderate to
	6c. Coverage of invasive plants. Re to Table 1 ORAM long form for list.		moderately high, but generally was threatened or endangered spp	wo presence or rare
	or deduct points for coverage Extensive >75% cover (-5) Moderate 25-75% cover (-1) Sparse 5-25% cover (-1)	high	A predominance of native species and/or disturbance tolerant native absent, and high spp diversity at the presence of rare, threatened	ve spp absent or virtually and often, but not always,
	Nearly absent <5% cover	(0)	independent of fairs, timeatories	., 2. dilaaliyorda opp
	Absent (1)	Mudflat and	Open Water Class Quality	
	6d. Microtopography.	0	Absent <0.1ha (0.247 acres)	
	Score all present using 0 to 3 scale. Vegetated hummucks/tuss	sucks 2	Low 0.1 to <1ha (0.247 to 2.47 ac Moderate 1 to <4ha (2.47 to 9.88	
	Coarse woody debris >150		High 4ha (9.88 acres) or more	40100)
	Standing dead >25cm (10	in) dbh		
	Amphibian breeding pools		raphy Cover Scale	
		0	Absent Present very small amounts or if r	more common
		ı	of marginal quality	noro common
		2	Present in moderate amounts, bu quality or in small amounts of hi	ghest quality
		3	Present in moderate or greater an	nounts
26.5 GR /	ND TOTAL (max 100 pts)		and of highest quality	

ATTACHMENT D

Stream HHEI Datasheets



Primary Headwater Habitat Evaluation Form HHEI Score (sum of metrics 1, 2, 3):

29

SITE NAME/LOCATION | AEP Conesville-Bixby 345 kV Line Project RIVER BASIN Muskingum SITE NUMBER S002a DRAINAGE AREA (mi²) 0.10 200 LAT. 40.09742 LONG. -82.02140 RIVER CODE LENGTH OF STREAM REACH (ft) RIVER MILE DATE **08/12/13 COMMENTS** Majority of channel modified by culvert and riprap SCORER RG, ME NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY STREAM CHANNEL **MODIFICATIONS:** SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes HHEI (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. Metric **TYPE** PERCENT **PERCENT Points** BLDR SLABS [16 pts] SILT [3 pt] 30% BOULDER (>256 mm) [16 pts] LEAF PACK/WOODY DEBRIS [3 pts] 0% Substrate 0% BEDROCK [16 pt] 0% FINE DETRITUS [3 pts] Max = 400% 0% COBBLE (65-256 mm) [12 pts] CLAY or HARDPAN [0 pt] 10% 0% GRAVEL (2-64 mm) [9 pts] MUCK [0 pts] 19 0% 60% SAND (<2 mm) [6 pts] ARTIFICIAL [3 pts] Total of Percentages of (B) 0.00% 100% A + BBldr Slabs, Boulder, Cobble, Bedrock TOTAL NUMBER OF SUBSTRATE TYPES: 3 SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of Pool Depth evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box): Max = 30> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts] > 22.5 - 30 cm [30 pts] < 5 cm [5 pts] > 10 - 22.5 cm [25 pts] NO WATER OR MOIST CHANNEL [0 pts] 5 20 COMMENTS **MAXIMUM POOL DEPTH (centimeters):** BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONLY one box): Bankfull > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] Width Max=30> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] \leq 1.0 m (<=3' 3") [5 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream ☆ RIPARIAN WIDTH **FLOODPLAIN QUALITY** (Per Bank) R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Moderate 5-10m Urban or Industrial Field Open Pasture, Row Crop Narrow <5m Residential, Park, New Field Fenced Pasture None Mining or Construction COMMENTS North Point Dr to NW, W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Moist Channel, isolated pools, no flow (Intermittent) Dry channel, no water (Ephemeral) Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check ONLY one box): None 1.0 2.0 3.0 0.5 1.5 >3 STREAM GRADIENT ESTIMATE Flat (0.5 ft/100 ft) ✓ Flat to Moderate Moderate (2 ft/100 ft) Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):	
QHEI PERFORMED? - Yes V No QHEI Score (If Yes, Atta	ach Completed QHEI Form)
DOWNSTREAM DESIGNATED USE(S)	
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87
CWH Name:	Distance from Evaluated Stream
EWH Name: _	Distance from Evaluated Stream
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHEE	D AREA. CLEARLY MARK THE SITE LOCATION
USGS Quadrangle Name: Dresden NRCS Soil Map F	Page: NRCS Soil Map Stream Order
County: Muskingum Township / City: Cass	
MISCELLANEOUS	
Base Flow Conditions? (Y/N): Y Date of last precipitation: 08/11/13	Quantity: 0.29
Photograph Information:	
Elevated Turbidity? (Y/N): N Canopy (% open): 40%	
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.)	Conductivity (µmhos/cm)
Is the sampling reach representative of the stream (Y/N) If not, please explain:	
Additional comments/description of pollution impacts:	·
BIOTIC EVALUATION Performed? (Y/N):N	Voucher? (Y/N)

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This <u>must</u> be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location







Chief Primary Headwater Habitat Evaluation Form HHEI Score (sum of metrics 1, 2, 3):

SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project				
SITE NAME/LOCATION ALL CONSTRUCTION STEEN NAME/L				
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE				
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and right				
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions			
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY			
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes				
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT TYPE PERCENT	HHEI			
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points			
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] BEDROCK [16 pt] LEAF PACK/WOODY DEBRIS [3 pts] O% FINE DETRITUS [3 pts] O%	Substrat			
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40			
GRAVEL (2-64 mm) [9 pts] O O O O O O O O O O O O O	19			
Total of Percentages of Cook (A) (B)	A . P			
Bldr Slabs, Boulder, Cobble, Bedrock (A) 100% SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3	A+B			
	<u></u>			
 Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box): 	Pool Dep Max = 30			
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts] > 22.5 - 30 cm [30 pts] < 5 cm [5 pts]				
> 10 - 22.5 cm [25 pts] NO WATER OR MOIST CHANNEL [0 pts]	5			
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20				
BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONLY one box):	Bankful			
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Width			
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30			
COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00				
This information must also be completed				
RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆ RIPARIAN WIDTH FLOODPLAIN QUALITY				
L R (Per Bank) L R (Most Predominant per Bank) L R				
Wide >10m				
II II I Moderate 5-10m II				
——————————————————————————————————————				
Field Narrow <5m Residential, Park, New Field Open Pasture, Row C	Crop			
Narrow <5m Residential, Park, New Field Open Pasture, Row Construction None Fenced Pasture Mining or Construction	•			
Narrow <5m Residential, Park, New Field Open Pasture, Row Comments None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S	•			
Narrow <5m Residential, Park, New Field Open Pasture, Row (None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW, W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Moist Channel, isolated pools, no flow (Intermitte	n 			
Narrow <5m Residential, Park, New Field Open Pasture, Row Open Pas	n 			
Narrow <5m Residential, Park, New Field Open Pasture, Row Comments North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Moist Channel, isolated pools, no flow (Intermitte Dry channel, no water (Ephemeral)	n 			
Narrow <5m Residential, Park, New Field Open Pasture, Row Comments North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check ONLY one box): None 1.0 2.0 3.0	n 			
Narrow <5m Residential, Park, New Field Open Pasture, Row Commens North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check ONLY one box): None 1.0 2.0 3.0 >3 1.5 3.0 >3	n 			
Narrow <5m Residential, Park, New Field Open Pasture, Row Comments North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check ONLY one box): None 1.0 2.0 3.0	nt)			

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):				
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Att.	ach Completed QHEI Form)			
DOWNSTREAM DESIGNATED USE(S)				
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87			
CWH Name:	Distance from Evaluated Stream			
EWH Name:	Distance from Evaluated Stream			
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION			
USGS Quadrangle Name: Dresden NRCS Soil Map	Page: NRCS Soil Map Stream Order			
County: Muskingum Township / City: Cass				
MISCELLANEOUS				
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29			
Photograph Information:				
Elevated Turbidity? (Y/N): No Canopy (% open): 40%				
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:			
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)				
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:				
Additional comments/description of pollution impacts:				
Performed? (Y/N):No				
Comments Regarding Biology:				

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This <u>must</u> be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location







Primary Headwater Habitat Evaluation Form HHEI Score (sum of metrics 1, 2, 3):

29

SITE NAME/LOCATION | AEP Conesville-Bixby 345 kV Line Project RIVER BASIN Muskingum SITE NUMBER S002a DRAINAGE AREA (mi²) 0.10 200 LAT. 40.09742 LONG. -82.02140 RIVER CODE LENGTH OF STREAM REACH (ft) RIVER MILE DATE **08/12/13 COMMENTS** Majority of channel modified by culvert and riprap SCORER RG, ME NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions □ NONE / NATURAL CHANNEL □ RECOVERED □ RECOVERING □ RECENT OR NO RECOVERY STREAM CHANNEL **MODIFICATIONS:** SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes HHEI (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. Metric **TYPE** PERCENT **PERCENT Points** BLDR SLABS [16 pts] SILT [3 pt] 30% BOULDER (>256 mm) [16 pts] LEAF PACK/WOODY DEBRIS [3 pts] 0% Substrate 0% BEDROCK [16 pt] 0% FINE DETRITUS [3 pts] Max = 400% 0% COBBLE (65-256 mm) [12 pts] CLAY or HARDPAN [0 pt] 10% 0% GRAVEL (2-64 mm) [9 pts] MUCK [0 pts] 19 0% 60% SAND (<2 mm) [6 pts] ARTIFICIAL [3 pts] (B) Total of Percentages of 0.00% 100% A + BBldr Slabs, Boulder, Cobble, Bedrock TOTAL NUMBER OF SUBSTRATE TYPES: 3 SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of Pool Depth evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box): Max = 30> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts] > 22.5 - 30 cm [30 pts] < 5 cm [5 pts] > 10 - 22.5 cm [25 pts] NO WATER OR MOIST CHANNEL [0 pts] 5 20 COMMENTS **MAXIMUM POOL DEPTH (centimeters):** BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONLY one box): Bankfull > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] Width Max=30> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] \leq 1.0 m (<=3' 3") [5 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream ☆ RIPARIAN WIDTH **FLOODPLAIN QUALITY** (Per Bank) (Most Predominant per Bank) R Wide >10m Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Moderate 5-10m Urban or Industrial Field Open Pasture, Row Crop Narrow <5m Residential, Park, New Field Fenced Pasture None Mining or Construction COMMENTS North Point Dr to NW, W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Moist Channel, isolated pools, no flow (Intermittent) Dry channel, no water (Ephemeral) Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check ONLY one box): None 1.0 2.0 3.0 0.5 1.5 >3 STREAM GRADIENT ESTIMATE Flat (0.5 ft/100 ft) Flat to Moderate Moderate (2 ft/100 ft) Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):				
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Att.	ach Completed QHEI Form)			
DOWNSTREAM DESIGNATED USE(S)				
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87			
CWH Name:	Distance from Evaluated Stream			
EWH Name:	Distance from Evaluated Stream			
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION			
USGS Quadrangle Name: Dresden NRCS Soil Map	Page: NRCS Soil Map Stream Order			
County: Muskingum Township / City: Cass				
MISCELLANEOUS				
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29			
Photograph Information:				
Elevated Turbidity? (Y/N): No Canopy (% open): 40%				
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:			
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)				
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:				
Additional comments/description of pollution impacts:				
Performed? (Y/N):No				
Comments Regarding Biology:				

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This <u>must</u> be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location







	SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project		
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²) 0.10			
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE			
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	rap		
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions		
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY		
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes			
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT PERCENT	HHEI		
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points		
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] D'M LEAF PACK/WOODY DEBRIS [3 pts] O'M FINE DETRITUS [3 pts] O'M	Substrat		
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40		
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19		
Table (Propostance ()			
Bldr Slabs, Boulder, Cobble, Bedrock	A+B		
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3			
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30		
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Max = 50		
> 22.5 - 30 cm [30 pts]	5		
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20			
3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Bankful		
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]			
	Width Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]			
	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH EL R (Per Bank) AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Most Predominant per Bank) L R	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank)	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH (meters): L R (Most Predominant per Bank) Mature Forest, Wetland Urban or Industrial Field Open Pasture Row C	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Nost Predominant per Bank) L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Field Open Pasture, Row Conservation Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and River Left (L) and River Le	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank) Field Narrow <5m Residential, Park, New Field Mining or Construction	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m Residential, Park, New Field Narrow <5m None COMMENTS Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY LR (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m None Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box):	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Mature Forest, Shrub or Old Immature Forest, Shrub or Old Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN ZONE AND FLOODPLAIN QUALITY L R (Per Bank) L R (Most Predominant per Bank) L R (Conservation Tillage Immature Forest, Shrub or Old Urban or Industrial Open Pasture, Row Construction Open Pasture, Row Construction None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream: RIPARIAN WIDTH FLOODPLAIN QUALITY Note > 1.00 RIPARIAN WIDTH FLOODPLAIN QUALITY Mide > 10m Mature Forest, Wetland Mature Forest, Wetland Moderate 5-10m Residential, Park, New Field None COMMENTS None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) None 1.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):		
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Atta	ach Completed QHEI Form)	
DOWNSTREAM DESIGNATED USE(S)		
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87	
CWH Name:	Distance from Evaluated Stream	
EWH Name:	Distance from Evaluated Stream	
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION	
USGS Quadrangle Name: Dresden NRCS Soil Map I	Page: NRCS Soil Map Stream Order	
County: Muskingum Township / City: Cass		
MISCELLANEOUS		
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29	
Photograph Information:		
Elevated Turbidity? (Y/N): No Canopy (% open): 40%		
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:	
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)		
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:		
Additional comments/description of pollution impacts:		
Performed? (Y/N):No		
Comments Regarding Biology:		







	SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project		
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²) 0.10			
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE			
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	rap		
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions		
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY		
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes			
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT PERCENT	HHEI		
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points		
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] D'M LEAF PACK/WOODY DEBRIS [3 pts] O'M FINE DETRITUS [3 pts] O'M	Substrat		
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40		
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19		
Table (Propostance ()			
Bldr Slabs, Boulder, Cobble, Bedrock	A+B		
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3			
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30		
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Max = 5		
> 22.5 - 30 cm [30 pts]	5		
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20			
3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Bankful		
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]			
	Width Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]			
	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH EL R (Per Bank) AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Most Predominant per Bank) L R	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank)	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH (meters): L R (Most Predominant per Bank) Mature Forest, Wetland Urban or Industrial Field Open Pasture Row C	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Nost Predominant per Bank) L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Field Open Pasture, Row Conservation Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and River Left (L) and River Le	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank) Field Narrow <5m Residential, Park, New Field Mining or Construction	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m Residential, Park, New Field Narrow <5m None COMMENTS Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY LR (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m None Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box):	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Mature Forest, Shrub or Old Immature Forest, Shrub or Old Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN ZONE AND FLOODPLAIN QUALITY L R (Per Bank) L R (Most Predominant per Bank) L R (Conservation Tillage Immature Forest, Shrub or Old Urban or Industrial Open Pasture, Row Construction Open Pasture, Row Construction None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream: RIPARIAN WIDTH FLOODPLAIN QUALITY Note > 1.00 RIPARIAN WIDTH FLOODPLAIN QUALITY Mide > 10m Mature Forest, Wetland Mature Forest, Wetland Moderate 5-10m Residential, Park, New Field None COMMENTS None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) None 1.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):		
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Atta	ach Completed QHEI Form)	
DOWNSTREAM DESIGNATED USE(S)		
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87	
CWH Name:	Distance from Evaluated Stream	
EWH Name:	Distance from Evaluated Stream	
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION	
USGS Quadrangle Name: Dresden NRCS Soil Map I	Page: NRCS Soil Map Stream Order	
County: Muskingum Township / City: Cass		
MISCELLANEOUS		
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29	
Photograph Information:		
Elevated Turbidity? (Y/N): No Canopy (% open): 40%		
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:	
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)		
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:		
Additional comments/description of pollution impacts:		
Performed? (Y/N):No		
Comments Regarding Biology:		







	SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project		
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²) 0.10			
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE			
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	rap		
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions		
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY		
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes			
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT PERCENT	HHEI		
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points		
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] D'M LEAF PACK/WOODY DEBRIS [3 pts] O'M FINE DETRITUS [3 pts] O'M	Substrat		
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40		
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19		
Table (Propostance ()			
Bldr Slabs, Boulder, Cobble, Bedrock	A+B		
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3			
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30		
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Max = 5		
> 22.5 - 30 cm [30 pts]	5		
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20			
3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Bankful		
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]			
	Width Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]			
	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH EL R (Per Bank) AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Most Predominant per Bank) L R	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank)	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH (meters): L R (Most Predominant per Bank) Mature Forest, Wetland Urban or Industrial Field Open Pasture Row C	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Nost Predominant per Bank) L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Field Open Pasture, Row Conservation Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and River Left (L) and River Le	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank) Field Narrow <5m Residential, Park, New Field Mining or Construction	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m Residential, Park, New Field Narrow <5m None COMMENTS Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY LR (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m None Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box):	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Mature Forest, Shrub or Old Immature Forest, Shrub or Old Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN ZONE AND FLOODPLAIN QUALITY L R (Per Bank) L R (Most Predominant per Bank) L R (Conservation Tillage Immature Forest, Shrub or Old Urban or Industrial Open Pasture, Row Construction Open Pasture, Row Construction None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream: RIPARIAN WIDTH FLOODPLAIN QUALITY Note > 1.00 RIPARIAN WIDTH FLOODPLAIN QUALITY Mide > 10m Mature Forest, Wetland Mature Forest, Wetland Moderate 5-10m Residential, Park, New Field None COMMENTS None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) None 1.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):		
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Atta	ach Completed QHEI Form)	
DOWNSTREAM DESIGNATED USE(S)		
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87	
CWH Name:	Distance from Evaluated Stream	
EWH Name:	Distance from Evaluated Stream	
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION	
USGS Quadrangle Name: Dresden NRCS Soil Map I	Page: NRCS Soil Map Stream Order	
County: Muskingum Township / City: Cass		
MISCELLANEOUS		
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29	
Photograph Information:		
Elevated Turbidity? (Y/N): No Canopy (% open): 40%		
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:	
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)		
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:		
Additional comments/description of pollution impacts:		
Performed? (Y/N):No		
Comments Regarding Biology:		







	SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project		
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²) 0.10			
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE			
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	rap		
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions		
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY		
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes			
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT PERCENT	HHEI		
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points		
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] D'M LEAF PACK/WOODY DEBRIS [3 pts] O'M FINE DETRITUS [3 pts] O'M	Substrat		
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40		
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19		
Table (Propostance ()			
Bldr Slabs, Boulder, Cobble, Bedrock	A+B		
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3			
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30		
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Max = 5		
> 22.5 - 30 cm [30 pts]	5		
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20			
3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Bankful		
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]			
	Width Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]			
	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH EL R (Per Bank) AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Most Predominant per Bank) L R	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank)	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH (meters): L R (Most Predominant per Bank) Mature Forest, Wetland Urban or Industrial Field Open Pasture Row C	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Nost Predominant per Bank) L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Field Open Pasture, Row Conservation Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and River Left (L) and River Le	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank) Field Narrow <5m Residential, Park, New Field Mining or Construction	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m Residential, Park, New Field Narrow <5m None COMMENTS Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY LR (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m None Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box):	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Mature Forest, Shrub or Old Immature Forest, Shrub or Old Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN ZONE AND FLOODPLAIN QUALITY L R (Per Bank) L R (Most Predominant per Bank) L R (Conservation Tillage Immature Forest, Shrub or Old Urban or Industrial Open Pasture, Row Construction Open Pasture, Row Construction None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream: RIPARIAN WIDTH FLOODPLAIN QUALITY Note > 1.00 RIPARIAN WIDTH FLOODPLAIN QUALITY Mide > 10m Mature Forest, Wetland Mature Forest, Wetland Moderate 5-10m Residential, Park, New Field None COMMENTS None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) None 1.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):		
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Atta	ach Completed QHEI Form)	
DOWNSTREAM DESIGNATED USE(S)		
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87	
CWH Name:	Distance from Evaluated Stream	
EWH Name:	Distance from Evaluated Stream	
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION	
USGS Quadrangle Name: Dresden NRCS Soil Map I	Page: NRCS Soil Map Stream Order	
County: Muskingum Township / City: Cass		
MISCELLANEOUS		
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29	
Photograph Information:		
Elevated Turbidity? (Y/N): No Canopy (% open): 40%		
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:	
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)		
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:		
Additional comments/description of pollution impacts:		
Performed? (Y/N):No		
Comments Regarding Biology:		







	SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project		
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²) 0.10			
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE			
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	rap		
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions		
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY		
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes			
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT PERCENT	HHEI		
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points		
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] D'M LEAF PACK/WOODY DEBRIS [3 pts] O'M FINE DETRITUS [3 pts] O'M	Substrat		
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40		
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19		
Table (Propostance ()			
Bldr Slabs, Boulder, Cobble, Bedrock	A+B		
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3			
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30		
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Max = 5		
> 22.5 - 30 cm [30 pts]	5		
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20			
3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Bankful		
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]			
	Width Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]			
	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH EL R (Per Bank) AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Most Predominant per Bank) L R	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank)	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH (meters): L R (Most Predominant per Bank) Mature Forest, Wetland Urban or Industrial Field Open Pasture Row C	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Nost Predominant per Bank) L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Field Open Pasture, Row Conservation Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and River Left (L) and River Le	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank) Field Narrow <5m Residential, Park, New Field Mining or Construction	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m Residential, Park, New Field Narrow <5m None COMMENTS Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY LR (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m None Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box):	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Mature Forest, Shrub or Old Immature Forest, Shrub or Old Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN ZONE AND FLOODPLAIN QUALITY L R (Per Bank) L R (Most Predominant per Bank) L R (Conservation Tillage Immature Forest, Shrub or Old Urban or Industrial Open Pasture, Row Construction Open Pasture, Row Construction None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream: RIPARIAN WIDTH FLOODPLAIN QUALITY Note > 1.00 RIPARIAN WIDTH FLOODPLAIN QUALITY Mide > 10m Mature Forest, Wetland Mature Forest, Wetland Moderate 5-10m Residential, Park, New Field None COMMENTS None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) None 1.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):		
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Atta	ach Completed QHEI Form)	
DOWNSTREAM DESIGNATED USE(S)		
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87	
CWH Name:	Distance from Evaluated Stream	
EWH Name:	Distance from Evaluated Stream	
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION	
USGS Quadrangle Name: Dresden NRCS Soil Map I	Page: NRCS Soil Map Stream Order	
County: Muskingum Township / City: Cass		
MISCELLANEOUS		
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29	
Photograph Information:		
Elevated Turbidity? (Y/N): No Canopy (% open): 40%		
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:	
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)		
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:		
Additional comments/description of pollution impacts:		
Performed? (Y/N):No		
Comments Regarding Biology:		







	SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project		
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²) 0.10			
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE			
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	rap		
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions		
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY		
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes			
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT PERCENT	HHEI		
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points		
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] D'M LEAF PACK/WOODY DEBRIS [3 pts] O'M FINE DETRITUS [3 pts] O'M	Substrat		
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40		
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19		
Table (Propostance ()			
Bldr Slabs, Boulder, Cobble, Bedrock	A+B		
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3			
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30		
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Max = 5		
> 22.5 - 30 cm [30 pts]	5		
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20			
3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Bankful		
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]			
	Width Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]			
	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH EL R (Per Bank) AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Most Predominant per Bank) L R	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank)	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH (meters): L R (Most Predominant per Bank) Mature Forest, Wetland Urban or Industrial Field Open Pasture Row C	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Nost Predominant per Bank) L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Field Open Pasture, Row Conservation Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and River Left (L) and River Le	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank) Field Narrow <5m Residential, Park, New Field Mining or Construction	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m Residential, Park, New Field Narrow <5m None COMMENTS Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY LR (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m None Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box):	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Mature Forest, Shrub or Old Immature Forest, Shrub or Old Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN ZONE AND FLOODPLAIN QUALITY L R (Per Bank) L R (Most Predominant per Bank) L R (Conservation Tillage Immature Forest, Shrub or Old Urban or Industrial Open Pasture, Row Construction Open Pasture, Row Construction None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream: RIPARIAN WIDTH FLOODPLAIN QUALITY Note > 1.00 RIPARIAN WIDTH FLOODPLAIN QUALITY Mide > 10m Mature Forest, Wetland Mature Forest, Wetland Moderate 5-10m Residential, Park, New Field None COMMENTS None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) None 1.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):		
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Atta	ach Completed QHEI Form)	
DOWNSTREAM DESIGNATED USE(S)		
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87	
CWH Name:	Distance from Evaluated Stream	
EWH Name:	Distance from Evaluated Stream	
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION	
USGS Quadrangle Name: Dresden NRCS Soil Map I	Page: NRCS Soil Map Stream Order	
County: Muskingum Township / City: Cass		
MISCELLANEOUS		
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29	
Photograph Information:		
Elevated Turbidity? (Y/N): No Canopy (% open): 40%		
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:	
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)		
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:		
Additional comments/description of pollution impacts:		
Performed? (Y/N):No		
Comments Regarding Biology:		







	SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project		
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²) 0.10			
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE			
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	rap		
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions		
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY		
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes			
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT PERCENT	HHEI		
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points		
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] D'M LEAF PACK/WOODY DEBRIS [3 pts] O'M FINE DETRITUS [3 pts] O'M	Substrat		
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40		
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19		
Table (Propostance ()			
Bldr Slabs, Boulder, Cobble, Bedrock	A+B		
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3			
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30		
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Max = 50		
> 22.5 - 30 cm [30 pts]	5		
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20			
3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Bankful		
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]			
	Width Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]			
	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH EL R (Per Bank) AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Most Predominant per Bank) L R	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank)	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH (meters): L R (Most Predominant per Bank) Mature Forest, Wetland Urban or Industrial Field Open Pasture Row C	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Nost Predominant per Bank) L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Field Open Pasture, Row Conservation Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and River Left (L) and River Le	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank) Field Narrow <5m Residential, Park, New Field Mining or Construction	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m Residential, Park, New Field Narrow <5m None COMMENTS Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY LR (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m None Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box):	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Mature Forest, Shrub or Old Immature Forest, Shrub or Old Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN ZONE AND FLOODPLAIN QUALITY L R (Per Bank) L R (Most Predominant per Bank) L R (Conservation Tillage Immature Forest, Shrub or Old Urban or Industrial Open Pasture, Row Construction Open Pasture, Row Construction None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream: RIPARIAN WIDTH FLOODPLAIN QUALITY Note > 1.00 RIPARIAN WIDTH FLOODPLAIN QUALITY Mide > 10m Mature Forest, Wetland Mature Forest, Wetland Moderate 5-10m Residential, Park, New Field None COMMENTS None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) None 1.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):		
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Atta	ach Completed QHEI Form)	
DOWNSTREAM DESIGNATED USE(S)		
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87	
CWH Name:	Distance from Evaluated Stream	
EWH Name:	Distance from Evaluated Stream	
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION	
USGS Quadrangle Name: Dresden NRCS Soil Map I	Page: NRCS Soil Map Stream Order	
County: Muskingum Township / City: Cass		
MISCELLANEOUS		
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29	
Photograph Information:		
Elevated Turbidity? (Y/N): No Canopy (% open): 40%		
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:	
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)		
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:		
Additional comments/description of pollution impacts:		
Performed? (Y/N):No		
Comments Regarding Biology:		







	SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project		
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²) 0.10			
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE			
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	rap		
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions		
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY		
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes			
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT PERCENT	HHEI Metric		
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points		
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] D'M LEAF PACK/WOODY DEBRIS [3 pts] O'M FINE DETRITUS [3 pts] O'M	Substrat		
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40		
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19		
Table (Propostance ()			
Bldr Slabs, Boulder, Cobble, Bedrock	A+B		
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3			
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30		
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Max = 50		
> 22.5 - 30 cm [30 pts]	5		
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20			
3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Bankful		
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]			
	Width Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]			
	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH EL R (Per Bank) AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Most Predominant per Bank) L R	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank)	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH (meters): L R (Most Predominant per Bank) Mature Forest, Wetland Urban or Industrial Field Open Pasture Row C	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Nost Predominant per Bank) L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Field Open Pasture, Row Conservation Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and River Left (L) and River Le	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank) Field Narrow <5m Residential, Park, New Field Mining or Construction	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m Residential, Park, New Field Narrow <5m None COMMENTS Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY LR (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m None Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box):	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Mature Forest, Shrub or Old Immature Forest, Shrub or Old Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN ZONE AND FLOODPLAIN QUALITY L R (Per Bank) L R (Most Predominant per Bank) L R (Conservation Tillage Immature Forest, Shrub or Old Urban or Industrial Open Pasture, Row Construction Open Pasture, Row Construction None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream: RIPARIAN WIDTH FLOODPLAIN QUALITY Note > 1.00 RIPARIAN WIDTH FLOODPLAIN QUALITY Mide > 10m Mature Forest, Wetland Mature Forest, Wetland Moderate 5-10m Residential, Park, New Field None COMMENTS None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) None 1.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):		
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Atta	ach Completed QHEI Form)	
DOWNSTREAM DESIGNATED USE(S)		
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87	
CWH Name:	Distance from Evaluated Stream	
EWH Name:	Distance from Evaluated Stream	
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION	
USGS Quadrangle Name: Dresden NRCS Soil Map I	Page: NRCS Soil Map Stream Order	
County: Muskingum Township / City: Cass		
MISCELLANEOUS		
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29	
Photograph Information:		
Elevated Turbidity? (Y/N): No Canopy (% open): 40%		
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:	
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)		
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:		
Additional comments/description of pollution impacts:		
Performed? (Y/N):No		
Comments Regarding Biology:		







	SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project		
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²) 0.10			
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE			
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	rap		
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions		
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY		
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes			
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT PERCENT	HHEI Metric		
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points		
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] D'M LEAF PACK/WOODY DEBRIS [3 pts] O'M FINE DETRITUS [3 pts] O'M	Substrat		
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40		
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19		
Table (Propostance ()			
Bldr Slabs, Boulder, Cobble, Bedrock	A+B		
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3			
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30		
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Max = 50		
> 22.5 - 30 cm [30 pts]	5		
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20			
3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Bankful		
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]			
	Width Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]			
	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH EL R (Per Bank) AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Most Predominant per Bank) L R	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank)	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH (meters): L R (Most Predominant per Bank) Mature Forest, Wetland Urban or Industrial Field Open Pasture Row C	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Nost Predominant per Bank) L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Field Open Pasture, Row Conservation Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and River Left (L) and River Le	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank) Field Narrow <5m Residential, Park, New Field Mining or Construction	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m Residential, Park, New Field Narrow <5m None COMMENTS Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY LR (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m None Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box):	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Mature Forest, Shrub or Old Immature Forest, Shrub or Old Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN ZONE AND FLOODPLAIN QUALITY L R (Per Bank) L R (Most Predominant per Bank) L R (Conservation Tillage Immature Forest, Shrub or Old Urban or Industrial Open Pasture, Row Construction Open Pasture, Row Construction None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream: RIPARIAN WIDTH FLOODPLAIN QUALITY Note > 1.00 RIPARIAN WIDTH FLOODPLAIN QUALITY Mide > 10m Mature Forest, Wetland Mature Forest, Wetland Moderate 5-10m Residential, Park, New Field None COMMENTS None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) None 1.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):		
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Atta	ach Completed QHEI Form)	
DOWNSTREAM DESIGNATED USE(S)		
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87	
CWH Name:	Distance from Evaluated Stream	
EWH Name:	Distance from Evaluated Stream	
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION	
USGS Quadrangle Name: Dresden NRCS Soil Map I	Page: NRCS Soil Map Stream Order	
County: Muskingum Township / City: Cass		
MISCELLANEOUS		
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29	
Photograph Information:		
Elevated Turbidity? (Y/N): No Canopy (% open): 40%		
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:	
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)		
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:		
Additional comments/description of pollution impacts:		
Performed? (Y/N):No		
Comments Regarding Biology:		







	SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project		
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²) 0.10			
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE			
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	rap		
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions		
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY		
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes			
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT PERCENT	HHEI Metric		
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points		
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] D'M LEAF PACK/WOODY DEBRIS [3 pts] O'M FINE DETRITUS [3 pts] O'M	Substrat		
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40		
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19		
Table (Propostance ()			
Bldr Slabs, Boulder, Cobble, Bedrock	A+B		
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3			
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30		
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Max = 50		
> 22.5 - 30 cm [30 pts]	5		
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20			
3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Bankful		
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]			
	Width Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]			
	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH EL R (Per Bank) AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Most Predominant per Bank) L R	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank)	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH (meters): L R (Most Predominant per Bank) Mature Forest, Wetland Urban or Industrial Field Open Pasture Row C	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Nost Predominant per Bank) L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Field Open Pasture, Row Conservation Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and River Left (L) and River Le	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank) Field Narrow <5m Residential, Park, New Field Mining or Construction	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m Residential, Park, New Field Narrow <5m None COMMENTS Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY LR (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m None Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box):	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Mature Forest, Shrub or Old Immature Forest, Shrub or Old Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN ZONE AND FLOODPLAIN QUALITY L R (Per Bank) L R (Most Predominant per Bank) L R (Conservation Tillage Immature Forest, Shrub or Old Urban or Industrial Open Pasture, Row Construction Open Pasture, Row Construction None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream: RIPARIAN WIDTH FLOODPLAIN QUALITY Note > 1.00 RIPARIAN WIDTH FLOODPLAIN QUALITY Mide > 10m Mature Forest, Wetland Mature Forest, Wetland Moderate 5-10m Residential, Park, New Field None COMMENTS None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) None 1.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):		
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Atta	ach Completed QHEI Form)	
DOWNSTREAM DESIGNATED USE(S)		
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87	
CWH Name:	Distance from Evaluated Stream	
EWH Name:	Distance from Evaluated Stream	
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION	
USGS Quadrangle Name: Dresden NRCS Soil Map I	Page: NRCS Soil Map Stream Order	
County: Muskingum Township / City: Cass		
MISCELLANEOUS		
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29	
Photograph Information:		
Elevated Turbidity? (Y/N): No Canopy (% open): 40%		
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:	
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)		
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:		
Additional comments/description of pollution impacts:		
Performed? (Y/N):No		
Comments Regarding Biology:		







	SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project		
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²) 0.10			
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE			
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	rap		
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions		
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY		
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes			
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT PERCENT	HHEI Metric		
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points		
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] D'M LEAF PACK/WOODY DEBRIS [3 pts] O'M FINE DETRITUS [3 pts] O'M	Substrat		
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40		
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19		
Table (Propostance ()			
Bldr Slabs, Boulder, Cobble, Bedrock	A+B		
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3			
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30		
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Max = 50		
> 22.5 - 30 cm [30 pts]	5		
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20			
3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Bankful		
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]			
	Width Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]			
	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH EL R (Per Bank) AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Most Predominant per Bank) L R	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank)	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream And FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Urban or Industrial Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Nost Predominant per Bank) L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Field Open Pasture, Row Conservation Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and River Left (L) and River Le	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank) Field Narrow <5m Residential, Park, New Field Mining or Construction	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m Residential, Park, New Field Narrow <5m None COMMENTS Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY LR (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m None Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box):	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Mature Forest, Shrub or Old Immature Forest, Shrub or Old Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN ZONE AND FLOODPLAIN QUALITY L R (Per Bank) L R (Most Predominant per Bank) L R (Conservation Tillage Immature Forest, Shrub or Old Urban or Industrial Open Pasture, Row Construction Open Pasture, Row Construction None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream: RIPARIAN WIDTH FLOODPLAIN QUALITY Note > 1.00 RIPARIAN WIDTH FLOODPLAIN QUALITY Mide > 10m Mature Forest, Wetland Mature Forest, Wetland Moderate 5-10m Residential, Park, New Field None COMMENTS None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) None 1.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):		
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Atta	ach Completed QHEI Form)	
DOWNSTREAM DESIGNATED USE(S)		
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87	
CWH Name:	Distance from Evaluated Stream	
EWH Name:	Distance from Evaluated Stream	
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION	
USGS Quadrangle Name: Dresden NRCS Soil Map I	Page: NRCS Soil Map Stream Order	
County: Muskingum Township / City: Cass		
MISCELLANEOUS		
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29	
Photograph Information:		
Elevated Turbidity? (Y/N): No Canopy (% open): 40%		
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:	
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)		
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:		
Additional comments/description of pollution impacts:		
Performed? (Y/N):No		
Comments Regarding Biology:		







	SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project		
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²) 0.10			
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE			
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	rap		
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions		
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY		
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes			
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT TYPE PERCENT	HHEI Metric		
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points		
BOULDER (>256 mm) [16 pts] BEDROCK [16 pt] D'M LEAF PACK/WOODY DEBRIS [3 pts] O'M FINE DETRITUS [3 pts] O'M	Substrat		
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40		
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19		
Table (Propostance ()			
Bldr Slabs, Boulder, Cobble, Bedrock	A+B		
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3			
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30		
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Max = 50		
> 22.5 - 30 cm [30 pts]	5		
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20			
3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): > 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Bankful		
> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]			
	Width Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]			
	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH EL R (Per Bank) AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Most Predominant per Bank) L R	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank)	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream And FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Urban or Industrial Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Nost Predominant per Bank) L R (Most Predominant per Bank) L R (Most Predominant per Bank) Mature Forest, Wetland Conservation Tillage Immature Forest, Shrub or Old Field Open Pasture, Row Conservation Field	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and River Left (L) and River Le	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY PLOODPLAIN QUALITY RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None AVERAGE BANKFULL WIDTH (meters): 1.00 L R (Not Predominant per Bank) L R (Most Predominant per Bank) Field Narrow <5m Residential, Park, New Field Mining or Construction	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY RIPARIAN WIDTH L R (Per Bank) Wide >10m Moderate 5-10m Residential, Park, New Field Narrow <5m None COMMENTS Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY LR (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Narrow <5m None Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box):	Max=30		
This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN WIDTH FLOODPLAIN QUALITY L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Mature Forest, Shrub or Old Immature Forest, Shrub or Old Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream RIPARIAN ZONE AND FLOODPLAIN QUALITY L R (Per Bank) L R (Most Predominant per Bank) L R (Conservation Tillage Immature Forest, Shrub or Old Urban or Industrial Open Pasture, Row Construction Open Pasture, Row Construction None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Dry channel, no water (Ephemeral)	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		
COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY NOTE: River Left (L) and Right (R) as looking downstream: RIPARIAN WIDTH FLOODPLAIN QUALITY Note > 1.00 RIPARIAN WIDTH FLOODPLAIN QUALITY Mide > 10m Mature Forest, Wetland Mature Forest, Wetland Moderate 5-10m Residential, Park, New Field None COMMENTS None Fenced Pasture Mining or Construction COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) COMMENTS SINUOSITY (Number of bends per 61 m (200 ft) of channel) None 1.0 2.0 3.0 3.0 3.0 3.0 3.0 3.0	Max=30		
AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00	Max=30		

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):		
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Atta	ach Completed QHEI Form)	
DOWNSTREAM DESIGNATED USE(S)		
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87	
CWH Name:	Distance from Evaluated Stream	
EWH Name:	Distance from Evaluated Stream	
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION	
USGS Quadrangle Name: Dresden NRCS Soil Map I	Page: NRCS Soil Map Stream Order	
County: Muskingum Township / City: Cass		
MISCELLANEOUS		
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29	
Photograph Information:		
Elevated Turbidity? (Y/N): No Canopy (% open): 40%		
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:	
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm)		
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:		
Additional comments/description of pollution impacts:		
Performed? (Y/N):No		
Comments Regarding Biology:		







SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project	
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²)	0.10
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE	
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes	
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT TYPE PERCENT	HHEI
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points
BOULDER (>256 mm) [16 pts]	Substrat
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19
Table (Presentance ()	
Bldr Slabs, Boulder, Cobble, Bedrock	A + B
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3	
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Wax = 5
> 22.5 - 30 cm [30 pts] < 5 cm [5 pts] < 5 cm [5 pts] NO WATER OR MOIST CHANNEL [0 pts]	5
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20	
 BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): 	
	Bankful
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]	Bankful Width Max=30
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Width
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]	Width
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ↑NOTE: River Left (L) and Right (R) as looking downstream ↑ RIPARIAN WIDTH FLOODPLAIN QUALITY	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ↑ RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) L R	Width Max=30
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] ≤ 1.0 m (<=3' 3") [5 pts] ≤ 1.0	Width Max=30
> 4.0 meters (> 13') [30 pts]	Width Max=30
> 4.0 meters (> 13') [30 pts]	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream And RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Poen Pacture Power	Width Max=30
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ↑ NOTE: River Left (L) and Right (R) as looking downstream ↑ RIPARIAN WIDTH FLOODPLAIN QUALITY ↓ R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None COMMENTS Flow Residential, Park, New Field None COMMENTS Flow Residential, Park, New Field None COMMENTS Flow Residential (Check ONLY one box): Stream Flowing Moist Channel, isolated pools, no flow (Intermitted)	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream Note and Note a	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ♣ NOTE: River Left (L) and Right (R) as looking downstream ♣ RIPARIAN WIDTH FLOODPLAIN QUALITY ♣ (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field Narrow <5m Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Moist Channel, isolated pools, no flow (Intermitted Dry channel, no water (Ephemeral))	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7' - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY	Width Max=30
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] > 1.0 m (<=3' 3") [5 pts] > 1.5 m - 3.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4" 8") [20 pts]	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7' - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY	Width Max=30

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):	
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Att.	ach Completed QHEI Form)
DOWNSTREAM DESIGNATED USE(S)	
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87
CWH Name:	Distance from Evaluated Stream
EWH Name:	Distance from Evaluated Stream
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION
USGS Quadrangle Name: Dresden NRCS Soil Map	Page: NRCS Soil Map Stream Order
County: Muskingum Township / City: Cass	
MISCELLANEOUS	
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29
Photograph Information:	
Elevated Turbidity? (Y/N): No Canopy (% open): 40%	
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.)	Conductivity (µmhos/cm)
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:	
Additional comments/description of pollution impacts:	
	rimary Headwater Habitat Assessment Manual)
Comments Regarding Biology:	








SITE NAME/LOCATION AEP Conesville-Bixby 345 kV Line Project	
SITE NUMBER S002a RIVER BASIN Muskingum DRAINAGE AREA (mi²)	0.10
LENGTH OF STREAM REACH (ft) 200 LAT. 40.09742 LONG82.02140 RIVER CODE RIVER MILE	
DATE 08/12/13 SCORER RG, ME COMMENTS Majority of channel modified by culvert and rip	
NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Ins	tructions
STREAM CHANNEL NONE / NATURAL CHANNEL RECOVERED RECOVERING RECENT OR NO REMODIFICATIONS:	COVERY
1. SUBSTRATE (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes	
(Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B. TYPE PERCENT TYPE PERCENT	HHEI
BLDR SLABS [16 pts] 0% SILT [3 pt] 30%	Points
BOULDER (>256 mm) [16 pts]	Substrat
COBBLE (65-256 mm) [12 pts] 0% CLAY or HARDPAN [0 pt] 0%	Max = 40
GRAVEL (2-64 mm) [9 pts] 10% MUCK [0 pts] 0% ARTIFICIAL [3 pts] 60%	19
Table (Presentance ()	
Bldr Slabs, Boulder, Cobble, Bedrock	A + B
SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 16 TOTAL NUMBER OF SUBSTRATE TYPES: 3	
2. Maximum Pool Depth (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):	Pool Dep Max = 30
> 30 centimeters [20 pts] > 5 cm - 10 cm [15 pts]	Wax = 5
> 22.5 - 30 cm [30 pts] < 5 cm [5 pts] < 5 cm [5 pts] NO WATER OR MOIST CHANNEL [0 pts]	5
COMMENTS MAXIMUM POOL DEPTH (centimeters): 20	
 BANK FULL WIDTH (Measured as the average of 3-4 measurements) (Check ONL Y one box): 	
	Bankful
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]	Bankful Width Max=30
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Width
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts]	Width
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): 1.00	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ↑NOTE: River Left (L) and Right (R) as looking downstream ↑ RIPARIAN WIDTH FLOODPLAIN QUALITY	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ↑ RIPARIAN WIDTH L R (Per Bank) L R (Most Predominant per Bank) L R	Width Max=30
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] ≤ 1.0 m (<=3' 3") [5 pts] ≤ 1.0	Width Max=30
> 4.0 meters (> 13') [30 pts]	Width Max=30
> 4.0 meters (> 13') [30 pts]	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS AVERAGE BANKFULL WIDTH (meters): AVERAGE BANKFULL WIDTH (meters): 1.00 This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream And RIPARIAN WIDTH L R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Poen Pacture Power	Width Max=30
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] ≤ 1.0 m (<=3' 3") [5 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ↑ NOTE: River Left (L) and Right (R) as looking downstream ↑ RIPARIAN WIDTH FLOODPLAIN QUALITY ↓ R (Per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field None COMMENTS Flow Residential, Park, New Field None COMMENTS Flow Residential, Park, New Field None COMMENTS Flow Residential (Check ONLY one box): Stream Flowing Moist Channel, isolated pools, no flow (Intermitted)	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ANOTE: River Left (L) and Right (R) as looking downstream ANOTE: River Left (L) and Right (R) as looking downstream Note and Note a	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY ♣ NOTE: River Left (L) and Right (R) as looking downstream ♣ RIPARIAN WIDTH FLOODPLAIN QUALITY ♣ (Per Bank) L R (Most Predominant per Bank) Wide >10m Mature Forest, Wetland Moderate 5-10m Moderate 5-10m Residential, Park, New Field Narrow <5m Narrow <5m Residential, Park, New Field None COMMENTS North Point Dr to NW. W002 to S FLOW REGIME (At Time of Evaluation) (Check ONLY one box): Stream Flowing Subsurface flow with isolated pools (Interstitial) Moist Channel, isolated pools, no flow (Intermitted Dry channel, no water (Ephemeral))	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7' - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY	Width Max=30
> 4.0 meters (> 13') [30 pts] > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts] > 1.0 m (<=3' 3") [5 pts] > 1.5 m - 3.0 m (> 9' 7" - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4" 8") [20 pts]	Width Max=30
> 4.0 meters (> 13') [30 pts] > 3.0 m - 4.0 m (> 9' 7' - 13') [25 pts] > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts] COMMENTS This information must also be completed RIPARIAN ZONE AND FLOODPLAIN QUALITY	Width Max=30

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):	
QHEI PERFORMED? - Yes No QHEI Score (If Yes, Att.	ach Completed QHEI Form)
DOWNSTREAM DESIGNATED USE(S)	
WWH Name: Muskingum River	Distance from Evaluated Stream 0.87
CWH Name:	Distance from Evaluated Stream
EWH Name:	Distance from Evaluated Stream
MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHE	D AREA. CLEARLY MARK THE SITE LOCATION
USGS Quadrangle Name: Dresden NRCS Soil Map	Page: NRCS Soil Map Stream Order
County: Muskingum Township / City: Cass	
MISCELLANEOUS	
Base Flow Conditions? (Y/N):_Yes _ Date of last precipitation:_ 08/11/13	Quantity: 0.29
Photograph Information:	
Elevated Turbidity? (Y/N): No Canopy (% open): 40%	
Were samples collected for water chemistry? (Y/N): (Note lab sample no. or id.	and attach results) Lab Number:
Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.)	Conductivity (µmhos/cm)
Is the sampling reach representative of the stream (Y/N) Yes If not, please explain:	
Additional comments/description of pollution impacts:	
	rimary Headwater Habitat Assessment Manual)
Comments Regarding Biology:	







Route Selection Study

Conesville – Bixby 345 kV Line Project

Prepared for



American Electric Power

April 2013

Prepared by



Contents

Sectio	n		Page
1	Introd	uction and Project Overview	1-1
2	Purpo	se and Objectives	2-1
3	Route	Selection Process	3-1
	3.1	Route Evaluation Criteria	3-1
	3.2	Route Identification	3-1
		3.2.1 Route A	3-1
		3.2.2 Route B	3-1
		3.2.3 Route C	3-2
		3.2.4 Route D	3-2
4	Evalua	ation and Results	4-1
	4.1	Ecological Features	4-1
	4.2	Cultural Features	4-1
	4.3	Land Use Criteria	4-1
	4.4	Technical Criteria	4-2
	4.5	Conclusions	4-2
Tables	;		
4-1		Comparison of Potential Route Candidates	4-3
Figure	s		
1-1		Project Overview Map	1-1
Apper	ıdix A		
Figure	3-1	Constraints Map	

Acronyms and Abbreviations

AEP America Electric Power

GIS Geographic Information Systems

kV kilovolt

LON Letter of Notification

NWI National Wetland Inventory

OHI Ohio Historical Inventory

OPSB Ohio Power Siting Board

ORC Ohio Revised Code

Project Conesville – Bixby 345 kV Line Project

ROW right-of-way

SECTION 1

Introduction and Project Overview


America Electric Power (AEP) is proposing to construct a new 345-kilovolt (kV) electric transmission line that loops the existing Conesville – Bixby 345 kV transmission line to the Ohio Central Substation in Muskingum County, Ohio. The Project is referred to as the Conesville – Bixby 345 kV Line Project (Project) (Figure 1-1).

Existing transmission equipment in the Project area includes the Conesville – Bixby 345 kV transmission line, which runs along the northern side of the study area. Four other existing transmission lines converge on or pass near the Ohio Central Substation in the southeastern portion of the project area and intersect with the Conesville - Bixby 345 kV transmission line and are identified on Figure 1-1. From east to west these are as follows:

- The Ohio Central Coshocton Junction 138 kV transmission line, which runs north-south on the eastern edge
 of the study area;
- The Philo Howard 138 kV transmission line;
- The Ohio Central Fostoria Central 345 kV transmission line; and
- The Ohio Central North Newark 138 kV transmission line, which heads due west out of the Ohio Central Substation until it intersects with the existing Conesville Bixby 345 kV transmission line.

Depending on the route selected, the project will be about 2-3 miles long. The proposed Project is a pole-supported (specific support structure type is to be determined), double-circuit line, and will require a 150-foot-wide right-of-way (ROW). In Ohio, a new 345 kV transmission line of this scale falls under the jurisdiction of the Ohio Public Utility Commission's Ohio Power Siting Board (OPSB). Specific triggers are discussed in Section 2.1.

FIGURE 1-1 **Project Overview Map**



SECTION 2

Purpose and Objectives

CH2M HILL understands that AEP intends to submit a Letter of Notification (LON), based on the Ohio Revised Code (ORC) Chapter 4906.03 (F), which requires an LON application (BLN), if:

- (1) An electric transmission line that is:
 - (c) Necessary to maintain reliable electric service as a result of the retirement or shutdown of an electric generating facility located within the state

While a formal siting study is not a requirement of an LON, the rules do require the applicant to describe the process that led to the selection of the Project route. AEP also desired to evaluate several options in an objective manner to select the most favorable route. A route selection study identifies potential constraints within the Project area, so reasonable routes can be identified and compared. Numerous methods, which range from entirely quantitative to entirely qualitative, with varying degrees in between, have been used for route selection studies. Based on the relatively short length of the Project, CH2M HILL determined the most appropriate methodology for assessing each of the alternative routes was to use relevant, raw data counts, while also including a qualitative evaluation when appropriate.

Route Selection Process

The first step in the route selection process is to define the study area, so practical routing options can be identified. Initial observations of the general Project area indicated that existing transmission, rugged terrain, woodlots, and residential properties would be the most influential route decision factors

The study area was limited to a reasonable distance between the predetermined end points (the Conesville – Bixby 345 kV transmission line and the Ohio Central Substation). Other key factors in distinguishing a study area include identification of constraints and attributes in the Project area, such as major water bodies, urban areas, existing transportation corridors, and existing utility corridors. Major features identified near the Project area are the village of Dresden, which is north of the Ohio Central Substation and the Dresden Energy Center, located southwest of the Ohio Central Substation.

Based on the Project endpoints and the land use features of the area, the general Project area is defined by the Ohio Central Substation and the Dresden Energy Center to the south, the Conesville – Bixby 345 kV transmission line to the north and west, and the village of Dresden and the Muskingum River to the east.

3.1 Route Evaluation Criteria

After defining the study area, detailed Project data were collected. The evaluation criteria include both attribute and constraint data. Attribute data generally are positive features that would promote the development of an electric transmission lines (for example, paralleling existing utility infrastructure). Constraint data correspond to negative features that could potentially limit the development of an electric transmission line (for example, residential areas). CH2M HILL utilized geographic information systems (GIS) to identify and evaluate potential routes alternatives. Table 4-1 provides a detailed description of the evaluation criteria considered in the route selection study along with the data sources.

3.2 Route Identification

The route identification process attempts to identify routes which minimize impacts to sensitive resources while maximizing attributes such as overall length, minimal turn angles, and paralleling existing infrastructure. Since there were multiple existing transmission line corridors within the Project area, no Greenfield/cross country routes were proposed. Figure 3-1 shows the evaluation criteria, along with the proposed routes. A description of each route is provided below.

3.2.1 Route A

Route A is the easternmost route and is 2.1 miles long. Route A begins by exiting the southwestern side of the Ohio Central Substation then heads northwest for 0.4 mile, crossing over Northpointe Drive and five existing transmission lines. The route turns slightly north and begins to parallel the western side of the Ohio Central – Coshocton Junction 138 kV transmission line. Route A then parallels the existing transmission line for 1.3 miles, crossing over Frazeysburg Road, open fields, and woodlots. The route then diverges from the Ohio Central – Coshocton Junction 138 kV transmission line, turning northwest for 0.4 mile, crossing over woodlots and Dutch Hill Road, before tapping into the Conesville – Bixby 345 kV transmission line. Route A is proposed to tap into the Conesville – Bixby 345 kV line approximately 100 feet northeast of Structure 57.

3.2.2 Route B

Route B is 2.1 miles long. The route exits the Ohio Central Substation from the southwest, and heads west for 0.4 mile, south of five existing transmission line corridors, but north of the Ohio Central – Fostoria Central 345 kV transmission line. Route B then makes a sharp turn to the northwest, crossing over four existing transmission lines and paralleling the eastern side of the Philo – Howard 138 kV transmission line for 1.6 miles. Along this route, Route B crosses over Frazeysburg Road, Dutch Hill Road, and woodlots. Just north of Dutch Hill Road, Route B makes a slight turn to the northeast, traveling over open field for 0.1 mile before tapping into the Conesville –

Bixby 345 kV transmission line. Route B will tap into the Conesville – Bixby 345 kV line approximately 50 feet southwest of Structure 60.

3.2.3 Route C

Route C is a slightly longer route at 2.2 miles. Route C exits the Ohio Central Substation at the southwestern corner, and begins traveling northwest for 0.2 mile, crossing over Northpointe Drive and five existing transmission lines. The route then turns west for 0.4 mile, crossing over the Philo – Howard 138 kV transmission line, the Ohio Central – Fostoria Central 345 kV transmission line, and woodlots. Route C then turns slightly northwest and parallels the western side of the Ohio Central – Fostoria Central 345 kV transmission line. The route parallels the western side of the transmission line for 1.2 miles, crossing over Frazeysburg Road, woodlots, and open field. While paralleling the existing Ohio Central – Fostoria Central 345 kV transmission line, Route C is approximately 70 feet from an existing outbuilding on the northern side of Frazeysburg Road. The route then diverges from the Ohio Central – Fostoria Central 345 kV line for 0.4 mile, turning slightly westward, traveling over North Morrison Road and tapping into the Conesville – Bixby 345 kV transmission line. Route C is proposed to tap into the Conesville – Bixby 345 kV line approximately 300 feet northeast of Structure 64.

3.2.4 Route D

Route D is the longest of the route alternatives at 2.6 miles. It also is the westernmost route. Route D exits the southwestern corner of the Ohio Central Substation and heads west for 0.4 mile, south of five existing transmission line corridors, but just north of the Ohio – Central Fostoria Central 345 kV transmission line. The route then makes two turns, heading north and then west again in less than 0.1 mile, and crosses over four existing transmission lines. Route D then begins to parallel the southern side of the existing Ohio Central – North Newark 138 kV transmission line for 0.7 mile, mainly crossing through woodlots. The route diverges from paralleling the existing transmission line for 0.9 mile, heading southwest, west, and then northwest, to avoid residences along Miles Run Road and Frazeysburg Road. The route crosses over Lockman Lane, Frazyesburg Road, agricultural land, woodlots, and open fields. Route D then begins to parallel the southern side of the Ohio Central – North Newark 138 kV transmission line again for 0.6 mile, before tapping into the Conesville – Bixby 345 kV transmission line. Route D is proposed to tap into the Conesville – Bixby 345 kV line approximately 100 feet southeast of Structure 17.

Evaluation and Results

Constraint and attribute data were tabulated for each potential route. A quantitative comparison matrix for the four potential route candidates is provided in Table 4-1. Where appropriate, constraints crossed by the centerline were measured (i.e. length of centerline crossing institutional or sensitive land uses). Residences, National Register of Historic Places (NRHP), Ohio Historic Inventory (OHI) structures, institutional land uses, and sensitive land uses were considered out to 1,000 feet to reflect aesthetic impacts. Ecological constraints, such as woodlots, NWI, and stream riparian zones, were calculated within the proposed 150-foot ROW to account for clearing. Technical constraints and attributes were either measured as miles paralleling existing infrastructure or as a count for centerline crossings.

4.1 Ecological Features

Ecological features identified and mapped within the study area consist of woodlots, streams, stream riparian zone, and National Wetland Inventory (NWI) wetlands. Stream riparian zones were identified in the GIS based on 2011 aerial photography. The vegetative cover near the streams was digitized out to 100 feet from centerline for perennial streams, and out to 50 feet from centerline for intermittent and ephemeral streams.

Ecological criteria were important differentiators among the route alternatives. The majority of the study area consists of woodlots. Impacts to woodlots for the route alternatives ranged from a minimum of 15.7 acres within the proposed 150-foot-wide ROW to 19.7 acres. Route A has the least impacts to woodlots at 15.7 acres; however, Route A affects the most stream riparian zone at 2.7 acres, and crosses six streams, tying with Route D for crossing the largest number of streams. Although Route B would require the largest amount of woodlot clearing, this route would require significantly less stream crossings, and has the least amount of impacts to stream riparian zones at 0.5 acre. Route C is the only route that crosses NWI wetlands (0.1 acre of NWI).

4.2 Cultural Features

Few previously recorded cultural resources were identified in the OHPO online database within the study area. No previously recorded NRHP structures or cemeteries are within 1,000 feet of the route alternatives. In addition, all four routes are within 1,000 feet of the same OHI structure. The OHI structure is identified as Stradley Ferrell Farmstead and is approximately 700 feet south of the existing Ohio Central Substation, on the southern side of McGlade School Road.

The only distinguishing cultural criteria within the study area are previously recorded archaeology sites. Route D is the only route that does not have an archaeology site within 100 feet of the centerline. The other three route alternatives are within 100 feet of the same archaeological site. It should be noted that the previously identified archaeology site appears to be located within the corridors of the existing Ohio Central Extension #2 138 kV transmission line and the Dresden IPP – Ohio Central Generator Lead transmission line.

4.3 Land Use Criteria

Land use criteria identified within the study area consists of residences, properties crossed, and institutional land uses. None of the identified routes has residences within the proposed ROW or within 100 feet. Routes B and C, had the fewest residences within 1,000 feet. Both routes had 14 residences within 1,000 feet, compared to Routes A and D, which had 26 and 30, respectively. Route A had the fewest properties crossed at nine properties within the proposed 150-foot-wide ROW (this does not include properties currently owned by AEP), while the other three routes each crossed 14 properties within the proposed ROW.

Institutional land uses, which consist of schools, churches, and hospitals, were also assessed for this project. Approximately 245 feet of Route D crosses the property of Stony Point, a historic school (which appears to be abandoned). The proposed line is approximately 500 feet south of the school's structure. Similarly, Route C is

located approximately 850 feet from the property boundary of Stony Point and approximately 1,500 feet from the actual structure. Routes A and B are not within 1,000 feet of any identified institutional land use.

4.4 Technical Criteria

Existing electric transmission lines were the dominant decision factor in the technical criteria. All four routes parallel at least 1 mile of an existing transmission line. Route B parallels the most existing electric transmission, with just over 11,100 feet and approximately 87 percent of its length. Because of the numerous existing electric utility corridors within the study area, existing transmission line corridor crossings also were evaluated. Routes A and B require the least amount of transmission line crossings at five crossings. Route C follows closely behind within six crossings, and Route D is identified as having the most transmission line crossings at ten.

4.5 Conclusions

Considering the constraint and attribute criteria used for this study, Route B appears to be the most favorable route when compared to the other alternatives. Route B has the fewest stream crossings and the least amount of stream riparian zone clearing. Route B also parallels existing electric transmission line for more than 2 miles, approximately 87 percent of its length. Additionally, Route B also has the fewest residences within 1,000 feet. All of these attributes make Route B an excellent candidate as the Preferred Route.

Based on the quantitative evaluation, Route A appears to be a favorable Alternate route candidate. Route A would require the least amount of property acquisition and the least acreage of woodlot clearing for new ROW. Additionally, Route A requires the least number of transmission line crossings and parallels existing transmission line for more than 6,900 feet, approximately 64 percent of its length. However, Route A requires the most stream crossings and the largest acreage of stream riparian zone clearing. Furthermore, the terrain along Route A makes it challenging to tap into the Conesville – Bixby 345 kV transmission line. Based on the quantitative and qualitative impacts, Route A would be a desirable Alternate route.

Routes C and D do not appear to be as favorable route candidates. Route D is significantly longer than Routes A, B and C, requires significantly more turns, has the most residences within 1,000 feet, and is the only route to cross over an institutional land use. Route C is only slightly longer than Routes A and B, but has the only impact to NWI, and may require moving or tearing down an outbuilding located along the north side of Frazeysburg Road.


TABLE 4-1 Comparison of Potential Route Candidates

Criteri	Criteria		Route A	Route B	Route C	Route D	Comment
	Area of Woodlots within 150-foot-wide ROW (acres)		15.7	19.7	19.23	17.5	
	Area of NWI w	vithin 150-foot-wide ROW (acres)	0.00	0.00	0.09	0.00	Freshwater Pond
	Area of strean	n riparian zone within 150-foot-wide ROW (acres)	2.7	0.5	1.8	2.0	100 feet for Perennial Streams, 50 feet for Intermittent Streams
Ecological	Number of str	eam crossings	6	2	5	6	
Ecolo		Number of Threatened/Endangered Species within 150-foot-wide ROW	0	0	0	0	
	Threatened/ Endangered / Protected	Number of Threatened/Endangered Species between 150-foot-wide ROW and 1,000 feet	0	0	0	0	
	Species	Number of Protected Species within 150-foot-wide ROW	0	0	0	0	
		Number of Protected Species between 150-ft ROW and 1,000 feet	0	0	0	0	
	National Regis	ter of Historic Places within 1,000 feet	0	0	0	0	
Cultural	Archaeology S	ites within 100 feet	1	1	1	0	
Cult	Ohio Historica	I Inventory structures within 1,000 feet	1	1	1	1	
	Cemeteries wi	thin 100 feet	0	0	0	0	
		Number of residences within 150-foot-wide ROW	0	0	0	0	
	Residences	Number of residences between 75-feet and 100 feet	0	0	0	0	
		Number of residences between 100 feet and 1,000 feet	26	14	14	30	
a)	Properties cro	ssed by 150-foot-wide ROW*	9	14	14	14	
Land Use	Institutional	Linear feet of Institutional Land Uses crossed	0	0	0	245	Historical school (Stony Point); structure still standing
_	Land Use	Number of Institutional Land Uses within 1,000 feet	0	0	1	0	Historical school (Stony Point); structure still standing
	Other	Linear feet of Other Sensitive Land Uses crossed	0	0	0	0	
	Sensitive Land Use	Number of Other Sensitive Land Uses within 1,000 feet	0	0	0	0	

TABLE 4-1
Comparison of Potential Route Candidates

Criteria		Route A	Route B	Route C	Route D	Comment
	Number of roads crossed	3	3	3	4	
	Number of railroads crossed	0	0	0	0	
<u> </u>	Turn angles	5	5	6	10	
Technica	Length of segment paralleling electric transmission line (in miles)	1.3	1.8	1.6	1.6	
Te	Number of transmission line crossings	5	6	6	7	
	Length of segment paralleling gas pipeline	0	0	0	0	
	Length of route	2.07	2.11	2.20	2.64	

^{*}Does not include Ohio Power Co owned properties



This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

11/5/2013 4:08:18 PM

in

Case No(s). 13-2036-EL-BLN

Summary: Letter of Notification Ohio Central 345k V Extension Project electronically filed by Mr. Yazen Alami on behalf of AEP Ohio Transmission Company