



COLUMBUS | CLEVELAND
CINCINNATI-DAYTON
MARIETTA

BRICKER & ECKLER LLP
100 South Third Street
Columbus, OH 43215-4291
MAIN: 614.227.2300
FAX: 614.227.2390

www.bricker.com
info@bricker.com

Sally W. Bloomfield
614.227.2368
sbloomfield@bricker.com

January 27, 2014

Via Electronic Filing

Ms. Barcy McNeal
Administration/Docketing
Public Utilities Commission of Ohio
180 East Broad Street, 11th Floor
Columbus, OH 43215-3793

**Re: Vectren Energy Delivery of Ohio, Inc.
OPSB Case No. 13-1651-GA-BTX**

Dear Ms. McNeal:

Attached is a memo from Ms. Stahl of Utility Technologies International, a map and e-mail correspondence between Ms. Stahl and Mr. Krokonko of Evans, Mechwart, Hambleton, and Tilton ("EMH&T") the Engineering and Survey Firm for Vectren Energy Delivery of Ohio's ("Vectren") Z-167 pipeline relocation.

These documents refer to the temporary construction of a traffic easement previously brought to the attention of the OPSB Staff on December 4, 2013. As the data indicates, there are no streams or wetlands in the easement area and its current use is for right-of-way crops. The consultant concludes that it is highly unlikely that the temporary access easement would affect threatened or endangered species.


Please do not hesitate to contact me if you have any questions.

Sincerely,


Sally W. Bloomfield

Attachments

Cc: Ed Steele (w/Attachments)



Utility Technologies International
4700 Homer Ohio Lane
Groveport, OH 43125
P: 614-482-8080
www.uti-corp.com

MEMORANDUM

To: Ed Steele
From: Melinda Stahl
Date: January 27, 2014
Subject: 13-1651-GA-BTX: Temporary Construction Easement


Vectren is proposing a 50' wide by 745' long temporary construction easement at the southwest corner of the pipeline route (map of area enclosed). The purpose of this easement is to accommodate an area necessary for the directional drilling activities on Stream #3. Additionally, this easement would serve as a construction throughway for traffic, thereby avoiding unnecessary traffic over wetland #10 which is located within the project ROW, but outside of the trenching area for the construction of the pipeline. All of these areas would be included on the Storm Water Pollution Prevention Plan and would be restored back to pre-existing conditions once construction has been completed on the pipeline.

This area encompasses 0.86 acres of an agricultural field that was utilized last season for soybeans. It is highly unlikely that this temporary throughway will have any adverse impacts to any threatened and endangered species, waters of the U.S., or any cultural resource sites. The Phase I investigation for the Z-167 relocation included this area (figure 8 in the report) as well as the environmental and ecological surveys, supporting correspondence from the EMH&T has been enclosed for your review. Please let me know if you have any questions or need additional information. Thank you, we appreciate your time and consideration with this proposal.

Sincerely,

Melinda Stahl
Environmental Coordinator

Construction Traffic Easement



Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

Legend

Bat Tree

Construction ROW


Delineated Streams

Delineated Wetlands

Proposed Pipeline


4700 Homer Ohio Lane
Groveport, Ohio 43125
(614) 482-8080

Z-167 Relocation Project
Stream #3 Pipe Pullback



Proposed Construction Traffic Easement

A 50' wide construction easement is being proposed to accomodate the pipe pullback area for the directional drilling activity on Stream #3 and for a construction throughway to divert traffic away from wetland #10. The length of this easment is approximately 745 feet and covers 0.86 acres of agricultural land.



Melinda Stahl

From: Krokonko, Michael <mkrokonko@emht.com>
Sent: Thursday, January 23, 2014 11:51 AM
To: Melinda Stahl
Subject: RE: Vectren/Dayton Airport Pipeline Project

Follow Up Flag: Follow up
Flag Status: Flagged

Melinda,

I talked to our field crew and they confirmed that there are no streams or wetlands are located within the limits depicted for the proposed Construction Traffic Easement. Additionally, this area is currently being utilized for active row crops (i.e. corn and/or soybeans). Therefore, it is highly unlikely that use of the area as a temporary access route would impact T&E Species habitat. Hope that helps. Please let me know if you need a more formal response in the form of a Memo and we can prepare one for your files.

Thanks,
Mike

From: Melinda Stahl [<mailto:mstahl@uti-corp.com>]
Sent: Wednesday, January 22, 2014 4:40 PM
To: Krokonko, Michael
Subject: Vectren/Dayton Airport Pipeline Project

Mike,

Attached is a map of the Vectren/Dayton Airport pipeline project that shows an area where we are proposing to add a construction easement. This easement would serve for a pipe pullback for the directional drilling of stream #3 as well as a traffic thoroughway that would avoid unnecessary travel over wetland #10. We are requesting for you to review the area and reply regarding the likelihood of this easement impacting any threatened and endangered species habitat or any waters of the U.S. This information would be provided to the OPSB Staff for consideration of this addition. Please let me know if you have any questions.

Thanks!

Melinda Stahl

Environmental Coordinator

Utility Technologies International Corporation

4700 Homer Ohio Lane

Groveport, OH 43125

Office: (614) 482-8080 Ext 314

Fax: (614) 482-8070

www.uti-corp.com

CONFIDENTIALITY NOTICE: This e-mail message is intended only for the person or entity to which it is

addressed and may contain confidential and/or privileged material. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message. If you are the intended recipient but do not wish to receive communications through this medium, please so advise the sender immediately.

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

1/27/2014 1:29:41 PM

in

Case No(s). 13-1651-GA-BTX

Summary: Correspondence of Vectren Energy Delivery of Ohio, Inc. electronically filed by
Teresa Orahod on behalf of Sally Bloomfield