BEFORE

THE PUBLIC UTILITIES COMMISSION OF OHIO

In the Matter of the Commission's Investi-)	
gation into Telephone Numbering and)	Case No. 10-884-TP-UNC
Number Assignment Procedures)	

PETITION OF AT&T OHIO FOR REVIEW OF A DECISION OF NEUSTAR - POOLING ADMINISTRATOR

AT&T Ohio, by its attorney and pursuant to 47 CFR § 52.15(g)(3)(iv), respectfully requests that the Public Utilities Commission of Ohio ("Commission") review and overturn the Pooling Administrator's ("PA" or "NeuStar") denial of AT&T Ohio's request for numbering resources, as more fully described herein.

An Ohio customer, the United States General Services Administration ("GSA") on behalf of the Department of Transportation, Federal Aviation Administration ("FAA") has requested 400 consecutive numbers in the Cleveland rate center. The FAA is expanding its telecommunication infrastructure at the Cleveland Hopkins International Airport at 5800 Postal Road, Cleveland, Ohio. The installation will include three (3) ISDN-PRI circuits with 400 contiguous DID numbers. The block of 400 consecutive DID telephone numbers will meet the 12 month needs of the FAA and the long term plan will be to add additional numbers as the site grows. In order to have a 5 digit dialing plan, the FAA requested the numbers not start with a "9" or "0". The FAA is planning to install service and activate the numbers by May 20, 2014. This is reflected in the customer letter.

The Cleveland rate center, in the 216 area code, began number pooling in March 2003 and therefore number acquisition by a Number Pooling carrier is gained through an interface with the PA. On April 15, 2014, AT&T Ohio submitted a "Thousand Block Application Form Part 1A", and a "Months-to-Exhaust and Utilization Certification Worksheet – TN Level" ("MTE and Utilization") to the PA² using the Pooling Administration System ("PAS"). AT&T Ohio requested 1 number block in the Cleveland rate center and subsequently received an error message indicating the request would not process via the system without a state waiver. The PA, applying FCC rules and INC Guidelines, requires a block holder requesting growth resources to demonstrate that existing resources in the rate center will both exhaust within 6 months and meet the 75% utilization level. The error message included calculations indicating that neither threshold was met.

Although AT&T Ohio has adequate telephone numbers in this rate center to satisfy incremental requests, without receiving additional numbers, the inventory cannot satisfy the customer's specific need for 400 consecutive numbers. AT&T Ohio has no blocks available for assignment and is requesting a full code be opened from NANPA and assign one block to AT&T for use by this customer.

The FCC's rules identify a procedure whereby a denial of a numbering resource request can be brought to the appropriate state commission for review. 47 CFR § 52.15(g)(3)(iv) provides as follows:

1m; c. 1 1 : 47 CED

¹ The federal rules in 47 C.F.R. § 52.15 generalize responsibilities of NANPA and the PA under the heading "Central office code administration".

² A copy of the Part1A and MTE worksheet are attached as Exhibit B.

³ A copy of the error message is appended as the last page of Exhibit B.

(iv) The NANPA shall withhold numbering resources from any U.S. carrier that fails to comply with the reporting and numbering resource application requirements established in this part. The NANPA shall not issue numbering resources to a carrier without an Operating Company Number ("OCN"). The NANPA must notify the carrier in writing of its decision to withhold numbering resources within ten (10) days of receiving a request for numbering resources. The carrier may challenge the NANPA's decision to the appropriate state regulatory commission. The state regulatory commission may affirm or overturn the NANPA's decision to withhold numbering resources from the carrier based on its determination of compliance with the reporting and numbering resource application requirements herein.

In addition, the FCC's December 12, 2001 Order in its Number Resource Optimization Report and Order, CC Docket No. 99-200, FCC No. 01-362, paragraph 64 states that, "States may not accommodate requests for specific numbers (i.e. vanity numbers), but may grant requests for customers seeking contiguous blocks of numbers." AT&T Ohio's submits that the FAA's request constitutes special circumstances and demonstrates a clear requirement that warrants the Ohio Commission's review and reversal of NeuStar's decision.

Attached to this request are copies of AT&T Ohio's Thousand Block Application Form, the Months-to-Exhaust Certification, a copy of NeuStar's denial, and a copy of the GSA's letter of intent.

For the reasons set forth herein, AT&T Ohio respectfully requests that the Commission overturn NeuStar's denial and direct NeuStar to assign the requested numbers in the Cleveland rate center to AT&T Ohio for use by the FAA.

Respectfully submitted,

AT&T Ohio

By: /s/ Jon F. Kelly

Jon F. Kelly AT&T Services, Inc. 150 E. Gay St., Rm. 4-A Columbus, Ohio 43215

(614) 223-7928

Its Attorney

10-884.faa safety valve waiver request.4-21-14.docx

Thousands-Block Application Form Part 1A

Type of Application (check one):	X□ New	□ Change ⁱ	□ Disconnect
GENER/	AL APPLICATIO	N INFORMATION	
1.1 Contact Information:			
Block Applicant: Company Name:AT&T CORPORATION Headquarters Address:2600 CAMINO RA			<u>CA</u> Zip <u>94583</u>
Contact Name: PRISCILLA Contact Address: 2600 CAMINO RAMON Phone: 925-824-5625 Fax: 925-355 E-Mail: pt3145@att.com	5-9268		tte_ <u>CA</u> Zip94583
Pooling Administrator ⁱⁱ : Contact Name: Kevin Gatchell			
Contact Address: 1800 SUTTER STREET Phone: 925-363-8742 E-Mail: kevin.gatchell@neustar.biz	Fax:	925-363-7686	<u>CA</u> Zip 94520
1.2 General Information	:::		
Check one: No LRN neededXNPA:216 LATA:320OC! Number of Thousands-Blocks Requested: _ Switch Identification (Switching Entity/POI Rate Center vi: _CLEVELAND Received:	N ^{iv} :9321 F 1	Parent Company's OCN DH0City or V	Vire Center Name
1.3 Dates			
Date of Application vii: 4/15/14 Request Expedited Treatment? (See Section			
1.4 Type of Service Provider Requesting	the Thousands-B	lock:	
a) Type of Service Provider:LEC b) Primary type of service Blocks to be c) Thousands-Block(s) (NXX_X) prefet d) Thousands-Block(s) (NXX-X) that at e) If requesting a code for LRN purpose be given to the pool)	rence _ re undesirable for t es, indicate which b	his assignment, if any	ping (the remainder of the blocks will

TBPAG Attachment 1 – February 11, 2008 ATIS-0300066.at1 Tracking Number: ____

Thousands-Block Application Form

Part 1A
1.5 Type of Request
Initial block for rate center: Yes, If Yes attach evidence of authorization and proof of capability to provide Service within 60 days
Growth block for rate center: Yes_X_, If Yes, attach months to exhaust worksheet
Change block: Yes, If Yes, indicate NPA-NXX-X, type of and reason for change:
Disconnect block: Yes, If Yes, list NPA-NXX-X
1.6 Block Return
 a) Is this block Contaminated: Yes or No b) If Yes how many TNs are NOT available for assignment: c) Have all new Intra SP ports been completed in the NPAC: Yes or No d) Has this block been protected from further assignment: Yes or No
Remarks:SAFETY VALVE WAIVER REQUEST - General Services Asministration
I hereby certify that the above information requesting an NXX-X block is true and accurate to the best of my knowledge and that this application has been prepared in accordance with the Thousands-Block (NXX-X) Pooling Administration Guideline (ATIS-0300066) available on the ATIS web site (www.atis.org/inc) or by contacting inc@atis.org as of the date of this application.
PRISCILLA TAYLOR CODE ADMINISTRATOR 04/15/14 Signature of Block Applicant Title Date
Signature of Block Applicant Title Date

Thousands-Block Application Form Part 1A

Instructions for filling out each Section of the Part 1A form:

- Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.
- Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the TelcordiaTM LERGTM Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by TelcordiaTM Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLITM tandem of the facilities based provider^{ix}. Explanations of these terms may be found in the footnotes.
- Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.
- Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, inter-exchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.
- Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.
- Section 1.6 Service Providers shall indicate the updated/current information in regards to contaminated TNs on the block they are returning to the pool. Blocks with over 10% contamination (101 TNs or more) shall not be returned to the pool unless they meet criteria outlined in section 9.1.2 of these Guidelines. If the block being returned is over 10% contaminated the PA must seek a new block holder. If question c and/or d have a response of No, the request for return shall be denied.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

Thousands-Block Application Form Part 1A

Foot Notes:

ⁱ Identify type of and reason for change(s) in Section 1.5.

The Pool Administrator is available to assist in completing these forms.

iii A CO Code application will also need to be submitted to the PA

Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

^v This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLITM code of the switch /POI.

vi Rate Center name must be a tariffed Rate Center.

vii Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.

viii Please ensure that the NPA-NXX of the LRN to be associated with this block(s) is/will be active in the PSTN prior to the effective date of the block(s).

^{ix} Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.

Appendix 3 - Modified August 6, 2001

MONTHS TO EXHAUST and UTILIZATION CERTIFICATION WORKSHEET – TN Level ¹ (Thousands-Block Number Pooling Growth Block Request)

Date:	4/15/14	OCN: 9321 Company Name: AMERITECH C	HIC
Date.	4/13/14	OCN. 9321 Company Name. AWERT ECH C	טוחוכ

Rate Center: CLEVELAND NPA(s)-NXXs and Blocks NPA(s)-NXX-X(s): NPA/NXX (120); NPA/NXX-X (439)

Name of Block Applicant: PRISCILLA TAYLOR Signature: SIGNATURE ON FILE

Title: MANAGER-NETWORK SERVICES Telephone No.: 925-824-5625 FAX No.: 925-355-9268

E-Mail: PT3145@att.com

A. Available numbers: 24953

B. Assigned numbers: 850652

C. Total Numbering Resources: 1638920

D. Quantity of numbers activated in the past 90 days and excluded from the Utilization calculation: None List excluded Code(s) or Block(s):

		Month #1 -193	Month #2 <u>-30</u>	Month #3 <u>-3</u>	Month #4 <u>-75</u>	Month #5 <u>-77</u>	Month #6 <u>-3</u>	Month #7	Month #8	Month #9	Month #10	Month #11	Month #12
E.	Growth History – Previous 6 months ²												
F.	Forecast – Next 12 months ³	<u>0</u>	<u>22</u>	<u>1000</u>	<u>48</u>	<u>0</u>	<u>49</u>	<u>-22</u>	<u>-147</u>	<u>-13</u>	<u>-23</u>	<u>-6</u>	<u>-9</u>
		na a natha a 4	44 C (Dow	□ abaya\	ما لم ما لم	. (2).	00 F						
G.	Average Monthly Forecast (Sum of	months #	F1-6 (Part	r above)	aiviaea by	76): <u>18</u>	<u> 36.5</u>						
H.	Months to Exhaust ⁴	<u>N</u>				nent to Cu precast (G		<u>A)</u>	=	<u>133.796</u>			
l.	Utilization ⁵	Total N		Resource	lumbers (es (C) - E D)	<u>B)</u> xcluded N	umbers	* 100	=	<u>51.903</u>			
Ехр	lanation:												

¹ A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

² Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

³ Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

⁴ To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, § 52.15 (g) (3) (iii)).

⁵ Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

From: <u>agnes.rom@neustar.biz</u>

To: TAYLOR, PRISCILLA; BLAKELY, SHANNON M

Cc: PA Part3@neustar.biz

Subject: PAS - Pooling Administrator"s Response/Confirmation for Tracking Number: 216-CLEVELAND-OH-717839

Date: Tuesday, April 15, 2014 12:45:43 PM

Pooling Administration System

Dated 15-April-2014

November 21, 2003 Attachment 3 ATIS-0300066.at3

Pooling Administrator's Response/Confirmation
TBPAG Part 3

	IB	PAG Pa	art 3			
Tracking Number :	ID-OH-	-				
Date of Application:	04/15/201	4	Effective Date:			
Date of Receipt:	04/15/201	4	Date of Response:	04/15/2014		
Service Provider Name:	AMERITE	сн оні	0			
(Telcordia TM LERG TM Routing Guide) OCN:	9321					
Parent Company OCN:	9300					
NPAC SOA SPID :						
Pooling Administrator	Contact Info					
Agnes Rom		Phone:		925-363-7650		
Signature of Pooling Add	ministrator					
Agnes Rom		Fax:		925-363-7681		
Name (print)						
Email:		agnes.	rom@neustar.biz			
NPA-NXX or NPA- NXX-X :			Block Assig	ned:		
		_	Block Reserv	ved :		
			Block Reserv	vation		
			Expiration Dat	te:		
			Block/Code I	Modified:		
			Block/Code			

		Disconnected :
	Block Contaminated(Yes or No) : If Yes,enter the number of TNs contaminated :	
	Switch Identification(Switch Entity/POI): 1	bkpkoh26ds0
	Rate Center:	CLEVELAND
	Rate Center Sub Zone:	
X	Form Complete, request denied.	
	Explanation:	
	DR-57: You do not meet the MTE and/or therefore this request for a new code is requesting a State Waiver from the approusing this Part 3 denial. If you are in dis of this request, please refer to the Thouse Pooling Administration Guidelines for the	denied. You may proceed with opriate state commission agreement with the disposition sands'Block Number (NXX-X)
	Request withdrawn.	
	Explanation:	
	Assignment activity suspended by the a	dministrator.
	Explanation:	
Rei	marks:	

¹ This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI TM Location Identification code of the switching entity/POI shown on the Part 1A form (Telcordia, LERG ROUTING Guide and CLLI are trademarks of Telcordia Technologies, Inc.)



28 March 2014

Patia Ellis AT&T Federal Government Program Manager

Dear Mrs. Patia Ellis,

This letter documents our requirements in relation to additional numbering resources. It is understood that AT&T may take this request to the state commission, if needed, to fulfill our request.

The General Services Administration, a Federal Government agency, on behalf of Department of Transportation, Federal Aviation Administration is expanding telecommunication infrastructure at the Cleveland Hopkins International Airport at 5800 Postal Road, Cleveland, Ohio. The installation will include three (3) ISND-PRI circuits with 400 contiguous DID numbers. The block of 400 consecutive DID telephone numbers will meet the 12 month needs of the Department of Transportation and the long term plan will be to add additional numbers as the site grows.

The beginning numbers of the 5 digit extension will not start with "9" or "0", block all 900 and 976 type calling capabilities, all collect calling, and 3rd party billing capabilities. Domestic long distance (Interlata), Local Toll (Intralata), and International calling capabilities should be provided by Verizon Business using GSA's Networx contract.

The three (3) PRIs are to have the following attributes:

- 1. Protocol NI-2 (National)
- 2. Configuration Per PRI (See Below)
 - a. PRI A 23 B Channels and 1 D Channel
 - b. PRI B 23 B Channels and 1 D Channel (Backup D Channel)
 - c. PRI C 24 B Channels
- 3. Channel sequence is to be sequential
- 4. In-pulse digits should be 10 and out-pulse should be 10
- 5. Signaling Type NFAS
- 6. Hunting is to be ascending on incoming and descending on outgoing
- 7. Terminate PRI T1 on a RJ-48 in FAA Telco Room
- 8. GFE provided CSU/DSU equipment
- 9. Glare Resolution Method CPE Yields
- 10. Caller ID should be at the station number
- 11. Full Duplex with 1.544 MBs per PRI
- 12. Type of interface is Voice/Data
- 13. Full Period service availability
- 14. ESF/B8ZS & Outflow Calls
- 15. Outbound Caller Name: US GOVT FAA

We need to activate these three ISDN-PRI Circuits with 400 contiguous DID numbers on 20 May 2014. AT&T is our chosen service provider and we understand that they might escalate this request to the state utility commission. It's important that we know before the required service date whether or not this request will be granted.

Chris Olry Information Technology Representative

317-226-5700 Office 317-226-6735 Fax

Christopher.Olry@GSA.gov

03/28/2014 Date Signed This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

4/21/2014 10:42:46 AM

in

Case No(s). 10-0884-TP-UNC

Summary: Petition for review of a decision of NeuStar - Pooling Administrator electronically filed by Jon F Kelly on behalf of AT&T Ohio