



April 30, 2014

**11-1925-EL-REN Krisher-Gary-OH-PV-2.55KW Residence/  
11-1098-EL-REN Krisher-Gary-OH-PV-2.55KW Residence  
Staff Interrogatories – Duplicate certification**

**Question 1:** Case no. 11-1925-EL-REN appears to be a duplicate of case no. 11-1098-EL-REN. Can you confirm is this true? Case no. 11-1098-EL-REN is registered with GATS and 11-1925-EL-REN is not. If 11-1925-EL-REN is a duplicate of 11-1098-EL-REN can you file a letter in both cases so we can revoke the duplicate?

Answer 1: I can confirm that case no. 11-1925-EL-REN appears to be a duplicate of case no. 11-1098-EL-REN. There should only be one system with the name Krisher-Gary-OH-PV-2.55KW Residence registered with the PUCO.

Please let me know if you have any further questions and thank you for your cooperation.

Best,

Anna Nocas  
Senior Associate  
Sol Systems, LLC

**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**4/30/2014 4:21:55 PM**

**in**

**Case No(s). 11-1925-EL-REN**

Summary: Reply reply to staff interrogatory electronically filed by Ms. Anna Noucas on behalf of Krisher, Gary