



April 29, 2014

**Case No. 14-0452-EL-REN and 14-0651-EL-REN  
Donahue SR.-Tom-OH-PV-6.75kW Residence  
Staff Interrogatories – Initial Set**

**Question 1:** Cases 14-0452-EL-REN and 14-0651-EL-REN appear to be identical applications. Are these duplicate applications in which one should be deleted? Please explain.

Answer 1: These are two separate projects and applications.

Case No. 14-0452-EL-REN  
Donahue SR.-Tom-OH-PV-6.75kW Residence  
6.75 kW  
27 modules at 250 watts  
17881 Waldo Rd., Marrysville, OH 43040

Case No. 14-0651-EL-REN  
Donahue Jr.-Tom-OH-PV-6kW Residence  
6 kW  
24 modules at 250 watts  
17920 Waldo Road, Marysville, OH 43040

April 30, 2014

**Case No. 14-0452-EL-REN and 14-0651-EL-REN  
Donahue SR.-Tom-OH-PV-6.75kW Residence  
Staff Interrogatories – Second Set**


**Question 1:** In your answer to Question 1 in the first set of interrogatories, you state that the applications are separate projects, but according to section **N.1.b** they are both using the same meter (Serial Number 20878671). Staff cannot issue multiple certificates using the same meter and these applications should be combined into one application.

Answer 1: The serial numbers for the meters should actually be different. See information and photos below:

**Case No. 14-0452-EL-REN  
Donahue SR.-Tom-OH-PV-6.75kW Residence**  
6.75 kW  
27 Mage Solar modules at 250 watts  
17881 Waldo Rd., Marrysville, OH 43040  
Meter Manufacturer: GE Meter  
Meter Model: Hialeah Meter  
Meter Serial Number: 20878671



**Case No. 14-0651-EL-REN**  
**Donahue Jr.-Tom-OH-PV-6kW Residence**  
6 kW  
24 Mage modules at 250 watts  
17920 Waldo Road, Marysville, OH 43040  
Meter Manufacturer: ABB  
Meter Model: Hialeah Meter  
Meter Serial Number: 83433778



Please let me know if you have any further questions and thank you for your cooperation.

Best,  
Anna Noucas  
Senior Associate  
Sol Systems, LLC

**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**4/30/2014 4:46:48 PM**

**in**

**Case No(s). 14-0452-EL-REN**

Summary: Reply reply to staff interrogatory electronically filed by Ms. Anna Noucas on behalf of Donahue SR., Tom