

October 9, 2014

RE: Case No. 14-1715-EL-REN  
Zilch-Andrew-OH-PV-8.96kW Residence  
Staff Interrogatories – Initial Set

Dear PUCO Administrator:

With regards the initial staff interrogatories for Case No. 14-1715-EL-REN, please find responses italicized below.

**Question 1:**

For Section 'N.1.a' of the Application, please confirm the manufacturer of the meter. From the photograph it seems to be a Schlumberger brand that was refurbished by Hialeah.

*The manufacturer of this meter is Schlumberger. The meter was refurbished by Hialeah.*

**Question 2:**

For Section 'N.1.b' of the Application, please confirm the meter's serial number. From the photograph it appears to be different number.

*The serial number for this meter is 21 680 314.*

Please let us know if we can provide additional information regarding this case.

Best,

Bridget Callahan  
SREC Operations Analyst  
Sol Systems, LLC  
(202) 448-7643  
[bridget@solsystemscompany.com](mailto:bridget@solsystemscompany.com)

**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**10/9/2014 10:06:47 AM**

**in**

**Case No(s). 14-1715-EL-REN**

Summary: Reply to staff inquiries electronically filed by Ms. Bridget Callahan on behalf of  
Zilch, Andrew