

BEFORE

THE PUBLIC UTILITIES COMMISSION OF OHIO

In the Matter of the Complaint of
Marietta Garrett,

Complainant,

V.

Columbia Gas of Ohio, Inc.

Respondent.

Case No. 14-2139-GA-CSS

ENTRY

The Commission finds:

- (1) On November 24, 2014, Marietta Garrett (Complainant) filed a complaint with the Commission against Columbia Gas of Ohio, Inc. (Columbia). In the complaint, Ms. Garrett asserts that Columbia has failed to timely repair the damage to her sidewalk. The Complainant submits that, in 2011, Columbia removed the valve from her driveway and damaged the sidewalk. According to the complaint, although Columbia attempted to repair the sidewalk the concrete did not set properly due to the cold weather and Columbia agreed to repair the sidewalk when the weather was better. The Complainant argues that Columbia has failed to properly repair the sidewalk in a timely manner.
- (2) On December 15, 2014, Columbia filed a motion for an extension of time until December 29, 2014, to file its answer, or other responsive pleading. By Entry issued December 17, 2014, Columbia's request for an extension was granted.
- (3) On December 22, 2014, the parties filed a joint motion to dismiss the complaint on the basis that the matter had been settled.
- (4) The Commission finds that the parties' joint motion to dismiss is reasonable and should be granted. Accordingly, this

complaint should be dismissed, and the record of this case closed.

It is, therefore,

ORDERED, That the joint motion to dismiss be granted and the record of this case closed. It is, further,

ORDERED, That a copy of this Entry be served upon each party of record.

THE PUBLIC UTILITIES COMMISSION OF OHIO

Thomas W. Johnson, Chairman

Steven D. Lesser

M. Beth Trombold

Lynn Slaby

Asim Z. Haque

GNS/dah

Entered in the Journal

JAN 21 2015

Barcy F. McNeal

Barcy F. McNeal
Secretary