BEFORE

THE PUBLIC UTILITIES COMMISSION OF OHIO

In the Matter of the Commission's Investigation into)	
Telephone Numbering and Numbering Assignment)	Case No. 10-884-TP-UNC
Procedures)	

PETITION OF TELEPORT COMMUNICATIONS AMERICA, LLC FOR REVIEW OF A DECISION OF NEUSTAR - POOLING ADMINISTRATOR

Teleport Communications America, LLC ("Teleport"), by its attorney and pursuant to 47 CFR § 52.15(g)(3)(iv), respectfully requests that the Public Utilities Commission of Ohio ("Commission") review and overturn the Pooling Administrator's ("PA" or "NeuStar") denial of Teleport's request for numbering resources, as more fully described herein.

An Ohio customer, University Hospitals, has requested 3000 numbers in the Akron rate center. University Hospitals is acquiring multiple physicians' practices and is integrating these locations into the University Hospitals' enterprise system. In order to maintain the integrity of their existing internal dialing plan, University Hospitals is requesting that the NXX NOT be of the format NX0, NX1 or NX9. This request is reflected in the customer letter. Teleport has developed a communications plan that University Hospitals will implement, and will subsequently assign the 3000 numbers within 180 days of the numbers being made available to the enterprise.

The Akron rate center, in the 330 area code, began number pooling in January 2003 and therefore number acquisition by a Number Pooling carrier is gained through an interface with the

PA. On June 11, 2015, Teleport submitted a "Thousand Block Application Form Part 1A", and a "Months-to-Exhaust and Utilization Certification Worksheet – TN Level" ("MTE and Utilization") to the PA² using the Pooling Administration System ("PAS"). Teleport requested 3 number blocks in the Akron rate center and subsequently received an error message indicating the request would not process via the system without a state waiver.³ The PA, applying FCC rules and INC Guidelines, requires a block holder requesting growth resources to demonstrate that existing resources in the rate center will both exhaust within 6 months and meet the 75% utilization level. The error message included calculations indicating that the utilization threshold was NOT met.

Although Teleport has adequate telephone numbers, in this rate center, to satisfy incremental requests, without receiving additional numbers, the inventory cannot satisfy the customer's specific need for 3000 numbers in the format 330-NX2 – 8. Teleport has 330-44-5, 330-849-3 and 330-983-0 in the Akron rate center, with approximately 600 numbers available in total. Therefore, Teleport needs to obtain the number blocks in order to satisfy the customer's request. The Akron number pool has 26 blocks in the pool, 18 of which satisfy the 330-NX2 format.

The FCC's rules identify a procedure whereby denial of a numbering resource request can be brought to the appropriate state commission for review. 47 CFR § 52.15(g)(3)(iv) provides as follows:

¹ The federal rules in 47 C.F.R. § 52.15 generalize responsibilities of NANPA and the PA under the heading "Central office code administration".

² A copy of the Part1A and MTE worksheet are attached as Exhibit A.

³ A copy of the error message is appended as the last page of Exhibit A.

(iv) The NANPA shall withhold numbering resources from any U.S. carrier that fails to comply with the reporting and numbering resource application requirements established in this part. The NANPA shall not issue numbering resources to a carrier without an Operating Company Number ("OCN"). The NANPA must notify the carrier in writing of its decision to withhold numbering resources within ten (10) days of receiving a request for numbering resources. The carrier may challenge the NANPA's decision to the appropriate state regulatory commission. The state regulatory commission may affirm or overturn the NANPA's decision to withhold numbering resources from the carrier based on its determination of compliance with the reporting and numbering resource application requirements herein.

In addition, the FCC's December 12, 2001 Order in its Number Resource Optimization Report and Order, CC Docket No. 99-200, FCC No. 01-362, paragraph 64 states that, "States may not accommodate requests for specific numbers (i.e. vanity numbers), but may grant requests for customers seeking contiguous blocks of numbers." Teleport submits that University Hospitals request constitutes special circumstances and demonstrates a clear requirement that warrants the Ohio Commission's review and reversal of NeuStar's decision.

Attached to this request are copies of Teleport's Thousand Block Application Form, the Months-to-Exhaust Certification, a copy of NeuStar's denial (Exhibit A), and a copy of University Hospital's letter of intent (Exhibit B).

For the reasons set forth herein, Teleport respectfully requests that the Commission overturn NeuStar's denial and direct NeuStar to assign the requested numbers in the Akron rate center to Teleport for use by University Hospitals.

Respectfully submitted,

Teleport Communications America, LLC

By: /s/ Jon F. Kelly

Jon F. Kelly AT&T Services, Inc. 150 E. Gay Street – Room 4A Columbus, Ohio 43215 614-223-7928 jk2961@att.com

Its Attorney

10-884

TBPAG Attachment 1 - January 12, 2015

Thousands-Block Application Form - Part 1A

Tracking

330-AKRON-

Number:

OH-850804

Individual Block

Request

Type of

₩ New

Application:

Change i Disconnect

GENERAL APPLICATION INFORMATION

1.1 Contact Information:

Block Applicant:

Company Name: TELEPORT COMMUNICATIONS AMERICA, LLC - OH

Headquarters

One AT&T Way

Address:

City, State, Zip: Bedminster, NJ, 07921

Contact Name:

Lisa Loper

Contact

One AT&T Way

Address:

City, State, Zip: Bedminster, NJ, 07921

Phone:

Fax: 908-234<u>-8044</u>

E-mail: <u>lloper@att.com</u>

908-234-7622

Pooling Administrator: ii

Contact Name:

Agnes Rom

Contact

1800 Sutter St

Address:

City, State, Zip: Concord, CA, 94520

Phone:

925-363-7650

Fax: 925-363-7681

E-mail: agnes.rom@neustar.biz

1.2 General Information:

https://www.nationalpooling.com/pas/print_form.jsp

Check one: No LRN needed LR	N needed iii _	
NPA: 330 LATA: 325	OCN: iv <u>7532</u>	Parent Company's OCN <u>7125</u>
Number of Thousands-Blocks Request	ed : 3_ _	
Switch Identification (Switching Entity AKRNOH25XWY	/POI) : ^v	
Rate Center: viAKRON_		
1.3 Dates:		
Date of Application: vii06/12/2015_	-	Block Effective <u>07/13/2015</u>
By selecting this checkbox, I acknows possible effective date the Administrate applies to a reduction in the Administrate will still be processed in the order recent	or can grant. : ator's process	Please note that this only
Request Expedited Treatment? (See Se	ction 8.6) Ye	sNo X
1.4 Type of Service Provider Requestir	ng the Thousz	ands-Block :
a) Type of Service Provider: <u>CAP</u> b) Primary type of service Blocks to c) Thousands-Block(s) (NXX-X) ass 234-718-5, 6, 7 d) Thousands-Block(s) (NXX-X) that any e) If requesting a code for LRN purp keeping (the remainder of the blocks v	be used for : signment pref at are undesir ooses, indicate	Wireline ference (Optional) able for this assignment, if which block(s) you will be
1.5 Type of Request:		
Initial block for rate center: Yes and proof of capability to provide serve Growth block for rate center: Yes worksheet	ice within 60	days.

block in red and explicitly unders	I acknowledge that I am willing to accept a tand that the underlying CO code may not yet led in the NPAC on the block effective date.
Type of change (Mark all that ap	ı
	x Switching Id Part 1B
OCN: Inter-company	Effective Date
	es, list NPA-NXX-X
1.6 Block Return :	
	Yes or No OT available for assignment : been completed in the NPAC: Yes or No
d) Has this block been protected	ed from further assignment: Yes or No
Disconnect block : Yes	If Yes, list NPA-NXX-X
Remarks:	
and accurate to the best of my kn prepared in accordance with the 'Administration Guidelines ATIS-	formation requesting an NXX-X block is true towledge and that this application has been Thousands-Block (NXX-X) Pooling -0300066 available on the ATIS web site ontacting inc@atis.org as of the date of this
Lişa Loper	Manager-Code Administration 06/12/2015

Instructions for filling out each Section of the Part 1A form:

Signature of Block Applicant

Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.

Title

Date

https://www.nationalpooling.com/pas/print_form.jsp

Section 1.2 Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the iconectiv LERG Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by iconectiv Telecom Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI tandem of the facilities based provider xi. Explanations of these terms may be found in the footnotes.

Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.

Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.

Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

Section 1.6 Service Providers must indicate the updated/current information in regards to contaminated TNs on the block they are returning to the pool. Blocks with over 10% contamination (101 TNs or more) shall not be returned to the pool unless they meet criteria outlined in section 9.1.2 of these Guidelines. If the block being returned is over 10% contaminated the PA shall seek a new block holder. If question c and/or d have a response of No, the request for return shall be denied.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

Footnotes:

¹ Identify the type of change(s) in Section 1.5.

ii The Pool Administrator is available to assist in completing these forms.

iii A CO Code application will also need to be submitted to the PA.

iv Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company

Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

^v This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLITM code of the switch /POI.

- vii Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.
- viii Please ensure that the NPA-NXX of the LRN to be associated with this block(s) is/will be active in the PSTN prior to the effective date of the block(s).

vi Rate Center name must be a tariffed Rate Center.

ix Select if you are the current Block Holder.

x Select if you are not the current Block Holder

xi LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc. dba iconectiv

MTE Block

Appendix 3 January 12, 2015

MONTHS TO EXHAUST and UTILIZATION CERTIFICATION WORK SHEET - TN Level 1

(Thousands-Block Number Pooling Growth Block Request)

Tracking Number: 330-AKRON-OH-850804

Date: <u>Friday</u>, <u>June</u> Company Name: <u>TELEPORT COMMUNICATIONS</u>

12, 2015 OCN: 7532 AMERICA, LLC - OH

Rate Center: AKRON

List all Codes NPA(s)-NXX(s) and Blocks NPA(s)-NXX-X(s)²: NPA NXX BLOCK ID 330 400 A 330 400 5 330 849 3 330 983 A 330 983 0

Name of Block Applicant: Lisa

Signature: Lisa Loper

Loper

Title: Manager-Code Administration Telephone No.: 908-234-7622-

FAX No.: 908-234-8044

E-Mail: <u>lloper@att.com</u>

A. Available Numbers: 622

B. Assigned Numbers: 2126

C. Total Numbering Resources: 3000

D. Quantity of numbers activated in the past 90 days (increments of 1,000 or 10,000) and excluded from the Utilization calculation ³:0

List

Excluded

Code(s) or

Block(s):

https://www.nationalpooling.com/pas/print_form.jsp

| Month |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| #1 | #2 | #3 | #4 | #5 | #6 | #7 | #8 | #9 | #10 | #11 | #12 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

E. Growth
History Previous 6 70 -9 -219 -316 119 42
months⁴

F. Forecast - Next 12 3000 41 43 -5 -12 -13 12 344 34 28 34 26 months⁵

G. Average Monthly Forecast (Sum of months # 1-6 (Part F above) divided by 6):509.0

H. Months
to Exhaust⁶
= Numbers Available for Assignment to
Customers(A)

Average Monthly Forecast(G)

Block Requested	Available Numbers	Months To Exhaust
1	622	1.222
2	1622	3.187
3	2622	5.151

I. Utilization⁷ Assigned Numbers(B) X 100 = 70.867

Total Numbering Resources(C)-Excluded Numbers(D)

Explanation:

¹A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a

MTE Block

copy of this document.

²Report on all resources for the requested geographic area, including newly acquired blocks/codes.

³Quantity of numbers activated in the past 90 days is based on blocks and/or codes received from the administrator and shall be reported in increments of 1,000 or 10,000 TNs (e. g.: 2 blocks received=2,000 and 1 code received=10,000).

⁴Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

⁵Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

⁶To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, section 52.15 (g) (3) (iii)).

⁷Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

Part3

January 12, 2015

Attachment 3

ATIS-0300066.at3

Pooling Administrator's Response/Confirmation TBPAG Part 3

Tracking Number:	330-AKHOI OH-850804	/			
Date of Application:	06/12/2015		Effective Date:		
Date of Receipt:	06/12/2015		Date of Response:	06/12/2015	
Service Provider Name:	TELEPORT	ГСОММ	JNICATIONS AMI	ERICA, LLC - OH	
(iconectiv TM LERG TM Routing Guide) OCN:	7532	A THE SECTION OF THE			
Parent Company OCN:	7125		., ,		
NPAC SOA SPID :					
Pooling Administrator C	ontact Inform	nation:			
Agnes Rom	····	Phone:		925-363-7650	
Signature of Pooling Ad	ministrator				
Agnes Rom		Fax:		925-363-7681	
Name (print)					
Email:		agnes.i	om@neustar.biz		
NPA-NXX or NPA-NXX-X :		Blo	ock Assigned:		
		Ble	ock Reserved:		
			ock Reservation piration Date:	/ 24 /	
			ock/Code dified :	· · · · · · · · · · · · · · · · · · ·	
			ock/Code connected:		
Block Contaminate	d(Yes or No)):	-		

Part3

If Yes, enter the number of TNs contaminated:	/
Switch Identification(Switch Entity/POI): 1	AKRNOH25XWY
Rate Center:	AKRON
X Form Complete, request denied.	
Explanation:	
this request for a new block is denied. You may proce State Waiver from the appropriate state commission u you are in disagreement with the disposition of this rethe Thousands-Block Number (NXX-X) Pooling Admin the appeals process.	ising this Part 3 denial. If equest, please refer to
Request withdrawn.	
Explanation:	
Assignment activity suspended by the administrator.	
Explanation:	
Remarks:	

¹ This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI TM Location Identification code of the switching entity/POI shown on the Part 1A form (LERG ROUTING Guide and CLLI are trademarks of Telcordia Technologies, Inc. dba iconectiv)



June 5, 2015

Mary Brown AT&T Client Account Manager 250 S Clinton St Syracuse, NY 13202 Joshua Petro Unified Communications Architect

Information Technology University Hospitals Case Medical Center 11100 Euclid Avenue, UCRCII, MS BIS5095 Cleveland, Ohio 44106 216.286.2230 Phone

AT&T TNAC,

This letter of Intent represents a request by University Hospitals for 3000 TN's for SIP service. University Hospitals intends to order service in the Akron, Ohio rate center, pending AT&T's successful completion of the required testing. University Hospitals intends to activate these numbers within 180 days from AT&T's receipt of the numbers.

University Hospitals is expanding to multiple locations in the geographic area covered by area code 330, and continues to grow. University Hospitals has acquired multiple physician practices and physical locations, and continues to add to that number, and within the next 1 to 2 years will need integrate their phone systems into the enterprise system. In the past year, in addition to the medical center, we have added numerous physician practices in the same geographic area, and in the next 1 to 3 years we expect to affiliate with additional practices in the same geographic area that will also need to be integrated into the enterprise phone system. In order to provide to provide administrative, physician offices, research, administrative, lab space and other system services with phone we require a consecutive block of 3000 TN's.

To meet the needs of our dial plan we need a block of TN's where the prefix does not start with a 0, 1 or 9, i.e., 330-NxX-xxxx, where X cannot be 0, 1 or 9). The numbers will be installed as TN's on SIP trunking located at 11100 Euclid Ave., Cleveland, OH 44106, within 180 days from AT&T's receipt of numbers. We expect that this block will meet our requirements for at least the next three years. We do not anticipate returning any numbers to AT&T.

AT&T is our service provider and we understand that they might escalate this request to the state utility commission.

Sincerely,

Joshua Petro Architect, Unified Communications

Information Technology

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

6/12/2015 3:20:33 PM

in

Case No(s). 10-0884-TP-UNC

Summary: Petition for review of a decision of NeuStar - Pooling Administrator electronically filed by Jon F Kelly on behalf of Teleport Communications America, LLC