

BEFORE

THE PUBLIC UTILITIES COMMISSION OF OHIO

In the Matter of Quality Fixtures     )  
Installations, Notice of Apparent     )  
Violation and Intent to Assess        )  
Forfeiture.                                )     Case No. 15-1103-TR-CVF

ENTRY

The attorney examiner finds:

- (1) Staff has served a notice of preliminary determination upon Quality Fixtures Installations, in accordance with Ohio Adm.Code 4901:2-7-12, alleging violations of the Commission's transportation regulations.
- (2) On June 15, 2015, Quality Fixtures Installations requested an administrative hearing in accordance with Ohio Adm. Code 4901:2-7-13.
- (3) The parties in this case are directed to participate in a prehearing conference at 10:00 a.m. on August 4, 2015. At that time, Staff will attempt to contact respondent by telephone.

It is, therefore,

ORDERED, That a prehearing conference be scheduled as indicated in Finding (3). It is, further,

ORDERED, That a copy of this Entry be served upon all parties of record.

THE PUBLIC UTILITIES COMMISSION OF OHIO

s/James Lynn

---

By: James M. Lynn  
Attorney Examiner

JRJ/sc

**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**6/29/2015 8:53:56 AM**

**in**

**Case No(s). 15-1103-TR-CVF**

Summary: Attorney Examiner Entry scheduling a prehearing conference in accordance with Finding (3). - electronically filed by Sandra Coffey on behalf of James Lynn, Attorney Examiner, Public Utilities Commission of Ohio