



BRICKER & ECKLER LLP
100 South Third Street
Columbus, OH 43215-4291
MAIN: 614.227.2300
FAX: 614.227.2390

www.bricker.com
info@bricker.com

Sally W. Bloomfield
614.227.2368
sbloomfield@bricker.com

June 30, 2015

Via Electronic Filing

Ms. Barcy McNeal
Administration/Docketing
Public Utilities Commission of Ohio
180 East Broad Street, 11th Floor
Columbus, OH 43215-3793

**Re: Clean Energy Future-Lordstown, LLC,
OPSB Case No. 14-2322-EL-BGN**

Dear Ms. McNeal:

On March 23, 2015, Clean Energy Future-Lordstown, LLC filed an application for authority to construct the Lordstown Energy Center. Additional documents were received after the Application was filed on March 23, 2015.

Attached for filing is a copy of the April 16, 2015 response from the Ohio Historical Connection to the March 5, 2015 Phase I Archeological Investigations for the Approximately 12.6 has (31.15 ac) Lordstown Energy Center, which is an update to Exhibits I and J of the Application.

Please do not hesitate to contact me if you have any questions.

Sincerely,

Sally W. Bloomfield

Attachment

Cc: Matthew Fancher (w/Attachment)



In reply refer to
2015-TRU-30840-1

April 16, 2015

Jackie Bruce
Tetra Tech, Inc.
238 Littleton Road, Suite 201B
Westford, MA 01886

Dear Ms. Bruce:

RE: Lordstown Energy Center, Lordstown, Trumbull County, Ohio

This is in response to the receipt, on March 5, 2015, of *A Phase I Archeological Investigations for the Approximately 12.6 ha (31.15ac) Lordstown Energy Center in the Village of Lordstown, Trumbull County, Ohio*. Also submitted was *Cultural Historic Investigations and Assessment of Effects for the Proposed Lordstown Energy Center Power Generation Facility, Village of Lordstown, Trumbull County, Ohio*. The comments of the State Historic Preservation Office are submitted in accordance with the provisions of Section 106 of the National Historic Preservation Act of 1966, as amended.

Intensive visual inspection and subsurface testing of the project area did not identify any archaeological remains. Therefore, based on the information provided, I agree with the recommendation that no further archaeological work is necessary in the proposed project area. It is my opinion that the proposed project will not affect historic properties. No further coordination is required unless the project changes or archaeological remains are discovered during the course of the project. In such a situation, this office should be contacted as per 36 CFR 800.13.

If you have any questions, please contact me at (614) 298-2000, or by email at nyoung@ohiohistory.org.

Sincerely,

A handwritten signature in black ink that reads "Nathan J. Young".

Nathan J. Young, Project Reviews Manager
Resource Protection and Review

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

6/30/2015 4:16:36 PM

in

Case No(s). 14-2322-EL-BGN

Summary: Correspondence of Clean Energy Future-Lordstown, LLC Submitting an Update to Exhibits I and J of the Application electronically filed by Teresa Orahod on behalf of Sally Bloomfield