



COLUMBUS | CLEVELAND  
CINCINNATI-DAYTON  
MARIETTA

**BRICKER & ECKLER LLP**  
100 South Third Street  
Columbus, OH 43215-4291  
MAIN: 614.227.2300  
FAX: 614.227.2390

www.bricker.com  
info@bricker.com

**Sally W. Bloomfield**  
614.227.2368  
sbloomfield@bricker.com

October 9, 2015

*Via Electronic Filing*

Ms. Barcy McNeal  
Administration/Docketing  
Public Utilities Commission of Ohio  
180 East Broad Street, 11<sup>th</sup> Floor  
Columbus, OH 43215-3793

**Re: Oregon Clean Energy, LLC  
Case No. 12-2959-EL-BGN**

Dear Ms. McNeal:

The May 1, 2013 Opinion, Order, and Certificate approving Oregon Clean Energy, LLC's ("Oregon") Certificate of Environmental Compatibility and Public Need to Construct an Electric Generation Facility ("Certificate") and the March 15, 2013 Second Supplement to Application established a set of conditions and supplemental commitments as part of the Certificate.

Specifically, in part, **Commitment No. 20**, which included in the Second Supplement filed on March 15, 2013, requires that:

**Prior to the commencement of construction activities that require permits or authorizations by federal or state laws and regulations, the Applicant will obtain and comply with such permits or authorizations. The Applicant will provide copies of permits and authorizations, including all supporting documentation, to Staff within seven days of issuance or receipt by the Applicant. The Applicant will provide a schedule of construction activities and acquisition of corresponding permits for each activity at the preconstruction conference.**

Attached for filing is a copy of the City of Toledo's special haul permit received October 8, 2015 for the transportation of GT12 and GEN12 to the site from the port.

If you have any questions please call at the number listed above.

Sincerely,

Sally W. Bloomfield

Attachment

Cc: Grant Zeto (w/Attachment)  
Chris Cunningham (w/Attachment)



# APPLICATIONS FOR SPECIAL HAULING Please Type or Print Legibly. Illegible applications will be rejected

PERMIT NO. \_\_\_\_\_

City of Toledo, Ohio  
Department of Inspection

Mail or Deliver To:  
One Stop Shop  
One Government Center  
Suite 1600  
Toledo, Ohio, 43604  
Telephone: (419)-245-1210

Name of Applicant: <b>RYAN WINNEY</b>				Date: _____	
Name of Company: <b>BURKHARTER Rigging, Inc.</b>				Type of Permit: <input type="checkbox"/> Trip <input checked="" type="checkbox"/> Trip & Return <input type="checkbox"/> Quarterly <input type="checkbox"/> Annual <input type="checkbox"/> Other (specify) _____	
Address: <b>2193 HWY 45 SOUTH, COLUMBUS, MS 39701</b>				Fee \$ _____ Paid By: _____ <input type="checkbox"/> Cash <input type="checkbox"/> Check <input type="checkbox"/> Money Order <input type="checkbox"/> Credit Card	
City: _____ State: _____ Zip/Postal Code: _____ Telephone: <b>662-242-6214</b> Ext. _____ Fax: <b>662-327-4401</b>				Make checks payable to: City of Toledo <b>THIS PERMIT IS VALID</b> BEGINNING <b>10/11/15</b> ENDING <b>10/18/15</b>	
Nature of Move: <b>HEAVY HAUL TO OREGON CLEAN ENERGY</b>				All Dimensions Feet & Inches DIMENSIONS	
MAKE & MODEL	LICENSE NO.	STATE	WEIGHT IN POUNDS: WEIGHT EMPTY	Vehicle & Load Overall	
Truck or Tractor:	<b>N/A</b>			Length	Height
Semi-Trailer:	<b>N/A</b>			Width	
Other Trailer				Length	Height
<b>PST Goldhofer</b>	<b>07GSP3</b>	<b>MS</b>	<b>139,552</b>	<b>90'-4"</b>	<b>17'-6"</b>
Description of Load Including Make & Model			Net Load: <b>681,630</b>		<b>15'-0"</b>
<b>GENERATOR (CT-12)</b>			Total Gross Wt: <b>835,584</b>	Load Only Height	
If Applicable:				<b>38'-0"</b>	<b>13'-4"</b>
<input type="checkbox"/> Load is towed on its own frame and undercarriage. <input type="checkbox"/> Load is under its own power. <input type="checkbox"/> Variable trailers, see attached list.			<input type="checkbox"/> All weights (axle & gross) are LEGAL in accordance with Section 5577.04 Ohio Revised Code. If check do not complete axle loads & spacing section of this application.	<b>14'-10"</b>	
AXLE Spacing Feet & Inches	AXLE No.	AXLE LOADS Gross axle loads, Lbs	TIRES		
			No. On Axle	Sizes	
<b>A4-11</b>	<b>1.</b>	<b>52,224</b>	<b>8</b>	<b>8.5</b>	
	<b>2.</b>	<b>52,224</b>	<b>8</b>	<b>8.5</b>	
<b>B4-11</b>	<b>3.</b>	<b>52,224</b>	<b>8</b>	<b>8.5</b>	
	<b>4.</b>	<b>52,224</b>	<b>8</b>	<b>8.5</b>	
<b>C4-11</b>	<b>5.</b>	<b>52,224</b>	<b>8</b>	<b>8.5</b>	
	<b>6.</b>	<b>52,224</b>	<b>8</b>	<b>8.5</b>	
<b>D4-11</b>	<b>7.</b>	<b>52,224</b>	<b>8</b>	<b>8.5</b>	
	<b>8.</b>	<b>52,224</b>	<b>8</b>	<b>8.5</b>	
<b>E4-11</b>	<b>9.</b>	<b>52,224</b>	<b>8</b>	<b>8.5</b>	
	<b>10.</b>	<b>52,224</b>	<b>8</b>	<b>8.5</b>	
<b>F4-11</b>	<b>11.</b>	<b>52,224</b>	<b>8</b>	<b>8.5</b>	
	<b>12.</b>	<b>52,224</b>	<b>8</b>	<b>8.5</b>	
Total Gross Weight	<b>835,584</b>		Estimated Number of Trips <b>1</b>		

Limitations listed on back of this application form apply. Special provisions as checked on back of this form apply. Move only during daylight hours. Movement is prohibited on Saturdays, Sundays, and holidays. Permittee is responsible for providing all above listed information and measurements. Permittee is responsible to check route for abnormal or changed or unknown conditions which may exist during move.

I, **Ryan Winney**, do hereby swear that I am the applicant or his/her legally authorized representative and the statements made in the foregoing application are true and correct to the best of my knowledge. SPECIAL ATTENTION HAS BEEN GIVEN TO ENSURE THE ACCURACY OF THE MEASUREMENTS OF THE ABOVE LISTED AXLE SPACING AND SPECIFIC VEHICLE I UNDERSTAND THAT ONLY ONE VEHICLE AT A TIME IS PERMITTED ON ALL BRIDGES ON THESE ROUTES.

SIGNATURE **Ryan Winney**  
TITLE **Project Manager** DATE **10/7/15**

PERMIT OFFICE USE ONLY  
VOID IF BLANK, ALTERED, OR UNSIGNED

APPROVED **[Signature]**  
Department of Inspection

**SBH**  
**10/8/15**

MOVEMENT TO BE MADE  
From: **PORT OF TOLEDO**

To: **OREGON CLEAN ENERGY CORP**

Designated Route:

1. EXIT PORT OF TOLEDO onto FULTON ST
2. LEFT TURN (EB) onto MILLARD AVE.
3. RIGHT TURN (SB) onto OLD MILLARD AVE (EB) ACROSS JUMPER BRIDGES 2 RR
4. LEFT TURN (WB) onto OTTER CREEK RD.
5. RIGHT TURN (EB) onto CEDAR POINT RD
6. RIGHT TURN (SB) onto LAKEVIEW RD.
7. LEFT TURN (EB) INTO SITE

City of Toledo  
City of Oregon

Axle Spacing Feet & inches	Axle No.	AXLE LOADS Gross axle loads, Lbs	TIRES	
			No. On Axle	Sizes
G. 4-11	12.	52,224		
	13.	52,224		
H. 4-11	14.	52,224		
	15.	52,224		
I. 4-11	16.	52,224		
	17.			
J.	18.			
	19.			
K.	20.			
	21.			
L.	22.			
	23.			
Total Gross Weight		835,584	Estimated Number of Trips 1	




# TRAILER LOAD DATA - WEIGHT (LBS.)

GOLDROVER - 15 LINE PST-SL



AXLE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	TOTAL
TIRE/AXLE	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	128
TAKE WT.	18,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	139,552
GROSS WT.	43,502	43,502	43,502	43,502	43,502	43,502	43,502	43,502	43,502	43,502	43,502	43,502	43,502	43,502	43,502	686,682
WT. PER TIRE	52,224	52,224	52,224	52,224	52,224	52,224	52,224	52,224	52,224	52,224	52,224	52,224	52,224	52,224	52,224	883,584
TIRE SIZE	6.508	6.508	6.508	6.508	6.508	6.508	6.508	6.508	6.508	6.508	6.508	6.508	6.508	6.508	6.508	5,528
W.T. PER LATERAL IN.	218,722	218,722	218,722	218,722	218,722	218,722	218,722	218,722	218,722	218,722	218,722	218,722	218,722	218,722	218,722	3,477,224
W.T. PER LATERAL IN.	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	768.0

## BILL OF MATERIAL

ITEM NO.	QUAN.	DESCRIPTION	LENGTH FT.	IN.	WT. LBS.	COMBINED WT. LBS.
1	8	MIXED SUPPORT BEAM (4572 GROSS)	25	0	1,900	15,200
						TOTAL = 15,200 LBS.



GROUND BEARINGS = 1,075 PSI BASED ON SHADOW AREA OF DECK



BEAM DIMENSION LINE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"

Notes:  
(1) Load chart rounds decimals to the nearest whole number.  
(2) Load wt. includes weight of support beams


BLACK & VEATCH	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"
OSOREN CLEAN ENERGY PROJECT	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"
CTR TRANSPORT 182F PSTSL	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"
STEAM GENERATOR (84/130 LBS)	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"
OSOREN, OH	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"
MANUFACTURED BY	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"

BLACK & VEATCH	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"
OSOREN CLEAN ENERGY PROJECT	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"
CTR TRANSPORT 182F PSTSL	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"
STEAM GENERATOR (84/130 LBS)	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"
OSOREN, OH	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"
MANUFACTURED BY	18'-0"	19'-3"	38'-0"	25'-0"	7'-9"	30'-4"	78'-9"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"	9'-10"


228	210	10	0
-----	-----	----	---

NOTE:  
FILL IN WITH CRIBBING &  
PLYWOOD AS REQUIRED AT  
ELEVATION TRANSITION



BILL OF MATERIAL				
ITEM	DESCRIPTION	QTY	LENGTH	WT
1	CHISEL MATS	6	16'-0"	3,200
2	JOOPER BRIDGE	1	20'-0"	12,000
3	PLASTER MAT	2	8'-0"	1,000
4	WEDGE MAT	6	8'-0"	1,000
5				
6				
TOTAL WT. US2838				



TYPICAL MAT DETAIL



GROUND BEARING PRESSURE UNDER MATS = 3,500 P.S.F.



PROJECT	BLACK & VEATCH
CLIENT	OREGON CLEAN ENERGY PROJECT
LOCATION	STEAM GENERATOR (681,630 LBS)
DATE	8/1/2008
BY	OLD VILLAGE ROAD @ DUCK CREEK
APP'D	ALL WORKS SHALL BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS AND STANDARDS OF THE OREGON DEPARTMENT OF TRANSPORTATION
DATE	8/1/2008
BY	WWW.BURKHALTER.COM
<b>Burkhalter</b>	
LIFTING, RIGGING & TRANSPORT PROFESSIONALS	
SHEET	01
OF	0







# APPLICATIONS FOR SPECIAL HAULING Please Type or Print Legibly. Illegible applications will be rejected

PERMIT NO. \_\_\_\_\_

City of Toledo, Ohio  
Department of Inspection

Mail or Deliver To:  
One Stop Shop  
One Government Center  
Suite 1600  
Toledo, Ohio, 43604  
Telephone: (419)-245-1210

Name of Applicant: <u>RYAN WINNEY</u>				Date: _____	
Name of Company: <u>BURKHALTER Rigging, Inc.</u>				Type of Permit: <input type="checkbox"/> Trip <input checked="" type="checkbox"/> Trip & Return <input type="checkbox"/> Quarterly <input type="checkbox"/> Annual <input type="checkbox"/> Other (specify) _____	
Address: <u>2193 Hwy 45 South Columbus, MS 39201</u>				Fee \$ _____ Paid By: _____ <input type="checkbox"/> Cash <input type="checkbox"/> Check <input type="checkbox"/> Money Order <input type="checkbox"/> Credit Card	
City: _____ State: _____ Zip/Postal Code: _____		Telephone: <u>662-242-6214</u> Ext. _____ Fax: <u>662-327-4401</u>		Make checks payable to: City of Toledo <b>THIS PERMIT IS VALID</b>	
Nature of Move: <u>HEAVY Haul to OREGON CLEAN ENERGY</u>					
MAKE & MODEL	LICENSE NO.	STATE	WEIGHT IN POUNDS; WEIGHT EMPTY	BEGINNING <u>10/11/15</u> ENDING <u>10/18/15</u>	
Truck of Tractor:	<u>N/A</u>			All Dimensions Feet & Inches DIMENSIONS	
Semi-Trailer:	<u>N/A</u>			Vehicle & Load Overall	
Other Trailer				Length Height Width	
<u>PST Goldhofer</u>	<u>076SP3</u>	<u>MS</u>	<u>139,552</u>	<u>90'-4"</u>	<u>15'-10"</u> <u>16'-0"</u>
Description of Load Including Make & Model <u>GAS TURBINE (CT-12)</u>			Net Load: <u>640,000</u>	Load Only Height	
If Applicable:			Total Gross Wt: <u>794,960</u>	<u>29'-0"</u>	<u>14'-10"</u> <u>16'-0"</u>
CHECK IF APPLICABLE <input type="checkbox"/> Load is towed on its own frame and undercarriage. <input type="checkbox"/> Load is under its own power. <input type="checkbox"/> Variable trailers, see attached list.			<input type="checkbox"/> All weights (axle & gross) are LEGAL in accordance with Section 5577.04 Ohio Revised Code. If check do not complete axle loads & spacing section of this application.		
Axle Spacing Feet & Inches	Axle No.	AXLE LOADS Gross axle loads, Lbs	TIRES		
			No. On Axle	Sizes	
A-11	1.	<u>49,685</u>	<u>8</u>	<u>8.5</u>	
	2.	<u>49,685</u>	<u>8</u>	<u>8.5</u>	
B-11	3.	<u>49,685</u>	<u>8</u>	<u>8.5</u>	
	4.	<u>49,685</u>	<u>8</u>	<u>8.5</u>	
C-11	5.	<u>49,685</u>	<u>8</u>	<u>8.5</u>	
	6.	<u>49,685</u>	<u>8</u>	<u>8.5</u>	
D-11	7.	<u>49,685</u>	<u>8</u>	<u>8.5</u>	
	8.	<u>49,685</u>	<u>8</u>	<u>8.5</u>	
E-11	9.	<u>49,685</u>	<u>8</u>	<u>8.5</u>	
	10.	<u>49,685</u>	<u>8</u>	<u>8.5</u>	
F-11	11.	<u>49,685</u>	<u>8</u>	<u>8.5</u>	
	12.	<u>49,685</u>	<u>8</u>	<u>8.5</u>	
Total Gross Weight		<u>794,960</u>	Estimated Number of Trips <u>1</u>		

PERMIT OFFICE USE ONLY  
VOID IF BLANK, ALTERED, OR UNSIGNED

APPROVED K.A. Long  
Department of Inspection

SBH  
10/8/15

Limitations listed on back of this application form apply. Special provisions as checked on back of this form apply. Move only during daylight hours. Movement is prohibited on Saturdays, Sundays, and holidays. Permittee is responsible for providing all above listed information and measurements. Permittee is responsible to check route for abnormal or changed or unknown conditions which may exist during move.

I, RYAN WINNEY, do hereby swear that I am the applicant or his/her legally authorized representative and the statements made in the foregoing application are true and correct to the best of my knowledge. SPECIAL ATTENTION HAS BEEN GIVEN TO ENSURE THE ACCURACY OF THE MEASUREMENTS OF THE ABOVE LISTED AXLE SPACING AND SPECIFIC VEHICLE. I UNDERSTAND THAT ONLY ONE VEHICLE AT A TIME IS PERMITTED ON ALL BRIDGES ON THESE ROUTES.

SIGNATURE [Signature]  
TITLE Project Manager




DATE 10/7/15

Axle Spacing Feet & Inches	Axle No.	AXLE LOADS Gross axle loads, Lbs	TIRES	
			No. On Axle	Sizes
G. 4-11	12.	49,685		
	13.	49,685		
H. 4-11	14.	49,685		
	15.	49,685		
I. 4-11	16.	49,685		
	17.			
J. _____	18.			
	19.			
K. _____	20.			
	21.			
L. _____	22.			
	23.			
Total Gross Weight		794,960	Estimated Number of Trips 1	




TRAILER LOAD DATA - WEIGHT (LBS.)  
SOLIDIFIER - 16 LINE PST-51

AXLE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	TOTAL
TARE WT.	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	8,722	138,552
LOAD WT.	40,983	40,983	40,983	40,983	40,983	40,983	40,983	40,983	40,983	40,983	40,983	40,983	40,983	40,983	40,983	654,403
GROSS WT.	49,685	49,685	49,685	49,685	49,685	49,685	49,685	49,685	49,685	49,685	49,685	49,685	49,685	49,685	49,685	792,955
WT. PER TIRE	6,211	6,211	6,211	6,211	6,211	6,211	6,211	6,211	6,211	6,211	6,211	6,211	6,211	6,211	6,211	94,163
TIRE SIZE	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5	225/70R17.5
WT. PER LATERAL IN.	780.7	780.7	780.7	780.7	780.7	780.7	780.7	780.7	780.7	780.7	780.7	780.7	780.7	780.7	780.7	12,491.4



GROUND BEARING = 1,025 PSF BASED ON SHADOW AREA OF DECK



BILL OF MATERIAL

ITEM	QTY	DESCRIPTION	UNIT	PRICE	TOTAL
1	1	SOLIDIFIER	EA	100,000	100,000
2	1	GAS TURBINE	EA	50,000	50,000
3	1	TRAILER	EA	20,000	20,000
4	1	WHEELS	EA	10,000	10,000
5	1	AXLES	EA	5,000	5,000
6	1	TIRES	EA	1,000	1,000
7	1	WHEELS	EA	10,000	10,000
8	1	AXLES	EA	5,000	5,000
9	1	TIRES	EA	1,000	1,000
10	1	WHEELS	EA	10,000	10,000
11	1	AXLES	EA	5,000	5,000
12	1	TIRES	EA	1,000	1,000
13	1	WHEELS	EA	10,000	10,000
14	1	AXLES	EA	5,000	5,000
15	1	TIRES	EA	1,000	1,000

SEAL DIMENSION LIST

ITEM	QTY	DESCRIPTION	UNIT	PRICE	TOTAL
1	1	SEAL	EA	10,000	10,000
2	1	SEAL	EA	10,000	10,000
3	1	SEAL	EA	10,000	10,000
4	1	SEAL	EA	10,000	10,000
5	1	SEAL	EA	10,000	10,000
6	1	SEAL	EA	10,000	10,000
7	1	SEAL	EA	10,000	10,000
8	1	SEAL	EA	10,000	10,000
9	1	SEAL	EA	10,000	10,000
10	1	SEAL	EA	10,000	10,000
11	1	SEAL	EA	10,000	10,000
12	1	SEAL	EA	10,000	10,000
13	1	SEAL	EA	10,000	10,000
14	1	SEAL	EA	10,000	10,000
15	1	SEAL	EA	10,000	10,000

Note:  
(1) Load chart rounds decimals to the nearest whole number.  
(2) Load wt. includes weight of support beams

PROJECT DATA

CLIENT	BLACK & VEATCH
PROJECT	OREGON CLEAN ENERGY PROJECT
ITEM	OTR TRANSPORT (1800 PST/SL)
DESCRIPTION	GAS TURBINE (640,000 LBS.)
LOCATION	OREGON, OH
DATE	06/06/2006
BY	006
REV	10
QTY	0

**Burkhalter**  
CLARK  
CLARK

**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**10/9/2015 10:14:30 AM**

**in**

**Case No(s). 12-2959-EL-BGN**

Summary: Correspondence of Oregon Clean Energy, LLC in Compliance with Commitment No. 20 electronically filed by Teresa Orahod on behalf of Sally Bloomfield