



COLUMBUS | CLEVELAND
CINCINNATI-DAYTON
MARIETTA

BRICKER & ECKLER LLP
100 South Third Street
Columbus, OH 43215-4291
MAIN: 614.227.2300
FAX: 614.227.2390

www.bricker.com
info@bricker.com

Dane Stinson
614.227.4854
dstinson@bricker.com

January 6, 2016

Ms. Barcy F. McNeal, Secretary
Public Utilities Commission of Ohio
180 East Broad Street, 11th Floor
Columbus, Ohio 43215

Re: In the Matter of the Application of Ohio Edison Company, The
Cleveland Electric Illuminating Company, and the Toledo
Edison Company for Authority to Provide for a Standard
Service Offer Pursuant to R.C. 4928.143 in the Form of an
Electric Security Plan, Case No. 14-1297-EL-SSO

Dear Ms. McNeal:

Enclosed please find for filing in the above-captioned case an Errata
for the Second Supplemental Direct Testimony of Matthew I. Kahal.

Thank you for your attention to this matter. If you have any
questions, please contact me at 614-227-4854.

Sincerely,

Dane Stinson

Enclosure

Copy to: Parties of Record

ERRATA TO KAHAL SECOND SUPPLEMENTAL DIRECT TESTIMONY

Page 14, lines 5 and 16, change \$3.2 to \$2.9

Page 18, line 13, change \$2,969 to \$2,713

Page 18, line 15, change \$3,912 to \$3,614

Page 19, line 12, change \$4,102 to \$3,803 and change \$4,192 to \$3,893

Page 27, line 4, change \$2,969 to \$2,713

Page 27, line 5, change \$3,260 to \$3,350 to \$2,902 to \$2,992

Page 36, line 8, change \$3.2 to \$2.9

Page 36, line 15, change \$3.2 to \$2.9 and change \$4 to \$3.8

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

1/6/2016 3:36:21 PM

in

Case No(s). 14-1297-EL-SSO

Summary: Correspondence Errata to Kahal Second Supplemental Testimony electronically filed by Dane Stinson on behalf of Northeast Ohio Public Energy Council and Office of the Ohio Consumers' Counsel