



February 16, 2016

Mahila Christopher,

I am following on staff interrogatories for the following case.

**Case No. 15-2107-EL-REN  
Haldeman-Mary-OH-PV-10.4kw Residence  
Staff Interrogatories – Initial Set**

**QUESTION 1:**

Is Sol Systems the Regulatory Contact for these cases? If so could you file the updated Section E details in the 'Reply'.

**ANSWER 1:**

Sol Systems is the regulatory contact for these cases, and Case E should read as follows:

**Legal Name of Contact Person:** Bridget Callahan  
**Title:** SREC Operations Analyst  
**Organization:** Sol Systems, LLC  
**Street Address:** 1718 Connecticut Avenue NW, Suite 300  
**City:** Washington **State:** DC **Zip Code:** 20009  
**Phone:** 2024487643 **Fax:**  
**Email Address:** bridget@solsystems.com  
**Web Site Address (if applicable):**

**QUESTION 2:**

The manufacturer name in Sub-Section N.1.a of the application doesn't match the manufacturer name seen in the photograph of the meter. Please confirm/ clarify the manufacturer name.

**ANSWER 2:**

The manufacturer of the dedicated solar meter is Vision Metering.

Please let me know at your earliest convenience if there are any questions on this filing.

Best,

Bridget Callahan  
SREC Operations Analyst

---

[www.SolSystems.com](http://www.SolSystems.com)

Headquarters: 1718 Connecticut Avenue, Suite 300, Washington, DC 20009  
San Francisco Office: 343 Sansome Street, Suite 510. San Francisco, CA 94104  
P: (202) 349-2085 F: (360) 935-7860 [info@solsystems.com](mailto:info@solsystems.com)

**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**2/16/2016 11:31:05 AM**

**in**

**Case No(s). 15-2107-EL-REN**

Summary: Answer to staff interrogatories electronically filed by Ms. Bridget Callahan on behalf of Mary Haldeman