

ATTACHMENT B

STREAM FORMS



Primary Headwater Habitat Evaluation Form

26

HHEI Score (sum of metrics 1, 2, 3) :

SITE NAME/LOCATION **Gable-South Cadiz Transmission Line**

SITE NUMBER

RIVER BASIN

DRAINAGE AREA (mi²)

LENGTH OF STREAM REACH (ft)

LAT. **40.25241**LONG. **-80.75406**

RIVER CODE

RIVER MILE

DATE **08/18/16**SCORER **MDT, JTT**COMMENTS **Ephemeral****NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions**

STREAM CHANNEL

☐

NONE / NATURAL CHANNEL

☒

RECOVERED

☐

RECOVERING

☐

RECENT OR NO RECOVERY

MODIFICATIONS:

evidence of past manipulation

1. **SUBSTRATE** (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate TYPE boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE	PERCENT	TYPE	PERCENT
<input type="checkbox"/> BLDR SLABS [16 pts]	<input type="text" value="0%"/>	<input checked="" type="checkbox"/> SILT [3 pt]	<input type="text" value="55%"/>
<input type="checkbox"/> BOULDER (>256 mm) [16 pts]	<input type="text" value="0%"/>	<input type="checkbox"/> LEAF PACK/WOODY DEBRIS [3 pts]	<input type="text" value="0%"/>
<input type="checkbox"/> BEDROCK [16 pt]	<input type="text" value="0%"/>	<input type="checkbox"/> FINE DETRITUS [3 pts]	<input type="text" value="0%"/>
<input type="checkbox"/> COBBLE (65-256 mm) [12 pts]	<input type="text" value="5%"/>	<input type="checkbox"/> CLAY or HARDPAN [0 pt]	<input type="text" value="15%"/>
<input checked="" type="checkbox"/> GRAVEL (2-64 mm) [9 pts]	<input type="text" value="25%"/>	<input type="checkbox"/> MUCK [0 pts]	<input type="text" value="0%"/>
<input type="checkbox"/> SAND (<2 mm) [6 pts]	<input type="text" value="0%"/>	<input type="checkbox"/> ARTIFICIAL [3 pts]	<input type="text" value="0%"/>

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock

5.00%

(A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **12**TOTAL NUMBER OF SUBSTRATE TYPES: **4**

HHEI Metric Points

Substrate Max = 40

16

A + B

2. **Maximum Pool Depth** (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

<input type="checkbox"/> > 30 centimeters [20 pts]	<input type="checkbox"/> > 5 cm - 10 cm [15 pts]
<input type="checkbox"/> > 22.5 - 30 cm [30 pts]	<input checked="" type="checkbox"/> < 5 cm [5 pts]
<input type="checkbox"/> > 10 - 22.5 cm [25 pts]	<input type="checkbox"/> NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS

MAXIMUM POOL DEPTH

(Inches): **1.00**

Pool Depth Max = 30

5

3. **BANK FULL WIDTH** (Measured as the average of 3-4 measurements) (Check *ONLY* one box):

<input type="checkbox"/> > 4.0 meters (> 13') [30 pts]	<input type="checkbox"/> > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
<input type="checkbox"/> > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	<input checked="" type="checkbox"/> ≤ 1.0 m (≤ 3' 3") [5 pts]
<input type="checkbox"/> > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	

COMMENTS

AVERAGE BANKFULL WIDTH

(Feet): **1.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY

☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH

L	R	(Per Bank)
<input type="checkbox"/>	<input type="checkbox"/>	Wide >10m
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Moderate 5-10m
<input type="checkbox"/>	<input type="checkbox"/>	Narrow <5m
<input type="checkbox"/>	<input type="checkbox"/>	None

COMMENTS

FLOODPLAIN QUALITY

L	R	(Most Predominant per Bank)
<input type="checkbox"/>	<input type="checkbox"/>	Mature Forest, Wetland
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Immature Forest, Shrub or Old Field
<input type="checkbox"/>	<input type="checkbox"/>	Residential, Park, New Field
<input type="checkbox"/>	<input type="checkbox"/>	Fenced Pasture

L	R	
<input type="checkbox"/>	<input type="checkbox"/>	Conservation Tillage
<input type="checkbox"/>	<input type="checkbox"/>	Urban or Industrial
<input type="checkbox"/>	<input type="checkbox"/>	Open Pasture, Row Crop
<input type="checkbox"/>	<input type="checkbox"/>	Mining or Construction

FLOW REGIME (At Time of Evaluation) (Check *ONLY* one box):

<input checked="" type="checkbox"/> Stream Flowing	<input type="checkbox"/> Moist Channel, isolated pools, no flow (Intermittent)
<input type="checkbox"/> Subsurface flow with isolated pools (Interstitial)	<input type="checkbox"/> Dry channel, no water (Ephemeral)

COMMENTS **flowing from recent rains**SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

<input checked="" type="checkbox"/> None	<input type="checkbox"/> 1.0	<input type="checkbox"/> 2.0	<input type="checkbox"/> 3.0
<input type="checkbox"/> 0.5	<input type="checkbox"/> 1.5	<input type="checkbox"/> 2.5	<input type="checkbox"/> >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft)
 ☒ Flat to Moderate
 ☐ Moderate (2 ft/100 ft)
 ☐ Moderate to Severe
 ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):QHEI PERFORMED? - ☐ Yes ☒ No QHEI Score (If Yes, Attach Completed QHEI Form)**DOWNSTREAM DESIGNATED USE(S)**


<input type="checkbox"/> WWH Name: <input type="text"/>	Distance from Evaluated Stream <input type="text"/>
<input type="checkbox"/> CWH Name: <input type="text"/>	Distance from Evaluated Stream <input type="text"/>
<input type="checkbox"/> EWH Name: <input type="text"/>	Distance from Evaluated Stream <input type="text"/>

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATIONUSGS Quadrangle Name: NRCS Soil Map Page: NRCS Soil Map Stream Order County: **Jefferson** Township / City: **MISCELLANEOUS**Base Flow Conditions? (Y/N): ☒ Y Date of last precipitation: **08/17/16** Quantity: **0.00**Photograph Information: 1Elevated Turbidity? (Y/N): ☒ Y Canopy (% open): **10%**Were samples collected for water chemistry? (Y/N): ☒ N (Note lab sample no. or id. and attach results) Lab Number: Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm) Is the sampling reach representative of the stream (Y/N) ☒ Y If not, please explain: Additional comments/description of pollution impacts: **BIOTIC EVALUATION**Performed? (Y/N): ☒ N (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) <input checked="" type="checkbox"/> N	Voucher? (Y/N) <input checked="" type="checkbox"/> N	Salamanders Observed? (Y/N) <input checked="" type="checkbox"/> N	Voucher? (Y/N) <input checked="" type="checkbox"/> N
Frogs or Tadpoles Observed? (Y/N) <input checked="" type="checkbox"/> N	Voucher? (Y/N) <input checked="" type="checkbox"/> N	Aquatic Macroinvertebrates Observed? (Y/N) <input checked="" type="checkbox"/> N	Voucher? (Y/N) <input checked="" type="checkbox"/> N

Comments Regarding Biology: **DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):**

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location





Primary Headwater Habitat Evaluation Form

36

HHEI Score (sum of metrics 1, 2, 3) :

SITE NAME/LOCATION **Gable-South Cadiz Transmission Line**

SITE NUMBER

RIVER BASIN

DRAINAGE AREA (mi²)

LENGTH OF STREAM REACH (ft)

LAT. **40.24906**LONG. **-80.75915**

RIVER CODE

RIVER MILE

DATE **08/18/16**SCORER **MDT, JTT**COMMENTS **Intermittent****NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions**

STREAM CHANNEL

☐ NONE / NATURAL CHANNEL☐ RECOVERED☒ RECOVERING☐ RECENT OR NO RECOVERY

MODIFICATIONS:

evidence of past manipulation in reclaimed mine area

1. **SUBSTRATE** (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE	PERCENT	TYPE	PERCENT
<input type="checkbox"/> BLDR SLABS [16 pts]	<input type="checkbox"/> 0%	<input checked="" type="checkbox"/> SILT [3 pt]	<input type="checkbox"/> 45%
<input type="checkbox"/> BOULDER (>256 mm) [16 pts]	<input type="checkbox"/> 0%	<input type="checkbox"/> LEAF PACK/WOODY DEBRIS [3 pts]	<input type="checkbox"/> 0%
<input type="checkbox"/> BEDROCK [16 pt]	<input type="checkbox"/> 0%	<input type="checkbox"/> FINE DETRITUS [3 pts]	<input type="checkbox"/> 0%
<input type="checkbox"/> COBBLE (65-256 mm) [12 pts]	<input type="checkbox"/> 15%	<input type="checkbox"/> CLAY or HARDPAN [0 pt]	<input type="checkbox"/> 15%
<input checked="" type="checkbox"/> GRAVEL (2-64 mm) [9 pts]	<input type="checkbox"/> 25%	<input type="checkbox"/> MUCK [0 pts]	<input type="checkbox"/> 0%
<input type="checkbox"/> SAND (<2 mm) [6 pts]	<input type="checkbox"/> 0%	<input type="checkbox"/> ARTIFICIAL [3 pts]	<input type="checkbox"/> 0%

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock **15.00%**

(A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **12**TOTAL NUMBER OF SUBSTRATE TYPES: **4**

HHEI Metric Points

Substrate Max = 40

16

A + B

2. **Maximum Pool Depth** (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):

<input type="checkbox"/> > 30 centimeters [20 pts]	<input checked="" type="checkbox"/> > 5 cm - 10 cm [15 pts]
<input type="checkbox"/> > 22.5 - 30 cm [30 pts]	<input type="checkbox"/> < 5 cm [5 pts]
<input type="checkbox"/> > 10 - 22.5 cm [25 pts]	<input type="checkbox"/> NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS

MAXIMUM POOL DEPTH

(Inches): **3.00**

Pool Depth Max = 30

15

3. **BANK FULL WIDTH** (Measured as the average of 3-4 measurements) (Check ONLY one box):

<input type="checkbox"/> > 4.0 meters (> 13') [30 pts]	<input type="checkbox"/> > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
<input type="checkbox"/> > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	<input checked="" type="checkbox"/> ≤ 1.0 m (≤ 3' 3") [5 pts]
<input type="checkbox"/> > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	

COMMENTS

AVERAGE BANKFULL WIDTH

(Feet): **1.50**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY

☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH

FLOODPLAIN QUALITY

L	R	(Per Bank)	L	R	(Most Predominant per Bank)	L	R	
<input type="checkbox"/>	<input type="checkbox"/>	Wide >10m	<input type="checkbox"/>	<input type="checkbox"/>	Mature Forest, Wetland	<input type="checkbox"/>	<input type="checkbox"/>	Conservation Tillage
<input type="checkbox"/>	<input type="checkbox"/>	Moderate 5-10m	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Immature Forest, Shrub or Old Field	<input type="checkbox"/>	<input type="checkbox"/>	Urban or Industrial
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Narrow <5m	<input type="checkbox"/>	<input type="checkbox"/>	Residential, Park, New Field	<input type="checkbox"/>	<input type="checkbox"/>	Open Pasture, Row Crop
<input type="checkbox"/>	<input type="checkbox"/>	None	<input type="checkbox"/>	<input type="checkbox"/>	Fenced Pasture	<input type="checkbox"/>	<input type="checkbox"/>	Mining or Construction

COMMENTS

FLOW REGIME (At Time of Evaluation) (Check ONLY one box):

<input checked="" type="checkbox"/> Stream Flowing	<input type="checkbox"/> Moist Channel, isolated pools, no flow (Intermittent)
<input type="checkbox"/> Subsurface flow with isolated pools (Interstitial)	<input type="checkbox"/> Dry channel, no water (Ephemeral)

COMMENTS **flowing from recent rains**SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check ONLY one box):

<input type="checkbox"/> None	<input type="checkbox"/> 1.0	<input type="checkbox"/> 2.0	<input type="checkbox"/> 3.0
<input checked="" type="checkbox"/> 0.5	<input type="checkbox"/> 1.5	<input type="checkbox"/> 2.5	<input type="checkbox"/> >3

STREAM GRADIENT ESTIMATE


☐ Flat (0.5 ft/100 ft)
 ☒ Flat to Moderate
 ☐ Moderate (2 ft/100 ft)
 ☐ Moderate to Severe
 ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):QHEI PERFORMED? - ☐ Yes ☒ No QHEI Score (If Yes, Attach Completed QHEI Form)**DOWNSTREAM DESIGNATED USE(S)**

<input type="checkbox"/> WWH Name: <input type="text"/>	Distance from Evaluated Stream <input type="text"/>
<input type="checkbox"/> CWH Name: <input type="text"/>	Distance from Evaluated Stream <input type="text"/>
<input type="checkbox"/> EWH Name: <input type="text"/>	Distance from Evaluated Stream <input type="text"/>

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATIONUSGS Quadrangle Name: NRCS Soil Map Page: NRCS Soil Map Stream Order County: **Jefferson** Township / City: **MISCELLANEOUS**Base Flow Conditions? (Y/N): ☒ Y Date of last precipitation: **08/17/16** Quantity: **0.00**Photograph Information: 2Elevated Turbidity? (Y/N): ☒ Y Canopy (% open): **10%**Were samples collected for water chemistry? (Y/N): ☒ N (Note lab sample no. or id. and attach results) Lab Number: Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm) Is the sampling reach representative of the stream (Y/N) ☒ Y If not, please explain: Additional comments/description of pollution impacts: **BIOTIC EVALUATION**Performed? (Y/N): ☒ N (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)Fish Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ N Salamanders Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ N
Frogs or Tadpoles Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ N Aquatic Macroinvertebrates Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ NComments Regarding Biology: **DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):**

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location





Primary Headwater Habitat Evaluation Form

26

HHEI Score (sum of metrics 1, 2, 3) :

SITE NAME/LOCATION **Gable-South Cadiz Transmission Line**

SITE NUMBER

RIVER BASIN

DRAINAGE AREA (mi²)

LENGTH OF STREAM REACH (ft)

LAT. **40.25018**LONG. **-80.75832**

RIVER CODE

RIVER MILE

DATE **08/18/16**SCORER **MDT, JTT**COMMENTS **Ephemeral****NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions**

STREAM CHANNEL

☐

NONE / NATURAL CHANNEL

☒

RECOVERED

☐

RECOVERING

☐

RECENT OR NO RECOVERY

MODIFICATIONS:

evidence of past manipulation

1. **SUBSTRATE** (Estimate percent of every type of substrate present. Check **ONLY** two predominant substrate TYPE boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE	PERCENT	TYPE	PERCENT
<input type="checkbox"/> BLDR SLABS [16 pts]	<input type="checkbox"/> 0%	<input checked="" type="checkbox"/> SILT [3 pt]	<input type="checkbox"/> 35%
<input type="checkbox"/> BOULDER (>256 mm) [16 pts]	<input type="checkbox"/> 0%	<input type="checkbox"/> LEAF PACK/WOODY DEBRIS [3 pts]	<input type="checkbox"/> 0%
<input type="checkbox"/> BEDROCK [16 pt]	<input type="checkbox"/> 0%	<input type="checkbox"/> FINE DETRITUS [3 pts]	<input type="checkbox"/> 0%
<input type="checkbox"/> COBBLE (65-256 mm) [12 pts]	<input type="checkbox"/> 5%	<input type="checkbox"/> CLAY or HARDPAN [0 pt]	<input type="checkbox"/> 5%
<input checked="" type="checkbox"/> GRAVEL (2-64 mm) [9 pts]	<input type="checkbox"/> 55%	<input type="checkbox"/> MUCK [0 pts]	<input type="checkbox"/> 0%
<input type="checkbox"/> SAND (<2 mm) [6 pts]	<input type="checkbox"/> 0%	<input type="checkbox"/> ARTIFICIAL [3 pts]	<input type="checkbox"/> 0%

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock **5.00%**

(A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **12**TOTAL NUMBER OF SUBSTRATE TYPES: **4**

HHEI Metric Points

Substrate Max = 40

16

A + B

2. **Maximum Pool Depth** (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check **ONLY** one box):

<input type="checkbox"/> > 30 centimeters [20 pts]	<input type="checkbox"/> > 5 cm - 10 cm [15 pts]
<input type="checkbox"/> > 22.5 - 30 cm [30 pts]	<input checked="" type="checkbox"/> < 5 cm [5 pts]
<input type="checkbox"/> > 10 - 22.5 cm [25 pts]	<input type="checkbox"/> NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS

MAXIMUM POOL DEPTH

(Inches): **2.00**

Pool Depth Max = 30

5

3. **BANK FULL WIDTH** (Measured as the average of 3-4 measurements) (Check **ONLY** one box):

<input type="checkbox"/> > 4.0 meters (> 13') [30 pts]	<input type="checkbox"/> > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
<input type="checkbox"/> > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	<input checked="" type="checkbox"/> ≤ 1.0 m (≤ 3' 3") [5 pts]
<input type="checkbox"/> > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	

COMMENTS

AVERAGE BANKFULL WIDTH

(Feet): **1.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY

☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH

L	R	(Per Bank)
<input type="checkbox"/>	<input type="checkbox"/>	Wide >10m
<input type="checkbox"/>	<input type="checkbox"/>	Moderate 5-10m
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Narrow <5m
<input type="checkbox"/>	<input type="checkbox"/>	None

COMMENTS

FLOODPLAIN QUALITY

L	R	(Most Predominant per Bank)
<input type="checkbox"/>	<input type="checkbox"/>	Mature Forest, Wetland
<input type="checkbox"/>	<input type="checkbox"/>	Immature Forest, Shrub or Old Field
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Residential, Park, New Field
<input type="checkbox"/>	<input type="checkbox"/>	Fenced Pasture

L	R	
<input type="checkbox"/>	<input type="checkbox"/>	Conservation Tillage
<input type="checkbox"/>	<input type="checkbox"/>	Urban or Industrial
<input type="checkbox"/>	<input type="checkbox"/>	Open Pasture, Row Crop
<input type="checkbox"/>	<input type="checkbox"/>	Mining or Construction

FLOW REGIME (At Time of Evaluation) (Check **ONLY** one box):

<input checked="" type="checkbox"/> Stream Flowing	<input type="checkbox"/> Moist Channel, isolated pools, no flow (Intermittent)
<input type="checkbox"/> Subsurface flow with isolated pools (Interstitial)	<input type="checkbox"/> Dry channel, no water (Ephemeral)

COMMENTS **flowing from recent rains**SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check **ONLY** one box):

<input type="checkbox"/> None	<input type="checkbox"/> 1.0	<input type="checkbox"/> 2.0	<input type="checkbox"/> 3.0
<input checked="" type="checkbox"/> 0.5	<input type="checkbox"/> 1.5	<input type="checkbox"/> 2.5	<input type="checkbox"/> >3

STREAM GRADIENT ESTIMATE


☐ Flat (0.5 ft/100 ft)
 ☒ Flat to Moderate
 ☐ Moderate (2 ft/100 ft)
 ☐ Moderate to Severe
 ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):QHEI PERFORMED? - ☐ Yes ☒ No QHEI Score (If Yes, Attach Completed QHEI Form)**DOWNSTREAM DESIGNATED USE(S)**

<input type="checkbox"/> WWH Name: <input type="text"/>	Distance from Evaluated Stream <input type="text"/>
<input type="checkbox"/> CWH Name: <input type="text"/>	Distance from Evaluated Stream <input type="text"/>
<input type="checkbox"/> EWH Name: <input type="text"/>	Distance from Evaluated Stream <input type="text"/>

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATIONUSGS Quadrangle Name: NRCS Soil Map Page: NRCS Soil Map Stream Order County: **Jefferson** Township / City: **MISCELLANEOUS**Base Flow Conditions? (Y/N): ☒ Y Date of last precipitation: **08/17/16** Quantity: **0.00**Photograph Information: 1Elevated Turbidity? (Y/N): ☒ Y Canopy (% open): **60%**Were samples collected for water chemistry? (Y/N): ☒ N (Note lab sample no. or id. and attach results) Lab Number: Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm) Is the sampling reach representative of the stream (Y/N) ☒ Y If not, please explain: Additional comments/description of pollution impacts: **BIOTIC EVALUATION**Performed? (Y/N): ☒ N (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)Fish Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ N Salamanders Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ N
Frogs or Tadpoles Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ N Aquatic Macroinvertebrates Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ NComments Regarding Biology: **DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):**

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location





Primary Headwater Habitat Evaluation Form

29

HHEI Score (sum of metrics 1, 2, 3) :

SITE NAME/LOCATION **Gable-South Cadiz Transmission Line**

SITE NUMBER

RIVER BASIN

DRAINAGE AREA (mi²)

LENGTH OF STREAM REACH (ft)

LAT. **40.24002**LONG. **-80.76982**

RIVER CODE

RIVER MILE

DATE **08/17/16**SCORER **MDT, JTT**COMMENTS **Ephemeral**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL

☐

NONE / NATURAL CHANNEL

☒

RECOVERED

☐

RECOVERING

☐

RECENT OR NO RECOVERY

MODIFICATIONS:

cattle impacts

1. **SUBSTRATE** (Estimate percent of every type of substrate present. Check ONLY two predominant substrate TYPE boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE	PERCENT	TYPE	PERCENT
<input type="checkbox"/> BLDR SLABS [16 pts]	<input type="text" value="0%"/>	<input checked="" type="checkbox"/> SILT [3 pt]	<input type="text" value="35%"/>
<input type="checkbox"/> BOULDER (>256 mm) [16 pts]	<input type="text" value="0%"/>	<input type="checkbox"/> LEAF PACK/WOODY DEBRIS [3 pts]	<input type="text" value="0%"/>
<input type="checkbox"/> BEDROCK [16 pt]	<input type="text" value="0%"/>	<input type="checkbox"/> FINE DETRITUS [3 pts]	<input type="text" value="0%"/>
<input checked="" type="checkbox"/> COBBLE (65-256 mm) [12 pts]	<input type="text" value="40%"/>	<input type="checkbox"/> CLAY or HARDPAN [0 pt]	<input type="text" value="15%"/>
<input type="checkbox"/> GRAVEL (2-64 mm) [9 pts]	<input type="text" value="0%"/>	<input type="checkbox"/> MUCK [0 pts]	<input type="text" value="10%"/>
<input type="checkbox"/> SAND (<2 mm) [6 pts]	<input type="text" value="0%"/>	<input type="checkbox"/> ARTIFICIAL [3 pts]	<input type="text" value="0%"/>

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock **40.00%**

(A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **15**TOTAL NUMBER OF SUBSTRATE TYPES: **4**

HHEI Metric Points

Substrate Max = 40

19

A + B

2. **Maximum Pool Depth** (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check ONLY one box):

<input type="checkbox"/> > 30 centimeters [20 pts]	<input type="checkbox"/> > 5 cm - 10 cm [15 pts]
<input type="checkbox"/> > 22.5 - 30 cm [30 pts]	<input checked="" type="checkbox"/> < 5 cm [5 pts]
<input type="checkbox"/> > 10 - 22.5 cm [25 pts]	<input type="checkbox"/> NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS

MAXIMUM POOL DEPTH

(Inches): **1.00**

Pool Depth Max = 30

5

3. **BANK FULL WIDTH** (Measured as the average of 3-4 measurements) (Check ONLY one box):

<input type="checkbox"/> > 4.0 meters (> 13') [30 pts]	<input type="checkbox"/> > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
<input type="checkbox"/> > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	<input checked="" type="checkbox"/> ≤ 1.0 m (≤ 3' 3") [5 pts]
<input type="checkbox"/> > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	

COMMENTS

AVERAGE BANKFULL WIDTH

(Feet): **1.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY

☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH

L	R	(Per Bank)
<input type="checkbox"/>	<input type="checkbox"/>	Wide >10m
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Moderate 5-10m
<input type="checkbox"/>	<input type="checkbox"/>	Narrow <5m
<input type="checkbox"/>	<input type="checkbox"/>	None

COMMENTS

FLOODPLAIN QUALITY

L	R	(Most Predominant per Bank)
<input type="checkbox"/>	<input type="checkbox"/>	Mature Forest, Wetland
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Immature Forest, Shrub or Old Field
<input type="checkbox"/>	<input type="checkbox"/>	Residential, Park, New Field
<input type="checkbox"/>	<input type="checkbox"/>	Fenced Pasture

L	R	
<input type="checkbox"/>	<input type="checkbox"/>	Conservation Tillage
<input type="checkbox"/>	<input type="checkbox"/>	Urban or Industrial
<input type="checkbox"/>	<input type="checkbox"/>	Open Pasture, Row Crop
<input type="checkbox"/>	<input type="checkbox"/>	Mining or Construction

FLOW REGIME (At Time of Evaluation) (Check ONLY one box):

<input checked="" type="checkbox"/> Stream Flowing	<input type="checkbox"/> Moist Channel, isolated pools, no flow (Intermittent)
<input type="checkbox"/> Subsurface flow with isolated pools (Interstitial)	<input type="checkbox"/> Dry channel, no water (Ephemeral)

COMMENTS **flowing from recent rains**SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check ONLY one box):


<input checked="" type="checkbox"/> None	<input type="checkbox"/> 1.0	<input type="checkbox"/> 2.0	<input type="checkbox"/> 3.0
<input type="checkbox"/> 0.5	<input type="checkbox"/> 1.5	<input type="checkbox"/> 2.5	<input type="checkbox"/> >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft)
 ☐ Flat to Moderate
 ☒ Moderate (2 ft/100 ft)
 ☐ Moderate to Severe
 ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):QHEI PERFORMED? - ☐ Yes ☒ No QHEI Score (If Yes, Attach Completed QHEI Form)**DOWNSTREAM DESIGNATED USE(S)**

<input type="checkbox"/> WWH Name: <input type="text"/>	Distance from Evaluated Stream: <input type="text"/>
<input type="checkbox"/> CWH Name: <input type="text"/>	Distance from Evaluated Stream: <input type="text"/>
<input type="checkbox"/> EWH Name: <input type="text"/>	Distance from Evaluated Stream: <input type="text"/>

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATIONUSGS Quadrangle Name: NRCS Soil Map Page: NRCS Soil Map Stream Order: County: **Jefferson** Township / City: **MISCELLANEOUS**Base Flow Conditions? (Y/N): ☒ Y Date of last precipitation: **08/17/16** Quantity: **0.00**Photograph Information: 1Elevated Turbidity? (Y/N): ☒ Y Canopy (% open): **10%**Were samples collected for water chemistry? (Y/N): ☒ N (Note lab sample no. or id. and attach results) Lab Number: Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm) Is the sampling reach representative of the stream (Y/N) ☒ Y If not, please explain: Additional comments/description of pollution impacts: **BIOTIC EVALUATION**Performed? (Y/N): ☒ N (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)Fish Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ N Salamanders Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ N
Frogs or Tadpoles Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ N Aquatic Macroinvertebrates Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ NComments Regarding Biology: **DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):**



Primary Headwater Habitat Evaluation Form

16

HHEI Score (sum of metrics 1, 2, 3) :

SITE NAME/LOCATION **Gable-South Cadiz Transmission Line**

SITE NUMBER

RIVER BASIN

DRAINAGE AREA (mi²)

LENGTH OF STREAM REACH (ft)

LAT. **40.23841**LONG. **-80.77411**

RIVER CODE

RIVER MILE

DATE **08/17/16**SCORER **MDT, JTT**COMMENTS **Ephemeral****NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions**

STREAM CHANNEL

☐

NONE / NATURAL CHANNEL

☐

RECOVERED

☒

RECOVERING

☐

RECENT OR NO RECOVERY

MODIFICATIONS:

cattle impacts

1. **SUBSTRATE** (Estimate percent of every type of substrate present. Check **ONLY** two predominant substrate TYPE boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE	PERCENT	TYPE	PERCENT
<input type="checkbox"/> BLDR SLABS [16 pts]	<input type="text" value="0%"/>	<input checked="" type="checkbox"/> SILT [3 pt]	<input type="text" value="80%"/>
<input type="checkbox"/> BOULDER (>256 mm) [16 pts]	<input type="text" value="0%"/>	<input type="checkbox"/> LEAF PACK/WOODY DEBRIS [3 pts]	<input type="text" value="0%"/>
<input type="checkbox"/> BEDROCK [16 pt]	<input type="text" value="0%"/>	<input type="checkbox"/> FINE DETRITUS [3 pts]	<input type="text" value="0%"/>
<input type="checkbox"/> COBBLE (65-256 mm) [12 pts]	<input type="text" value="0%"/>	<input checked="" type="checkbox"/> CLAY or HARDPAN [0 pt]	<input type="text" value="15%"/>
<input type="checkbox"/> GRAVEL (2-64 mm) [9 pts]	<input type="text" value="0%"/>	<input type="checkbox"/> MUCK [0 pts]	<input type="text" value="0%"/>
<input type="checkbox"/> SAND (<2 mm) [6 pts]	<input type="text" value="5%"/>	<input type="checkbox"/> ARTIFICIAL [3 pts]	<input type="text" value="0%"/>

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock **0.00%**

(A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**TOTAL NUMBER OF SUBSTRATE TYPES: **3**

HHEI Metric Points

Substrate Max = 40

6

A + B

2. **Maximum Pool Depth** (Measure the maximum pool depth within the 61 meter (200 ft) evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check **ONLY** one box):

<input type="checkbox"/> > 30 centimeters [20 pts]	<input type="checkbox"/> > 5 cm - 10 cm [15 pts]
<input type="checkbox"/> > 22.5 - 30 cm [30 pts]	<input checked="" type="checkbox"/> < 5 cm [5 pts]
<input type="checkbox"/> > 10 - 22.5 cm [25 pts]	<input type="checkbox"/> NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS

MAXIMUM POOL DEPTH

(Inches): **1.00**

Pool Depth Max = 30

5

3. **BANK FULL WIDTH** (Measured as the average of 3-4 measurements) (Check **ONLY** one box):

<input type="checkbox"/> > 4.0 meters (> 13') [30 pts]	<input type="checkbox"/> > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
<input type="checkbox"/> > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	<input checked="" type="checkbox"/> ≤ 1.0 m (≤ 3' 3") [5 pts]
<input type="checkbox"/> > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]	

COMMENTS

AVERAGE BANKFULL WIDTH

(Feet): **1.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY

☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH

L	R	(Per Bank)
<input type="checkbox"/>	<input type="checkbox"/>	Wide >10m
<input type="checkbox"/>	<input type="checkbox"/>	Moderate 5-10m
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Narrow <5m
<input type="checkbox"/>	<input type="checkbox"/>	None

COMMENTS

FLOODPLAIN QUALITY

L	R	(Most Predominant per Bank)
<input type="checkbox"/>	<input type="checkbox"/>	Mature Forest, Wetland
<input type="checkbox"/>	<input type="checkbox"/>	Immature Forest, Shrub or Old Field
<input type="checkbox"/>	<input type="checkbox"/>	Residential, Park, New Field
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Fenced Pasture

L	R	
<input type="checkbox"/>	<input type="checkbox"/>	Conservation Tillage
<input type="checkbox"/>	<input type="checkbox"/>	Urban or Industrial
<input type="checkbox"/>	<input type="checkbox"/>	Open Pasture, Row Crop
<input type="checkbox"/>	<input type="checkbox"/>	Mining or Construction

FLOW REGIME (At Time of Evaluation) (Check **ONLY** one box):

<input checked="" type="checkbox"/> Stream Flowing	<input type="checkbox"/> Moist Channel, isolated pools, no flow (Intermittent)
<input type="checkbox"/> Subsurface flow with isolated pools (Interstitial)	<input type="checkbox"/> Dry channel, no water (Ephemeral)

COMMENTS **flowing from recent rains**SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check **ONLY** one box):

<input type="checkbox"/> None	<input type="checkbox"/> 1.0	<input type="checkbox"/> 2.0	<input type="checkbox"/> 3.0
<input checked="" type="checkbox"/> 0.5	<input type="checkbox"/> 1.5	<input type="checkbox"/> 2.5	<input type="checkbox"/> >3

STREAM GRADIENT ESTIMATE


☐ Flat (0.5 ft/100 ft)
 ☒ Flat to Moderate
 ☐ Moderate (2 ft/100 ft)
 ☐ Moderate to Severe
 ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):QHEI PERFORMED? - ☐ Yes ☒ No QHEI Score (If Yes, Attach Completed QHEI Form)**DOWNSTREAM DESIGNATED USE(S)**

<input type="checkbox"/> WWH Name: <input type="text"/>	Distance from Evaluated Stream <input type="text"/>
<input type="checkbox"/> CWH Name: <input type="text"/>	Distance from Evaluated Stream <input type="text"/>
<input type="checkbox"/> EWH Name: <input type="text"/>	Distance from Evaluated Stream <input type="text"/>

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATIONUSGS Quadrangle Name: NRCS Soil Map Page: NRCS Soil Map Stream Order County: **Jefferson** Township / City: **MISCELLANEOUS**Base Flow Conditions? (Y/N): ☒ Y Date of last precipitation: **08/17/16** Quantity: **0.00**Photograph Information: 1Elevated Turbidity? (Y/N): ☒ Y Canopy (% open): **100%**Were samples collected for water chemistry? (Y/N): ☒ N (Note lab sample no. or id. and attach results) Lab Number: Field Measures: Temp (°C) Dissolved Oxygen (mg/l) pH (S.U.) Conductivity (µmhos/cm) Is the sampling reach representative of the stream (Y/N) ☒ Y If not, please explain: Additional comments/description of pollution impacts: **BIOTIC EVALUATION**Performed? (Y/N): ☒ N (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)Fish Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ N Salamanders Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ N
Frogs or Tadpoles Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ N Aquatic Macroinvertebrates Observed? (Y/N) ☒ N Voucher? (Y/N) ☒ NComments Regarding Biology: **DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):**

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

9/6/2016 3:02:49 PM

in

Case No(s). 16-1576-EL-BLN

Summary: Letter of Notification - 16-1576-EL-BLN part 4 of 6 electronically filed by Mrs. Erin C Miller on behalf of AEP Ohio Transmission Company